MINERAL SURVEY No. 3546

		Land	
FIELD	NOT	TES	
OF THE SURVEY OF T	HE MINI	NG CLAIM	OF
Phelps Dodge C	ornora	tion	
	••••		
KNOWN	AS THE		
ELLA BELLE, DOR	CAS lo	les-	
Copper Mount	ain	-16-	Mining District
Greenlee Cour	nty,	Arizona	
17 & 20 Uns; Township 4 S			,
yed under instructions dated	Septer	nher 26	, 19 18
by.	E.T.M	arton	
			U. S. Mineral Surveyor
Claim located see location	n notic	es	, 19
Survey commencedSept.	ember 2	28	, <i>19</i> 18
Survey completed Qct	ber 3		, 19 18
Address of claimant: Morris	& Malo	ott Attys	19.
	, , , , , , ,	, , 111 1201	

Feet	SURVEY NO.3546
-	Ella Belle lode.
	Beginning at Cor. No. 1.
A Arth	A pine post, 4x6 ins., 3.5 ft. high, in place. with
	mound of stone, scribed EB 1-3546, whence
	The SE. Cor. Sec. 13, T. 4 S. R. 28 E., G. & S. R. B. &
	M. bears N.85°17'W. 10553.7 ft.
	Thence N. 58° 09' E.
375.65	Intersect lines 2-3 and 4-1 Sur. No. 2858, Copper Pig and
	Copper Bar lodes, respectively, at S.71°06'W. 216.98 ft.
	from Cors. Nos. 3 and 4, respectively.
608.32	Cor. No. 4, Dorcas lode, of this survey, and
	Intersect line 3-4, Sur. No. 2858, Copper Bar lode, at
	N.18°17'W. 53.05 ft. from Cor. No. 4.
873	Intersect gulch, course SW.
1234.32	Cor. No. 3, Dorcas lode, of this survey.
1255	To Cor. NO. 2.
	A pine post, in place, 4x6 ins., 3.5 ft. high, with
	mound of stone, scribed EB 2-3546.
	No bearings available.
- Ketal	Thence S. 61° 58' E.
100.5	To Cor. No. 14, Sur. No. 1172 Nevada lode.
346	ME. end center of the location and lode.
692	To Cor. No. 3.
	Identical with Cor. No. 13, Sur. No. 1172, Nevada lode.
	On line 9-10, Sur. No. 1172, Crown lode,
	A pine post, in place, 4x6 ins., 3.5 ft. high, with mound
	of stone, scribed EB 3-3546.
Mary Track	No bearings available.
	Thence S. 58° 09' W.
1085.	Intersect gulch, course West.
1255	To Cor. No, 4. to a series to the series to

Identical with Cor. No. 4, Sur. No. 2858, Copper Pig lode.
On line 9-10, Sur. No. 1172, Crown lode, at N.58.09 E.
29.7 ft. from Cor. No. 9.

A pine post, in place, 4x6 ins., 3.5 ft. high, with mound of stone, scribed EB 4-3546, whence Cor. No. 3, Sur. No. 2858, Copper Pig lode, bears N.8° 17'W. 600 Ft.

Thence N. 61° 58' W.

346 SW. end center of the location and lode.

393 Intersect guloh, course SW.

692. To Cor. No. 1, the place of beginning.

Dorcas lode.

Beginning at Cor. No. 1.

A pine post, in place, 4x6 ins., 5.5 ft. high, with mound of stone, scribed D 1-3546, whence

The SE. Cor. Sec. 13, T. 4 S. R. 28 E., G. & S. R. B. & M. bears S. 88° 08' W. 10056.3 ft.

Thence N. 58° 09' E.

313 W. end center of the location and lode.

626 To Cor. No. 2.

A pine post, in place, 4x6 ins., 3.5 ft. high, with mound of stone, scribed D.2-3546.

No bearings available.

Thence S. 48° 26' E.

185 Intersect gulch, course SW.

1315 To Cor. No. 3.

On line 1-2 Ella Belle lode, of this survey.

A pine post, in place, 4x6 ins., 3.5 ft. high, with mound of stone, scribed D 3-3546.

No bearings available.

feet 313	SE. end center of the location and lode.
361	Intersect gulch, course SW.
626	To Cor. No. 4.
	On line 3-4, Sur. No. 2858, Copper Bar lode, at S.8°17'E.
	546.95 ft. from Cor. No. 3.
261.60	On line 1-2, Ella Belle lode, of this survey.
	A pine post, in place, 4x6 ins., 3.5 ft. high, with
	mound of stone, scribed D 4-3546.
npmo-	No bearings available.
	Thence N. 48° 26' W.
617.87	Intersect lines 2-3 and 4-1, Sur. No. 2858, Copper Bar
11.1	and Bacon Rind lodes, respectively, at S.71°06'W. 405.38
	ft., and 178.63 ft. from Cors. Nos. 3-4, respectively.
1095	Intersect gulch, course SW.
1303.83	Intersect line 2-3, Sur. No. 2858, Bacon Rind lode, at
	S.71 °06'W. 587.4 ft. from Cor. No. 3, whence Cor. No.4
900,3	said Bacon rind lode, bears S.12°09E. 601 ft.
1315	To Cor. No. 1, the place of beginning.
	Variation at all corners 13°45' E.
C	AREAS. Acres Acres
Total a	rea Ella Belle lode. 17.246 *
Area	in conflict with:-
Su	r. No. 2858, Copper Pig lode. 4.050
Su	r. No. 2858, Copper Bar lode. 0.130
Total a	rea Dorcas lode.
	in conflict with:-
Su	r. No. 2858, Copper Bar lode. 2.501*
Su	r. No. 2858, Bacon Rind lode. 5.248
4-10	
	LOCATION
The second second second	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

This survey is located, approximately, in Sections 17 and 20, unsurveyed, T. 4 S. R., 29 E., G. & S. R. B. & M., Copper Moun-Greenlee Gounty, tain Mining District, Arizona. - Greenlee County.

LDDE LINES

As near as can be determined from present developments the veins of the several locations embraced in this claim extend as follows from their respective discovery points:

Dorcas lode, 91 ft. S.48°26'E., and 1224 ft. N.48°26'W. Ella Belle lode, 12 ft. N.58°09'E., and 1243 ft. S.58°09'W.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made, or for the benefit of, each of the locations embraced in said mining claim by the claimant or its grantors is not less than five hundred dollars, and that said improvements consist of:

No. 1. The discovery of the Ella Belle lode, showing mineral in place, on the lode line 12 ft. from the NE. end center.

No. 2. A shaft, the center of which bears from a point on line 608.32 1-2, GCS ft. from Cor. No. 1; S.85°25'E. 220 ft., 4x6 ft., 80 ft. deep.

Value

\$.1,000.

Dorcas.

- No. 1. The discovery of the Dorcas lode, showing mineral in place, on the lode line 91 ft. from the SE. end center.
- No. 2. A tunnel, with open cut approach the mouth of which bears from Cor. No. 4., N.15°E. 242 ft., running N.21°W. 26 ft. in open cut and thence North in 5x7 ft. tunnel 30 ft. (Open cut 5x9 ft.)

 Value \$350.
- No.3. A tunnel, with open cut approach the mouth of which bears from Cor. No. 4, N.56°50'E. 513 ft., running N.13°E. 22 ft. in open cut 5x10 ft., and 22 ft. in tunnel 5x7 ft.

Value

350.

ADJOINING LODES

The adjoining lodes are; on the Northeast, Southern Belle and lodes
Wyoming, unsurveyed, and Sur. No. 1172, Nevada lode, Phelps Dodge
Corporation, claimant herein; on the Southeast, Sur. No. 1172,
Crown lode, claimant herein (Phelps Dodge Corporation); on the

Southwest, Sur. No. 2858, Copper Pig; Copper Bar and Bacon Rind lodes, Arizona Copper Company, claimant; and on the Northwest, the Barcelona lode. unsurveyed, Phelps Dodge Corporation, claimant herein.

INSTRUMENT

This survey was made with a Berger Light Mountain Transit.

The courses were deflected from the true meridian as determined with by Polaris observations. The distances were measured, 5, 50 and 500 ft. steel tapes.

REPORT

The SE. Cor. Sec. 13, T. 4 S. R. 28 E., G. & S. R., B. & M. is an iron rod with brass ccap properly set and scribed.

Sur. No. 1172, Nevada and Crown lodes:

All corners are posts properly set and scribed.

Sur. No. 2858, Copper Pig, Copper Bar and Bacon Rind lodes:
All corners are posts properly set and scribed.

The survey of each lode of this claim is identical with the respective location as staked on the ground.

The differences between these field notes and the returns on previous surveys are due to errors in the latter.

The differences between these field notes and the location certificates are due to errors in the latter.

All end center monuments are mounds of stone.

All corner points are marked with tacks.

E. T. Morton

U. S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

Rhound as the Blie Belle Dorces lodes and showing the respective capacities in which they acted. J.L.Awalt , Chainman. Pablo Gonzales , Chainman. Pablo Gonzales , Chainman. FINAL OATHS OF ASSISTANTS. We, J.L.Awalt , do solemnly swear that we assisted E.T.Morton , United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of	a designation deposition in the referential nero	l notes of the survey of the mining claim of
wind showing the respective capacities in which they acted. J.I.Awalt , Chaisman. Pablo Gonzales , Chaisman. FINAL OATHS OF ASSISTANTS. We, J.L.Awalt and Fahlo Gonzales , do solemnly swear that we assisted F.T.Morton , United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of Phelps Dodge Carporation Prection; and that said survey has been in all respects, to the best of our knowledge and belief, faithful and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor General for Arizona Auman. Flagman Subscribed and sworn to by the above-named persons before me this Chaisman. Flagman Flagman		
FINAL OATHS OF ASSISTANTS. We,		
FINAL OATHS OF ASSISTANTS. We,		
FINAL OATHS OF ASSISTANTS. We,	and and and respective capacities in w	
FINAL OATHS OF ASSISTANTS. We,		
FINAL OATHS OF ASSISTANTS. We,		, Chainman.
FINAL OATHS OF ASSISTANTS. We,		, Axman.
We,		, Flagman.
We,		
E.T.Morton , United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of	FINAL OAT	THS OF ASSISTANTS.
E.T.Morton , United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of	We, J. J. Awalt	
T. Morton , United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of		
nown as the Ella Belle Dorcas lodes epresented in the foregoing field notes as having been surveyed by said mineral surveyor and under hirection; and that said survey has been in all respects, to the best of our knowledge and belief, faithfull and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona Axman. Flagman Subscribed and sworn to by the above-named persons before me this 254		
epresented in the foregoing field notes as having been surveyed by said mineral surveyor and under hirection; and that said survey has been in all respects, to the best of our knowledge and belief, faithfull and correctly executed, and the corner and boundary monuments established according to law and the instruous furnished by the United States Surveyor General for Arizona Chainman. Arman. Flagman Subscribed and sworn to by the above-named persons before me this		
epresented in the foregoing field notes as having been surveyed by said mineral surveyor and under hirection; and that said survey has been in all respects, to the best of our knowledge and belief, faithfull and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona Arizona Chainman. Arman. Subscribed and sworn to by the above-named persons before me this		
epresented in the foregoing field notes as having been surveyed by said mineral surveyor and under h irection; and that said survey has been in all respects, to the best of our knowledge and belief, faithfull nd correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona Chainman. Chainman. Arman. Subscribed and sworn to by the above-named persons before me this		
irection; and that said survey has been in all respects, to the best of our knowledge and belief, faithfull and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona, Chainman. Chainman. Chainman. Flagman Subscribed and sworn to by the above-named persons before me this		
ions furnished by the United States Surveyor-General for Arizona. Chainman. Chainman. Awman. Subscribed and sworn to by the above-named persons before me this		
Subscribed and sworn to by the above-named persons before me this 25/4	irection; and that said survey has been in a	all respects, to the best of our knowledge and belief, faithfull
Subscribed and sworn to by the above-named persons before me this 254	nd correctly executed, and the corner and bo	undary monuments established according to law and the instru
Subscribed and sworn to by the above-named persons before me this 254		
Subscribed and sworn to by the above-named persons before me this 254	ons furnished by the United States Surveyor	r-General for Arizona
Subscribed and sworn to by the above-named persons before me this	ons furnished by the United States Surveyo	1 6 1. 16
Subscribed and sworn to by the above-named persons before me this	ons furnished by the United States Surveyo	1 9 1. 16
Subscribed and sworn to by the above-named persons before me this	ons furnished by the United States Surveyo	J. L. July , Chainman. Pablo Gonzalez , Chainman.
	ons furnished by the United States Surveyo	J. J. J. J. Chainman. Pablo Gonzole, Chainman. , Awman.
day of		J. J. J. J. Chainman. Pablo Gonzole, Chainman. , Axman. Flagman
Louis / Jayme	Subscribed and sworn to	J. J. J. J. J. Chainman. Pablo Gonzol , Chainman. , Axman. , Flagman
(Bolary Mulle	Subscribed and sworn to	J. J. J. J. J. Chainman. Pablo Gonzol , Chainman. , Axman. , Flagman
	Subscribed and sworn to	J. J. J. J. J. Ghainman. Pablo Gonzolz, Chainman. "Axman. "Flagman
SET THE THE THE BOAT OF THE STATE OF THE STA	Subscribed and sworn to	Dablo General Chainman. Chainman. Axman. Flagman 1978 1978 6-1048

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, E.T.Morton	, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of	instructions received from the United States
	, dated
	I have, in strict conformity to the laws of the
	instructions thereunder, and the instructions
	correctly executed the survey of the Mining
	Corporation
	, known as the
Ella Belle, Dorc	as lodes ,
	Mining District,
	County, Arizona , in Sections 17
	nge No. 29 E., G.& S.R.B.& M.
	as represented
in the foregoing field notes, which accurate	ly show the boundaries of said mining claim
as distinctly marked by monuments on the	ground, and described in the attached copy
of the location certificate, which was received	ved by me from the Surveyor General with
said instructions, and that all the corners o	f said survey have been established and per-
petuated in strict accordance with the lav	v, official regulations and instructions there-
under; and I do further solemnly swear t	hat the foregoing are the true and original
field notes of said survey and my report	therein, and that the labor expended and
improvements made upon said mining clair	n by claimant oritsgrantors
are as therein fully stated, and that the c	haracter, extent, location, and itemized value
thereof are specified therein with particula	rity and full detail, and that no portion of
said labor or improvements so credited to	this claim has been included in the estimate
of expenditures upon any other claim.	
	a I mor lon
	U. S. Mineral Surveyor.
	50/1/2
Subscribed and sworn to by the said	C. Mostan
U. S. Mineral Surveyor, before me	Louis / Classer
Molary Our	tec this 25th
day of, 19/8	
	Journs . January
6—1044	Chotasy Culter
Chan a	· · · · · · · · · · · · · · · · · · ·
any comme	enon enfines 1 et. 20-1919.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Pho	enix, Arizo	ona,
			March 4 , 1919
I, U. S. Surveyor-General for	r District	of Arizona	
do hereby certify that the foregoi			
of the mining claim of			
known as the			
situate in			
Mining District, GRE			
in Section s 17&20, unsown			
designated as Survey No35			
this office; that said Field Notes			
incorporated into a patent, serve fi			
to natural objects or permanent m			
And I further certify that fi- each of ments made upon/said mining cla	ve hundred dollars' v	vorth of labor ha	s been expended or improve-
consist of 2 cuts, tuni			
			4 = 1
and that no portion of said labor			
ipon any other claim.			
I further certify that the plat	thereof, filed in the U	. S. Land Office a	t Phoenix.
Arizona, is			
		Frank P. T	rott,
	United States Surveyor-	-General jur	Arizona.

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

OFFICE OF U. S. SURVEYOR GENERAL

	Phoenix,	Arizona,
		March 4, 191 9
I, U. S. Surveyor General for	District of Arizona	ı
do hereby certify that the foregoing and her	reto attached Field Notes an	d Return of the Survey of the
Mining Claim of		
PHELPS	DODGE CORPORATION	
		, known as the
ELLA BE	LLE, DORCAS LODES	
situate inCO	PPER MOUNTAIN	mining district,
GREENLEE	County,	ARIZONA.
in Section S 17 & 20, uns., Townsh	ip No. 4 S.,	., Range No. 29 E.
, designated as Survey	No. 3546	
executed byE	. T. Morton,	, U. S. Mineral
Surveyor, Sept. 28-Oct.	3, 191 8	, under my instructions dated
Sept. 26, , 19	18, have been critically exa	mined and the necessary cor-
rections and explanations made, and the sai	d Field Notes and Return, a	and the Survey they describe,
are hereby approved. The certified copy of	the location certificate filed l	by the applicant for survey is
on file in this office and a true copy of said ce	rtified copy of said location ce	ertificate is included and made
a part of the transcript of the field notes.		
	Frank O	Front

U. S. Surveyor General for Arizona.