4-683

MINERAL SURVEY No. 3558

	ARIZONA	•	Land District.			
FIELD NOTES OF THE SURVEY OF THE MINING CLAIM OF						
THE	GLOBE & LOST GULCI	H SILVER COPPE	R MINES COMPANY			
		NOWN AS THE				
Globe			Mining District,			
e M. ur		hip 1 N., rook National	, Range 14 E. G.& S.R. Forest.	Bd		
		by <u>Lawir</u>	T. Stewart U. S. Mineral Surveyor.			
	Claim located See	location notic	<u>.e., 19</u>			
	Survey commenced Survey completed					
	Address of claimant 1 Adams, Phoenix, Ar					

Mineral Survey No. 3558

Feet.

Empress Copper.lode.

Beginning at Cor. No. 1, identical with S.W. Cor. of the location.

A 3/4 inch drill hole in dacite in places about which is chiseled 1-E C-3558, with monument of stone alongside, whence U. S. L. M. No. 2652 bears S.32°-30'-40"E. 8057.4 ft. An oak tree, 5 ins. in diameter, blazed and scribed cross B.T. 3558, bears S.35°-10'W. 17.3 ft. An oak tree, 8 ins. in diameter, blazed and scribed cross B.T. 3558 bears N.73°-59'W. 53.4 ft.

Thence N. 39°-27'W.

No other bearings available.

1500.0 To Cor. No. 2, identical with N.W. Cor. of the location A dacite stone, 10 x 15 x 24 ins., with cross at the exact corner, set 12 ins. in the ground, with monument of stone alongside, chiseled 2- E C-3558, whence An oak tree, 10 ins. in diameter, blazed and scribed cross B.T. 3558, bears S. 27°-32'E. 44.2 ft. An oak tree, 12 ins. in diameter, blazed and scribed cross B.T. 3558, bears S.89°-16'W. 68.3 ft. No other bearings available.

Thence N.50°-33'E.

_300.0

To N.W.E.C. monument of the location, from which the discovery cut bears S.39°-27'E. 1458.0 ft.

A monument of stone, 3.5 ft. base, 4.0 ft. high.

600.0

To Cor. No. 3, identical with N.E. corner of the location. A dacite stone, 10 x 10 x 25 ins., with cross at the exact corner, set 12 ins. in the ground, with monument of stone alongside, chiseled 3-E C -3558. No hearings available. by h. s. Hrooks.

Thence S. 39°-27'E.

mede apportion claim, by the claiment, or the ere

1500.0

To Cor. No. 4, identical with S.E. Cor. of the location. On line 2-3, Oversight Copper lode, Sur. 3560, unapproved. S.50°-33'W. 40.0 ft. from Cor. No. 3.

A 3/4 inch drill hole in dacite in place, about which is chiseled 4-E C -3558, with monument of stone alongside. No bearings available.

Thence S.50°-33'W.

Along line 3-2 of said Oversight Copper lode.

- To N. W. E. C. of said Oversight Copper lode. 260.0
- To S.E.E.C. monument of the location. 300.0
- A monument of stone, 3.5 ft. base, 3.5 ft. high. To Cor. No. 2 of said Oversight Copper lode. To Dor. No. 1, the place of beginning. 560.0

600.0

Mean magnetic variation at all corners 14°-20'E.

0400000000000000

Lode Line

As near as can be determined from present development, the vein of this claim extends N.39°-27'W. 1458.0 ft. and S.39°-27'E. 42.0 ft. from the discovery cut.

Area.

Total Area Empress Copper lode, 20.661 Acres.

Location.

This survey is located on unsurveyed land in what will probably be, when surveyed, section 16, T. 1 N., R. 14 E., G. &S.R. B. & M., Globe, Mining District, Gila County, Arixona, in the Crook National Forest.

0000000000000000

Adjoining and Conflicting Claims.

This claim is surrounded on the northwest, northeast, and southwest by unappropriated land. On the south is the Oversight Copper lode, Sur. 3560, unapproved, owned by M. E. Brooke.

-00000000000000000

Expenditure of Five Hundred Dollars.

I certify that the value of the labor and improvements made upon this claim, by the claimant, or its grantors,

is not less than five hundred dollars, and that said improvements consist of

No.1, the discovery, 54 ft. of cut and tunnel, 5 x 7 ft. and shaft, 4 x 6 x 6 ft. The toe of cut is on the lode line 42.0 ft. from the S.E.E.C. and it extends thence S.29°W. 43.5 ft. to face of tunnel. And, from a point S.29°W. 26.5 ft. from toe of cut, a cut extends N.53°W. 10.5 ft. to face. And, from a point S.29°W. 22.5 ft. from the toe of cut, a shaft, 4 x 6 x 6 ft. is sunk below floor of cut. Value of improvement, \$450.00.

No. 2, an irregular shaped pit, averaging 9 x 10 x 4 ft., the S.E. Cor. of which bears $S.60^{\circ}-57$ W. 31.0 ft. from the S.E.E.C. Value, \$75.00.

No. 3, trench, 3 x 5 x 16 ft., course S.86°E., the center of the northwest end of which bears S.74°-33'W. 44.0 ft. from a point on the lode line 42.0 ft. from the S.E.E.C. Value \$60.00.

No. 4, shaft, 4 x 6 x 6 ft., the S.E. corner of which bears N.63°-54'W. 98.6 ft. from the last described point. Value, \$30.00.

00000000000000000

Instrument and Determination of Meridian.

This survey was made with a $6\frac{1}{4}$ inch Berger transit. The courses were deflected from the true meridian as determined by direct Solar observation. The distances were measured with a 660 ft. steel tape.

00000000000000000

Report.

The side and end lines of this claim were run direct upon the ground.

U.S.L.M. No. 2652, to which tie is given from Cor. No.1, is a pine post, 6 x 8 ins., showing 6 ft. out of the ground, surrounded by a mound of stone, 6 ft. base and 3 ft. high, scribed U.S.L.M. 2652.

Cor. No. 2, Oversight Copper lode, Sur. 3560, unapproved; is a dacite stone, properly set and marked. Cor. No. 3 of this claim is a 3/4 inch drill hole in dacite in place, about which are the proper markings for the corner.

The disagreement between these notes and the location notice is due to error in the notice.

U.S. Mineral Surveyor.

Globe, Arizona, June 7, 1919.

no J. se bringular amond pit, ever-

the of the state and delive to . The 8.1.1.0. Value, 5/6.00.

. A de l servos . ef al c à c a . demon . d

"Bi - "47.5 hapa de bir to pue seand remand for resmee

series to the soil and but no third a but the bigs

central Cast - Delt. Se. 6 to Area to last castiliat coint.

. Lathirton to in lathing and and you will be

te all soit to a stin one and portion

as motolise best as neit notes las erom gestice es and an empty thing destill yo burtherest

. Sur lears . ti Chà a nile Response e ter

f. of the first water as att daim by . Sass .c. .

maded . The ends to bose s we habitonne . Someon

.Sdåk .P.J. . I budtena .dgtd .f. 5

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of	the individuals employed by Edwin T. Stewart
United States Mineral Sur	veyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the	foregoing field notes of the survey of the mining claim of
The Globe & Lost	Gulch Silver Copper Mines Company
known as the	EMPRESS COPPER Lode
	capacities in which they acted.
	Le Of Bohne, Chainman.
	, Chainman.
	, Awman.
	, Flagman.
ENTA	IAI OATHE OF ACCIONATING
	NAL OATHS OF ASSISTANTS.
	ohme
-and	, do solemnly swear that we assisted
Edwin T. Stewart	, United States Mineral Surveyor, in marking the corners and surveying
the boundaries of the minin	g claim of The Globe & Lost Gulch Silver Copper Mines
Company .	
	EMPRESS COPPER Lode
	field notes as having been surveyed by said mineral surveyor and under his
	vey has been in all respects, to the best of our knowledge and belief, faithfully
	he corner and boundary monuments established according to law and the instruc-
	States Surveyor-General forARIZONA
	Lot Bohny, Chainman.
and the second	····, Chainman.
	Awman.
	, Flagman
Subscrib	ed and sworn to by the above-named persons before me this 6th
day My Commission Expi	of June , 19 19. Fres Juda McKman
My Commission Expi	Juda Wickman
U. 01/1921	Notary Public.
	61048

FINAL OATH OF U.S. MINERAL SURVEYOR.

I,Edwin	T. Stewart	, U. S. Mineral Surveyor,						
		ons received from the United States						
		, dated						
May 7.	,1919', I have,	in strict conformity to the laws of the						
United States, the official re	gulations and instruct	ions thereunder, and the instructions						
of said Surveyor General, fa	aithfully and correctly	executed the survey of the Mining						
Claim of THE Globe & L	ost Gulch Silver	Copper Mines Company						
		, known as the						
		e,						
situate in	Globe	Mining District,						
		Arizona, approx., in Section						
15 and 16 Township No the Crook National Fo and designated as Survey N	l.N., Range No	14 E., G.& S.R.B.& M., in , 3558 , as represented						
		the boundaries of said mining claim						
		, and described in the attached copy						
of the location certificate, wl	nich was received by 1	me from the Surveyor General with						
said instructions, and that all	the corners of said su	rvey have been established and per-						
petuated in strict accordance	with the law, official	l regulations and instructions there-						
under; and I do further sole	emnly swear that the	foregoing are the true and original						
field notes of said survey an	ad my report therein,	and that the labor expended and						
improvements made upon sai	d mining claim by cla	imant or its grantors						
are as therein fully stated, a	are as therein fully stated, and that the character, extent, location, and itemized value							
thereof are specified therein	with particularity and	full detail, and that no portion of						
		n has been included in the estimate						
of expenditures upon any other	er claim.							
•								
	6dl	win J. Leward						
		U. S. Mineral Surveyor.						
		Edwin T. Stewart						
		this 6th						
day ofJune								
My Commission Exp	ires Ind	la M. Eskerare						
Oct 31, 1921								
		Notary Public.						

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,
August 14 , 1919
I, U. S. Surveyor-General for DISTRICT OF ARIZONA,
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey
of the mining claim of
THE GLOBE & LOST GUICH SILVER COPPER MINES COMPANY,
known as the EMPRESS COPPER Lode,
situate in
Mining District, GILA County, ARIZONA, approximatel
in Section 16 , Township No. 1 No. , Range No. 14 E., (Uns.), and
designated as Survey No, has been correctly copied from the originals on file in
this office; that said Field Notes furnish such an accurate description of said mining claim as will, if
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.
And I further certify that five hundred dollars' worth of labor has been expended or improve-
ments made upon said mining claim by claimant. or its grantors, and that said improvements
consist of 2 shafts, 2 cuts, 1 tunnel, 1 pit and 1 trench, total
value \$615.
\
and that no portion of said labor or improvements has been included in the estimate of expenditures
upon any other claim.
I further certify that the plat thereof, filed in the U.S. Land Office at _Phoenix.
Arizona, is correct and in conformity with the foregoing Field Notes.
Frank P. Trott,
United States Surveyor-General for Arizone.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,	
August 14	, 191 9
I, U. S. Surveyor-General for DISTRICT OF ARIZONA,	
do hereby certify that the foregoing and hereto attached Field Notes and Return of the St	rvey of the
Mining Claim of	·
THE GLOBE & LOST GUICH SILVER COPPER MINES COMPANY,	
, kı	nown as the
EMPRESS COPPER lode	
situate in min	ing district,
GILA County, ARIZONA, approximate1	y in
in Section, Township No, Range No.14 E.,	G-& S-R.
B.& M., (Uns.) designated as Survey No. 3558	
executed by, United Sta	tes Mineral
Surveyor, May 24-25, 1919, under my instruc	etions dated
May7, 1919., have been critically examined and the ne	cessary cor-
rections and explanations made, and the said Field Notes and Return, and the Survey the	ey describe,
are hereby approved. A true copy of the copy of the location certificate filed by the app	plicant for
survey is included in the field notes.	
Grand Adrost	
U. S. Surveyor-General for Arizona.	

6-3824