JUN 11. 91

MINERAL SURVEY No. 3560

FI	ELD NOTES	
OF THE SU	RVEY OF THE MINING CI	AIM OF
M. E	.Brooke	
	KNOWN AS THE	
OVE	RSIGHT COPPER Lode	
obe		Mininø D
Gila s 15 and 16 , Tou	county, Arizon conship 1 N., the Crook National cons dated May 7,	, Range 14 E., G.
Gila s 15 and 16 , Tou	onship 1 N., the Crook National ons dated May 7,	, Range 14 E., G. Forest. , 19 19.
Gila s 15 and 16 , Tou	onship 1 N., the Crook National ons dated May 7,	, Range 14 E., G. Forest. , 19 19.
gila s 15 and 16 , Tou s , unsurveyed, in reyed under instructi	onship 1 N., the Crook National ons dated May 7,	, Range 14 E., G. Forest. , 19 19. Stewart U. S. Mineral Su
Gila s 15 and 16 , Tou s , unsurveyed, in reyed under instructi Claim located	onship 1 N., the Crook National ons dated May 7., by Edwin T.	, Range 14 E., G. Forest. , 19 19. Stewart U. S. Mineral Su.
gila s 15 and 16 , Tou s, unsurveyed, in eyed under instructi Claim located Survey commenced	onship 1 No, athe Crook National ons dated May 7, by Edwin T.	, Range 14 E., G. Forest. , 19 19. Stewart U. S. Mineral Su. , 19 19.
Survey completed.	by Edwin T. See location natice May 25, May 26 Mr. M. Brooke, Hote	, Range 14 E., G. Forest. , 19 19. Stewart U. S. Mineral Su. , 19 19. , 19 19.
Gila s 15 and 16 , Tou s unsurveyed, in eyed under instructi Claim located Survey commenced Survey completed Address of claiman Phoenix, Arizon	by Edwin T. See location natice May 25, May 26 Mr. M. Brooke, Hote	, Range 14 E., G. Forest. , 19 19. Stewart U. S. Mineral St. , 19 12. , 19 19. 1 Adams.

Mineral Survey No. 3560.

Feet. Oversight Copper. lode.

Beginning at Cor. No. 1, identical with S.W.Cor. of the location.

A dacite boulder, showing 8 x 12 x 27 ins. out of the ground, chiseled cross at the exact corner and 1-0 C-3560, with mound of stone alongside, whence

U.S.L.M. No. 2652 bears S.33°-03'E, 6558.1 ft. No other bearings available.

Thence N. 28°-37'W.

1500.0

To Cor. No. 2, identical with N.W.Cor. of the location, On line 4-1, Empress Copper lode, Sur. 3558, unapproved, N. 50°-33'E. 40.0 ft. from Cor. No. 1.

A dacite stone, 9 x 12 x 24 ins., with cross at the exact corner, set 12 ins. in the ground, with monument of stone alongside, chiseled 2-0 C-3560.

No bearings available.

Thence N.50°-33'E.

Along line 1-4 of said Empress Copper lode.

260.0 To S.E.E.C. of said Empress Copper lode.

300.0 To N.W.E.C. monument of the location, from which the discovery cut bears S. 28°-37'E. 163.0 ft.

A monument of stone, 3.5 ft. base, 3.5 ft. high.

560.0 To Cor. No. 4 of said Empress Copper lode.

To Cor. No. 3, identical with N.E. Cor. of the location. 600.0

> A 3/4 inch drill hole in dacite in place, about which is chiseled 3-0 C-3560, with monument of stone alongside, whence but was build be them said most now you

An oak tree, 16 ins. in diameter, blazed and scribed cross B.T.3560, bears S.68°-15'E. 37.55 ft.

> An oak tree, 16 ins. in diameter, blazed and scribed cross B. T. 3560, bears N. 32°-12'E. 24.9 ft.

No other bearings available.

Thence S. 28°-37'E.

1500.0 To Cor. No. 4, identical with S.E. Cor. of the location.

A dacite stone, 8 x 10 x 26 ins., with cross at the exact corner, set 12 ins. in the ground, with mound of stone along side, chiseled 4-0 C-3560.

No hearings available.

Thence S.50°-33'W.

300.0 To S. L. E.C. monument of the location.

A monument of stone, 3.5 ft. base, 4 ft. high.

600.0 To Cor. No. 1, the place of beginning.

Mean magnetic variation at all corners 14°-20'E.

Lode Line.

As near as can be determined from present development, the vein of this claim extends N.28°-37'W. 163.0 ft. and S.28°-37'E. 1337.0 ft. from the discovery cut.

0000000000000000000

Area.

Total area Oversight Copper lode, 20.293 acres.

Location.

This survey is located on unsurveyed land, in what will probably be, when surveyed, sections 15 and 16, T. 1 N., R.14 E., G.& S.R.B.& M., Globe Mining District, Gila County, Arizona, in the Crook National Forest.

Expenditure of Five Hundred Dollars.

I certify that the value of the labor and improvements made on this claim by the claimant, or her grantors, is not less than five hundred dollars, and that said improvements consist of:

No. 1, the discovery, 30 ft. of cut, 5 x 10 ft., which is intersected by the lode line 163.0 ft. from the N.W.

E.C. and which extends thence N.62°E. 9.5 ft to toe of cut and S.62°W. 5.5 ft. to pt. 1; thence N.36°W. 8.0 ft. to face. And, from pt. 1, S.36°E. 7.0 ft. to face.

Value, \$225.00.

No. 2, an irregular shaped pit, averaging 8.5 x 12 x bears
4 ft., the S.E. corner of which/N.83°-10'E. 328.5 ft.
from cor. No. 2. Value, \$125.00

No. 3, cut, 4 x 10 x 15 ft., course S.42°W., the center of the toe of which bears N.83°-59'E. 320.0 ft. from Cor. No. 2. Value, \$50.00.

No. 4, 30 ft. of cut and tunnel, 4.5 x 6.5 ft., the center of the portal of which bears S.82°-58'E. 377.2 ft. from Cor. No. 2, and which extends thence S.70°E. 15.0 ft. to toe of cut and N.31°W. 19.0 ft. to face of tunnel. Value, \$200.00.

0000000000000000

Other Improvements.

A shaft, 4 x 6 x 35 ft., the S.E. corner of which bears N.88°-35'E. 329.5 ft. from Cor. No. 2. The value of this shaft is not credited to the claim on account of not having been made by the claimant or her grantors.

Instrument and Determination of Meridian. This survey was made with a $6\frac{1}{4}$ inch Berger transit. The courses were deflected from the true meridian as determined by direct Solar observation. The distances were measured with a 660 ft. steel tape.

00000000000000000

Adjoining and conflicting Claims.

This claim is surrounded on the northeast, southeast, and southwest by unappropriated land. On the north is Copper the Empress/Tode, Sur. 3558, unapproved, owned by The Globe & Lost Gulch Silver Copper Mines Company.

Report.

0000000000000000

The side and end lines of this claim and all tie lines were run direct opon the ground.

U.S.L.M. No. 2652, to which tie is given from Cor. No.1, is a pine post, 6 x 8 ins., showing 6 ft. out of the ground, surrounded by a mound of stone, 6 ft. base and

3 ft. high, scribed U.S.L.M. 2652.

Cors. 1 and 4 of the Empress Copper lode, Sur. 3558. unapproved, are 3/4 inch drill holes in dacite in place, about which are chiseled the proper markings for the corners, with monuments of stone alongside. I find the tie line from Cor. No. 1 of this claim to U.S.L.M. No. 2652 correct as reported in my returns of Sur. 3558.

The disagreement between these notes and the location notice is due to error in the notice.

Edwin P. Siwark.

ra service a elect . J. Co Z N v & Ffrille A

U.S. Mineral Surveyor.

Globe, Arizona, June 7, 1919.

recorded size of 600120. Chail layer

dictal or and continued and arteria.

and the factor of the contract of the contract of Claim P Lost . when Eldrer Corner Hack Cool of Diglo

week him to the color of the tile

sel to two all a spinone , and & z a two

. Same to said more dusting or orase.

has part of a sector to sector and intervent a firefer

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

	the foregoing field notes of the survey of the m	nining claim of
known as the	OVERSIGHT COPPER Lode	
and showing the respecti	ve capacities in which they acted.	
	Jo of U:	Bahre , Chainman.
		, Chainman,
		, Flagman.
	INAL OATHS OF ASSISTA	
	- Bohme,	T
ın d –	, do solemnly swear that w	e-assisted
dwin T. Stewart	, United States Mineral Surveyor, in man	rking the corners and surveying
	ning claim of M.E. Brooke	
known as the	OHUD STOYER GODDEN TO	•••••
	OVERSIGHT COPPER Lod	
epresented in the foregoi	ing field notes as having been surveyed by said	mineral surveyor and under his
irection; and that said s	urvey has been in all respects, to the best of our	knowledge and belief, faithfully
	${f d}$ the corner and boundary monuments established	according to law and the instruc
nd correctly executed, and		
nd correctly executed, and	ted States Surveyor-General for ARIZONA	
nd correctly executed, and	ted States Surveyor-General for ARIZONA J. B.	Anne, Chainman.
nd correctly executed, and	ted States Surveyor-General for ARIZONA LOL. B	ohme, Chainman.
nd correctly executed, and	ted States Surveyor-General for ARIZONA J. B.	ohme, Chainman.
nd correctly executed, and	ted States Surveyor-General for ARIZONA LOL. B	, Chainman, Chainman, Axman.
nd correctly executed, and	ted States Surveyor-General for ARIZONA LOL. B.	, Chainman. , Chainman. , Axman. , Flagman
and correctly executed, and ions furnished by the Uni	ribed and sworn to by the above-named persons lay of	, Chainman, Chainman, Axman, Flagman before me this 6th
and correctly executed, and ions furnished by the Uni	ribed and sworn to by the above-named persons	, Chainman, Chainman, Axman, Flagman before me this 6th

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, <u>Edv</u>	vin T. Stewart	, U. S. Mineral Surveyor,
		uctions received from the United States
		18 , dated
May 7,	, 1919, I ha	eve, in strict conformity to the laws of the
		ructions thereunder, and the instructions
		ctly executed the survey of the Mining
		, known as the
	OVERSIGHT COPE	PER Lode
situate in	Globe	Mining District,
Gila	Coun	ty, Arizona, approx., in Section s
as distinctly marked by of the location certificates aid instructions, and to petuated in strict accounts.	notes, which accurately shaped on the groate, which was received hat all the corners of said ordance with the law, of	No. 14 Re., G. & S.R.B. & Me., Forest. 3560, as represented now the boundaries of said mining claim and, and described in the attached copy by me from the Surveyor General with d survey have been established and per- ficial regulations and instructions there-
field notes of said sur improvements made up	evey and my report then boon said mining claim by	the foregoing are the true and original rein, and that the labor expended and claimant or her grantors
		eter, extent, location, and itemized value
		and full detail, and that no portion of
		claim has been included in the estimate
	_6	dwiw I. Sewards U. S. Mineral Surveyor.
Subscribed and sw	orn to by the said	Edwin T.Stewart
U. S. Mineral Su		
	A Notary Public	this 6th
day of Jun	e, 19 19.	
My Commission	n Expires	Frida In Elman
6 A 31, 10	921	Tuda M. Cheman
6—1044		Notary Public.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Pho	enix, Arizona.
		August 14 , 191 9.
I, U. S. Surveyor-Gene	eral for	District of Arizona
do hereby certify that the f	oregoing transcript o	f the Field Notes, return and approval of the survey
of the mining claim of	И. Е.	Brooke
		COPPER Lode
situate in	G1	obe
		County, Arizona, approximatel
in Sections 15 & 16 ., & M., unsurveyed, designated as Survey No.	Township Noin the Crook	National Forest, and has been correctly copied from the originals on file in
this office; that said Field	Notes furnish such a	n accurate description of said mining claim as will, if
incorporated into a patent, s	erve fully to identify	the premises, and that such reference is made therein
		ill perpetuate and fix the locus thereof.
		llars' worth of labor has been expended or improve-
		t. or her grantors, and that said improvements
		anel, total value \$600.

and that no portion of said	labor or improvemen	ts has been included in the estimate of expenditures
ipon any other claim.		
I further certify that the	plat thereof, filed in	the U.S. Land Office at Phoenix,
A		conformity with the foregoing Field Notes.
		Frank P. Trett
	Timited States S.	

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona	<u>. </u>
		August 14 , 191 9
I, U. S. Surveyor-General for	District o	of Arizona
do hereby certify that the foregoing an	d hereto attached Field No	otes and Return of the Survey of the
Mining Claim of		
OVER	SIGHT COPPER Lode	
situate in	Globe	mining district,
Gila	County, Arizo	na, approximately
in Section S. 15 and 16 , Towns R. B. & M., unsurveyed, in designated as Su	n the Crook Natio	nal Forest,
executed by Edwin T. S	tewart	, United States Mineral
Surveyor, May 25-26	,, :	1912., under my instructions dated
<u>May 7</u>	, 191.9., have been critical	ly examined and the necessary cor-
rections and explanations made, and th	e said Field Notes and Re	turn, and the Survey they describe,
are hereby approved. A true copy of t	he copy of the location cer	tificate filed by the applicant for
survey is included in the field notes.		
	Thans	el Del sot
	U. S. Surveyor-Ge	eneral for Arizona.