

4-683

1

MINERAL SURVEY No. 3586

ARIZONA

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

James P. Doyle, John Doyle, Frank J. Doyle, Mrs. Margaret T. Cahill, Mrs. Mary Agnes Duncan, Alex J. Brennan, Walter Brennan, Margaret F. Muller, and William J. Brennan

KNOWN AS THE

CASH and SCHLEY Lodes

Globe

Mining District,

Gila

County, Arizona, approximately in uns.

Sections 7, 8 and 18 Un^s, Township 1 N., Range 15 E., G. & S. R. B. & M., in the Crook National Forest. Surveyed under instructions dated May 14, 1919.

by Edwin T. Stewart

U. S. Mineral Surveyor.

Claim located See location notices, 19

Survey commenced May 20, 19 19

Survey completed May 29, 19 19

Address of claimant's Attorney, Geo. R. Hill, Globe, Arizona.

DATES OF AMENDED LOCATIONS.

See Location Notices.

Mineral Survey No. 3586.

Feet.

Cash.lode.

Beginning at Cor. No. 1, identical with S.E. Cor. of the location

A granite stone, 10 x 12 x 26 ins., with cross at the exact corner, set 12 ins. in the ground, with mound of stone alongside, chiseled 1-C-3586, whence

The N. $\frac{1}{2}$ corner of section 19, T. 1 N., R. 15 E., G. & S.R.B. & M., bears S. 23° - 31' W. 5315.6 ft.

No other bearings available.

Thence N. 49° - 25' W.

300.0 To S.W.E.C. monument of the location, from which the discovery shaft bears N. 34° - 07' E. 359.0 ft.

A monument of stone, 3 ft. base, 3 ft. high.

600.0 To Cor. No. 2, identical with S.W. Cor. of the location and Cor. No. 1, Schley lode, this survey.

A granite stone, 12 x 12 x 24 ins., with cross at the exact corner, set 12 ins. in the ground, with mound of stone alongside, chiseled 2-C-3586, for this claim.

No bearings available.

Thence N. 34° - 07' E.

Along line 1-4 of said Schley lode.

1401.7 To Cor. No. 3, identical with N.W. Cor. of the location and Cor. No. 4 of said Schley lode.

A dacite stone, 10 x 12 x 25 ins., with cross at the exact corner, set 12 ins. in the ground, with mound of stone alongside, chiseled 3-C-3586, for this claim, whence

A cedar tree, 7 ins. in diameter, blazed and scribed cross B.P. 3586, bears S. 20° - 05' W. 24.1 ft.

No other bearings available.

Thence S. 49° - 25' E.

300.0 To N.E.E.C. monument of the location.

A monument of stone, 3 ft. base, 3 ft. high.

600.0 To Cor. No. 4, identical with N.E. Cor. of the location.

- A dacite stone, 6 x 8 x 28 ins., with cross at the exact corner, set 14 ins. in the ground, with mound of stone alongside, chiseled 4-C-3586.
- No bearings available.
- Thence S.34°-07'W.
- 1401.7 To Cor. No. 1, the place of beginning.
- A monument of stone, SCHLEY lode, 3 ft. high.
- Beginning at Cor. No. 1, identical with S.E. Cor. of the location and Cor. No. 2, Cash lode, this survey.
- A granite stone, previously described, to which I add 1-S for this claim.
- The N. $\frac{1}{4}$ corner section 19, T. 1 N., R. 15 E. G. & S.R.B. & M. bears S.17°-33'-10"W. 5521.5 ft.
- Thence N.49°-25'W.
- 165.0 To S.W.E.C. monument of the location, from which the discovery cut bears N.28°-36'E. 525.0 ft.
- A mound of stone, 3 ft. base, 3 ft. high.
- 470.0 To Cor. No. 2, identical with S.W. Cor. of the location.
- A granite stone, 10 x 10 x 25 ins., with cross at the exact corner, set 12 ins. in the ground, with mound of stone alongside, chiseled 2-S-3586.
- No bearings available.
- Thence N.28°-42'E.
- 1423.3 To Cor. No. 3, identical with N.W. Cor. of the location.
- A dacite stone, 10 x 17 x 30 ins., with cross at the exact corner, set 15 ins. in the ground, with mound of stone alongside, chiseled 3-S-3586.
- No bearings available.
- Thence S.49°-25'E.
- 302.6 To N.E.E.C. monument of the location.
- A monument of stone, 4 ft. base, 3 ft. high.
- 605.2 To Cor. No. 4, identical with N.E. Cor. of the location and Cor. No. 3, Cash lode, this survey.
- A dacite stone previously described, to which I add 4-S for this claim.

Thence S.34°-07'W.

Along line 3-2 of said Cash lode.

1401.7 To Cor. No. 1, the place of beginning.

Mean magnetic variation at all corners, 13°-50'E.

.....

Lode Lines.

As near as can be determined from present development, the veins of the two locations embraced in this survey extend as follows from their discovery points:

Cash, N.34°-07'E. 1042.7 ft. and S.34°-07'W. 359.0 ft.

Schley, N.28°-36'E. 898.8 ft. and S.28°-36'W. 525.0 ft.

.....

Areas.

Total area Cash, 19.184 acres.

Total area Schley, 17.189 acres.

.....

Location.

This survey is located in the unsurveyed portion of T. 1 N., R. 15 E., G. & S.R.B. & M., ⁱⁿ what will probably be, when surveyed, sections 7, 8 and 18, Globe Mining District, Gila County, Arizona, in the Crook National Forest.

.....

Adjoining and Conflicting Claims.

Unknown claims, owners unknown, on the northwest, northeast and southeast. The City lode, uns., owned by Pearl Skelton and E.R. Little; and the Black Horse lode, uns., owned by the Inspiration Miami Copper Company, on the southwest.

.....

Expenditure of Five Hundred Dollars.

I certify that the value of the labor and improvements made upon each of the claims in this survey, by the claimants or their grantors, is not less than five hundred dollars, and that said improvements consist of:

Cash.

No. 1, the discovery, shaft, 6 x 8 x 10 ft., the

center of which is on the lode line 359.0 ft. from the S.W.E.C. Value, \$60.00.

No. 2, shaft, 4 x 6 x 14 ft., the N.W. corner of which bears N.18°-19'E. 282.0 ft. from the S.W.E.C. Value, \$150.00.

No. 3, 85.5 ft. of cut and tunnel, 3.5 x 6 ft., the center of the toe of which bears N.11°-20'E. 285.5 ft. from the S.W.E.C., and which extends thence S.04°-10'E. 67.5 ft. to pt. 1; thence N.85°-50'E. 6.0 ft. to face. And, from pt. 1, S.85°-50'W. 12.0 ft. to face. Value, \$700.00.

No. 4, cut, 5 x 9 x 22 ft., course N.46°W., the center of the toe of which bears S.88°-31'W. 602.7 ft. from Cor. No. 4. Value, \$65.00.

No. 5, cut, 9 x 9 x 4^{ft.}, course N.81°W., the center of the toe of which bears S.86°-58'W. 629.0 ft. from Cor. No. 4. Value, \$30.00.

No. 6, cut, 10 x 10 x 4 ft., course S.66°W., the center of the toe of which bears S.81°-57'W. 604.4 ft. from Cor. No. 4. Value, \$30.00.

No. 7, cut, 12 x 12 x 5 ft., course S.66°W., the center of the toe of which bears S.81°-42'W. 573.5 ft. from Cor. No. 4. Value, \$40.00.

No. 8, 31.0 ft. of cut and tunnel, 4 x 6 ft., the center of the portal of which bears S.79°-29'W. 550.3 ft. from Cor. No. 4, and which extends thence N.64°E., 9.0 ft. to toe of cut and S.64°W. 9.0 ft. to pt. 1; thence S.21°E. 8.0 ft. to face. And, from pt. 1, N.21°W. 5.0 ft. to face. Value \$225.00.

Schley.

No. 1, the discovery, 95.0 ft. of cut and tunnel, 4 x 6 ft., course, S.58°-30'E., the center of the toe of which is on the lode line 525.0 ft. from the S.W.E.C. Value, \$900.00.

No. 2, 78 ft. of cut and tunnel, 4 x 6 ft., the center of the toe of which bears N.28°-26'E. 189.3 ft. from the S.W.E.C., and which extends thence S.28°E. 62.0 ft.

to face. And, from a point S.28°E. 3.0 ft. from the center of toe of cut, a cut extends S.53°W. 16.0 ft. to face. Value, \$500.00.

No. 3, cut 8 x 7 x 19 ft., course, S.02°W., the center of the toe of which bears N.34°-11'E. 196.8 ft. from the S.W.E.C. Value, \$40.00.

.....

Report.
Other Improvements.

A frame house, 10 x 12 ft., course of long sides, S.66°W., the N.W. Cor. of which bears S.81°-13'W. 542.0 ft. from Cor. No. 4 of the Cash lode.

.....

Report.
Instrument and Determination of Meridian.

This survey was made with a 6 $\frac{1}{4}$ inch Berger transit. The courses were deflected from the true meridian as determined by direct Solar observation. The distances were measured with a 660 ft. steel tape.

.....

Report.

The side and end lines of these claims and all tie lines were run direct upon the ground.

The N. $\frac{1}{4}$ corner of section 19, T. 1 N., R. 15 E., G.& S.R.B.& M., to which ties are given from corners No. 1, is a quartzite stone, showing 6 x 6 x 6 ins. out of the ground, with mound of stone alongside, chiseled $\frac{1}{4}$ on the east face.

The disagreement between these notes and the location notices is due to errors in the notices.

Edwin P. Stewart
U.S. Mineral Surveyor.

Globe, Arizona,
June 7, 1919.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Edwin T. Stewart

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and

boundaries described in the foregoing field notes of the survey of the mining claim of James P. Doyle, John Doyle, Frank J. Doyle, Mrs. Margaret T. Cahill, Mrs. Mary Agnes Duncan, Alex. J. Brennan, Walter Brennan, Margaret F. Muller and William J. Brennan

known as the CASH and SCHLEY Lodes

and showing the respective capacities in which they acted.

James F. McManis, Chainman.

....., Chainman.

....., Axman.

....., Flagman.

FINAL OATHS OF ASSISTANTS.

-We, I, James F. McManis

-and-, do solemnly swear that we assisted

Edwin T. Stewart, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of James P. Doyle, John Doyle, Frank J. Doyle, Mrs. Margaret T. Cahill, Mrs. Mary Agnes Duncan, Alex. J. Brennan, Walter Brennan, Margaret F. Muller and William J. Brennan.

known as the CASH and SCHLEY Lodes

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully

and correctly executed, and the corner and boundary monuments established according to law and the instruc-

tions furnished by the United States Surveyor-General for ARIZONA

James F. McManis, Chainman.

....., Chainman.

....., Axman.

....., Flagman

Subscribed and sworn to by the above-named persons before me this 6th

day of June, 19 19.

My Commission Expires.

6th 31, 1921

Frida M. E. Kuan

Notary Public.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Edwin T. Stewart, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for ARIZONA, dated May 14, 1919, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of James P. Doyle, John Doyle, Frank J. Doyle, Mrs. Margaret T. Cahill, Mrs. Mary Agnes Duncan, Alex J. Brennan, Walter Brennan, Margaret F. Muller and William J. Brennan, known as the CASH and SCHLEY Lodes, situate in Globe Mining District, Gila County, Arizona, in Section 7, 8 and 18, Unsur., Township No. 1 N., Range No. 15 E., G. & S. R. B. & M., in the Crook National Forest and designated as Survey No. 3586, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimants or their grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Edwin T. Stewart
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Edwin T. Stewart
U. S. Mineral Surveyor, before me
A Notary Public this 6th
day of June, 19 19.

My Commission Expires
Oct 31, 1921

Frida M. Egan
Notary Public.



U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

September 24, 1919.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of James P. Doyle, John Doyle, Frank J. Doyle, Mrs. Margaret T. Cahill, Mrs. Mary Agnes Duncan, Alex J. Brennan, Walter Brennan, Margaret r. Muller and William J. Brennan.

known as the CASH and SCHLEY Lodes

situate in Globe

Mining District, Gila County, Arizona

in Section S. 7, 8 & 18 Unsp Township No. 1 N., Range No. 15 E., and

designated as Survey No. 3586, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claims by claimant or their grantors, and that said improvements consist of each of 2 shafts, 9 cuts and 4 tunnels, total value \$2740.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona is correct and in conformity with the foregoing Field Notes.

Frank P. Trott

United States Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

September 24, 1919

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of James P. Doyle, John Doyle, Frank J. Doyle, Mrs. Margaret T. Cahill, Mrs. Mary Agnes Duncan, Alex J. Brennan, Margaret F. Muller and William J. Brennan, known as the CASH and SCHLEY Lodes situate in Globe mining district, Gila County, Arizona in Sections 7, 8 & 18 Un~~s~~ Township No. 1 N., Range No. 15 E., designated as Survey No. 3586 executed by Edwin T. Stewart, United States Mineral Surveyor, May 20-29, 1919, under my instructions dated May 14, 1919, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes.



U. S. Surveyor-General for Arizona.