### MINERAL SURVEY No. 3623

		Arizon	a	Land Dis	strict.
		FIELD N	ОТЕ		
2	OF THE	SURVEY OF THE	MINING	CLAIM OF	
******		Charles Ramb	0.0		
*******					
		KNOWN AS	THE		
		Volcanic	lode		
••••••		Warren			Mining District,
C	chise	Court			
1: n1	and 19 unaffirm	ownship 23 S	•	, Range	23 E. Unafferon 24 E. Unappro
	ed under instru				
		hu	Ralpi	h T. Mota	z
		09			S. Mineral Surveyor.
	Vaim located S	oo loostion			
	Claim located				
λ	urvey commenc	ed September	29th.	1919.	19
S	urvey completed	September	29th.	1919.	19
J.	ddress of claim	ant's attorne	y. Fr	ed Sutte	r
	DATE	S OF AMENDED	LOCATION	Bisbe ons.	e, Arizona.
_		•			

Beginning at Cor. No. 1, the S. W. Cor., situated on line 3-4 Sur. No. 3605 R. A. M. No. 4 lode, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 1-3623 V, whence the original location for the southwest corner bears N. 86° 50' W. 0.3 feet, a limestone ledge with 60 x 60 x 4 inch high exposure and chiseled BR x 1-3623 bears N. 82° 18' W. 17.15 ft., and a second limestone ledge with 48 x 42 x 3 inch high exposure with like chiseling bears N. 12° 35' W. 23.8 ft.

cor. No. 1 Sur. No. 3153 Nob Hill lode, which is identical with original location for southwest corner brs N. 86° 50' W. 0.3 ft.

The Cor. of Secs. 13 and 24, T. 23 S., R. 23 E., and Secs. 18 and 19, T. 23 S., R. 24 E., G & S R B & M brs N. 39° 51' W. 362.1 ft.

The N. W. Cor. of Sec. 30, T. 23 S., R. 24 E., G & S R B & M brs S. 2° 33' 30" W. 4983.9 ft.

thence N. 27° 30' W.

to Cor. No. 2, the N. W. Cor., situated on line 1-2 Sur. No. 3423 Aqua Prieta lode, a pine post 4 ft. long 4 inches square set 18 inches in the ground in a mound of stones and scribed 2-3623 V, whence an oak tree 5 inches in diameter by 15 feet high blazed and scribed BT 2-3623 brs N. 80° 15' E. 15.9 ft., and a second oak 4 inches in diameter by 20 feet high with like scribing and blazed brs S. 40° 22' E. 23.0 ft.

Cor. No. 4 Sur. No. 3153 Nob Hill lode, which is original identical with/location for northwest corner brs N. 86° 50' W. 0.3 ft.

thence S. 86° 50' E.

- Along line 2-1 Sur. No. 3423 Aqua Prieta lode to Cors. No. 1 and 2 of Sur. No. 3423 Aqua Prieta lode and Sur. No. 3618 Wedge lode, respectively,
- 348.75 Along line 2-1 Sur. No. 3618 Wedge lode to original location for north end center, being a mound of stones 3 ft. high with a 3 ft. base,
- 657.2 cross gulch, course southeasterly,

1500.0

(1.)

Feet. 697.5

to Cor. No. 3, the N. E. Cor., identical with location and with Cors. No. 1 and 2 of Sur. No. 3618 Wedge lode and Sur. No. 3450 Vesuvius No. 1 lode, respectively, a redwood post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 3-3623 V., whence a porphyry ledge with 24 x 30 x 2 inch exposure and chiseled BR x 3-3623 brs N. 52° 09' W. 6.8 ft., and a second porphyry ledge with 19 x 33 x 6 inch high exposure with like chiseling brs. N. 52° 12' E. 5.7 ft.

thence S. 27° 30' E.

- Along line 2-1 Sur. No. 3450 Vesuvius No. 1 lode, cross 108.0 gulch, course easterly,
- Cross gulch, course southerly, 502.0
- intersect line 2-3 Sur. No. 3605 R. A. M. No. 5 lode at 1438.7 S. 35° 10' W. 405.7 ft. from Cor. No. 3,
- To Cor. No. 4, the S. E. Cor., identical with location and 1500.0 with Cor. No. 1 Sur. No. 3450 Vesuvius No. 1 lode, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 4-3623 V, whence a limerock with 20 x 22 x 8 inch high exposure and chiseled BR x 4-3623 brs S. 61° 49' W. 6.9 ft., and a second limestone rock with 22 x 29 x 4 inch high exposure with like chiseling brs S. 43° 42' E. 5.2 ft.

thence N. 86° 50' W.

- 64.2 To Cor. No. 4 Sur. No. 3605 R. A. M. No. 4 lode, also intersect line 2-3 Sur. No. 3605 R. A. M. No. 5 lode at S. 35° 10' W. 467.9 ft. from Cor No. 3 thereof,
- 319.2 Along line 4-3 Sur. No. 3605 R. A. M. No. 4 lode, cross gulch, course southerly,
- 348.75 To original location for south end center, being a mound of stones 3 ft. high with a 3 ft. base
- 697.5 To Cor. No. 1, the place of the beginning.

LEDGE.

The presumed course of the vein on this claim is from the south end center N. 27° 30' W. 1500.0 ft.

### AREAS.

Total area of Volcanic lode- - - - - - - - - - - - - - - - - 20.660 A.

Area in conflict with Sur.No.3605 R.A.M.No.5 lode- - -0.039 A.

### LOCATION.

This survey is located in Sec. 13, T. 23 S., R. 23
E. unapproved, and Secs. 18 and 19, unapproved, T. 23 S.,
R. 24 E., G & S R B & M. in the Warren Mining District,
Cochise County, Arizona.

#### IMPROVEMENTS.

I certify that the value of the labor and improvements placed upon this claim by the claimant or his grantors is not less than five hundred dollars and that said improvements consist of:-

- No.1. Discovery open cut 4 x 10 x 12 ft. long brg south, the mouth of which brs from north end center on lode line 150 ft. Value 3 50.00
- No.2. Open cut 6 x 4 x 10 ft. long brg S. 10°
  W. with shaft in bottom 6 x 10 x 4 ft.
  deep. The mouth of open cut brs from
  north end center S. 59° W. 122.0 ft. Value \$ 60.00
- No.3. Open cut 4 x 9 x 13 ft. long with tunnel at face 4 x 6 x 12 ft. long, both brg S. 30° W., the mouth of open cut brs from cor. No. 2 S. 34° 33' E. 607.0 ft. Value \$200.00
- No.4. Tunnel 4 x 6 x 20 ft. long brg east, the mouth of which brs from Cor. No. 4, N. 38° 40' W. 586.0 ft. Value \$150.00
- No.5. Open cut 5 x 10 x 13 ft. long with tunnel at face 4 x 6 x 7 ft. long, both brg west. the mouth of open cut brs from Cor. No. 1, N. 31° 05' E. 332.0 ft. Value \$200.00

  Total value of improvements \$660.00

#### ADJOINING CLAIMS.

North. Sur. No. 3423 Aqua Prieta lode; Sur. No. 3618 Wedge lode.

East. Sur. No. 3450 Vesuvius No. 1, lode; Sur. No. 3605 R. A. M.

No. 5 lode.

South. Sur. No. 3605 R. A. M. No. 4 lode.

West. Unsurveyed fraction, owner unknown.

#### INSTRUMENT.

This survey was made with a Gurley Light Mountain transit. The courses were deflected from the true meridian as determined for Surveys No. 3153, 3423, 3450, 3605 and 3618. The distances were measured with a 100 and 300 foot

steel tapes. Magnetic variation 12° 30' east at all

### REPORT.

The N. W. Cor. of Sec. 30, T. 23 S., R. 24 E. is a lime-stone rock  $5\frac{1}{2}$  x ll x 5 inches above ground chiseled II on south face, and IIII on north face.

The Cor. of Secs. 13 and 24, T. 23 S., R. 23 E., and Secs. 18 and 19, T. 23 S., R. 24 E., is an iron pipe with copper cap.

Regh L. Moz.

Dated at Bisbee, Arizona.
October 25th, 1919.

000000000

### FINAL OATHS FOR SURVEYS.

### LIST OF NAMES.

A list of the names of	the individuals emp	loyed by Ralph L. Motz
United States Mineral Sur	rveyor, to assist in 1	running, measuring, and marking the lines, corners, and
		s of the survey of the mining claim of
		es Rambo
		canicilode
and showing the respective	capacities in which	they acted.
		C. O. McGeein , Chainman.
		, Chainman.
		, Axman.
		, Flagman.
FIN	IAL OATHS	S OF ASSISTANTS.
		_
KKK.	,	do solemnly swear that we assisted
Ralph L. Motz	, United States	Mineral Surveyor, in marking the corners and surveying
		embo
		c lode
		ng been surveyed by said mineral surveyor and under his my
		spects, to the best of mor knowledge and belief, faithfully
and correctly executed, and the	ie corner and boundar	ry monuments established according to law and the instruc-
ions furnished by the United	States Surveyor-Gen	eral for Arizona
		6.0. M. Leen, Chainman.
		·, Chainman.
		Axman.
		, Flagman.
Subscrib	ed and sworn to by tl	he above-named personx before me this 25th
day	of Soctober	, 19 19.
		Charles R. Woods
		Notary Public in and for the County of Cochise, State of Arizona.
		My commission expires may 23 to prope 21

# FINAL OATH OF U.S. MINERAL SURVEYOR.

I, Ralph L. Motz	, U. S. Mineral Surveyor,
do solemnly swear that, in pursuand	ce of instructions received from the United States
Surveyor General for	Arizona , dated
September 3rd, 1919.	, I have, in strict conformity to the laws of the
United States, the official regulation	s and instructions thereunder, and the instructions
of said Surveyor General, faithfully	and correctly executed the survey of the Mining
Claim of Charles Rambo	
	, known as the
	Volcanic lode
situate in	Warren Mining District,
13 23 S. 18 and 19 Township No. 23 S. and designated as Survey No.	County, Arizona , in Section , Range No. 24 E. Unsurveyed Unafferd, , as represented
as distinctly marked by monuments of the location certificate, which was said instructions, and that all the competuated in strict accordance with the under; and I do further solemnly swifted notes of said survey and my raimprovements made upon said mining are as therein fully stated, and that thereof are specified therein with parsaid labor or improvements so credite	curately show the boundaries of said mining claim on the ground, and described in the attached copy received by me from the Surveyor General with mers of said survey have been established and perme law, official regulations and instructions therevear that the foregoing are the true and original eport therein, and that the labor expended and great claim by claimant or his grantors the character, extent, location, and itemized value ticularity and full detail, and that no portion of d to this claim has been included in the estimate
	ne Charles R. Woods Notary Public
day of October	19 19.
6—1644	Charles Rwoods  Notary Public in and for the County of Cochise, State of Arizona.  My commission expires may 23 = 1921.

### U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

# Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Pho	enix, Ar	izona,		
			March 30,		, 1919
I, U. S. Surveyor-	General for	Arizo	na		
do hereby certify that	the foregoing transcrip	ot of the Fiel	d Notes, return	and approval or	f the survey
of the mining claim of		Charles	Rambo		
known as the	Vo				
situate in					
Mining District,	Cochise		. County	Arizona	
in Section 13, 18 and designated as Survey N	Township No	23 S. 23 S. ., has been c	Range No	23 E. Unapp 24 E. " from the origina	d, and
this office; that said F					
incorporated into a pate					
to natural objects or pe					
	ify that five hundred				or improve-
ments made upon said					
consist of					
	Value \$6	60.00			
			*		
and that no portion of s	said labor or improvem	ents has bee	n included in th	ne estimate of ev	nendituras
ipon any other claim.				o commute of ca	penditures
I further certify tha	t the plat thereof, filed	in the II S	Land Office at	Phoenix	
Arizona	is correct and i				
		Frank	P. Trott,		
	United States	s Surveyor-Ger	neral forA	rizona	

# SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

# Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

		noenix, Arizon	a,	
		Me	rch 30,	, 191 🤉
I, U. S. Surve	yor-General for	Arizona		
do hereby certify	that the foregoing a	and hereto attached Fi	eld Notes and Return	of the Survey of the
		Charles		
		Volc≈nic lode		
situate in	Warren			mining district,
Co	chise	County,	Arizona	
in Section 13	nd 19 Une Tow	nship No. 23 S. 23 S. Survey No. 362	, Range No.	23 E. Unaprid. 24 E.
		. Motz		
Surveyor,	September	29th	, 1919, under n	ny instructions dated
		, 191, have been o		
rections and explai	nations made, and	the said Field Notes a	and Return, and the S	survey they describe,
are hereby approve	ed. A true copy of	the copy of the locati	on certificate filed b	y the applicant for
survey is included	in the field notes.			
		A. A	From J P	Grell
		U. S. Surv	eyor-General for AY	izona.