

JAN-7-1920

4-683

MINERAL SURVEY No. 3635

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

T. E. Carter

KNOWN AS THE

Pershing #1, Pershing #2, Pershing #3 and Pershing #4 located

Walapai Indian Reservation Mining District,

Coconino County, Arizona

Section 26, Township 30N, Range 8W, unsurveyed

Surveyed under instructions dated Nov 15, 1919

by Richard L. Merritt U. S. Mineral Surveyor.

Claim located See location Notices, 19

Survey commenced Nov 21, 1919

Survey completed Dec. 29, 1919

Address of claimant Richard Lamson Atty. Prescott Arizona.

DATES OF AMENDED LOCATIONS.

Mineral Survey number 3635

Pershing # 1 lode.

Feet

Beginning at corner number one identical with the location and with corner number one Pershing # 4 lode of this survey, a Limestone 6x10x24 inches set 12 inches in the ground with mound of stones chiseled x-1-P # 1, 1-P # 4, 3635. Whence U.S.L.M. number 3635 bears S15°37'E 736.54 feet. A Cedar tree 8 inches in diameter blazed and scribed x-B.T.-1-P # 1, 1-P # 4, 3635 bears S52°29'E -26.3 feet. A Pine 12 inches in diameter blazed and scribed x-B.T.-1-P # 1, 1-P # 4, 3635 bears S75°13'W-46.1 feet. Location corner a mound of stones 3x3 feet.

 Thence N88°40'W Va. 16°E

10.0 To corner number one of Pershing # 2 lode, identical with corner number one of Pershing # 3 lode of this survey.

300.0 To the South Center End a mound of stones 3x3 feet, identical with the location.

310.0 To the North Center End of Pershing # 2 lode of this survey.

600.0 To corner number two identical with the location a Pine post 8 inches in diameter by 3 feet long set 18 ins. in the ground with mound of stones, scribed 2-P # 1, 3635. A nail in top at exact point. Whence a Pine tree 24 inches in diameter blazed and scribed x-B.T.-2-P # 1, 3635 bears S19°22'W-24.7 feet. A Cedar tree 24 inches in diameter blazed and scribed x-B.T.-2-P # 1, 3635 bears S30°53'E 49.0 feet. Location corner a mound of stones 3x3 feet.

 Thence N 1°20'E Va. 16°E

1500.0 To corner number three identical with the location, A Limestone 8x16x24 inches set 12 inches in the ground With mound of stones chiseled x-3-P # 1, 3635. Whence a Pine tree 14 inches in diameter blazed and scribed x-B.T.-3 P # 1 3635 bears S79°29'W 5.6 feet

Survey number 3635 lode Pershing # 1 continued;

FEET A Pine 18 inches in diameter blazed and scribed
 x-B.T.3-P # 1,3635 bears $N83^{\circ}14'E$ 14.4 feet. Location
 corner a mound of stones 3x3 feet.

Thence $S88^{\circ}40'E$ - Va. $16^{\circ}E$

300.0 To the North Center End a mound of stones 3x3 feet
 identical with the location.

600.0 To corner number 4 identical with the location and
 with corner number 2 of Pershing # 4 lode of this survey
 A Limestone 8x12x24 inches set 12 inches in the ground
 with mound of stones chiseled x-4-P # 1,2-P # 4,3635.
 Whence a Pine tree 6 inches in diameter blazed and scribed
 x-B.T.-4-P #1, 2-P # 4, 3635 bears $S73^{\circ}45'W$ - 51.2 feet.
 A Cedar tree 18 inches in diameter blazed and scribed
 x-B.T.-4-P # 1, 2-P # 4,3635 bears $N61^{\circ}45'W$ -68.1 feet.
 Location corner a mound of stones 3x3 feet.

Thence $S1^{\circ}20'W$ Va $16^{\circ}E$

1500.0 To corner number one the place of beginning.

Pershing # 4 lode

Beginning with corner No.1 identical with the
 location and with corner number one of Pershing #/
 lode of this survey hereinbefore described. Whence
 U.S.L.M. number 3635 bears $S15^{\circ}37'E$ - 736.54 feet.

Thence $N 1^{\circ}20'E$ Va. $16^{\circ}E$

1500.0 To corner number two identical with the location and
 with corner number 4 of Pershing # 1 lode of this
 survey hereinbefore described.

Thence $S88^{\circ}40'E$ Va. $16^{\circ}E$

300.0 To the North Center End a mound of stones 3x3 feet,
 identical with the location.

590.0 To corner number three identical with the location.

3.

Feet ~~Survey number 3635, Pershing # 4 lode-continued;~~
 A Cedar post 5 inches in diameter by 3 feet long set
 18 inches in the ground with mound of stones, scribed
 x-3-P # 4, 3635. Whence a Cedar 13 inches in diameter
 blazed and scribed x-B.T.-3-P # 4, 3635 bears S69°50'E
 9.3 feet. A Pineon 8 inches in diameter blazed and
 scribed x-B.T.-3-P # 4, 3635 bears N 6°40'W -34.2 feet.
 Location corner a mound of stones 3x3 feet.

 Thence S 1°20'W Va.16°E

1500.0 To corner number 4 identical with the location and
 with corner number 2 of Pershing # 3 lode of this survey.
 A Limestone 12x12x24 inches set 12 inches in the ground
 with mound of stones chiseled x-4-P # 4, 2-P # 3, 3635.
 Whence a Pine tree 10 inches in diameter blazed and
 scribed x-B.T.-4-P # 4, 2-P # 3, 3635. bears S54°E -18.3
 feet. A Pineon tree 8 inches in diameter blazed and
 scribed x-B.T.-4-P # 4, 2-P # 3, 3635. bears N58°W -19.2
 feet. Location corner a mound of stones 3x3 feet.

 Thence N88°40'W Va.16°E

290.0 To the South Center End a mound of stones 3x3 feet
 identical with the location.

300.0 To the North Center End of Pershing # 3 lode of this
 survey.

590.0 To corner NO.1 the place of beginning.

 Pershing # 3 lode

Beginning at corner number one, identical with the
 location and with corner number one of Pershing # 2 lode
 of this survey. A Limestone 10x14x24 inches set 12 ins.
 in the ground with mound of stones, chiseled x-1-P # 2,
 1-P # 3, 3635. Whence a Pine tree 12 inches in diameter
 blazed and scribed x-B.T.-1-P # 3, 1-P # 2, 3635 bears
 N81°56'W - 27.1 feet. A Pine tree 14 inches in diameter
 blazed and scribed x-B.T.- 1-P # 3, 1-P # 2, 3635,

Survey number 3635, Pershing # 3 lode continued;
feet/ bears $S19^{\circ}35'W$ -31.4 feet. U.S.L.M. number 3635 bears
 $S16^{\circ}21'40''E$ -739.52 feet. Location corner a mound of
stones 3x3 feet.

Thence $S88^{\circ}40'E$ Va. $16^{\circ}E$

10.0 To corner number one of Pershing # 4 lode, identical
with corner number one of Pershing # 1 lode of this
survey.

300.0 To the North Center End, a mound of stones 3x3 feet,
identical with the location.

310.0 To the South Center End of Pershing # 4 lode of this
survey.

600.0 To corner number two identical with the location and
with corner number four Pershing # 4 lode of this
survey, hereinbefore described.

Thence $S1^{\circ}20'W$ - Va. $16^{\circ}E$

1500.0 To corner number three, identical with the location
a Limestone 6x6x24 inches set 12 inches in the ground
with mound of stones, chiseled x-3-P # 3, 3635. Whence
a Pineon tree 6 inches in diameter blazed and scribed
x-B.T.-3-P # 3, 3635 bears $S9^{\circ}02'W$ -6.9 feet. A Pineon
tree 6 inches in diameter blazed and scribed x-B.T.-
3-P # 3, 3635 bears $N27^{\circ}25'W$ - 28.9 feet. Location
corner a mound of stones 3x3 feet.

Thence $N88^{\circ}40'W$ - Va. $16^{\circ}E$

300.0 To the South Center End a mound of stones 3x3 feet
identical with the location.

600.0 To corner number four, identical with the location and
with corner number two of Pershing # 2 lode of this
survey. A Limestone 6x8x24 inches set 12 inches in the
ground with mound of stones chiseled x-4-P # 3, 2-P # 2,
3635. Whence a Cedar tree 10 inches in diameter blazed
and scribed x-B.T.-4-P # 3, 2-P # 2, 3635 bears $N35^{\circ}02'E$
14.2 feet.

Survey number 3635 Pershing # 3 lode continued;

Feet A Cedar tree 24 inches in diameter blazed and scribed
x-B.T.-4-P # 3, 2-P # 2, 3635 bears N67°50'W 11.9 feet.
Location corner a mound of stones 3x3 feet.

Thence N 1°20'E Va.16°E

1500.0 To corner number one the place of beginning.

Pershing # 2 lode

Beginning at corner number one, identical with the
location and with corner number one Pershing # 3 lode of
this survey hereinbefore described. Whence U.S.L.M.
number 3635 bears S16°21'40"E -739.52 feet.

Thence S1°20'W Va.16°E

1500.0 To corner number two identical with the location and
with corner number four Pershing # 3 lode of this survey
hereinbefore described.

" 188.08 . . .
" Thence N88°40'W Va.16°E

300.0 To the South Center End a mound of stones 3x3 feet,
identical with the location.

600.0 To corner number three identical with the location, a
Limestone 14x16x24 inches set 12 inches in the ground
with mound of stones chiseled x-3-P # 2, 3635. Whence
a Pineon tree 8 inches in diameter blazed and scribed

x-B.T.-3-P # 2, 3635 bears N31°10'E 34.6 feet. A Pineon
tree 10 inches in diameter blazed and scribed x-B.T.-
3-P # 2, 3635 bears S52°39'E - 32.9 feet. Location
corner a mound of stones 3x3 feet.

Thence N 1°20'E Va.16°E

1500.0 To corner number four identical with the location a
Pine post 10 inches in diameter by 3 feet long set 18
inches in the ground with mound of stones, scribed 4-P # 2
3635. A nail in top at exact point.

Feet Survey number 3635, Pershing # 2 lode continued;
 Whence a Cedar tree 24 inches in diameter blazed and
 scribed x-B.T.-4-P # 2, 3635, bears S39°51'E 55.2 feet.
 A Pine tree 24 inches in diameter blazed and scribed
 x-B.T.-4-P # 2, 3635 bears S4°10'E 23.5 feet. Location
 corner a mound of stones 3x3 feet.

 Thence S88°40'E Va.16°E

10.0 To corner number two of Pershing # 1 lode of this
 survey.

300.0 To the North Center End a mound of stones 3x3 feet,
 identical with the location.

310.0 To the South Center End of Pershing # 1 lode of this
 survey.

600.0 To corner number one the place of beginning.

AREA

Total area, Pershing # 1 lode	20.661 Acres
Pershing # 4 lode	20.317 "
Pershing # 3 lode	20.661 "
Pershing # 2 lode	20.661 "
	<i>Total</i>	<i>82.300</i>

Lode Lines

As near as can be determined from the present
 developments the veins of the several locations in this
 claim extend as follows from their respective discovery
 shafts;

Pershing # 1 lode, N1°20'E-1496.0ft. & S1°20'W-4.0 ft.
 Pershing # 4 lode, N1°20'E-1496.0 ft. & S1°20'W-4.0 ft.
 Pershing # 3 lode, S1°20'W-1496.0 ft. & N1°20'E-4.0 ft/
 Pershing # 2 lode, S1°20'W-1496.0 ft. & N1°20'E-4.0 ft.

Location

This claim is situated in the Walapai Indian
 Reservation, on unsurveyed land. Approximately in
 section 26, T 30 N, R 8 W, Coconino County Arizona.

Survey number 3635 continued;

Adjoining claims

This claim is bounded on all sides by U.S. Land.

Expenditure of five hundred dollars

I certify that the value of labor and improvements made upon this claim by the claimants is as follows;

Pershing # 1 lode,

No. 1 the discovery shaft which is on the lode line 4.0 ft. from the S.C.E. 4x6x8 feet value ----\$100.00

Pershing # 4 lode,

No. 1 the discovery shaft which is on the lode line 4.0 feet from the S.C.E. 4x6x8 feet value ----\$100.00

Pershing # 3 lode

No. 1 the discovery shaft which is on the lode line 4.0 feet from the N.C.E. 4x6x8 feet value ----\$100.00

Pershing # 2 lode

No. 1 the discovery shaft which is on the lode line 4.0 feet from the N.C.E. 4x6x8 feet value ----\$100.00

Instrument

This survey was made with a Gurley Solar Transit. The courses were determined by direct solar observations. The distances were measured with a 500.ft. and a 50.ft. steel tape.

Reservation, in certain cases, approximately

Report in the S.W. 1/4 of section 26 T 8 N, R 8 W, unswayed.

The lode lines of these claims were run direct upon the ground and the corners were established by means of offsets from the lode lines. The tie lines were run direct upon the ground.

U.S. Mineral Surveyor

Richard L. Merritt
U.S. Mineral Surveyor.

U.S. Location Monument number 3635

There being no corners of the public survey or other location monuments within the prescribed limits, I established U.S. Location Monument Number 3635 on the east slope of a ridge. A Quartz stone 10x24x36 inches set 18 inches in the ground, chiseled x-U.S.L.M. 3635. A mound of stones 4 ft. high by 6 ft. base alongside. Whence a Cedar tree 10 inches in diameter blazed and scribed x-B.F.-U.S.L.M.-3635 bears N55°19'W-20.3 ft. A Pineon tree 10 inches in diameter blazed and scribed x-B.T.-U.S.L.M.-3635 bears N23°50'E-21.6 ft. A Cedar tree 24 inches in diameter blazed and scribed x-B.T.-U.S.L.M.-3635 bears S33°09'E-95.0 ft. Bearings and distances to mountains are as follows;

- N76°42'E - 50 miles- Table Mountain in Grand Canyon.
- S81°35'E - 60 miles- Crater Mountain.
- S63°09'E - 90 miles- Highest point San Francisco Pks.
- S56°27'E - 72 miles- Highest point Mt. Sitgreaves
- S44°43'E - 50 miles- Highest point Bill Williams Mt.

Instrument

This survey was made with a Gurley Solar Transit. The courses were determined by direct solar observations. The distances were measured with a 30 ft. and a 100 ft. Location

U.S.L.M. 3635 is located in the Walapai Indian Reservation, in Coconino County Arizona, approximately in the S.W. 1/4 of section 26 T 30 N, R 8 W, unsurveyed. Latitude 35°56' N, Longitude 113°07 1/2' W.

The corners were established by means of offsets from the line. The lines were run direct upon the ground.

Richard L. Merritt
U.S. Mineral Surveyor

Jan-7-1920

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Richard L. Merritt

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

T.E. Carter

known as the Pershing #1, Pershing #2, Pershing #3, and Pershing #4 lodes

and showing the respective capacities in which they acted.

W.H.F. Jones, Chainman.

Chainman.

Arman.

Flagman.

FINAL OATHS OF ASSISTANTS.

We, W.H.F. Jones

and _____, do solemnly swear that we assisted Richard L.

Merritt, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of T.E. Carter

known as the Pershing #1, Pershing #2, Pershing #3, and Pershing #4 lodes

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully

and correctly executed, and the corner and boundary monuments established according to law and the instruc-

tions furnished by the United States Surveyor-General for Arizona

W.H.F. Jones, Chainman.

Chainman.

Arman.

Flagman.

Subscribed and sworn to by the above-named persons before me this 5th

day of January, 1920

Helene Dempsey

Notary Public

My commission expires June 12, 1923.

4-686.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Richard L. Merritt, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona, dated
Nov. 15, 1919, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of T. E. Carter
....., known as the
Pershing #1, Pershing #2, Pershing #3, and Pershing #4 lode,
situate in Walapai Indian Reservation Mining District,
Cocconino County, Arizona, in Section
2.6, Township No. 30 N, Range No. 8 W, Unsurveyed,
and designated as Survey No. 3635, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or his grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

Richard L. Merritt
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Richard L. Merritt
U. S. Mineral Surveyor, before me Helen Anupley
..... this 5th
day of January, 1920

Helen Anupley
Notary Public

My commission
expired June 12, 1923.



U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

April 12, 1920., 191

I, U. S. Surveyor-General for Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of T. E. Carter

known as the PERSHING #1, PERSHING #2, PERSHING #3, and PERSHING #4 lodes

situate in Walapai Indian Reservation

Mining District, Coconino County, Arizona.

in Section 26, Township No. 30 N., Range No. 8 W. Unsurveyed, and

designated as Survey No. 3635, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or his grantors, and that said improvements consist of

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona.

4-687

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona,

April 12, 1920., 191

I, U. S. Surveyor General for Arizona.

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of T. E. Carter

known as the PERSHING #1, PERSHING #2, PERSHING #3, and PERSHING #4 Lodes

situate in Walapai Indian Reservation mining district, Coconino County, Arizona

in Section 26, Township No. 30 N., Range No. 8 W. Unsurveyed, designated as Survey No. 3635

executed by Richard L. Merritt, U. S. Mineral Surveyor, Nov. 21-Dec. 29, 1919, under my instructions dated Nov. 15, 1919, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. The certified copy of the location certificate filed by the applicant for survey is on file in this office and a true copy of said certified copy of said location certificate is included and made a part of the transcript of the field notes.

[Handwritten signature]

U. S. Surveyor General for Arizona.