MINERAL SURVEY No.

LOT No. 3646

Chizona Land District.

FIELD NOTES

Claim located Les Cocation notice attach, 19 Survey commenced Day (1920) Survey completed May (1920) Address of claimants Le Pay anderson, Tresont, Andrews of Amended Locations.		Lerde (
Claim located Lee Cocation notice attached, 19 Survey commenced Dec 23, 19/9 Survey completed may 10, 1920 Address of claimants Le Poy anderson, Prescott, Anderson for claimant.				
Claim located Lee Cocation notice attached, 19 Survey commenced Dec 23, 19/9 Survey completed may 10, 1920 Address of claimants Le Poy anderson, Prescott, Anderson for claimant.	Verde	tainZe	de	Mining District,
Survey completed nay 10 Address of claimant's Le Counter of Claimant. Survey Completed Survey Conderson, Trescott, Augustion of Claimant's Le Counter of Claimant.	tion 22 Un sur a Town		On Range	ona
Claim located Lee Cocation notice attached, 19 Survey commenced Dec 23, 19/9 Survey completed Day 10, 1920 Address of claimants Le Pay anderson, Trescott, Andrews of claimants.	and within the Tre Surveyed under instruction	ns dated	<u>~ // , </u>	19/9
Survey commenced Dec 23, 19/9 Survey completed may 10, 1920 Address of claimants Le Pay anderson, Prescott, Andrew for Claimant.		by	ough	M. S. Mineral Surveyor.
Survey completed may 10, 1920 Address of claimants Le Pay anderson, Trescott, Andrew for claimant.				
Address of claimants, se you underson, Trescott, Au	Survey completed	may 10		
	Address of claiman	ts, e oy c	anderson	Claimant.
		~~~~~		

Dunied Survey Jo 3646.

Segunning at Sou ho. !.

On line I II Stade Hampton lode Sur les 592 tively at 728°15' \$199.70 ft from to II and \$28°15' E. 418. 45 ft if som Cox 5 & the intersection of this line with line II II Chrome lowhwestern ho! lode Sur. In. 594.

Ca 1/2 in. evon pipe 20 in long stamped C. 1. 3646

the center of the pipe being the exact point for corner, whence The 14 Sec. or between Secs 224 23 J167 Q26 gyst P. BYDs bears In 83°03'10" & 2698.25 ft. Southeast come of location bears \$28° 15' 6 199.70 ft. Jhence S 83°04'10" At.

South end center, a snowed of stones 3 ft dian + 3 fright.

78.02 Intersect line II II Throme Northwestern Iro 1, Sew Iro 594,

at S 17°41'40" 5 1/33.85 ft from Gor III and at S 17°41'40 6

396.80 ft from the intersection of this line with line

IVI Holo 191 VII Kade Hampton lode Sur. no. 592. 152.00 Goes railroad tracks 187.00 Gross railroad tiscks 225.80 Lo Car. 20.2. at base and 6th 8 in diam at top set 1ft in the ground the core is a 2 in iron pepe topped by a cap containing a brass dish stamped + B. 2. 3646 212.5 Goes Q R tracks running northeasterly 239.0 Goes under power wires running northeasterly Goes Q. Q tacks running northeasterly 257.5 Gross northerly slope of glory-hole.

Gross northerly slope of glory-hole.

6 To Garles 3

Identical with location corner and with

ENT tade Hampton lode Sur les 592 and For II 594.0 1190.96 missing Link lode Sur les 1177 aconcrete monument similar to Gr no 2. I stamped it + 6.3.3646, whence For I missing Link lode Sur Is 1177 bears 829033'40" & 744.59 ft. The intersection of line I VI Itade Hampton Orol Sur Dro 594 bears & 280 15 6 835.86 ft

Meneral Survey Iro 3646. Continued 59.64 north end center, a mound of stones 3 ft diam + 3 ft. high. 126.36 To Far Dro 4 Identical with location corner and with For I Jerome lode Sew Is. 1152 and For I Lamb Fraction lode Sur Is 2808, whence For III Thome Korthwestern lo I lode Sur lo 594 bears & 43°04'30" 6 67.62 ft. 333.09 Intersect line # # Throme Irothwestern 201 lode Sur. Iro. 594 at \$17041'40" 6 270.73 ft from For III land & 17°41'40" It 466,32 ft from the intersection of this line with line I II Hade Hampton lode Sur. In 592 and at n 17041'40" It 373.27 ft from For I missing Link lode Sur. Its 1177, a point on line
II III of the Throme Trothwestern Its I lode Sur ku 594. 530.00 Gross northerly slope of glory-hole.
670.00 Gross southerly slope of glory-hole.
714.37 Intersect line II I museing Link lode Surho 1177 at 2 83°30'5 33.82 ft from For I 77.2.00 Gross tracks running northeasterly 785.00 Gross under power wires running northeasterly 812.00 Gross railroad tracks running northeasterly 830.00 Gross railroad tracks running northeasterly 1214.11 To to no 1 the place of beginning Variation 14°30 to 15°6 Zode Zine. as near as can be determined from present developments the vein extends as follows from the descovery fromt, 508.16 ft. 522041'10" It and 705.95 ft. 822041'10" 6

3

7

mineral Survey 203646 Continued. Total alea Caplain lode 4.723 area in conflict with Sur In 592 Hade Hampton lode 3.029 X Sucho 594 Frome Northwestern Its I lode 0.759 Sew Is 594 Throme houshwestern Iro/ lode (ex-Sur Its 1177 messing Link lode (exclusive of its could to 1177 messing Link lode (exclusive of its conflict with Sew les 594 Theome Northwestern not lode 1.121 The southwest corner of location was represented by a witness corner massked W. C. C. 2 as the position for said corner comes in a gloryhole, I sid witness made the witness corner For 2 of this survey; as no trace of corner itself remains; and drew Gov/ within the original lines of the claim as staked upon the ground ocation This survey is located in Sec. 22, 916 h R26 GHS. B. Am. and within the Prescott State and Forest. Sependiture of Fine Hundred Dollars.

I certify that the value of the labor and improvements made upon this location by the claimant
is not less than five hundred dollars and that said No. 1, The descreey cut, the face of which being the discovery front is on the lode line 508.16ft from a point on line 3-4 59.64 ft. from Joe 3. 4.5 ft. wide 10 ft face running \$22° 6 32 ft to mouth.

Value of cut \$160.00

Dro. 2. a cut which bears from Cov. In 3 \$29°0366

494.73 ft. 4ft wide 10 ft face running \$40°6 21 ft to mouth.

Value of cut \$105.00 910.3. A cut which bears from En Is 3. \$25°37'6
455.88 ft. 31/2 ft wide 6 ft face running \$28°39'6 11 ft to mouth
From the face is a tunnel 31/2 x 6 ft running \$1.28°37' ft.
42 ft to loss. 42 ft to face Value of cut and tunnel * 475.00 Instrument. This survey was made with a Fauth transit The courses were deflected from the true mendian as delermened by direct solar observations and used in the triangulation survey of this district.

minual Survey 203646 Continued. The distances were measured with 100 ft and 660 ft steel takes. Adjoining Claims This claim is adjoined on the north by the: -Jerome lode Sur Iro 1152 Hull Epper & claimant. Samb Fraction lode Sew les 2808 a. L. Exper & claimant.
On the east by the:

missing Zink lode Sew lo 1177 Hell & & & & & Claimante.
Throme withwestern Ito I lode Sun ho. 594 & & & Co claimant.
On the west and south by the Hade Hampton lode Sur Iso 592 W & Claimant The lines of this alaim were run upon the ground by a traverse and the conflicts tred in from The 14 Sec. For between Secs 22423 916 h P26 by a brass top stamped 221/423. Sos I + II are concrete monuments properly marked instead of being \$26°30'6 1500.00 as appeared Ego III is a concrete monument. For II is in the gloryhole area and could not be found its position being taken from private records of the line II III 3 17041'40" & 1475.95ft.

I make line II III 3 17041'40" & 1475.95ft.

Instead of 7 17045' & 1500.00 ft. Sor II is a concrete monument properly marked.
Sor I of the trade Hampton lode Sew no 592 previously described is given as a point on line II III ferome lode I make the line between these corners \$ 8304'10 to 126.36 ft instead of S83°30'lt as given Sur Ito 2808 Lamb Fraction lode. Bor I is a concrete monument properly marked Sur No 1177 Messing Link lode.

Cois I + II are not in place. For II is a concrete
monument properly marked, and For II of Jerome lode
Sew No 1152 is given as a point on line II III of the

missing Sink lode

Inneral Survey No 3646 Concluded In the survey of this lade the Peneted States depot numeral Surveyor E. It. Johnston ded not find Gor II of the Hade Hampton lode Sur Iro 592 and asked for instructions. He was told to place for instructions. He was told to place to the Throme northwestern Iro! lode Sur Iro 594 at 644.00 ft from Gor IIIs which from the date available at that time was the most probable place for the point of intersection of that line, with line LI of the Itade Hampton lode Sun les 592. Later when Go II of the Itade Hampton was found by the mine surveyors; it being a + W. H. No.6 chiseles on the face of a cliff; it was seen that the lines intersected at 737.05 ft from GrIII of the Chrome Southwestern Iro I lode and that there was still a fraction open which is now included in this survey. I make line III n 29°33'40" I 744.59 ft

instead of n 29°45' Dt 756.43 ftm.

### FINAL OATHS FOR SURVEYS.

### LIST OF NAMES.

A list of the names of the individuals employed by
United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of shown as the Saplani Sode
and showing the respective capacities in which they acted.
Vincent Hatterick, Chainman.
, Chainman.
, Avman,
, Flagman.
FINAL OATHS OF ASSISTANTS.
We, Vincent Watterick
and , do solemnly swear that we assisted oseful (States Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of  the centred Verde Topper Tompany  known as the Aplani Toda
represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
and correctly executed, and the corner and boundary monuments established according to law and the instruc-
tions furnished by the United States Surveyor-General for Curyona,
Vincent Watterich, Chainman.
, Chainman.
, Axman.
, Flagman
Subscribed and sworn to by the above-named persons before me this 10th
day of April , 1827
KoftKGorten

## FINAL OATH OF U.S. MINERAL SURVEYOR.

I, oseph no Jacky	II S Winard Summer
do solemnly swear that, in pursuance of instructions rece	pived from the United States
Surveyor General for	J.4.1
Surveyor General for Aryona, I have, in strict	antomit to the land (1)
United States, the official regulations and instructions the	rounder and the interest of the
of said Surveyor General, faithfully and correctly execute	reunder, and the instructions
Claim of Control Conditions	ed the survey of the Mining
Claim of The limited lesde Topper	Jompany
situate in Serde  Saptain Sode  Savafai County, County, County, Township No. 16 h, Range No. 26 3	, known as the
situate in	,
Chamber in a	Mining District,
County, C	in Section
and designated as Company No. 76 77, Range No. 26	ASTERON and within
and designated as Survey No. 3646	
in the foregoing field notes, which accurately show the bou	
as distinctly marked by monuments on the ground, and de	
of the location certificate, which was received by me from	
said instructions, and that all the corners of said survey ha	
petuated in strict accordance with the law, official regula	tions and instructions there-
under; and I do further solemnly swear that the foregoin	g are the true and original
field notes of said survey and my report therein, and th	at the labor expended and
mprovements made upon said mining claim by claimant or	r to grantors
are as therein fully stated, and that the character, extent,	location, and itemized value
thereof are specified therein with particularity and full de	
aid labor or improvements so credited to this claim has be	en included in the estimate
of expenditures upon any other claim.	on meraded in the estimate
_	
oseph	
( ) regin	S. Moneral Surveyor.
Subscribed and sworn to by the said Joseph Mc	Crthy
U. S. Mineral Surveyor, before me Pobert K. Por	
in and for Yavapai County, Arizona	
day of May , 19 21.	this
, 19 al.	
of Als	Al Bita
	Works
6-1044	No.
No	tary Public.

### U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

### Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Ph	oenix, Arizona,
	July 15 , 19 21
I, U. S. Surveyor-General forDISTRI	CT OF ARIZONA,
do hereby certify that the foregoing transcript of	the Field Notes, return and approval of the survey
of the mining claim of	
UNITED VERDE	COPPER COMPANY
known as the CAPTAI	N LODE
situate in VER	DE
Mining District, YAVAPAI	County, ARIZONA,
in Section 22 Unsur., Township No. 16 N	Range No. 2 E . , and
designated as Survey No, ha	as been correctly copied from the originals on file in
this office; that said Field Notes furnish such an	accurate description of said mining claim as will, if
incorporated into a patent, serve fully to identify t	he premises, and that such reference is made therein
to natural objects or permanent monuments as wil	l perpetuate and fix the locus thereof.
And I further certify that five hundred doll	ars' worth of labor has been expended or improve-
ments made upon said mining claim by claimant.	or its grantors, and that said improvements
consist of 3 cuts and 1 tunnel, t	otal value \$740.
	s has been included in the estimate of expenditures
upon any other claim.	
I further certify that the plat thereof, filed in	the U. S. Land Office at Phoenix,
	onformity with the foregoing Field Notes.
	rank P. Trott,
1	ASHID TO THE WAY
United States St	urveyor-General for. Arizona.

21812b3m2-06

# SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

# DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona,	
July 15	, 1921
I, U. S. Surveyor General forDISTRICT_OF_ARIZONA,	
do hereby certify that the foregoing and hereto attached Field Notes and Return of the Sur	vey of the
Mining Claim of	
UNITED VERDE COPPER COMPANY	
, knc	own as the
CAPTAIN LODE	
situate in minin	g district,
YAVAPAI County,	RIZONA,
in Section 22 Unsur., Township No. 16 No., Range No. 2 and within the Prescott National Forest,  G & S R B & M, designated as Survey No. 3646	
executed by, U. S	5. Mineral
Surveyor, <u>Dec. 23, 1919 - May 10, 1920</u> , 191, under my instructi	ons dated
Dec. 11, 1919, have been critically examined and the nece	ssary cor-
rections and explanations made, and the said Field Notes and Return, and the Survey they	describe,
are hereby approved. The certified copy of the location certificate filed by the applicant for	survey is
on file in this office and a true copy of said certified copy of said location certificate is included	and made
a part of the transcript of the field notes.	

U. S. Surveyor General for Arizona.