WATE-9.192

### MINERAL SURVEY No. 3647

LOT No.
Asizona Land District.
FIELD NOTES
The Cented Cerde Topper Tompany
KNOWN AS THE  LESSIE Sode
Gerde  Gavapai  County,  Section 22 Unsur Township 16 N., Range 25 GySR137M.  and within the Priscott Diational Florest  Surveyed under instructions dated Dec 11, 1919.
Surveyed under instructions dated Dec 11, 1919,  by aseful Marthy  U.S. Mineral Surveyor.
Claim located See Cocation notice attached 19
Survey commenced may 10 , 1926
Survey completed April 19, 1921  Address of claimant's Le Roy anderson, Prescott, Arizon
DATES OF AMENDED LOCATIONS.

6-82

Ineneral Survey Jo. 3647. Jessie Zode Beginning at Co. Sa 1. deam at have and 6 to 8 in deam at top, set 1 ft in the ground. The core is a 2 in iron pipe topped by a cap containing a bross I it to the deam at top the core is a a brass disk stamped . 1. 3647. The + for exact corner fount coming on the concrete, whence Cilongeide is a 4x5 in post 4ft. long in mound Across on a 2.4x 2.8 x 2.8 ft. diorite rock in place marked B+R J-1-3647 bears S63°52'H 11.19ft. The 1/4 Sec. Gov between Secs 22 + 23 J. 16 h. R26. 94 SR. BYM bears n 61°15'25" 6 3+22.80 ft. Touth Lyneka Tode Sun 20 bears S6045' 315.97/4. Feet Thence Sy'22'30" & 301.99 South and Ester; edentical with for I Selver Geant Lode Sur. 20. 1284. a concrete monument similar to Co. no. 1. Istamped the deak + 8.6.C. 3647. lode bears 2 9036' It 781.75 ft. and tow I of the In 12 Lode also of Sur. In 12/84 bears 8850471/5" \$3 23.65ft. Intersect line III-II Sur Des 280 Gureka Tode at & 6°36'30" & 1377.48 ft. from For IV and S6°36'30% O.72 ft from the intersection of this line with line I'I Selver Grant Tode Sur Des 1284 said intersection being at 2 9036' to 0.60ft from (or I Silver Geant Sode. 600.22 To Far. Iro. 2. a concrete monument similar to Co. Or 1 the brass disk being stamped + J. 2. 3647, whence

Mineral Survey no 3647 Continued a cross on limestone in place marked B+R J-2 3647 bears 7880231 77.12 ft. Thence 27 7°32' & 292.64 Intersect line Cost Selver Geant- Cort Des 12 Loole both of same Survey Dro 1284 at \$85047'15" It 76.86 ft. from Got Selver Geant and 88504715" 76.83 ft from the intersection of this line with line III II Gureka Lode Sur. Iso. 280, said point of intersection being & 6°36'30" 5 1377.36 ft. 86700 Goes under power wires running northerly. 1072.69 Intersect line II II Selver Grant Lode Sur. Drs. 1284. identical with line II I 1888 Tele Luc. Dro 1151 at \$86018'20" It 48.66 ft froms 108000 Toos gulch running northerly. 1375.85 0 Jan. Jo. 3. I dente cal with Eg I Elipse Tode Sur to 3468. A concrete monument similar to to Drs. I stamped the disk + 1 3 3647 for For 3 of this survey, whence Gr II 1888 Lode Sur Dro 1151 bears \$16082'15"5 310.24 ft and Gr I of the same lode bears \$16014'15"5 chose on a 2.0 x 1.6 x 1.4 ft exposed dioute rock marked B+R J-3-3647 bears 7230201 8.91 ft. The mouth of Lunnel no 2 beaux \$180/00 289.01 St. There 27022'30" South side of wash 259.46 Intersect line II 1888 Tode Sun ho 1151 at \$ 5°39'45" \$ 557.44 ft from for no VI 28500 north side of wash 299.83 North God lenter identical with S. G. C. Tolepa Lode Sur Iro 3468. A concrete monument. I marked the disk +7.6.C. J. 3647

mineral Survey to 3647 Toutenued Fut. Mineray June II Hade Hampton Lock 304.31 Intersect line II II Lade Hampton Lock Sur Iro 592 at 280/2'30" It 4.66 ft from 300.20 Goes southeast side of Sented Leide Topper Go's 335.50 Gos norcheast end of Dro 4 Shaft. 600.15 To For. Iro. 4. So you ho. 4.

a concrete monument similar to for ho!

Islamped the brass dish + J.4. 3647 for

For 4 of this survey, whence

For IX Turka Lide Sur Iso 260 bears

\$3.016'50" It 295.68 ft.

For II Stade Halmpton Lode Sur Iro 592

bears \$6.051'30" It 299.64 ft. Thence Syo 32's 177.50 frozounder power weres running southwesterly to shaft. 264.00 (rose railroad spur tracks 281.00 from railroad spur tracks 290.99 Intersect line II II Stade Hampton Lode Sun Dro 592 at 2 83°02'30"6 74.48 ft from Cor II also Intersect line IV I Gueka Tode Sundro 280 at 388.00 Cross gulch running northeasterly 378.00 Cross concrete dam. Cross under power wires running northerly 551.00 Tower for power wires To Go So! the place of beginning. Variation from 14030' to 16000' 6 Tode Line Ces near as can be determined from present developments the vein extends as follows from the discovery point. 87031E 772.00 ft and 2 7031 & 605.40 ft.

Mineral Survey No 3647 Continued. Drs. 2.

A tunnel, the mouth of which bears from For. Iro. 3 \$ 18010'6 289.01ft 3.5 × 6 ft running \$25°33' \$ 50 ft

Value \$50000 This survey was made with a Theren Alono mining Francit. The courses were deflected from the true mendian as determined by direct solar observations and checked against the triangulation system in this district. The distances were measured with 100 ft. and 660 ft steel takes. This claim is adjoined on the north by the Hade Hampton lock Sur Is 592 and Schipe lock Survey No. 3468 Cented Seed Office & claimant. On the east by the Sureka lode Sur les 280 On the south by the Stamant. Ino. 1284 Hull Specto claimant On the west by the Silver Geantlode Sur Deo 1284 and 1888 lode Sur ko 1151 Hull Tope to claimant. The lines of this claim were run upon the ground by a traverse and the conflicts tred in from the several traverse points.

Mineral Survey No 3647 Tontinued. The 1/4 Sec. Cor. between Secs, 22+23 J.16 h. R. 26. GYSR BY In is a 1 in cron paper capped by a brass top stamped 22 1/4 23 and is buried in Diag St. in Jerone. Sur. Oro. 592 Hade Hampton Lode Cois II and III are concrete monumente similar to for no 1 of this survey. For I is not in place novio For I and its position was determined from private records of the company and Sur It 3468 Sclipse lode.

I find the bearing of line II II to be

28°12'30" It instead of \$26°30' It as reported I find the bearing of line II II to be 2 83-02:80 5 instead of 2 83°30'6 as reported Sur. No 280 Gureka Løde South is a concrete monument and Sois I + IV are not in place their position is given as being on line II II Hade Hampton lode Sur Ito 592. at the call distances from Gis II and II respectively. I make line # II 2 6°36'30" It 1391.74 ft. instead of 26°30' It 1500 ft as reported Imake line IV I 283°02'30" 6 instead of 2 88°30' 6° Sur Ito 1284 No 12 Lode
Sois I + II are concrete monuments as
is also Gor I Silver Grant lode, same survey which is reported as being on line I-IV of the Dro 12 lode. I find line Cot Selver Frant to Tor. I Its 12 lode to be \$85.047115" It 323.65 ft instead of 886°02 x 330.00 ft as reported.

Immeral Survey Iro 3647 Continuel Sur. Jo 1284 Silver Giant Zode Gos I and I are concrete monuments properly marked. For I is not in place, its position being determined from the cross on a reef-marked B+R 1888 NO 6-1151 and reported as bearing S.57° B. 70 ft. from Go. II Silver Grant lode. This same bearing rock + was used originally in treing in Goo II of Sur no 1151 - 1888 lode, the corners being identical. I make line III In 9°36' It 781.75 ft. instead of 26°36' 4795.00 ft.

I make line II III S86°18'20" It 490.78 ft
instead of S86°02' It 51000 ft. Sur No 1151 - 1888 Fode Con I is identical with GorIII Selver Frant lode Sur Its 1284 pereviously described and for II is identical with for I of Silver Grant lode. Cou I is not in place its position being determined from the center of the 1888 Shaft which bears 7, 4027' It 315.23 ft from Cor II of the Colipse lode Sur. no, 3468 from Cor II from said shaft and Gor II is reported as bearing \$460456 50.00 ft in 82030'C 10094 1. Row reported as bearing 20 83°30 6 19 of from For Ir Imake line VII S5°39'45" & 582.42 ft. Sine II I is identical with line II III Selver Grant lode Sur. Jro. 1284. and the same errors are found. Survey No. 3468- Sclepse Socle Evenus I XII are of concrete and properly marked. I agree with bearing and distance of line, within the limits.

### FINAL OATHS FOR SURVEYS.

#### LIST OF NAMES.

A list of the names of the individuals employed by Joseph Marthy
United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of
and showing the respective capacities in which they acted.
John Deugley, Chainman.  Leuy, Chainman.  Axman.
, Flagman.
FINAL OATHS OF ASSISTANTS.
We, Mo. a. Guighy
and Effect, do solemnly swear that we assisted out h
the boundaries of the mining claim of  The lambed Verde Topper ampany
known as the Jessie ade
represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
and correctly executed, and the corner and boundary monuments established according to law and the instruc-
tions furnished by the United States Surveyor-General for fundaments. Chainman.
Awman.
, Flagman
Subscribed and sworn to by the above-named persons before me this 19th
day of April , 1927. Robert Botter

## FINAL OATH OF U.S. MINERAL SURVEYOR.

I, Joseph Mc arthy U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Augona, dated
Thave, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of The cented Leide Spee Sompany
, known as the
Jessie Jode.
situate in Mining District.
County, Sugara, in Section
22 Mr. Township No. 16 h, Range No. 2 C GARBY m and within t
and designated as Survey No. 3647, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
Joseph Marchy.
The second of th
Subscribed and sworn to by the said Toronh No Conth
Subscribed and sworn to by the said Joseph Mc Carthy U. S. Mineral Surveyor, before me Robert K. Porter, a Notary Public
in and for Yavapai County, Arizona this 7th day of May , 19 21.
, 15 21
KODIK PORTUN
(-1044
Notary Public.
My Commission Expires February 25th, 1924

#### U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

## Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,		
	July 15 , 19 21	
I, U. S. Surveyor-General for	DISTRICT OF ARIZONA,	
do hereby certify that the foregoing t	cranscript of the Field Notes, return and approval of the survey	
of the mining claim of		
UNITED	VERDE COPPER COMPANY	
known as the	JESSIE LODE,	
situate in	VERDE	
Mining District, YAVAPAI	County, ARIZONA,	
	No. 16 Na., Range No. 2 E., and	
designated as Survey No. 3647	has been correctly copied from the originals on file in	
this office; that said Field Notes fur	mish such an accurate description of said mining claim as will, if	
incorporated into a patent, serve fully	to identify the premises, and that such reference is made therein	
to natural objects or permanent monu	nments as will perpetuate and fix the locus thereof.	
And I further certify that five l	hundred dollars' worth of labor has been expended or improve-	
ments made upon said mining claim	by claimant. oritSgrantors, and that said improvements	
consist of 1 cut and 1 tun	nel, total value \$570.	
***************************************		
and that no portion of said labor or in	mprovements has been included in the estimate of expenditures	
upon any other claim.		
	ereof, filed in the U.S. Land Office atPhoenix,	
	rect and in conformity with the foregoing Field Notes.	
	3	
	Frank P. Trott,	
U	nited States Surveyor-General for. Arizona.	

21812b3m2-06

# SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

# DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

	Phoer	nix, Arizona,	
		July 15	, 19 21.
I, U. S. Surveyor Gen	eral forDISTRICT_C	DF ARIZONA,	
do hereby certify that the	foregoing and hereto attached Fie	eld Notes and Return of the	Survey of the
Mining Claim of			
	UNITED VERDE COPPER	? COIPANY	
		,	known as the
	JESSIR LODE,		
situate in	VERDE	n	nining district,
YAVAPAT	County,		ARIZONA,
in Section 22 Unsur.	Township No. 16 Nescott National Forest ated as Survey No.	, Range No. 2	E., G&SRB&M,
	Joseph McCarthy		
Surveyor, May 10, 1	1920 - April 19, 19	921., 191 , under my inst	ructions dated
Dec. 11,	, 191 <b>9</b> , have been c	ritically examined and the	necessary cor-
rections and explanations n	nade, and the said Field Notes an	nd Return, and the Survey	they describe,
are hereby approved. The	certified copy of the location certi	ificate filed by the applicant	for survey is
on file in this office and a tru	ne copy of said certified copy of sai	d location certificate is inclu	ded and made
a part of the transcript of the	he field notes.		
	Free	nd Petro	<del>//</del>

U. S. Surveyor General for Arizona.