

4-683

3 5 4 8

MINERAL SURVEY No. 3 6 4 8

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

James P. Cleator.

KNOWN AS THE

Turkey and Turkey Gobbler lodes

Peck Mining District,

Yavapai County, Arizona

Section 23 Township 11 N., Range E.G. & S.R.B. & M.

Unsur.

Surveyed under instructions dated December 22., 1919

by Alfred B. Colwell

U. S. Mineral Surveyor.

Turkey lode Jany, 12-1904
Claim located Turkey Gobbler lode Jany. 1-1905 19

Survey commenced January 15 1920, 19

Survey completed January 20 1920, 19

Address of claimant Turkey, Arizona.

DATES OF AMENDED LOCATIONS.

Turkey lode. Dec. 5-1919

Turkey Gobbler lode Dec. 5-1919

Mineral Survey No. 3648

Feet	Turkey lode.
	Beginning at Cor.No.1
	Identical with Cor.No.4 Turkey Gobbler lode of this survey
	A schist rock 3 x 14 x 24 ins.set 16 ins.in the ground, chiseled + at exact corner point and T=1,T.G.4=3648 with mound of rock alongside. Whence
	U.S.L.M.No.1913 bears S.80°13'53"E.-7058.90 ft.
	No other bearings available.
	Thence S.7°27'W.
477.00	Center track,Prescott & Eastern R.R. course Easterly and Westerly.
500.00	Wagon Road,Easterly and Westerly
1270.00	Wagon Road to Turkey Creek,Course Southeast.
1500.00	To Cor.No.2
	Identical with Cor.No.3 Turkey Gobbler lode of this survey
	A schist rock 4 x 14 x 20 ins.set 13 ins.in the ground, chiseled + at exact corner point and T=2,T.G.3=3648 with mound of rock alongside Whence
	No bearings are available.
	Thence N.82°33'W.
270.00	Dry Gulch,10 ft.wide,course Southerly.
300.00	South End Center.
	A monument of rock.
600.00	To Cor.No.3
	A schist rock 3 x 7 x 26 ins.set 18 ins.in the ground, chiseled + at exact corner point and T,3=3648 with mound of rock alongside. Whence
	A monument of rock on Townsend Peak bears N.88°27'E.
	Thence N.7°27'E.
980.00	Center track,Prescott & Eastern R.R.course Easterly and West erly.
1500.00	To Cor.No.4
	A schist rock 7 x 15 x 30 ins. set 20 ins.in the ground, chiseled + at exact corner point and T,4=3648 with mound of rock alongside Whence
	A prominent ledge of rock 6 x 6 x 8ft. chiseled B.R.+ T, 4=3648 bears N.88°03'W.- 81.5 ft.

Mineral Survey No. 3648

Feet		Feet
	Thence S.82°33'E.	
300.00	North End Center	
	A monument of rock.	
600.00	To Cor.No.1, The place of beginning.	
	Turkey Gobbler lode.	
	Beginning at Cor.No.1	
	A schist rock 8 x 14 x 32 ins.set 20 ins.in the ground, chiseled + at exact corner point and T.G.1-3648 with mound of rock alongside.	Whence
	U.S.L.M.No.1913 bears S.80°01'E. 6459.93 ft.	
	Thence S.7°27'W.	
200.00	Wagon Road, course Southeasterly.	
1500.00	To Cor.No.2	
	A schist rock 6 x 10 x 22 ins.set 12 ins.in the ground, chiseled + at exact corner point and T.G.2-3648 with mound of rock alongside.	Whence
	A sharp granite Peak bears S.18°20'W.	
	No other bearings available.	
	Thence N.82°33'W.	
300.00	South End Center	
	A monument of rock.	
440.00	Wagon Road to Turkey Creek, Course Southerly.	
600.00	To Cor.No.3	
	Identical with Cor.No.2 Turkey lode of this survey, previously described.	
	Thence N.7°27'E.	
230.00	Wagon Road, course Southeasterly.	
1000.00	Wagon Road, Easterly and Westerly.	
1023.00	Center Track, Prescott & Eastern R.R. Course Easterly and Westerly.	
1500.00	To Cor.No.4	
	Identical with Cor.No.1 Turkey lode of this survey. Previously described	

Feet

Thence S.82°33'E.

300.00 North End Center.

A monument of rock.

350.00 Center Track, Prescott & Eastern R.R. at N.12°52'E.-90ft. from P.C.

480.00 Wagon Road Course Northerly to Mayer.

600.00 To Cor.No.1 The place of beginning.

Variation 14°30'E.

Lode lines.

As near as may be determined from present developments the lode lines of this claim run as follows from their respective discovery points:*

Turkey lode: S.7°27'W.-150 ft. and N.7°27'E.-1350 ft.

Turkey Gobbler lode, S.7°27'W.-675 ft. and N.7°27'E.-825 ft.

Area.

Total area Turkey lode 20.661 Acres.

Total area Turkey Gobbler lode 20.661 Acres.

The survey of this claim is identical with the respective amended locations.

Location.

This claim is situated in Sec.23 ~~unsurveyed~~ T.11 N., R.1 E., Unsur., Gila and Salt River Base and Meridian, within the Prescott Nat'l. Forest.

There are no known adjoining claims.

Expenditure of Five Hundred Dollars.

I certify that the value of the labor and improvements made upon or for the benefit of each of the locations embraced in this mining claim by the claimant or his grantors is not less than five hundred dollars, and that said improvements consist of:*

On the Turkey lode.

No.1 The discovery cut, the face of which is on the lode line at N.7°27'E.-150 ft. from the South end center, Running thence S.15°W.-12 ft. to mouth, 3½ ft. wide 11 ft. face.

Value \$75.00

Mineral Survey No.3648

4

No.2 A cut, the mouth of which bears from Cor.No.3 N.72°E. 310 ft. Running thence S.70°W-12 ft. to 9 ft. face 3½ ft. wide.

Value \$60.00

No.3 A shaft, which bears from Cor.No.2 N.8°15'W. 672 ft. 4 x 6 ft. 8 ft. deep on quartz vein.

Value \$50.00

No.4 A cut, the mouth of which bears from Cor.No.1 S.32°50'W. 290 ft. Running thence Easterly 15 ft. to 7 ft. face, 4 ft. wide.

Value \$60.00

No.5 A shaft, which bears from Cor.No.1 S.19°20'W. 226 ft. 4 x 6 ft. 10 ft. deep.

Value \$75.00

No.6 An incline shaft which bears from Cor.No.1 S.19°20'W. 364 ft. 4 x 8 ft. timbered, 70 ft. deep. Dip 44° East

Value \$1400

This is the main working shaft of the property and was sunk for the joint development of both locations embraced in this survey. At a greater depth it will be within the lines of the Turkey Gobbler lode and is a proper and feasible method of developing said claim. One half its value is therefore credited to each location.

Value credited to this lode \$700.00

On the Turkey Gobbler lode.

No.1 The discovery shaft on the lode line at 675 ft. from the South end center. 4 x 6 ft. 10 ft. deep.

Value \$75.00

No.2 A shaft which bears from Cor.No.3 N.9°E. 630 ft. 4 x 7 ft. 70 ft. deep.

Value \$1000.00

No.3 A cut, the mouth of which bears from Cor.No.2, N.8°05'W. 455 ft. Running thence Easterly 20 ft. to 10 ft. face. 4 ft. wide.

Value \$80.00

One half of Value of Improvement No.6 on the Turkey lode.

Value \$700.00

Total Value. \$2875.00

Other Improvements.

Frame building known as old Nellis store, the S.E. Cor. of which bears from Cor.No.2 Turkey lode, N.2°30'E. 470 ft.

30 x 36 ft.. Claimant herein.

Frame Building 14 x 22 ft. the S.E.Cor.of which bears from Cor.No.2 Turkey lode,N.8°15'W-550 ft.claimant herein.

Frame Building,16 x 18 ft.,the N.E.Cor.of which bears from Cor.No.1 Turkey lode S.19°20'W.-598 ft.,claimant here in.

Frame Building 18 x 40 ft.,the N.E.Cor.of which bears from Cor.No.1 Turkey Gobbler lode S.54°50'W-770 ft., claimant herein.

Frame Building 20 x 24 ft.,the N.E.Cor.of which bears from Cor.No.1 Turkey Gobbler lode S.42°W-535 ft., claimant herein.

Frame Building 16 x 25 ft.,the N.E.Cor.of which bears from Cor.No.1 Turkey Gobbler lode,S.44°15'W.-730 ft. claimant herein.

Frame Building 24 x 32 ft.the N.WCor.of which bears from Cor.No.1 Turkey Gobbler lode S.41°W.-780 ft.claimant herein.

Frame Building,10 x 20 ft. the N.WCor.of which bears from Cor.No.1 Turkey Gobbler lode S.33°45'W.- 845 ft. claimant herein.

Frame Barn and corral,the N.E.Cor.of wich bears from Cor. No.1 Turkey Gobbler lode,S.32°50'W.-1123 ft. claimant herein.

Frame Building 26 x 30 ft. the N.E.Cor.of which bears from Cor.No.1 Turkey Gobbler lode S.45°25'W-892 ft. claimant unknown.

Frame Building,14 x 28 ft. the N.E.Cor.of which bears from Cor.No.1 Turkey Gobbler lode S.65°30'W-537 ft. claimant unknown.

Instrument.

This survey was made with a C.L.Berger & Sons transit, The courses were deflected from the true meridian as determined by direct solar observations. Distances were measured with steel tapes.

Report.

The lines of this survey and tie from Cor.No.1 of the Turkey Gobbler lode/were run direct upon the ground.

The tie from Cor.No.1 Turkey lode was calculated by enclosed traverse.

Said U.S.L.M.No.1913 is a + on stone flush with surface at summit of Townsend Peak, properly chiseled, with large monument of stone alongside- Whence

Nellis store building situate on the Turkey Gobbler lode bears N.88°29'W.

Center of R.R.Bridge over Turkey Creek on the P.& E.R.R. bears N.40°40'W.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Alfred B. Colwell
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of
James P. Cleator
 known as the Turkey and Turkey Gobbler lodes
 and showing the respective capacities in which they acted.

- A.R. Miller Jr. , *Chainman.*
- , *Chainman.*
- , *Asman.*
- , *Flagman.*

FINAL OATHS OF ASSISTANTS.

We, I A.R. Miller Jr.
 and, do solemnly swear that we assisted Alfred B.
Colwell , United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of James P. Cleator
 known as the Turkey and Turkey Gobbler lodes
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction ; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-
 tions furnished by the United States Surveyor-General for Arizona

- A.R. Miller Jr. , *Chainman.*
- , *Chainman.*
- , *Asman.*
- , *Flagman.*

Subscribed and sworn to by the above-named persons before me this 31st

day of January , 1920

J.M. Moore
 Notary Public



Commission expires Feb 23 1920

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Alfred B. Colwell, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona, dated
December 22-1919, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of James P. Cleator
, known as the
Turkey and Turkey Gobbler lodes.
situate in Peck Mining District,
Yavapai County, Arizona, in Section
23 Township No. 11 N., Range No. 1 E. G. & S. R. B. & M. Unsur.
and designated as Survey No. 3 6 4 8, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or his grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

Alfred B. Colwell
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Alfred B. Colwell
U. S. Mineral Surveyor, before me a Notary Public in and for
Yavapai County Arizona this 14th.
day of April 1920, 19

S. F. Denison
Notary Public



My Commission Expires Mar. 22, 1922

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

May 18, 1920

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

James P. Cleator

known as the TURKEY and TURKEY GOBBLER Lodes

situate in Peck

Mining District, Yavapai County, Arizona

in Section 23, Township No. 11 N., Range No. 1 E., Unsur.

designated as Survey No. 3648, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or his grantors, and that said improvements consist of 4 cuts and 5 shafts, total value \$2875.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona,

4-687

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES
AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR
OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona,

May 18, 1920.

I, U. S. Surveyor General for Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of James P. Cleator

known as the

TURKEY and TURKEY GOBBLER Lodes

situate in Peck mining district,

Yavapai County, Arizona

in Section 23, Township No. 11 N., Range No. 1 E.G. & S.R.

B. & M. Unsur., designated as Survey No. 3648

executed by Alfred B. Colwell, U. S. Mineral

Surveyor, January 15-20, 1920, under my instructions dated


December 22, 1919, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and made

a part of the transcript of the field notes.



U. S. Surveyor General for Arizona.