

MINERAL SURVEY No. 3666

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF New Cornelia Copper Company known as the

Ajo Junior, Ajo Junior No. 2, Ajo Junior No. 3, Pinto, Pinto No. 2, Pinto No. 3, Ironwood, Little Jonnie, Wolverine Nos. 1, 2, 3, 4, 5, 6, 7, 8, 10, 11, 12, 13, 14, Gaskill No. 4, Dodge Nos. 1, 2, 3, 4, 5, Cora Nos. 1, 2, Cora Fraction, Live Oak Fraction, Live Oak Nos. 1, 2, 3, 4, Hope No. 1, Melrose Nos. 1, 2, Copperhead Nos. 1, 2, Bright Star Nos. 2, 1, 3, 4, 5, Big Jim, Big Jim No. 2 and Intimate millsites

Ajo Mining District,

Pima County, Arizona.

Section 13, 23, 24, Township 12 S, Range 6 W, G & S R B & M Unapproved.

Surveyed under instructions dated March 19, 1920

by Ralph L. Motz U. S. Mineral Surveyor.

Claim located see location notices, 19

Survey commenced March 23, 1920

Survey completed April 5, 1920

Address of claimant's attorney, Cleon T. Knapp, Bisbee, Arizona.

DATES OF AMENDED LOCATIONS.

[Blank lines for amended locations]

MINERAL SURVEY NO. 3666 (Millsites)

Claims	M & B Desc. Pg.	Loc. Notices Red Pg.
Ajo Junior	52	37
Ajo Junior No. 2	51	38
" " " 3	50	39
Big Jim	1	43
Big Jim No. 2	2	44
Bright Star No. 1	22	15
" " 2	21	16
" " 3	17	17
" " 4	14	18
" " 5	11	19
Copperhead No. 1	23	27
" 2	20	28
Cora No. 1	39	25
" 2	24	26
Cora Fraction	25	1
Dodge No. 1	18	20
" 2	19	21
" 3	16	22
" 4	15	23
" 5	40	24
Gaskill No. 4	41	31
Hope No. 1	32	40
Intimate	3	46
Ironwood	46	41
Little Jonnie	45	42
Live Oak Fraction	38	32
Live Oak No. 1	37	33
" " 2	33	34
" " 3	34	35
" " 4	35	36
Melrose No. 1	29	29
" 2	27	30
Pinto	49	47
" No. 1	48	48
" 2	47	45
Wolverine No. 1	12	2
" 2	13	3
" 3	10	4
" 4	44	5
" 5	9	6
" 6	8	7
" 7	31	8
" 8	30	9
" 10	4	10
" 11	5	11
" 12	7	12
" 13	43	13
" 14	42	14

MINERAL SURVEY NO. 3666

BIG JIM Millsite

Beginning at Cor.-No. 1, the N. W. Cor., identical with location and with Cor. No. 1, Survey No. 3492, Luna # 19 Millsite, an iron pipe 4 ft. long $3\frac{1}{2}$ ins. in diameter set 18 ins. in the ground in concrete with copper tag on side marked 1-3666 B J M S, whence U. S. L. M. No. 3161 Ajo Mining District brs N $2^{\circ} 38'$ W 2259.5 ft. and Cor. No. 3, Survey No. 3488 Big Jim lode brs S $13^{\circ} 22'$ W 6314.5 ft.

thence EAST

166.1. intersect lines 2-3 and 4-1 of Survey No. 3161 Verde # 12 and Verde # 13 lodes respectively at N $10^{\circ} 08'$ E 404.2 ft. from Cors 4 and 3 of Survey No 3161 Verde # 13 and Verde # 12 lodes respectively

455.6 to Cor. No. 2, the N. E. Cor., identical with location and with Cor. No. 1 Big Jim No. 2 millsite of this survey an iron pipe 4 feet long $3\frac{1}{2}$ inches in diameter set 18 ins in the ground in concrete with copper tag on side marked 2-3666 B J M S, no bearings available.

thence SOUTH

431.3. intersect lines 3-4 and 1-2 of Survey No. 3161 Verde # 13 and Ocatilla # 6 lodes respectively at S $84^{\circ} 43'$ E 362.2 ft. from Cors. 4 and 1 of Survey No 3161 Verde # 13 and Ocatilla # 6 lodes respectively

454.8 to Cor. No. 3, the S. E. Cor., identical with location and with Cors. 1, 2 and 4 of Wolverine No. 11, Wolverine No. 10 and Big Jim No. 2 millsites of this survey respectively, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of earth and scribed 3-3666 B J M S, no bearings available.

thence S $89^{\circ} 56'$ W

371.5 intersect lines 2-3 and 4-1 of Survey No. 3161 Ocatilla # 5 and Ocatilla # 6 lodes respectively at S $10^{\circ} 44'$ W 58.3 ft. from Cors 2 and 1 of Survey No. 3161 Ocatilla # 5 and Ocatilla # 6 lodes respectively

455.6 to Cor. No. 4, the S. W. Cor., identical with location

and with Cor. No. 1 of Wolverine No. 10 millsite of this survey and situated on line 1-2 Survey No. 3492 Luna # 19 millsite at North 11.2 ft. from Cor. No. 2 thereof, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 4-3666 B J M S, whence Cors. 1, 2, 3 and 4 of Survey No. 3161 Ocatilla # 6, Ocatilla # 5, Verde # 12 and Verde # 13 lodes respectively brs N 58° 52' E 110.9 ft.

thence NORTH

66.2 intersect lines 1-2 and 3-4 of Survey No. 3161 Ocatilla # 5 and Verde # 12 lodes respectively at N 84° 43' W 95.4 ft. from Cors 2 and 3 of Survey No 3161 Ocatilla # 5 and Verde # 12 lodes respectively
 455.3 to Cor. No. 1, the place of the beginning.

BIG JIM NO. 2 Millsite

Beginning at Cor. No. 1, the N. W. Cor. identical with location and with Cor. No. 2, Big Jim Millsite of this survey, heretofore described to which I add 1-3666 B J 2 M S for this claim. U. S. L. M. No. 3161 Ajo Mining District brs N 13° 55' W 2325.4 ft and Cor. No. 3, Survey No. 3488 Big Jim No. 2 lode brs S 17° 01' W 6954.0 ft.

thence EAST

319.5 intersect lines 2-3 and 4-1 of Survey No. 3161 Verde # 13 and Verde # 14 lodes respectively at N 10° 06' E 460.6 ft. from Cors. 3 and 4 of Survey No. 3161 Verde # 13 and Verde # 14 lodes respectively

455.2 to Cor. No. 2, the N. E. Cor., identical with Location and with Cor. No. 1 Intimate millsite of this survey, an iron pipe 4 feet long 3 1/2 inches in diameter set 18 inches in the ground in concrete with copper tag on side marked 2-3666 B J 2 M S, whence U. S. L. M. No. 3161, A

No bearings available.

thence SOUTH

454.3 to Cor. No. 3, the S E Cor., identical with location and with Cors. 1, 2 and 4 of Wolverine No. 12, Wolverine No.

11 and Intimate millsites all of this survey, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of earth and scribed 3-3666 B J 2 M S. No bearings available.

204.85 thence S 89° 56' W intersect lines 1-2 and 3-4 of Survey No. 3161 Ocatilla # 7 and Verde # 14 lodes respectively at S 84° 43' E 11.6 ft. from Cors. 1 and 4 of Survey No. 3161 Ocatilla # 7 and Verde # 14 lodes respectively.

216.6 intersect lines 2-3 and 4-1 of Survey No. 3161 Ocatilla # 6 and Ocatilla # 7 lodes respectively at S 10° 57' W 1.1 ft. from Cors. 2 and 1 of Survey No. 3161 Ocatilla # 6 and Ocatilla # 7 lodes respectively

455.2 to Cor. No. 4, the S. W. Cor., identical with location and with Cor. No. 3 Big Jim millsite this survey heretofore described to which I add 4-3666 B J 2 M S for this claim.

thence NORTH

23.5 intersect lines 3-4 and 1-2 of Survey No. 3161 Verde # 13 and Ocatilla # 6 lodes respectively at N 84° 43' W 239.8 ft. from Cors. 3 and 2 of Survey No. 3161 Verde # 13 and Ocatilla # 6 lodes respectively

454.8 to Cor. No. 1, the place of the beginning.

INTIMATE Millsite

Beginning at Cor. No. 1, the N. W. Cor., identical with location and with Cor. No. 2 of the Big Jim No. 2 millsite of this survey heretofore described to which I add 1-3666 I M S for this claim. W. S. L. M. No. 3161, Ajo Mining District, brs N 24° 12' 30" W 2474.7 ft and Cor. No. 3, Survey No. 3488 Intimate lode brs S 7° 29' 30" W 7060.3 ft.

thence EAST

454.7 to Cor. No. 2, the N. E. Cor., identical with location, an iron pipe 4 feet long, 3½ inches in diameter, set 18 inches in the ground in concrete, with copper tag on side marked 2-3666 I M S, no bearings available.

thence SOUTH

46.4 intersect line 2-3 Survey No. 3161 Verde # 14 lode at
N 10° 29' E 469.1 ft. from Cor. No. 3 thereof

453.8 to Cor. No. 3, the S. E. Cor., identical with location
and with Cor. No. 2 Wolverine No. 12 millsite of this
survey, an iron pipe 4 feet long $3\frac{1}{2}$ inches in diameter
set 18 inches in the ground in concrete with copper tag
on side marked 3-3666 I M S, whence Cors. 2 and 3 of
Survey No. 3161 Ocatilla # 7 and Verde # 14 lodes res-
pectively brs S 57° 45' W 100.9 ft.

thence S 89° 56' W

75.4 intersect line 2-3 Survey No. 3161 Verde # 14 lode at
N 10° 29' E 54.7 ft. from Cor. No. 3 thereof

454.7 to Cor. No. 4, the S. W. Cor., identical with location
and with Cor. No. 3 of the Big Jim No. 2 millsite of this
survey heretofore described to which I add 4-3666 I M S
for this claim

thence NORTH

454.3 to Cor. NO. 1, the place of the beginning.

WOLVERINE NO. 10 Millsite

Beginning at Cor. No. 1, the N. W. Cor., identical with
location and with Cor. No. 4 Big Jim Millsite of this
survey, heretofore described to which I add 1-3666 W 10
M S for this claim. U. S. L. M. No. 3161, Ajo Mining
District, brs N 2° 11' 30" W 2714.4 ft. and Cor. No. 3
Survey No. 3488 Wolverine No. 10 lode brs S 19° 30' W
7303.8 ft.

thence N 89° 56' E

84.1 intersect lines 2-3 and 4-1 of Survey No. 3161, Ocatilla
5 and Ocatilla # 6 lodes respectively at S 10° 44' W
58.3 ft. from Cors 2 and 1 of Survey No. 3161, Ocatilla
5 and Ocatilla # 6 lodes respectively

455.6 to Cor. No. 2, the N. E. Cor., identical with location
and with Cor. No. 3 Big Jim millsite of this survey, here-
tofore described to which I add 2-3666 W 10 M S for this

claim

thence SOUTH

478.2 to Cor. No. 3, the S. E. Cor., identical with location and with Cor. No. 4 Wolverine No. 11 millsite of this survey and situated on line 1-2 Wolverine No. 6 millsite of this survey, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of earth and scribed 3-3666 W 10 M S. No bearings available.

thence WEST

455.6 to Cor. No. 4, the S. W. Cor., identical with location and with Cors. 1, 2 and 1 of Survey No. 3492 Luna # 5 and Luna # 6 millsites and Wolverine No. 6 Millsite of this survey respectively, an iron pipe 4 feet long 3 1/2 inches in diameter set 18 inches in the ground in concrete and marked 4-3666 W 10 M S, no bearings available.

thence NORTH

34.1 intersect lines 2-3 and 4-1 of Survey No. 3161 Ocatilla # 5 and Ocatilla # 6 lodes respectively at S 10° 44' W 509.9 ft. from Cors. 2 and 1 of Survey No. 3161 Ocatilla # 5 and Ocatilla # 6 lodes respectively

466.5 to Cors. 1 and 2 of Survey No. 3492 Luna # 6 and Luna # 19 lodes respectively

477.7 to Cor. No. 1, the place of the beginning.

WOLVERINE NO. 11 Millsite

Beginning at Cor. No. 1, the N. W. Cor., identical with location and with Cor. No. 3 Big Jim Millsite of this survey, heretofore described to which I add 1-3666 W. 11 M S for this claim. Cors. 1, 2, 3 and 4 of Survey No. 3161, Ocatilla # 7, Ocatilla # 6, Verde # 13 and Verde # 14 lodes respectively brs N 89° 40' E 238.8 ft. U. S. L. M. No. 3161, Ajo Mining District, brs N 11° 39' 30" W 2768.9 ft. and Cor. No. 1 Survey No. 3488 Wolverine No. 11 lode brs S 24° 10' W 12320.9 ft.

thence N 89° 56' E

238.6 intersect lines 2-3 and 4-1 of Survey No. 3161 Ocatilla

- # 6 and Ocatilla # 7 lodes respectively at S 10° 57' W
1.1 ft. from Cors. 2 and 1 of Survey No. 3161 Ocatilla #
6 and Ocatilla # 7 lodes respectively
- 250.35 intersect lines 1-2 and 3-4 of Survey No. 3161 Ocatilla
7 and Verde # 14 lodes respectively at S 84° 43' E
11.6 ft. from Cors. 1 and 4 of Survey No. 3161 Ocatilla
7 and Verde # 14 lodes respectively
- 455.2 to Cor. No. 2, the N. E. Cor., identical with location
and with Cor. No. 3 Big Jim No. 2 millsite of this sur-
vey, heretofore described to which I add 2-3666 W 11 M S
for this claim
thence SOUTH
- 19.2 intersect lines 1-2 and 3-4 of Survey No 3161 Ocatilla
7 and Verde # 14 lodes respectively at S 84° 43' E
217.4 ft. from Cors. 1 and 4 of Survey No. 3161 Ocatilla
7 and Verde # 14 lodes respectively
- 478.7 to Cor. No. 3, the S. E. Cor., identical with location
and with Cor. No. 4 Wolverine No. 12 millsite of this
survey and situated on line 1-2 Wolverine No. 5 millsite
of this survey, a pine post 4 feet long 4 inches square
set 18 inches in the ground in a mound of earth and
scribed 3-3666 W 11 M S, no bearings available
thence WEST
- 309.2 intersect lines 2-3 and 4-1 of Survey No. 3161 Ocatilla
6 and Ocatilla # 7 lodes respectively at S 10° 57' W
488.5 ft. from Cor. 2 and 1 of Survey No. 3161 Ocatilla
6 and Ocatilla # 7 lodes respectively
- 444.0 to Cors. 1 and 2 of Wolverine No. 5 and Wolverine No. 6
millsites of this survey
- 455.2 to Cor. No. 4, the S. W. Cor., identical with location
and with Cor. No. 3 Wolverine No. 10 millsite of this
survey heretofore described to which I add 4-3666 W 11 M
S for this claim.
thence NORTH
- 478.2 to Cor. No. 1, the place of the beginning.

WOLVERINE NO. 12 Millsite

Beginning at Cor. No. 1, the N. W. Cor., identical with location and with Cor. No. 3 Big Jim No. 2 millsite of this survey heretofore described to which I add 1-3666 W 12 M S for this claim. U. S. L. M. No. 3161, Ajo Mining District, brs N 20° 31' W 2895.0 ft. and Cor. No. 2 Survey No. 3488 Wolverine No. 12 lode brs S 23° 29' W 12298.8 ft.

thence N 89° 56' E

379.3 intersect line 2-3 Survey No. 3161 Verde # 14 lode at N 10° 29' E 54.7 ft. from Cor. No. 3 thereof

454.7 to Cor. No. 2, the N. E. Cor., identical with location and with Cor. No. 3 Intimate millsite of this survey heretofore described to which I add 2-3666 W 12 M S for this claim

thence SOUTH

479.2 to Cor. No. 3, the S. E. Cor., identical with location and situated on line 1-2 Wolverine No. 3 millsite of this survey, an iron pipe 4 feet long $3\frac{1}{2}$ inches in diameter set 18 inches in the ground in concrete, copper tag on side marked 3-3666 W. 12 M S, no bearings available.

thence WEST

164.1 intersect line 2-3 Survey No. 3161 Ocatilla # 7 lode at S 10° 29' W 432.6 ft. from Cor. No. 2 thereof

431.9 to Cors. 1 and 2 of Wolverine No. 3 and Wolverine No. 5 millsites of this survey.

454.7 to Cor. No. 4, the S. W. Cor., identical with location and with Cor. No. 3 Wolverine No. 11 millsite of this survey, heretofore described, to which I add 4-3666 W 12 M S for this claim

thence NORTH

459.5 intersect lines 1-2 and 3-4 of Survey No. 3161 Ocatilla # 7 and Verde # 14 lodes respectively at N 84° 43' W 370.9 ft. from Cors. 2 and 3 of Survey No. 3161 Ocatilla # 7 and Verde # 14 lodes respectively

478.7 to Cor. No. 1, the place of the beginning.

WOLVERINE NO. 6 Millsite

Beginning at Cor. No. 1, the N. W. Cor., identical with location and with Cor. No. 4 Wolverine No. 10 millsite of this survey, heretofore described to which I add 1-3666 W 6 M S for this claim. U. S. L. M. No. 3161, Ajo Mining District, brs N 1° 52' W 3191.8 ft and Cor. No. 3 Survey No. 3498 Wolverine No. 6 lode brs S 10° 50' W 6633.6 ft.

thence EAST

455.6 to Cors. 3 and 4 of Wolverine No. 10 and Wolverine No. 11 millsites of this survey respectively

466.8 to Cor. No. 2, the N. E. Cor., identical with location and with Cor. No. 1 of Wolverine No. 5 millsite of this survey and situated on line 3-4 Wolverine No. 11 millsite of this survey, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of earth and scribed 2-3666 W 6 M S no bearings available

thence SOUTH

466.5 to Cor. No. 3, the S. E. Cor., identical with location and with Cors. 1, 2 and 4 of Wolverine No. 1, Bright Star No. 5 and Wolverine No. 5 millsites of this survey respectively, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of earth and scribed 3-3666 W 6 M S, no bearings available

thence WEST

466.8 to Cor. No. 4, the S. W. Cor., identical with location and with Cors. 1, 2 and 1 of Survey No. 3492 Joint and Luna # 5 millsites and Bright Star No. 5 millsite of this survey respectively, an iron pipe 4 feet long 3 1/2 inches in diameter set 18 inches in the ground in concrete with copper tag on side marked 4-3666 W 6 M S, no bearings available

thence NORTH

466.5 to Cor. No. 1, the place of the beginning.

WOLVERINE NO. 5 Millsite

Beginning at Cor. No. 1, the N. W. Cor., identical with location and with Cor. No. 2 of the Wolverine No. 6 mill-site of this survey, heretofore described to which I add 1-3666 W 5 M S for this millsite. U. S. L. M. No. 3161 Ajo Mining District brs N 10° 08' 30" W 3240.7 ft. and Cor. No. 3 Survey No. 3488 Wolverine No. 5 lode brs S 11° 35' 30" W 8190.9 ft.

thence EAST

134.8 intersect lines 2-3 and 4-1 of Survey No. 3161 Ocatilla # 6 and Ocatilla # 7 lodes respectively at S 10° 57' W 488.5 ft. from Cors. 2 and 1 of Survey No. 3161 Ocatilla # 6 and Ocatilla # 7 lodes respectively

444.0 to Cors. 3 and 4 of Wolverine No. 11 and Wolverine No. 12 millsites respectively of this survey

466.8 to Cor. No. 2, the N. E. Cor., identical with location and with Cor. No. 1 Wolverine No. 3 millsite of this survey and situated on line 3-4 Wolverine No. 12 millsite of this survey, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of earth and scribed 2-3666 W 5 M S, no bearings available

thence SOUTH

466.5 to Cor. No. 3, the S. E. Cor., identical with location and with Cors. 1, 2 and 4 of Wolverine No. 2, Wolverine No. 1 and Wolverine No. 3 millsites of this survey respectively, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of earth and scribed 3-3666 W 5 M S, no bearings available

thence WEST

422.2 intersect lines 2-3 and 4-1 of Survey No. 3161 Ocatilla # 6 and Ocatilla # 7 lodes respectively at S 10° 57' W 963.6 ft. from Cors. 2 and 1 of Survey No. 3161 Ocatilla # 6 and Ocatilla # 7 lodes respectively

466.8 to Cor. No. 4, the S. W. Cor., identical with location and with Cor. No. 3 of Wolverine No. 6 millsite of this survey, heretofore described to which I add 4-3666 W 5 M

0 31 11
S for this millsite.

thence NORTH
466.5 to Cor. No. 1, the place of the beginning.

WOLVERINE NO. 3 Millsite

Beginning at Cor. No. 1, the N. W. Cor., identical with location and with Cor. No. 2 of Wolverine No. 5 millsite of this survey heretofore described to which I add 1-3666 W 3 M S for this millsite. U. S. L. M. No. 3161, Ajo Mining District brs N 18° 01' W 3354.6 ft and Cor. No. 4 Survey No. 3488 Wolverine No. 3 lode brs S 8° 32' W 6697.3 ft.

thence EAST
267.8 intersect lines 2-3 Survey No. 3161 Ocatilla # 7 lode at S 10° 29' W 432.6 ft, from Cor. No. 2 thereof

431.9 to Cor. No. 3 of Wolverine No. 12 millsite of this survey
466.8 to Cor. No. 2, the N. E. Cor., identical with location, an iron pipe 4 feet long 3½ inches in diameter set 18 inches in the ground in concrete with copper tag on side marked 2-3666 W 3 M S, no bearings available

thence SOUTH
303.0 cross road, course southwesterly
466.5 to Cor. No. 3, the S. E. Cor., identical with location, an iron pipe 4 feet long 3½ inches in diameter set 18 inches in the ground in concrete with copper tag on side marked 3-3666 W 3 M S, no bearings available

thence WEST
285.3 intersect line 2-3 Survey No. 3161 Ocatilla # 7 lode at S 10° 29' W 907.0 ft. from Cor. No. 2 thereof

351.8 cross road, course southwesterly
466.8 to Cor. No. 4, the S. W. Cor., identical with location and with Cor. No. 3 Wolverine No. 5 millsite of this survey, heretofore described to which I add 4-3666 W 3 M S for this millsite

thence NORTH
466.5 to Cor. No. 1, the place of the beginning.

BRIGHT STAR NO. 5 Millsite

Beginning at Cor. No. 1, the N. W. Cor., identical with location and with Cor. No. 4 of Wolverine No. 6 millsite of this survey, heretofore described to which I add 1-3666 B S 5 M S for this millsite. U. S. L. M. No. 3161, Ajo Mining District brs N 1° 37' 30" W 3658.1 ft and Cor. No. 1 Survey No. 3488 Bright Star No. 5 lode brs S 5° 16' W 11227.7 ft.

thence EAST

466.8 to Cor. No. 2, the N. E. Cor., identical with location and with Cor. No. 3, Wolverine No. 6 millsite of this survey heretofore described to which I add 2-3666 B S 5 M S for this millsite

thence SOUTH

230.6 intersect lines 2-3 and 4-1 of Survey No. 3161 Ocatilla # 6 and Ocatilla # 7 lodes respectively at N 10° 57' E 294.8 ft. from Cors. 3 and 4 of Survey No. 3161 Ocatilla # 6 and Ocatilla # 7 lodes respectively

252.5 cross road course southwesterly

466.5 to Cor. No. 3, the S. E. Cor., identical with location and with Cors. 1, 2 and 4 of Dodge No. 4, Bright Star No. 4 and Wolverine No. 1 millsites of this survey respectively a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of earth and scribed 3-3666 B S 5 M S, whence Cors. 1, 2, 3 and 4 of Survey No. 3161 Ocatilla # 8, Ocatilla # 9, Ocatilla # 6 and Ocatilla # 7 lodes respectively brs S 46° 16' W 77.4 ft.

thence WEST

45.6 intersect lines 2-3 and 4-1 of Survey No. 3161 Ocatilla # 6 and Ocatilla # 7 lodes respectively at N 10° 57' E 54.5 ft from Cors. 3 and 4 of Survey No. 3161 Ocatilla # 6 and Ocatilla # 7 lodes respectively

466.8 to Cor. No. 4, the S. W. Cor., identical with location and with Cors. 1, 2 and 1 of Survey No. 3492 Cardinoff and Joint millsites and Bright Star No. 4 millsite of this survey respectively, an iron pipe 4 feet long 3 1/2

inches in diameter, set 18 inches in the ground in concrete with copper tag on side marked 4-3666 B S 5 M S, no bearings available

thence NORTH

13.0 cross road, course southwesterly
466.5 to Cor. No. 1, the place of the beginning.

WOLVERINE NO. 1 Millsite

Beginning at Cor. No. 1, the N. W. Cor., identical with location and with Cor. No. 3, Wolverine No. 6 millsite of this survey heretofore described to which I add 103666 W 1 M S for this millsite. U. S. L. M. No. 3161 Ajo Mining District brs N 8° 52' W 3700.8 ft and Cor. No. 3 Survey No. 3488 Wolverine No. 1 lode brs S 10° 22' W 6204.4 ft.

thence EAST

44.6 intersect lines 2-3 and 4-1 of Survey No. 3161 Ocatilla # 6 and Ocatilla # 7 lodes respectively at N 10° 50' E 529.6 ft. from Cors 3 and 4 of Survey No. 3161 Ocatilla # 6 and Ocatilla # 7 lodes respectively

466.8 to Cor. No. 2, the N. E. Cor., identical with location and with Cor. No. 3 of Wolverine No. 5 millsite of this survey, heretofore described to which I add 2-3666 W 1 M S for this millsite

thence SOUTH

41.0 cross road, course southwesterly
466.5 to Cor. No. 3, the S. E. Cor., identical with location and with Cors. 1, 2 and 4 of Dodge No. 3, Dodge No. 4 and Wolverine No. 2 millsites of this survey respectively, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of earth and scribed 3-3666 W 1 M S, whence Cors. 2 and 3 of Survey No. 3161 Ocatilla # 8 and Ocatilla # 7 lodes respectively brs S 34° 38' E 132.2 ft.

thence WEST

466.8 to Cor. No. 4, the S. W. Cor., identical with location

and with Cor. No. 3 Bright Star No. 5 millsite of this survey heretofore described to which I add 4-3666 W.1 M S for this millsite

thence NORTH

214.0 cross road, course southwesterly

235.9 intersect lines 2-3 and 4-1 of Survey No. 3161 Ocatilla # 6 and Ocatilla # 7 lodes respectively at N 10° 57' E 294.8 ft. from Cors, 3 and 4 of Survey No. 3161 Ocatilla # 6 and Ocatilla # 7 lodes respectively

466.5 to Cor. No. 1, the place of the beginning

WOLVERINE NO. 2 Millsite

Beginning at Cor. No. 1, the N. W. Cor., identical with location and with Cor. No. 2 of Wolverine No. 1 millsite of this survey heretofore described to which I add 1-3666 W 2 M S for this millsite. U. S. L. M. No. 3161 Ajo Mining District brs N 15° 50' 30" W 3800.9 ft. and Cor. No. 4 Survey No. 3488 Wolverine No. 2 lode brs S 14° 32' 30" W 6305.1 ft.

thence EAST

115.0 cross road, course southwesterly

181.5 intersect line 2-3 Survey No. 3161 Ocatilla # 7 lode at N 10° 29' E 585.0 ft. from Cor. No. 3 thereof

466.8 to Cor. No. 2, the N. E. Cor., identical with location and with Cor. No. 3 Wolverine No. 3 millsite of this survey heretofore described to which I add 2-3666-W 2 M S for this millsite

thence SOUTH

414.0 cross road, course westerly

466.5 to Cor. No. 3, the S. E. Cor., identical with location and with Cor. No. 2 of Dodge No. 3 millsite of this survey, an iron pipe 4 feet long 3 1/2 inches in diameter set 18 inches in the ground in concrete with copper tag on side marked 3-3666 W 2 M S, no bearings available

thence WEST

200.8 cross road, course southwesterly

371.6 intersect line 2-3 Survey No. 3161 Ocatilla # 7 lode at

466.8 N 10° 29' E 100.6 ft. from Cor: No: 3 thereof
to Cor. No. 4, the S. W. Cor., identical with location
and with Cor. No. 3 of Wolverine No. 1 millsite of this
survey heretofore described to which I add 4-3666 W 2 M
S for this millsite

thence NORTH

425.5 cross road, course southwesterly

466.5 to Cor. No. 1, the place of the beginning.

BRIGHT STAR NO. 4 Millsite

Beginning at Cor. No. 1, the N. W. Cor., identical with
location and with Cor. No. 4 of the Bright Star No. 5
millsite of this survey heretofore described to which I
add 1-3666 B S 4 M S for this millsite. U. S. L. M. No.
3161 Ajo Mining District brs N 1° 26' 30" W 4124.4 ft.
and Cor. No. 1, Survey No. 3488 Bright Star No. 4 lode
brs S 5° 39' W 10163.9 ft.

thence EAST

421.2 intersect lines 2-3 and 4-1 of Survey No. 3161 Ocatilla
6 and Ocatilla # 7 lodes respectively at N 10° 57' E
54.5 ft. from Cors. 3 and 4 of Survey No. 3161 Ocatilla
6 and Ocatilla # 7 lodes respectively

466.8 to Cor. No. 2, the N. E. Cor., identical with location
and with Cor. No. 3 of the Bright Star No. 5 millsite
of this survey heretofore described to which I add
2-3666 B S 4 M S for this millsite

thence SOUTH

58.7 intersect lines 1-2 and 3-4 of Survey No. 3161 Ocatilla
8 and Ocatilla # 7 lodes respectively at S 84° 43' E
56.2 ft. from Cors. 1 and 4 of Survey No. 3161 Ocatilla
8 and Ocatilla # 7 lodes respectively

466.5 to Cor. No. 3, the S. E. Cor., identical with location
and with Cors. 1, 2 and 4 of Dodge No. 1, Bright Star No.
3 and Dodge No. 4 millsites of this survey, a pine post
4 feet long 4 inches square set 18 inches in the ground
in a mound of earth and scribed 3-3666 B S 4 M S, no

bearings available
 thence WEST
 130.3 intersect lines 2-3 and 4-1 of Survey No. 3161 Ocatilla
 # 9 and Ocatilla # 8 lodes respectively at S 10° 12' W
 419.7 from Cors. 2 and 1 of Survey No. 3161 Ocatilla # 9
 and Ocatilla # 8 lodes respectively
 466.8 to Cor. No. 4, the S. W. Cor., identical with location
 and with Cors. 1, 2 and 1 of Survey No. 3492 Main Stay
 and Cardinoff millsites and Bright Star No. 3 millsite
 of this survey, an iron pipe 4 feet long 3½ inches in
 diameter set 18 inches in the ground in concrete with
 copper tag on side marked, 4-3666 B S 4 M S, no bearings
 available

thence NORTH
 451.1 intersect lines 1-2 and 3-4 of Survey No. 3161 Ocatilla
 # 9 and Ocatilla # 6 lodes respectively at N 84° 43' W
 412.6 ft. from Cors 2 and 3 of Survey No. 3161 Ocatilla
 # 9 and Ocatilla # 6 lodes respectively
 466.5 to Cor. No. 1, the place of the beginning.

DODGE NO. 4 Millsite
 Beginning at Cor. No. 1, the N. W. Cor., identical with
 location and with Cor. No. 3 of the Bright Star No. 5
 millsite of this survey heretofore described to which I
 add 1-3666 D 4 M S for this millsite. U. S. L. M. No.
 3161, Ajo Mining District, brs N 7° 52' 30" W 4162.5 ft.
 and Cor. No. 3 Survey No. 3488 Dodge No. 4 lode brs
 S 21° 16' W 5365.9 ft.

thence EAST
 466.8 to Cor. No. 2, the N. E. Cor., identical with location
 and with Cor. No. 3 of the Wolverine No. 1 millsite of
 this survey heretofore described to which I add 2-3666
 D 4 M S for this millsite

thence SOUTH
 101.9 intersect lines 1-2 and 3-4 of Survey No. 3161 Ocatilla
 # 8 and Ocatilla # 7 lodes respectively at S 84° 43' E

- 525.0 ft. from Cors 1 and 4 of Survey No. 3161 Ocatilla # 8 and Ocatilla # 7 lodes respectively
- 225.0 cross road, course southwesterly
- 466.5 to Cor. No. 3, the S. E. Cor., identical with location and with Cors. 1, 2 and 4 of the Dodge No. 2, Dodge No. 1 and Dodge No. 3 millsites of this survey, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 3-3666 D 4 M S, no bearings available
- thence WEST
- 241.5 cross road, course southerly
- 466.8 to Cor. No. 4, the S. W. Cor., identical with location and with Cor. No. 3, Bright Star No. 4 millsite of this survey heretofore described to which I add 4-3666 D 4 M S for this millsite
- thence NORTH
- 407.8 intersect lines 1-2 and 3-4 of Survey No. 3161 Ocatilla # 8 and Ocatilla # 7 lodes respectively at S 84° 43' E 56.2 ft. from Cors. 1 and 4 of Survey No. 3161 Ocatilla # 8 and Ocatilla # 7 lodes respectively
- 4665 to Cor. No. 1, the place of the beginning.
-
- DODGE NO. 3 Millsite
- Beginning at Cor. No. 1, the N. W. Cor., identical with location and with Cor. No. 3 of the Wolverine No. 1 millsite of this survey heretofore described to which I add 1-3666 D. 3 M S for this millsite. U. S. L. M. No. 3161, Ajo Mining District, brs N 14° 07' 30" W 4251.6 ft. and Cor. No. 3 Survey No. 3488 Dodge No. 3 lode brs S 26° 41' W 6187.0 ft.
- thence EAST
- 95.2 intersect line 2-3 of Survey No. 3161 Ocatilla # 7 lode at N 10° 29' E 110.6 ft. from Cor. No. 3 thereof
- 266.0 cross road, course southwesterly
- 466.8 to Cor. No. 2, the N. E. Cor., identical with location and with Cor. No. 3, Wolverine No. 2 millsite of this

survey heretofore described to which I add 2-3666 D 3 M S for this millsite

thence SOUTH

466.5 to Cor. No. 3, the S. E. Cor., identical with location and with Cor. No. 2 of the Dodge No. 2 millsite of this survey, an iron pipe 4 feet long 3 1/2 inches in diameter set 18 inches in the ground in concrete with copper tag on side marked 3-3666 D 3 M S, no bearings available

thence WEST

455.5 intersect line 2-3 of Survey No. 3161 Ocatilla # 8 lode at S 10° 08' W 363.3 ft. from Cor. No. 2 thereof

466.8 to Cor. No. 4, the S. W. Cor., identical with location and with Cor. No. 3 of the Dodge No. 4 millsite of this survey heretofore described to which I add 4-3666 D 3 M S for this millsite.

thence NORTH

241.5 cross road, course southwesterly

364.6 intersect lines 1-2 and 3-4 of Survey No. 3161 Ocatilla # 8 and Ocatilla # 7 lodes respectively at N 84° 43' W 75.5 ft. from Cors. 2 and 3 of Survey No. 3161 Ocatilla # 8 and Ocatilla # 7 lodes respectively

466.5 to Cor. No. 1 the place of the beginning

BRIGHT STAR NO. 3 Millsite

Beginning at Cor. No. 1, the N. W. Cor., identical with location and with Cor. No. 4 of the Bright Star No. 4 millsite of this survey heretofore described to which I add 1-3666 B S 3 M S for this millsite. U. S. L. M. No. 3161, Aho Mining District, brs N 1° 18' W 4590.8 ft. and Cor. No. 2 Survey No. 3488 Bright Star No. 3 lode brs S 3° 07' W 9162.7 ft.

thence EAST

336.5 intersect lines 2-3 and 4-1 of Survey No. 3161 Ocatilla # 9 and Ocatilla # 8 lodes respectively at S 10° 12' W 419.7 ft. from Cors. 2 and 1 of Survey No. 3161 Ocatilla # 9 and Ocatilla # 8 lodes respectively

- 466.8 to Cor. No. 2, the N. E. Cor., identical with location and with Cor. No. 3 of the Bright Star No. 4 millsite of this survey heretofore described to which I add 2-3666 B S 3 M S for this millsite
thence SOUTH
- 466.5 to Cor. No. 3, the S. E. Cor., identical with location and with Cors. 1, 2 and 4 of Bright Star No. 2, Copperhead No. 2 and Dodge No. 1 millsites of this survey respectively, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of earth and scribed 3-3666 B S 3 M S, no bearings available
thence WEST
- 214.2 intersect lines 2-3 and 4-1 of Survey No. 3161 Ocatilla # 9 and Ocatilla # 8 lodes respectively at S 10° 12' W 893.7 ft. from Cors. 2 and 1 of Survey No. 3161 Ocatilla # 9 and Ocatilla # 8 lodes respectively
- 466.8 to Cor. No. 4, the S. W. Cor., identical with location and with Cors. 1, 2 and 1 of Survey No. 3492 Butte and Main Stay millsites and Copperhead No. 2 millsite of this survey, an iron pipe 4 feet long $3\frac{1}{2}$ inches in diameter set 18 inches in the ground in concrete with copper tag on side marked 4-3666 B S 3 M S, no bearings available
thence NORTH
- 466.5 to Cor. No. 1, the place of the beginning.

DODGE NO. 1 Millsite
Beginning at Cor. No. 1, the N. W. Cor., identical with location and with Cor. No. 3 of the Bright Star No. 4 millsite of this survey heretofore described to which I add 1-3666 D 1 M S for this millsite. U. S. L. M. No. 3161, Ajo Mining District, brs N 7° 05' W 4624.9 ft. and Cor. No. 3 Survey No. 3488 Dodge No. 1 lode brs S 39° 46' 30" W 6377.0 ft.
thence EAST
- 225.0 cross road course southerly

466.8 to Cor. No. 2, the N. E. Cor., identical with location and with Cor. No. 3 of the Dodge No. 4 millsite of this survey heretofore described to which I add 2-3666 D 1 M S for this millsite

thence SOUTH

63.0 intersect line 2-3 of Survey No. 3161 Ocatilla # 8 lode at N 10° 08' E 977.5 ft. from Cor. No. 3 thereof

466.5 to Cor. No. 3, the S. E. Cor., identical with location and with Cors. 1, 2 and 4 of Bright Star No. 1, Bright Star No. 2 and Dodge No. 2 millsites of this survey, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of earth and scribed 3-3666 D 1 M S, no bearings available

thence WEST

72.1 intersect line 2-3 of Survey No. 3161 Ocatilla # 8 lode at N 10° 08' E 567.6 ft. from Cor. No. 3 thereof

432.8 cross road, course southwesterly

466.8 to Cor. No. 4, the S. W. Cor., identical with location and with Cor. No. 3 of the Bright Star No. 3 millsite of this survey heretofore described to which I add 4-3666 D 1 M S for this millsite

thence NORTH

466.5 to Cor. No. 1, the place of the beginning.

DODGE NO. 2 Millsite

Beginning at Cor. No. 1, the N. W. Cor., identical with location and with Cor. No. 3 of the Dodge No. 4 millsite of this survey heretofore described to which I add 2-3666 D 2 M S for this millsite. U. S. L. M. No. 3161, Ajo Mining District, brs N 12° 44' W 4705.4 ft. and Cor. No. 3, Survey No. 3488 Dodge No. 2 lode brs S 38° 39' W 6343.1 ft.

thence EAST

11.3 intersect line 2-3 of Survey No. 3161 Ocatilla # 8 lode at S 10° 08' W 363.3 ft. from Cor. No. 2 thereof

466.8 to Cor. No. 2, the N. E. Cor., identical with location

and with Cor. No. 3 of the Dodge No. 3 millsite of this survey heretofore described to which I add 2-3666 D 2 M S for this millsite

thence SOUTH

466.5 to Cor. No. 3, the S. E. Cor., identical with location and with Cor. No. 2 of the Bright Star No. 1 millsite of this survey, an iron pipe 4 feet long $3\frac{1}{2}$ inches in diameter set 18 inches in the ground in concrete with copper tag on side marked 3-3666 D 2 M S, no bearings available

thence WEST

466.8 to Cor. No. 4, the S. W. Cor., identical with location and with Cor. No. 3 of the Dodge No. 1 millsite of this survey heretofore described to which I add 4-3666 D 2 M S for this millsite

thence NORTH

403.5 intersect line 2-3 of Survey No. 3161 Ocatilla # 8 lode at S $10^{\circ} 08'$ W 427.3 ft. from Cor. No. 2 thereof

466.5 to Cor. No. 1, the place of the beginning

COPPERHEAD NO. 2 Millsite

Beginning at Cor. No. 1, the N. W. Cor, identical with location and with Cor. No. 4 of the Bright Star No. 3 millsite of this survey heretofore described to which I add 1-3666 CH 2 M S for this millsite. U. S. L. M. No. 3161, Ajo Mining District brs N $1^{\circ} 10' 30''$ W 5057.2 ft. and Cor. No. 2 Survey No 3488 Copperhead No. 2 lode brs S $16^{\circ} 49' 30''$ W 8756.5 ft.

thence EAST

252.6 intersect lines 2-3 and 4-1 of Survey No. 3161 Ocatilla # 9 and Ocatilla # 8 lodes respectively at N $10^{\circ} 12'$ E 511.2 from Cors 3 and 4 of Survey No. 3161 Ocatilla # 9 and Ocatilla # 8 lodes respectively

466.8 to Cor. No. 2, the N. E. Cor., identical with location and with Cor. No. 3 of the Bright Star No. 3 millsite of this survey heretofore described to which I add 2-

3666 CH 2 M S for this millsite
 thence SOUTH
 33.0 cross road, course southwesterly
 466.5 to Cor. No. 3, the S. E. Cor., identical with location
 and with Cor. No. 4 of the Bright Star No. 2 millsite of
 this survey and situated on line 1-2 of the Cora No. 2
 millsite of this survey, a pine post 4 feet long 4 inches
 square set 18 inches in the ground in a mound of stones
 and scribed 3-3666 CH 2 M S, no bearings available.
 thence WEST
 162.7 to Cors. 1 and 2 of Cora No. 2 and Cora Fraction mill-
 sites of this survey respectively
 282.3 cross road, course southwesterly
 298.1 intersect line 2-3 of Survey No. 3161 Ocatilla # 9 lode
 and line 4-1 of Survey No. 3161 Ocatilla # 8 lode at
 N10° 12' E 37.2 ft. from Cors. 3 and 4 of Survey No.
 3161 Ocatilla # 9 and Ocatilla # 8 lodes respectively
 466.8 to Cor. No. 4, the S. W. Cor., identical with location
 and with Cor. No. 2 of Survey No. 3492 Butte millsite
 and situated on line 1-2 of the Cora Fraction millsite
 of this survey, an iron pipe 4 feet long 3½ inches in
 diameter set 18 inches in the ground in concrete with
 Cor. No. 3-4 Sur. No. 3161 Ocatilla #9 and Ocatilla #8 lodes brs
 S. 77° 16' 30" E. 166.2 ft.
 copper tag on side marked 4-3666 CH 2 M S, no bearings
 available
 thence NORTH
 466.5 to Cor. No. 1, the place of the beginning.

BRIGHT STAR NO. 2 Millsite

Beginning at Cor. No. 1, the N. W. Cor., identical with
 location and with Cor. No. 3 of the Bright Star No. 3
 millsite of this survey heretofore described to which I
 add 1-3666 B S 2 M S for this millsite. U. S. L. M. No.
 3161, Ajo Mining District brs N 6° 26' 30" W 5088.2 ft.
 and Cor. No. 4 Survey No. 3488 Bright Star No. 2 lode
 brs S 16° 31' W 10618.4 ft.

thence EAST

34.0 cross road, course southwesterly
 394.7 intersect line 2-3 of Survey No. 3161 Ocatilla # 8 lode
 at N 10° 08' E 567.6 ft. from Cor. no. 3 thereof
 466.8 to Cor. No. 2, the N. E. Cor., identical with location
 and with Cor. No. 3 of the Dodge No. 1 millsite of this
 survey heretofore described to which I add 2-3666 B S 2
 M S for this millsite

thence SOUTH

466.5 to Cor. No. 3, the S. E. Cor., identical with location
 and with Cor. No. 4 of the Bright Star No. 1 millsite of
 this survey and situated on line 1-2 of the Copperhead
 No. 1 millsite of this survey, a pine post 4 feet long
 4 inches square set 18 inches in the ground in a mound
 of stones and scribed 3-3666 B S 2 M S whence Cor. No. 3
 of Survey No. 3161 Ocatilla # 8 lode brs S 61° 48' W
 195.2 ft.

thence WEST

155.5 intersect line 2-3 of Survey No. 3161 Ocatilla # 8 lode
 at N 10° 08' E 93.7 ft. from Cor. No. 3 thereof
 162.9 to Cors. 1 and 2 of Copperhead No. 1 and Cora No. 2 mill-
 sites of this survey
 466.8 to Cor. No. 4, the S. W. Cor., identical with location
 and with Cor. No. 3 Copperhead No. 2 millsite of this
 survey heretofore described to which I add 4-3666 B S 2
 M S for this millsite

thence NORTH

433.5 cross road, course southwesterly
 466.5 to Cor. No. 1, the place of the beginning.

BRIGHT STAR NO. 1 Millsite

Beginning at Cor. No. 1, the N. W. Cor., identical with
 location and with Cor. No. 3 of the Dodge No. 1 millsite
 of this survey heretofore described to which I add 1-
 3666 B S 1 M S for this millsite. U. S. L. M. No. 3161
 Ajo Mining District brs N 11° 35' 30" W 5161.4 ft. and

Cor. NO. 4 Survey No. 3488 Bright Star No. 1 lode brs
S 11° 25' W 9912.6 ft.

thence EAST

466.8 to Cor. No. 2, the N. E. Cor., identical with location
and with Cor. No. 3 of the Dodge No. 2 millsite of this
survey, heretofore described, to which I add 2-3666 B S
1 M S for this millsite

thence SOUTH

466.5 to Cor. No. 3, the S. E. Cor., identical with location,
an iron pipe 4 feet long $3\frac{1}{2}$ inches in diameter set 18
inches in the ground in concrete with copper tag on side
marked 3-3666 B S 1 M S whence the 1/4 Cor. between Secs.
13 and 24, T 12 S, R 6 W, G & S R B & M brs N 75° 13' E
676.9 ft.

thence WEST

163.1 to Cor. No. 2 of the Copperhead No. 1 millsite of this
survey

466.8 to Cor. No. 4, the S. W. Cor., identical with location
and with Cor. No. 3 of the Bright Star No. 2 millsite of
this survey heretofore described to which I add 4-3666
B S 1 M S for this millsite

thence NORTH

466.5 to Cor. No. 1, the place of the beginning.

COPPERHEAD NO. 1 Millsite

Beginning at Cor. No. 1, the N. W. Cor., identical with
location and with Cor. No. 2 of the Cora No. 2 millsite
of this survey and situated on line 3-4 of the Bright
Star No. 2 millsite of this survey, a pine post 4 feet
long 4 inches square set 18 inches in the ground in a
mound of stones and scribed 1-3666 CH 1 M S whence U. S.
L. M.-No. 3161, Ajo Mining District, brs N 9° 00' W
5591.4 ft and Cor. No. 4 Survey No 3488 Copperhead No. 1
lode brs S 11° 33' W 8835.8 ft. and Cor. No. 2 of Survey
No. 3161 Ocatilla # 10 lode brs S 58° 55' W 156.3 ft.

thence EAST

- 7.4 intersect line 2-3 of Survey No. 3161 Ocatilla # 8 lode at N 10° 08' E 93.7 ft. from Cor. No. 3 thereof
- 162.9 to Cors. 3 and 4 of the Bright Star No. 2 and Bright Star No. 1 millsites of this survey
- 466.6 to Cor. No. 2, the N. E. Cor., identical with location and situated on line 3-4 of the Bright Star No. 1 mill-site of this survey, an iron pipe 4 feet long 3½ inches in diameter set 18 inches in the ground in concrete with copper tag on side marked 2-3666 CH 1 M S, no bearings available
- thence SOUTH
- 466.7 to Cor. No. 3, the S. E. Cor., identical with location and with Cor. No 2 of the Wolverine No. 13 millsite of this survey, an iron pipe 4 feet long 3½ inches in diameter set 18 inches in the ground in concrete with copper tag on side marked 3-3666 CH 1 M S, no bearings available
- thence WEST
- 466.6 to Cor. No. 4, the S. W. Cor., identical with location and with Cors. 1, 2 and 3 of Wolverine No. 13, Wolverine No. 14 and Cora No. 2 millsites of this survey, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 4-3666 CH 1 M S, no bearings available
- thence NORTH
- 425.25 intersect line 2-3 of Survey No. 3161 Ocatilla # 8 lode at N 10° 08' E 51.6 ft from Cor. No. 3 thereof
- 466.7 to Cor. No. 1, the place of the beginning.

CORA NO. 2 Millsite

Beginning at Cor. No. 1, the N. W. Cor., identical with location and with Cor. No. 2 of the Cora Fraction Mill-site of this survey and situated on line 3-4 of the Copperhead No. 2 millsite of this survey, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 1-3666 C 2 M S

U. S. L. M. No. 3161 Ajo Mining District brs N 4° 13' 30" W 5537.6 ft and Cor. No. 3 Survey No. 3488 Cora

No. 2 lode brs S 18° 46' 30" W 7756.9 ft.
 thence EAST
 162.7 to Cors. 3 and 4 of the Copperhead No. 2 and the Bright
 Star No. 2 millsites of this survey
 466.6 to Cor. No. 2, the N. E. Cor., identical with location
 and with Cor. No. 1 of the Copperhead No. 1 millsite
 of this survey heretofore described to which I add
 2-3666 C.2 M S for this millsite
 thence SOUTH
 41.45 intersect line 2-3 of Survey No. 3161 Ocatilla # 8 lode
 at N 10° 08' E 51.6 ft. from Cor. No. 3 thereof
 466.7 to Cor. No. 3, the S. E. Cor., identical with location
 and with Cor. No. 4 of the Copperhead No. 1 millsite of
 this survey heretofore described to which I add 3-3666
 C 2 M S. for this millsite
 thence WEST
 134.9 intersect line 2-3 of Survey No. 3161 Ocatilla # 10 lode
 at S 0° 10' W. 386.0 ft. from Cor. No. 2 thereof
 466.6 to Cor. No. 4, the S. W. Cor., identical with location
 and with Cors. 1, 2 and 3 of Wolverine No. 14, Gaskill
 No. 4 and Cora Fraction millsites of this survey, a pine
 post 4 feet long 4 inches square set 18 inches in the
 ground in a mound of stones and scribed 4-3666 C 2 M S,
 no bearings available
 thence NORTH
 416.9 intersect lines 3-4 and 1-2 of Survey No. 3161 Ocatilla
 # 8 and Ocatilla # 10 lodes respectively at N 84° 43' W
 459.5^{ft.} from Cor. No. 3 of Survey No. 3161 Ocatilla # 8
 lode and N 84° 43' W 334.2 ft. from Cor. No. 2 of Survey
 No. 3161 Ocatilla # 10 lode
 466.7 to Cor. No. 1, the place of the beginning

 CORA FRACTION Millsite
 Beginning at Cor. No. 1, the N. W. Cor., identical with
 location and with Cor. No. 1 of the Melrose No. 2 mill-
 site of this survey and situated on line 2-3 of Survey

No. 3492 Butte millsite; a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 1-3666 C F M S, whence

U. S. L. M. No. 3161, Ajo Mining District, brs N 0° 36' 30" E 5522.9 ft, Cor. No. 1 Survey No. 3488 Cora Fraction lode brs S 31° 23' W 9002.9 ft., and Cors. 1 and 2 of Survey No. 3161 Ocatilla # 10 and East Side No. 3 lodes respectively brs S 82° 51' E 201.1 ft.

thence EAST

162.5 to Cors. 2 and 4 of Survey No. 3492 Butte millsite and Copperhead No. 2 millsite of this survey respectively

331.2 intersect lines 2-3 and 4-1 of Survey No. 3161 Ocatilla # 9 and Ocatilla # 8 lodes respectively at N 10° 12' E 37.2 ft. from Cors. 3 and 4 of Survey No. 3161 Ocatilla # 9 and Ocatilla # 8 lodes respectively

347.0 cross road, course southwesterly

466.6 to Cor. No. 2, the N. E. Cor., identical with location and with Cor. No. 1 of the Cora No. 2 millsite of this survey heretofore described to which I add 2-3666 C F M S for this millsite

thence SOUTH

49.8 intersect lines 1-2 and 3-4 of Survey No. 3161 Ocatilla # 10 and Ocatilla # 8 lodes respectively at S 84° 43' E 268.2 ft. from Cor. No. 1 Survey No. 3161 Ocatilla # 10 lode and S 84° 43' E 142.6 ft. from Cor. No. 4 of Survey No. 3161 Ocatilla # 8 lode

466.7 to Cor. No. 3, the S. E. Cor., identical with location and with Cor. No. 4 of the Cora No. 2 millsite of this survey heretofore described to which I add 3-3666 C F M S for this millsite

thence WEST

268.3 intersect lines 2-3 and 4-1 of Survey No. 3161 East Side No. 3 and Ocatilla # 10 lodes respectively at S 0° 10' W 441.6 ft., from Cors. 2 and 1 of Survey No. 3161 East Side No. 3 and Ocatilla # 10 lodes respectively

466.6 to Cor. No. 4, the S. W. Cor., identical with location

and with Cors. 1, 1 and 2 of Gaskill No. 4, Dodge No. 5 and Melrose No. 2 millsites of this survey, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones, and scribed 4-3666 C F M S, no bearings available

thence NORTH

- 70.7 cross road, course southerly
- 115.7 cross road, course southwesterly
- 460.1 intersect lines 1-2 and 3-4 of Survey No. 3161 East Side No. 3 and Ocatilla # 9 lodes at N 84° 43' W 200.4 from Cor. No. 2 of Survey No. 3161 East Side No. 3 lode and N 84° 43' W 326.0 ft. from Cor. No. 3 of Survey No. 3161 Ocatilla # 9 lodes,
- 466.7 to Cor. No. 1, the place of the beginning.

MELROSE NO. 2 Millsite

Beginning at Cor. No. 1, the N. E. Cor., identical with location and with Cor. No. 1 of the Cora Fraction mill-site of this survey heretofore described to which I add 1-3666 M 2 M S for this millsite.

U. S. L. M. No. 3161, Ajo Mining District, brs N 0° 36' 30" E 5522.9 ft. and Cor. No. 2 of Survey No. 3488 Melrose No. 2 lode brs S 14° 00' W 6980.2 ft.

thence SOUTH

- 6.6 intersect lines 1-2 and 3-4 of Survey No. 3161 East Side No. 3 and Ocatilla # 9 lodes respectively at N 84° 43' W 200.4 ft. from Cor. No. 2 of Survey No. 3161 East Side No. 3 lode and N 84° 43' W 326.0 ft. from Cor. No. 3 of Survey No. 3161 Ocatilla # 9 lode
- 351.0 cross road, course southwesterly
- 396.0 cross road, course southerly
- 466.7 to Cor. No. 2, the S. E. Cor., identical with location and with Cor. No. 4 of the Cora Fraction millsite of this survey, heretofore described to which I add 2-3666 M 2 M S for this millsite

thence WEST

- 31.0 cross road, course southerly

- 247.0 cross read, course southwesterly
- 401.8 intersect line 2-3 and 4-1 of Survey No. 3161, East Side No. 2 and East Side No. 3 lodes respectively at S 0° 10' W 497.1 ft. from Cors. 2 and 1 of Survey No. 3161 East Side No. 2 and East Side No. 3 lodes respectively
- 466.6 to Cor. No. 3, the S. W. Cor., identical with location and with Cors. 1, 2 and 4 of Cora No. 1, Melrose No. 1 and Dodge No. 5 millsites of this survey respectively, a pine post 4-feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 3-3666 M 2 M S, no bearings available
thence NORTH
- 466.7 to Cor. No. 4, the N. W. Cor., identical with location and with Cor. No. 1 of the Melrose No. 1 millsite of this survey and situated on line 2-3 of Survey No. 3492 Quien Sabe millsite, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 4-3666 M 2 M S, whence Cors. 1 and 2 of Survey No. 3161 East Side No. 3 and East Side No. 2 lodes respectively brs N 65° 22' E 72.9 ft., Cors. 3 and 4 of Survey No. 3161 East Side # 4 and Ocatilla # 9 lodes respectively brs N 84° 29' E 194.1 ft. and the Cors of Secs. 13, 14, 23 and 24, T 12 S, R 6 W G & S R B & M brs N 14° 07' 30" E 174.7 ft.
thence EAST
- 66.2 intersect lines 2-3 and 4-1 of Survey No. 3161, East Side No. 2 and East Side No. 3 lodes respectively at S 0° 10' W 30.4 ft. from Cors. 1 and 2 of Survey No. 3161, East Side No. 3 and East Side No. 2 lodes respectively
- 162.6 to Cors. 2 and 3 of Survey No. 3492 Quien Sabe and Butte millsites respectively
- 395.3 intersect lines 1-2 and 3-4 of Survey No. 3161 East Side No. 3 and Ocatilla # 9 lodes respectively at N 84° 43' W 272.0 ft. from Cor. No. 2 of Survey No. 3161 East Side No. 3 lode and N 84° 43' W 397.6 ft. from Cor. No. 3 of Survey No. 3161 Ocatilla # 9 lode.

466.6 to Cor. No. 1, the place of the beginning.

MELROSE NO. 1 Millsite

Beginning at Cor. No. 1, the N. E. Cor., identical with location and with Cor. No. 4 of the Melrose No. 2 millsite of this survey, heretofore described to which I add 1-3666 M 1 M S for this millsite.

U. S. L. M. No. 3161, Ajo Mining District, brs N 5° 26' E 5547.5 ft., and Cor. No. 2 Survey No. 3488 Melrose No. 1 lode brs S 12° 01' W 7508.7 ft.

thence SOUTH

466.7 to Cor. No. 2, the S. E. Cor., identical with location and with Cor. No. 3 of the Melrose No. 2 millsite of this survey, heretofore described to which I add 2-3666 M 1 M S for this millsite.

thence WEST

466.6 to Cor. No. 3, the S. W. Cor., identical with location and with Cors. 1, 2 and 4 of Live Oak Fraction, Wolverine No. 8 and Cora No. 1 millsites of this survey respectively a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 3-3666 M 1 M S, no bearings available

thence NORTH

466.7 to Cor. No. 4, the N. W. Cor., identical with location and with Cor. No. 1 of the Wolverine No. 8 millsite of this survey and situated on line 2-3 of Survey No. 3492 Ajo View Millsite, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 4-3666 M 1 M S, whence Cors. 1 and 1 of Survey No. 3161 East Side No. 1 and East Side No. 2 lodes respectively brs N 37° 57' W 108.8 ft.

thence EAST

162.7 to Cors. 2 and 3 of Survey No. 3492 Ajo View and Quien Sabe millsites respectively

466.6 to Cor. No. 1, the place of the beginning.

WOLVERINE NO. 8 Millsite

Beginning at Cor. No. 1, the N. E. Cor., identical with location and with Cor. No. 4 of the Melrose No. 1 millsite of this survey heretpfore described to which I add 1-3666 W 8 M S for this millsite.

U. S. L. M. No. 3161, Ajo Mining District, brs N $10^{\circ} 11' E$ 5610.9 ft. and Cor. No. 1, Wolverine No. 8 lode, Survey No. 3488, brs S $25^{\circ} 59' 30'' W$ 9335.6 ft.

thence SOUTH

466.7 to Cor. No. 2, the S. E. Cor., identical with location and with Cor. No. 3 of the Melrose No. 1 millsite of this survey heretofore described to which I add 2-3666 W 8 M S, for this millsite

thence WEST

66.8 intersect line 1-2 and 4-1 of Survey No. 3161 East Side No. 1 and East Side No. 2 lodes respectively at S $0^{\circ} 01' E$ 552.5 ft. from Cors. 1 and 1 of Survey No. 3161 East Side No. 1 and East Side No. 2 lodes respectively

466.6 to Cor. No. 3, the S. W. Cor., identical with location and with Cors. 1, 2 and 4 of Live Oak No. 1, Wolverine No. 7 and Live Oak Fraction millsites of this survey respectively, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 3-3666 W 8 M S, no bearings available

thence NORTH

466.7 to Cor. No. 4, the N. W. Cor., identical with location and with Cor. No. 1 of the Wolverine No. 7 millsite of this survey and situated on line 2-3 of Survey No. 3492 Copper King Millsite, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 4-3666 W 8 M S, whence Cors. 1 and 4 of Survey No. 3161 New Moon No. 2 and East Side No. 1 lodes respectively brs N $54^{\circ} 48' W$ 244.9 ft.

thence EAST

162.8 to Cors. 2 and 3 of Survey No. 3492 Copper King and Ajo View millsites respectively

399.7 intersect lines 1-2 and 4-1 of Survey No. 3161 East Side
 No. 1 and East Side No. 2 lodes respectively at S 0°
 01' E 85.8 ft. from Cors. 1 and 1 of Survey No. 3161
 East Side No. 1 and East Side No. 2 lodes respectively
 466.6 to Cor. No. 1, the place of the beginning

 WOLVERINE NO. 7 Millsite

Beginning at Cor. No. 1, the N. E. Cor., identical with
 location and with Cor. No. 4 of the Wolverine No. 8
 millsite of this survey heretofore described to which I
 add 1-3666 W 7 M S for this millsite.

U. S. L. M. No. 3161, Ajo Mining District, brs
 N 14° 47' 30" E 5712.0 ft. and Cor. No. 1 of Survey No.
 3488 Wolverine No. 7 lode brs S 26° 49' 30" W 9359.6
 ft.

thence SOUTH

466.7 to Cor. No. 2, the S. E. Cor., identical with location
 and with Cor. No. 3 of the Wolverine No. 8 millsite of
 this survey heretofore described to which I add 2-3666
 W 7 M S for this millsite

thence WEST

200.0 intersect lines 1-2 and 3-4 of Survey No. 3161 New Moon
 No. 2 and East Side No. 1 lodes respectively at S 0° 01'
 E 607.9 ft. from Cors. 1 and 4 of Survey No. 3161 New
 Moon No. 2 and East Side No. 1 lodes respectively

466.6 to Cor. No. 3, the S. W. Cor., identical with location
 and with Cors. 1, 2 and 4 of Five Oak No. 4, Hope No. 1
 and Live Oak No. 1 millsites of this survey respective-
 ly, a pine post 4 feet long 4 inches square set 18 in-
 ches in the ground in a mound of stones and scribed
 3-3666 W 7 M S, no bearings available

thence NORTH

435.7 cross road, course southwesterly
 466.7 to Cor. No. 4, the N. W. Cor., identical with location
 and with Cor. No. 1 of the Hope No. 1 millsite of this
 survey and situated on line 2-3 of Survey No. 3492 Ajo

Queen millsite, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and described 4-3666 W 7 M S, ~~thence East 1 and 4 of Survey No. 3161 New Moon No. 2 and East Side No. 1 lodes respectively~~ ~~no bearings available~~

thence EAST

- 48.5 cross road, course southwesterly
- 162.9 to Cors. 2 and 3 of Survey No. 3492, Ajo Queen and Copper King millsites respectively
- 266.5 intersect lines 1-2 and 3-4 of Survey No. 3161 New Moon No. 2 and East Side No. 1 lodes respectively at S 0° 01' E 141.2 ft. from Cors. 1 and 4 of Survey No. 3161 New Moon No. 2 and East Side No. 1 lodes respectively
- 466.6 to Cor. No. 1, the place of the beginning.

HOPE NO. 1 Millsite

Beginning at Cor. No. 1, the N. E. Cor., identical with location and with Cor. No. 4 of the Wolverine No. 7 millsite of this survey heretofore described to which I add 1-3666 H 1 M S for this millsite.

U. S. L. M. No. 3161, Ajo Mining District, brs N 19° 13' E 5848.6 ft. and Cor. No. 1 of Survey No. 3488 Hope No. 1 lode brs S 27° 39' W 9385.5 ft.

thence SOUTH

- 31.0 cross road, course southwesterly
- 466.7 to Cor. No. 2, the S. E. Cor., identical with location and with Cor. No. 3 of the Wolverine No. 7 millsite of this survey heretofore described to which I add 2-3666 H 1 M S for this millsite

thence WEST

- 333.3 intersect lines 3-4 and 3-4 of Survey No. 3161 New Moon No. 2 and Survey No. 3159 New Moon No. 1 lode respectively at S 0° 01' E 663.3 ft. from Cors. 4 and 3 of Survey No. 3161 New Moon No. 2 lode and Survey No. No. 3159 New Moon No. 1 lode respectively
- 466.6 to Cor. No. 3, the S. W. Cor., identical with location

and with Cors. 1, 2 and 4 of Live Oak No. 3, Live Oak No. 2 and Live Oak No. 4 millsites of this survey respectively, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 3-3666 H 1 M S, no bearings available.

thence NORTH
148.0 cross road, course westerly
466.7 to Cor. No. 4, the N. W. Cor., identical with location and with Cor. No. 1 of the Live Oak No. 2 millsite of this survey and situated on line 2-3 of Survey No. 3492 Wedge Millsite, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 4-3666 H 1 M S, whence Cors. 3 and 4 of Survey No. 3159 New Moon No. 1 lode and Survey No. 3161 New Moon No. 2 lode brs N 34° 06' 30" E 237.4 ft.

thence EAST
133.2 intersect lines 3-4 and 3-4 of Survey No. 3159 New Moon No. 1 lode and Survey No. 3161 New Moon No. 2 lode respectively at S 0° 01' E 196.6 ft. from Cors. 3 and 4 of Survey No. 3159 New Moon No. 1 lode and Survey No. 3161 New Moon No. 2 lode respectively

163.0 to Cors. 2 and 3 of Survey No. 3492 Wedge and Ajo Queen millsites respectively

466.6 To Cor. No. 1, the place of the beginning.

LIVE OAK NO. 2 Millsite

Beginning at Cor. No. 1, the N. E. Cor., identical with location and with Cor. No. 4 of the Hope No. 1 millsite of this survey, heretofore described to which I add 1-3666 L O 2 M S for this millsite.

U. S. L. M. No. 3161, Ajo Mining District, brs N 23° 25' E 6018.3 ft. and Cor. No. 3 of Survey No. 3488 Live Oak No. 2 lode brs S 5° 26' 30" E 6803.7 ft.

thence SOUTH
318.7 cross road course westerly
466.7 to Cor. No. 2, the S. E. Cor., identical with location

and with Cor. No. 3 of the Hope No. 1 millsite of this survey heretofore described to which I add 2-3666 L O 2 M S for this millsite

466.5 thence WEST
to Cor. No. 3, the S. W. Cor., identical with location and with Cor. No. 4 of the Live Oak No. 3 millsite of this survey and situated on lines 1-2 and 3-4 of Survey No. 3159 New Moon No. 1 and First Chance lodes respectively, an iron pipe 4 feet long $3\frac{1}{2}$ inches in diameter set 18 inches in the ground in concrete with copper tag on side marked 3-3666 L O 2 M S, no bearings available

193.0 thence N $0^{\circ} 01' W$
along lines 4-3 and 1-2 of Survey No. 3159 First Chance and New Moon No. 1 lodes respectively cross road, course westerly.

466.7 to Cor. No. 4, the N. W. Cor., identical with location and situated on lines 1-2, 3-4 and 2-3 of Survey No. 3159 New Moon No. 1 and First Chance lodes and Survey No. 3492 Lone Star millsite respectively, an iron pipe 4 feet long $3\frac{1}{2}$ inches in diameter set 18 inches in the ground in concrete with copper tag on side marked 4-3666 L O 2 M S, whence Cors. 3 and 2 of Survey No. 3159 First Chance and New Moon No. 1 lodes respectively brs N $0^{\circ} 01' W$ 252.0 ft. and the $\frac{1}{4}$ Cor. between Secs. 14 and 23, T 12 S, R 6 W brs N $53^{\circ} 18' W$ 308.1 ft.

163.1 thence EAST
to Cors 2 and 3 of Survey No. 3492 Lone Star and Wedge millsites respectively.

466.6 to Cor. No. 1, the place of the beginning.

LIVE OAK NO. 3 Millsite

Beginning at Cor. No. 1, the N. E. Cor., identical with location and with Cor. No. 3 of the Hope No. 1 millsite of this survey heretofore described to which I add 1-3666 L O 3 M S for this millsite.

U. S. L. M. No. 3161; Ajo Mining District brs

N 21° 46' E 6449.2 ft. and Cor. No. 3 of Survey No. 3488 Live Oak No. 3 lode brs S 9° 50' E 5826.9 ft.

thence SOUTH

466.7 to Cor. No. 2, the S. E. Cor., identical with location and with Cor. No. 3 of the Live Oak No. 4 millsite of this survey and situated on line 2-3 of the Ajo Junior millsite of this survey, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 2-3666 L O 3 M S, no bearings available

thence WEST

176.0 cross road, Clarkston to Ajo, course northwesterly and southeasterly.

466.3 to Cor. No. 3, the S. W. Cor., identical with location and with Cor. No. 2 of the Ajo Junior millsite of this survey and situated on lines 3-4 and 1-2 of Survey No. 3159 First Chance and New Moon No. 1 lodes respectively an iron pipe 4 feet long 3 1/2 inches in diameter set 18 inches in the ground in concrete with copper tag on side marked 3-3666 L O 3 M S, no bearings available

thence N 0° 01' W

315.0 along line 4-3 and 1-2 of Survey No. 3159 First Chance and New Moon No. 1 lodes respectively cross road, Clarkston to Ajo, course northwesterly and southeasterly

466.7 to Cor. No. 4, the N. W. Cor., identical with location and with Cor. No. 3 of the Live Oak No. 2 millsite of this survey heretofore described to which I add 4-3666 L O 3 M S for this millsite

thence EAST

466.5 to Cor. No. 1, the place of the beginning.

LIVE OAK NO. 4 Millsite

Beginning at Cor. No. 1, the N. E. Cor., identical with location and with Cor. No. 3 of the Wolverine No. 7 millsite of this survey heretofore described to which I add 1-3666 L O 4 M S for this millsite

U. S. L. M. No. 3161, Ajo Mining District, brs

- N 17° 49' E 6291.1 ft. and Cor. No. 2 of Survey No. 3488
 Live Oak No. 4 lode brs S 5° 15' 30" E 5765.5 ft.
 thence SOUTH
- 466.7 to Cor. No. 2, the S. E. Cor., identical with location
 and with Cor. No. 3 of the Live Oak No. 1 millsite of
 this survey and situated on line 2-3 of the Ajo Junior
 No. 2 millsite of this survey, a pine post 4 feet long
 4 inches square set 18 inches in the ground in a mound
 of stones and scribed 2-3666 L O 4 M S no bearings avail-
 able
 thence WEST
- 299.5 to Cors. 2 and 3 of Ajo Junior No. 2 and Ajo Junior
 millsites of this survey respectively
- 333.2 intersect lines 3-4 and 3-4 of Survey No. 3159 New Moon
 No. 1 lode and Survey No. 3161 New Moon No. 2 lode res-
 pectively at N 0° 01' W 370.0 ft. from Cors. 4 and 3 of
 Survey No. 3159 New Moon No. 1 lode and Survey No. 3161
 New Moon No. 2 lode respectively
- 466.6 to Cor. No. 3, the S. W. Cor., identical with location
 and with Cor. No. 2 of the Live Oak No. 3 millsite of
 this survey, heretofore described to which I add 3-3666
 L O 4 M S for this millsite
 thence NORTH
- 466.7 to Cor. No. 4, the N. W. Cor., identical with location
 and with Cor. No. 3 of the Hope No. 1 millsite of this
 survey heretofore described to which I add 4-3666 L O 4
 M S for this millsite
 thence EAST
- 133.3 intersect lines 3-4 and 3-4 of Survey No. 3159 New Moon
 No. 1 and Survey No. 3161 New Moon No. 2 lode respectve-
 ly at N 0° 01' W 836.7 ft. from Cors. 4 and 3 of Survey
 No. 3159 New Moon No. 1 lode and Survey No. 3161 New Moon
 No. 2 lode respectively
- 466.6 to Cor. No. 1, the place of the beginning.
-

LIVE OAK NO. 1 Millsite

Beginning at Cor. No. 1, the N. E. Cor., identical with location and with Cor. No. 3 of the Wolverine No. 8 millsite of this survey heretofore described to which I add 1-3666 L O 1 M S for this millsite.

U. S. L. M. No. 3161, Ajo Mining District, brs N $13^{\circ} 41'$ E 6164.3 ft. and Cor. No. 4 of Survey No. 3488 Live Oak No. 1 lode brs S $7^{\circ} 26'$ W 7511.7 ft.

thence SOUTH

308.0 cross road, course southwesterly

466.7 to Cor. No. 2, the S. E. Cor., identical with location and with Cor. No. 3 of the Live Oak Fraction millsite of this survey and situated on line 4-1 of the Ajo Junior No. 3 millsite of this survey, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 2-3666 L O 1 M S, no bearings available

thence WEST

175.0 cross road, course southwesterly

199.9 intersect lines 1-2 and 3-4 of Survey No. 3161 New Moon No. 2 and East Side No. 1 lodes respectively at N $0^{\circ} 01'$ W 425.4 ft. from Cors. 2 and 3 of Survey No. 3161 New Moon No. 2 and East Side No. 1 lodes respectively

219.5 to Cors. 3 and 4 of Ajo Junior No. 2 and Ajo Junior No. 3 millsites of this survey respectively

466.6 to Cor. No. 3, the S. W. Cor., identical with location and with Cor. No. 2 of the Live Oak No. 4 millsite of this survey heretofore described to which I add 3-3666 L O 1 M S for this millsite

thence NORTH

466.7 to Cor. No. 4, the N. W. Cor., identical with location and with Cor. No. 3 of the Wolverine No. 7 millsite of this survey heretofore described to which I add 4-3666 L O 1 M S for this millsite

thence EAST

266.6 intersect lines 1-2 and 3-4 of Survey No. 3161 New Moon

466.6 No. 2 and East Side No. 1 lodes respectively at N 0° 01' W 892.1 ft. from Cors. 2 and 3 of Survey No. 3161 New Moon No. 2 and East Side No. 1 lodes respectively to Cor. No. 1, the place of the beginning.

 LIVE OAK FRACTION Millsite.

Beginning at Cor. No. 1, the N. E. Cor., identical with location and with Cor. No. 3 of the Melrose No. 1 millsite of this survey heretofore described to which I add 1-3666 L O F M S for this millsite.

U. S. L. M. No. 3161, Ajo Mining District, brs N. 9° 24' E 6070.9 ft., and Cor. No. 4 of Survey No. 3488 Live Oak Fraction lode brs S 20° 27' 30" W 7908.5 ft.

thence SOUTH

193.0 cross road, course westerly

466.7 to Cor. No. 2, the S. E. Cor., identical with location and with Cor. No. 3 of the Cora No. 1 millsite of this survey and situated on line 4-1 of the Pinto millsite of this survey, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 2-3666 L O F M S, no bearings available

thence WEST

66.7 intersect lines 1-2 and 4-1 of Survey No. 3161 East Side No. 1 and East Side No. 2 lodes respectively at N 0° 01' W 480.8 ft. from Cor. 2 and 4 of Survey No. 3161 East Side No. 1 and East Side No. 2 lodes respectively

198.1 to Cors. 1 and 4 of Ajo Junior No. 3 and Pinto Millsites of this survey respectively

466.6 to Cor. No. 3, the S. W. Cor., identical with location and with Cor. No. 2 of the Live Oak No. 1 millsite of this survey heretofore described to which I add 3-3666 L O F M S for this millsite

thence NORTH

158.7 cross road, course southwesterly

466.7 to Cor. No. 4, the N. W. Cor., identical with location and with Cor. No. 3 of the Wolverine No. 8 millsite of

this survey heretofore described to which I add 4-3666
 L O F M S for this millsite
 thence EAST
 399.8 Intersect lines 1-2 and 4-1 of Survey No. 3161 East side
 No. 1 and East Side No. 2 lodes respectively at N 0° 01'
 W 947.5 ft. from Cors. 2 and 4 of Survey No. 3161 West
 Side No. 1 and East Side No. 2 lodes respectively
 466.6 to Cor. No. 1, the place of the beginning.

CORA NO. 1 Millsite
 Beginning at Cor. No. 1, the N. E. Cor., identical with
 location and with Cor. No. 3 of the Melrose No. 2 mill-
 site of this survey heretofore described to which I add
 1-3666 C 1 M S for this millsite
 U. S. L. M. No. 3161, Ajo Mining District, brs N 5°
 01' E 6012.3 ft., and Cor. No. 1, Survey No. 3488 Cora
 No. 1 lode brs S 29° 07' W 8720.5 ft.
 thence SOUTH
 128.0 cross road, course southwesterly
 279.0 cross road, course westerly
 466.7 to Cor. No. 2, the S. E. Cor., identical with location
 and with Cor. No. 3 of the Dodge No. 5 millsite of this
 survey and situated on line 4-1 of the Pinto No. 2 mill-
 site of this survey, a pine post 4 feet long 4 inches
 square set 18 inches in the ground in a mound of stones
 and scribed 2-3666 C 1 M S, no bearings available
 thence WEST
 219.7 to Cors. 1 and 4 of Pinto and Pinto No. 2 millsites of
 this survey respectively
 466.6 to Cor. No. 3, the S. W. Cor., identical with location
 and with Cor. No. 2 of the Live Oak Fraction Millsite of
 this survey, heretofore described to which I add 3-3666
 C 1 M S for this millsite
 thence NORTH
 273.7 cross road, course westerly
 466.7 to Cor. No. 4, the N. W. Cor., identical with location

and with Cor. No. 3 of the Melrose No. 1 millsite of this survey heretofore described to which I add 4-3666 C 1 M S for this millsite

thence EAST
466.6 to Cor. NO. 1, the place of the beginning.

DODGE NO: 5 Millsite

Beginning at Cor. No. 1, the N. E. Cor., identical with location and with Cor. No. 4 of the Cora Fraction millsite of this survey heretofore described to which I add 1-3666 D.5 M S for this millsite.

U. S. L. M. No. 3161, Ajo Mining District, brs N 0° 33' 30" E 5989.6 ft., and Cor. No. 3 of Survey No. 3488 Dodge No. 5 lode brs S 43° 09' W 4110.0 ft.

thence SOUTH
180.7 cross road, course westerly

466.7 to Cor. No. 2, the S. E. Cor., identical with location and with Cor. No. 4 of the Gaskill No. 4 millsite of this survey and situated on line 4-1 of the Pinto No. 3 millsite of this survey, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 2-3666 D 5 M S, no bearings available

thence WEST
274.6 to Cors. 1 and 4 of Pinto No. 2 and Pinto No. 3 millsites of this survey respectively

403.2 intersect lines 2-3 and 4-1 of Survey No. 3161 East Side No. 2 and East Side No. 3 lodes respectively at N 0° 10' E 535.7 ft. from Cors. 3 and 4 of Survey No. 3161 East Side No. 2 and East Side No. 3 lodes respectively

456.0 cross road, course southwesterly

466.6 to Cor. No. 3, the S. W. Cor., identical with location and with Cor. No. 2 of the Cora No. 1 millsite of this survey, heretofore described to which I add 3-3666 D 5 M S for this millsite

thence NORTH
187.7 cross road, course westerly

- 338.7 cross road, course southwesterly
- 466.7 to Cor. No. 4, the N. W. Cor., identical with location and with Cor. No. 3 of the Melrose No. 2 millsite of this survey heretofore described to which I add 4-3666 D 5 M S for this millsite
thence EAST
- 64.8 intersect lines 2-3 and 4-1 of Survey No. 3161 East Side No. 2 and East Side No. 3 lodes respectively at N 0° 10' E 1002.4 ft. from Cors. 2 and 4 of Survey No. 3161 East Side No. 2 and East Side No. 3 lodes respectively
- 219.6 cross road, course southwesterly
- 435.6 cross road, course southwesterly
- 466.6 to Cor. No. 1, the place of the beginning.

 GASKILL NO. 4 Millsite

Beginning at Cor. No. 1, the N. W. Cor., identical with location and with Cor. No. 4 of the Casa Fraction millsite of this survey heretofore described to which I add 1-3666 G 4 M S for this millsite

U. S. L. M. No. 3161, Ajo Mining District, brs N 0° 33' 30" E 5989.6 ft., and Cor. No. 4 of Survey No. 3488 Gaskill No. 4 lode brs S 49° 10' W 5279.3 ft.

thence EAST

- 198.3 intersect lines 2-3 and 4-1 of Survey No. 3161 East Side No. 3 and Ocatilla # 10 lodes respectively at N. 0° 10' E. 1057.9 ft. from Cors. 3 and 4 of Survey No. 3161 East Side No. 3 and Ocatilla # 10 lodes respectively
- 466.6 to Cor. No. 2, the N. E. Cor., identical with location and with Cor. No. 4 of the Cora No. 2 millsite of this survey heretofore described to which I add 2-3666 G 4 M S for this millsite
thence SOUTH
- 220.0 cross road course westerly
- 466.7 to Cor. No. 3, the S. E. Cor., identical with location and with Cors. 1, 2 and 4 of Little Jonnie, Ironwood and Wolverine No. 14 millsites of this survey respectively, a

- pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 3-3666 G 4 M S, no bearings available
- thence WEST
- 269.7 intersect line 2-3 and 4-1 of Survey No. 3161 East Side No. 3 and Ocatilla # 10 lodes respectively at N 0° 10' E 591.2 ft. from Cors. 3 and 4 of Survey No. 3161 East Side No. 3 and Ocatilla # 10 lodes respectively
- 356.3 to Cors. 1 and 1 of Pinto No. 3 and Ironwood millsites of this survey respectively
- 466.6 to Cor. No. 4, the S. W. Cor., identical with location and with Cor. No. 2 of the Dodge No. 5 millsite of this survey heretofore described to which I add 4-3666 G 4 M S for this millsite
- thence NORTH
- 286.0 cross road, course westerly
- 466.7 to Cor. No. 1, the place of the beginning.

WOLVERINE NO. 14 Millsite

- Beginning at Cor. No. 1, the N. W. Cor., identical with location and with Cor. No. 4, of the Cora No. 2 millsite of this survey heretofore described to which I add 1-3666 W 14 M S for this Millsite
- U. S. L. M. No. 3161, Ajo Mining District, brs N 3° 54' W 6003.2 ft., and Cor. No. 4 of Survey No. 3488 Wolverine No. 14 lode brs S 19° 08' 30" W 8526.1 ft.

- thence EAST
- 331.7 intersect line 2-3 of Survey No. 3161 Ocatilla # 10 lode at N. 0° 10' E. 1113.5 ft. from Cor. No. 3 thereof
- 466.6 to Cor. No. 2, the N. E. Cor., identical with location and with Cor. No. 4 of the Copperhead No. 1 millsite of this survey heretofore described to which I add 2-3666 W 14 M S for this millsite
- thence SOUTH
- 124.0 cross road, course westerly
- 466.7 to Cor. No. 3, the S. E. Cor., identical with location

and with Cor. No. 4 of the Wolverine No. 13 millsite of this survey and situated on line 1-2 of the Wolverine No. 4 millsite of this survey, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 3-3666 W 14 M S, no bearings available

thence WEST

122.3 to Cors. 1 and 2 of Wolverine No. 4 and Little Jonnie milsites of this survey respectively

136.3 intersect line 2-3 of Survey No. 3161 Ocatilla # 10 lode at N 0° 10' E 646.8 ft., from Cor. No. 3 thereof

425.6 cross road, course southwesterly

466.6 to Cor. No. 4, the S. W. Cor., identical with location and with Cor. No. 3 of the Gaskill No. 4 millsite of this survey heretofore described to which I add 4-3666 W 14 M S for this millsite

thence NORTH

246.7 cross road, course westerly

466.7 to Cor. No. 1, the place of the beginning

WOLVERINE NO. 13 Millsite

Beginning at Cor. No. 1, the N. W. Cor., identical with location and with Cor. No. 4 of the Copperhead No. 1 millsite of this survey heretofore described to which I add 1-3666 W 13 M S for this millsite

U. S. L. M. No. 3161, Ajo Mining District, brs. N 8° 18' 30" W 6052.8 ft., and Cor. No. 4 of Survey No. 3488 Wolverine No. 13 lode brs S 20° 50' 30" W 9253.3 ft.

thence EAST

466.6 to Cor. No. 2, the N. E. Cor., identical with location and with Cor. No. 3 of the Copperhead No. 1 millsite of this survey heretofore described to which I add 2-3666 W 13 M S for this millsite

thence SOUTH

168.0 cross road, course westerly

466.7 to Cor. No. 3, the S. E. Cor., identical with location and with Cor. No. 2 of the Wolverine No. 4 millsite of

this survey, an iron pipe 4 feet long $3\frac{1}{2}$ inches in diameter set 18 inches in the ground in concrete with copper tag on side marked 3-3666 W 13 M S, no bearings available

thence WEST

466.6 to Cor. No. 4, the S. W. Cor., identical with location and with Cor. No. 3 of the Wolverine No: 14 millsite of this survey heretofore described to which I add 4-3666 W 13 M S for this millsite

thence NORTH

342.7 cross road, course westerly

466.7 to Cor. No. 1, the place of the beginning.

WOLVERINE NO. 4 Millsite

Beginning at Cor. No. 1, the N. W. Cor., identical with location and with Cor. No. 2 of the Little Jonnie millsite of this survey and situated on line 3-4 of the Wolverine No. 14 millsite of this survey, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 1-3666 W 4 M S

U. S. L. M. No. 3161; Ajo Mining District brs N 6° 38' 30" W 6499.6 ft.; and Cor. No. 3 of Survey No. 3488 Wolverine No. 4 lode brs S 3° 54' 30" W 4905.0 ft.

thence EAST

122.3 to Cors. 3 and 4 of the Wolverine No. 14 and the Wolverine No. 13 millsites of this survey respectively

588.9 to Cor. No. 2, the N. E. Cor., identical with location and with Cor. No. 3 of the Wolverine No. 13 millsite of this survey heretofore described to which I add 2-3666 W 4 M S for this millsite

thence SOUTH

369.8 to Cor. No. 3, the S. E. Cor., identical with location, an iron pipe 4 feet long $3\frac{1}{2}$ inches in diameter set 18 inches in the ground in concrete with copper tag on side marked 3-3666 W 4 M S, no bearings available

thence WEST

588.9 to Cor. No. 4, the S. W. Cor., identical with location and situated on line 2-3 of the Little Jonnie Millsite of this survey, an iron pipe 4 feet long 3 1/2 inches in diameter set 18 inches in the ground in concrete with copper tag on side marked 4-3666 W 4 M S, no bearings available

thence NORTH

369.8 to Cor. No. 1, the place of the beginning.

LITTLE JONNIE Millsite

Beginning at Cor. No. 1, the N. W. Cor., identical with location and with Cor. No. 3 of the Gaskill No. 4 mill-site of this survey, heretofore described to which I add 1-3666 L J M S for this millsite

U. S. L. M. No. 3161, Ajo Mining District, brs N 3° 37' W 6468.9 ft., and Cor. No. 3 of Survey No. 3258 Little Jonnie lode brs S-54° 23' 30" W 4068.2 ft.

thence EAST

41.0 cross road, course southwesterly

330.3 intersect line 2-3 of Survey No. 3161 Ocatilla # 10 lode at N 0° 10' E 646.8 ft. from Cor. No. 3 thereof

344.3 to Cor. No. 2, the N. E. Cor., identical with location and with Cor. No. 1 of the Wolverine No. 4 millsite of this survey heretofore described to which I add 2-3666 L J M S for this millsite

thence SOUTH

369.8 to Cor. No. 4 of the Wolverine No. 4 millsite of this survey

648.2 to Cor. No. 3, the S. E. Cor., identical with location an iron pipe 4 feet long 3 1/2 inches in diameter set 18 inches in the ground in concrete with copper tag on side marked 3-3666 L J M S, no bearings available

thence N 84° 43' W

15.9 to Cor. No. 3 of Survey No. 3161 Ocatilla # 10 lode

188.0 to the N. W. and N. E. Cors. of Ford No. 2 and Ford No. 1 lodes both unsurveyed respectively

345.8 to Cor. No. 4, the S. W. Cor., identical with location
and with Cor. No. 3 of the Ironwood millsite of this sur-
vey and situated on line 3-4 of Survey No. 3161 Ocatilla
10 lode, an iron pipe 4 feet long $3\frac{1}{2}$ inches in diameter
set 18 inches in the ground in concrete with copper tag
on side marked 4-3666 L J M S, no bearings available
thence NORTH

584.4 cross road, course southwesterly

616.4 to Cor. No. 1, the place of the beginning.

IRONWOOD millsite

Beginning at Cor. No. 1, the N. W. Cor., identical with
location and with Cor. No. 1 of the Pinto No. 3 millsite
of this survey and situated on line 3-4 of the Gaskill
No. 4 millsite of this survey, a pine post 4 feet long
4 inches square set 18 inches in the ground in a mound
of stones and scribed 1-3666 IW M S

U. S. L. M. No. 3161, Ajo Mining District, brs
N $0^{\circ} 27' 30''$ W 6456.2 ft., and Cor. No. 4 of Survey No.
3511 Ironwood lode brs S $54^{\circ} 14'$ W 7081.8 ft.

thence EAST

86.6 intersect lines 2-3 and 4-1 of Survey No. 3161 East side
No. 3 and Ocatilla # 10 lodes respectively at N $0^{\circ} 10'$ E
591.2 ft. from Cors. 3 and 4 of Survey No. 3161 East side
No. 3 and Ocatilla # 10 lodes respectively

356.3 to Cor. No. 2, the N. E. Cor., identical with location
and with Cor. No. 3 of the Gaskill No. 4 millsite of this
survey heretofore described to which I add 2-3666 IW M S
for this millsite

thence SOUTH

32.0 cross road, course southwesterly

616.4 to Cor. No. 3, the S. E. Cor., identical with location
and with Cor. No. 4 of the Little Jonnie millsite of this
survey heretofore described to which I add 3-3666 IW M S
for this millsite

thence N $84^{\circ} 43'$ W

272.5 to Cors. 3 and 4 of Survey No. 3161 East Side No. 3 and Ocatilla # 10 lodes respectively

357.8 to Cor. No. 4, the S. W. Cor., identical with location and with Cor. No. 2 of the Pinto No. 3 millsite of this survey and situated on line 3-4 of Survey No. 3161 East Side No. 3 lode, an iron pipe 4 feet long 3 1/2 inches in diameter set 18 inches in the ground in concrete with copper tag on side marked 4-3666 IW M S, no bearings available

thence NORTH
cross road, course southwesterly

583.5 to Cor. No. 1, the place of the beginning.

PINTO NO. 3 Millsite

Beginning at Cor. No. 1, the N. E. Cor., identical with location and with Cor. No. 1 of the Ironwood millsite of this survey heretofore described to which I add 1-3666 P 3 M S for this millsite

U. S. L. M. NO. 3161, Ajo Mining District, brs N 0° 27' 30" W 6456.2 ft., and Cor. No. 3 of Survey No. 450 Pinto No. 3 lode brs S 29° 33' 30" W 5313.6 ft.
thence SOUTH

295.0 cross road, course southwesterly

583.5 to Cor. No. 2, the S. E. Cor., identical with location and with Cor. No. 4 of the Ironwood millsite of this survey, heretofore described to which I add 2-3666 P 3 M S for this millsite

thence N 84° 43' W

84.3 to the No W. and N. E. Cors. of Ford No. 1 and Howard No. 2 lodes both unsurveyed respectively

386.5 to Cor. No. 3, the S. W. Cor., identical with location and with Cor. No. 2 of the Pinto No. 2 millsite of this survey and situated on line 3-4 of Survey No. 3161 East Side No. 3 lode, an iron pipe 4 feet long 3 1/2 inches in diameter set 18 inches in the ground in concrete with copper tag on side marked 3-3666 P 3 M S whence the 1/4

Cor. between Secs. 23 and 24, T 12 S, R.6 W, G & S R B & M brs S 8° 29' W 1000.6 ft.

thence NORTH
18.0 cross road to Clarkston, course southwesterly

548.0 to Cor. No. 4, the N. W. Cor., identical with location and with Cor. No. 1 of the Pinto No. 2 millsite of this survey and situated in line 2-3 of the Dodge No. 5 millsite of this survey, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 4-3666 P 3 M S, no bearings available

thence EAST
274.6 to Cors. 2 and 4 of Dodge No. 5 and Gaskill No. 4 millsites of this survey respectively

384.9 to Cor. No. 1, the place of the beginning.

PINTO NO. 2 Millsite
Beginning at Cor. No. 1, the N. E. Cor., identical with location and with Cor. No. 4 of the Pinto No. 3 millsite of this survey heretofore described to which I add 1-3666 P 2 M S for this millsite

U. S. L. M. No. 3161, Ajo Mining District, brs N 2° 57' 30" E 6464.6 ft., and Cor. No. 3 of Survey No. 449 Pinto No. 2 lode brs S 31° 48' 30" W 5375.0 ft.

thence SOUTH
530.0 cross road, course southwesterly

548.0 to Cor. No. 2, the S. E. Cor., identical with location and with Cor. No. 3 of the Pinto No. 3 millsite of this survey heretofore described to which I add 2-3666 P 2 M S for this millsite

thence N 84° 43' W
25.0 cross road, course southwesterly

130.6 to Cors. 3 and 4 of Survey No. 3161 East Side No. 2 and East Side No. 3 lodes respectively

413.5 to Cor. No. 3, the S. W. Cor., identical with location and with Cor. No. 2 of the Pinto millsite of this survey and situated on line 3-4 of Survey No. 3161 East Side No.

2 lode, an iron pipe 4 feet long $3\frac{1}{2}$ inches in diameter set 18 inches in the ground in concrete with copper tag on side marked 3-3666 P 2 M S, no bearings available.

thence NORTH

274.0 cross road course southwesterly

509.9 to Cor. No. 4, the N. W. Cor., identical with location and with Cor. No. 1 of the Pinto millsite of this survey and situated on line 3-3 Cora No. 1 millsite of this survey, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 4-3666 P 2 M S, no bearings available

thence EAST

219.7 to Cors. 2 and 3 of Cora No. 1 and Dodge No. 5 millsites of this survey respectively

230.3 cross road, course southwesterly

283.1 intersect lines 2-3 and 4-1 of Survey No. 3161 East Side No. 2 and East Side No. 3 lodes respectively at N $0^{\circ} 10'$ E 535.7 ft. from Cors. 3 and 4 of Survey No. 3161 East Side No. 2 and East Side No. 3 lodes respectively

411.7 to Cor. No. 1, the place of the beginning.

PINTO Millsite

Beginning at Cor. No. 1, the N. E. Cor., identical with location and with Cor. No. 4 of the Pinto No. 2 millsite of this survey heretofore described to which I add 1-3666 P M S for this millsite

U. S. L. M. No. 3161, Ajo Mining District, brs N $6^{\circ} 35'$ E 6498.8 ft., and Cor. No. 3 of Survey No. 448 Pinto lode brs S $33^{\circ} 45'$ W 5428.6 ft.

thence SOUTH

235.9 cross road, course southwesterly

509.9 to Cor. No. 2, the S. E. Cor., identical with location and with Cor. No. 3 of the Pinto No. 2 millsite of this survey heretofore described to which I add 2-3666 P M S for this millsite

thence N $84^{\circ} 43'$ W

35.0 cross road, course southerly

- 314.7 to Cors. 2 and 4 of Survey No. 3161 East Side No. 1 and East Side No. 2 lodes respectively
- 446.9 to Cor. No. 3, the S. W. Cor., identical with location and with Cor. No. 2 of the Ajo Junior No. 3 millsite of this survey and situated on line 2-3 of Survey No. 3161 East Side No. 1 lode, an iron pipe 4 feet long $3\frac{1}{2}$ inches in diameter set 18 inches in the ground in concrete with copper tag on side marked 3-3666 P M S, no bearings available
- thence NORTH
- 468.8 to Cor. No. 4, the N. W. Cor., identical with location and with Cor. No. 1 of the Ajo Junior No. 3 millsite of this survey and situated on line 2-3 of the Live Oak Fraction millsite of this survey, a pine post 4 feet long 4 inches square ~~set~~ 18 inches in the ground in a mound of stones and scribed 4-3666 P M S, no bearings available
- thence WEST
- 131.4 intersect lines 1-2 and 4-1 of Survey No. 3161 East Side No. 1 and East Side No. 2 lodes respectively at N 0° 01' W 480.8 ft. from Cors. 2 and 4 of Survey No. 3161 East Side No. 1 and East Side No. 2 lodes respectively
- 198.1 to Cors. 2 and 3 of Live Oak Fraction and Cora No. 1 millsites of this survey respectively
- 445.0 to Cor. No. 1, the place of the beginning
-
- AJO JUNIOR NO. 3 Millsite
- Beginning at Cor. No. 1, the N. E. Cor., identical with location and with Cor. No. 4 of the Pinto Millsite of this survey heretofore described to which I add 1-3666 A J 3 M S for this millsite
- U. S. L. M. No. 3161, Ajo Mining District, brs N 10° 26' 30" E 6564.8 ft., and Cor. No. 1 of Survey No. 453 Ajo Junior No. 3 lode brs S 19° 53' W 6118.4 ft.
- thence SOUTH
- 468.8 to Cor. No. 2, the S. E. Cor., identical with location and with Cor. No. 3 of the Pinto millsite of this survey

heretofore described to which I add 2-3666 A J 3 M S for this millsite

thence N 84° 43' W

331.1 to the N. E. and N. W. Cors of C & A No. 2 and Howard No. 2 lodes both unsurveyed respectively

470.2 to Cors. 2 and 3 of Survey No. 3161 New Moon No 2 and East Side No. 1 lodes respectively

490.1 to Cor. No. 3, the S. W. Cor., identical with location and with Cor. No. 4 of the Ajo Junior No. 2 millsite of this survey and situated on line 2-3 of Survey No. 3161 New Moon No. 2 lode, an iron pipe 4 feet long 3 1/2 inches in diameter set 18 inches in the ground in concrete with copper tag on side marked 3-3666 A J 3 M S, no bearings available

thence NORTH

382.7 cross road, course southwesterly

423.7 to Cor. No. 4, the N. W. Cor., identical with location and with Cor. No. 3 of the Ajo Junior No. 2 millsite of this Survey and situated on line 2-3 of the Live Oak No. 1 millsite of this survey, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 4-3666 A J 3 M S, no bearings available

thence EAST

19.6 intersect lines 1-2 and 3-4 of Survey No. 3161 New Moon No. 2 and East Side No. 1 lodes respectively at N 0° 01' W 425.4 ft. from Cors. 2 and 3 of Survey No. 3161 New Moon No. 2 and East Side No. 1 lodes respectively

44.5 cross road, course southwesterly

219.5 to Cors. 2 and 3 of Live Oak No. 1 and Live Oak Fraction millsites of this survey respectively

488.0 to Cor. No. 1, the place of the beginning

AJO JUNIOR NO. 2 Millsite

Beginning at Cor. No. 1, the N.W. Cor., identical with location and with Cor. No. 4 of the Ajo Junior millsite

of this survey and situated on lines 2-3 and 2-3 of Survey No. 3161 New Moon No. 2 and Luna No. 1 lodes respectively, an iron pipe 4 feet long $3\frac{1}{2}$ inches in diameter set 18 inches in the ground in concrete with copper tag on side marked 1-3666 A J 2 M S

U. S. M. M. No. 1, Ajo Mining District, brs S $19^{\circ} 35'$ W 6557.1 ft. and Cor. No. 1 of Survey No. 452 Ajo Junior No. 2 lode brs S $17^{\circ} 01'$ W 5571.9 ft.

thence NORTH

373.1 to Cor. No. 2, the N. W. Cor., identical with location and with Cor. No. 3 of the Ajo Junior Millsite of this survey and situated on line 2-3 of the Live Oak No. 4 millsite of this survey, a pine post 4 feet long 4 inches square set 18 inches in the ground and scribed 2-3666 A J 2 M S, no bearings available

thence EAST

299.5 to Cors. 2 and 3 of the Live Oak No. 4 and the Live Oak No. 1 millsites of this survey respectively

546.6 to Cor. No. 3, the N. E. Cor., identical with location and with Cor. No. 4 of the Ajo Junior No. 3 millsite of this survey heretofore described to which I add 3-3666 A J 2 M S for this millsite

thence South

41.0 cross road, course southwesterly

423.7 to Cor. No. 4, the S. E. Cor., identical with location and with Cor. No. 3 of the Ajo Junior No. 3 millsite of this survey heretofore described to which I add 4-3666 A J 2 M S for this millsite

thence N $84^{\circ} 43'$ W

441.0 to Cor. No. 3 of Survey No. 3161 Luna No. 1 lode and the N. W. Cor. of C & A No. 2 lode unsurveyed

457.0 cross road, course southwesterly

548.9 to Cor. No. 1, the place of the beginning

AJO JUNIOR Millsite

Beginning at Cor. No. 1, the S. W. Cor., identical with

- location and with Cors. 1 and 4 of Survey No. 3159 New Moon No. 1 and First Chance lodes respectively and situated on line 2-3 of Survey No. 3161 Luna No. 2 lode, an iron pipe 4 feet long $3\frac{1}{2}$ inches in diameter set 18 inches in the ground in concrete with copper tag on side marked 1-3666 A J M S
- U. S. M. M. No. 1, Ajo Mining District, brs S $14^{\circ} 05' W$ 6429.6 ft. and Cor. No. 1 of Survey No. 451 Ajo Jr. lode brs S $16^{\circ} 35' 30'' W$ 5564.7 ft.
- thence N $0^{\circ} 01' W$
- 314.6 to Cor. No. 2, the N. W. Cor., identical with location and with Cor. No. 3 of the Live Oak No. 3 millsite of this survey heretofore described to which I add 2-3666 A J M S for this millsite
- thence EAST
- 290.3 cross road, course southerly
- 466.3 to Cors. 2 and 3 of Live Oak No. 3 and Live Oak No. 4 millsites of this survey respectively
- 599.7 intersect lines 3-4 and 3-4 of Survey No. 3159 New Moon No. 1 and Survey No. 3161 New Moon No. 2 lodes respectively at N $0^{\circ} 01' W$ 370.0 ft. from Cors 4 and 3 of Survey No. 3159 New Moon No. 1 and Survey No. 3161 New Moon No. 2 lodes respectively
- 633.4 to Cor. No. 3, the N. E. Cor., identical with location and with Cor. No. 2 of the Ajo Junior No. 2 millsite of this survey heretofore described to which I add 3-3666 A J M S for this millsite
- thence SOUTH
- 373.1 to Cor. No. 4, the S. E. Cor., identical with location and with Cor. No. 1 of the Ajo Junior No. 2 millsite of this survey heretofore described to which I add 4-3666 A J M S for this millsite
- thence N $84^{\circ} 43' W$
- 33.6 to Cors. 4 and 3 of Survey No. 3159 New Moon No. 1 and Survey No. 3161 New Moon No. 2 lodes respectively
- 283.0 cross road, course southerly

489.3 to Cors. 2 and 3 of Survey No. 3161 Luna No. 1 and Luna
No. 2 lodes respectively

636.0 to Cor. No. 1, the place of the beginning.

AREAS

Total area of Big Jim Millsite - - - - - 4.759 A

Area in conflict with

Survey No. 3161 Verde # 12 lode - - 1.183 A ✓

Survey No. 3161 Verde # 13 lode - - - 3.108 A ✓

Survey No. 3161 Ocatilla # 5 lode - - 0.127 A ✓

Survey No. 3161 Ocatilla # 6 lode - - 0.341 A ✓

Total Area of Big Jim No. 2 millsite - - - - - 4.750 A

Area in conflict with

Survey No. 3161 Verde # 13 lode - - - 2.845 A ✓

Survey No. 3161 Ocatilla # 6 lode - - 0.067 A ✓

Survey No. 3161 Ocatilla # 7 lode - - 0.000 A ✓

Survey No. 3161 Verde # 14 lode - - - 1.838 A ✓

Total Area of Intimate millsite - - - - - 4.740 A ✓

Area in conflict with

Survey No. 3161 Verde # 14 lode - - - 4.387 A ✓

Total Area of Wolverine No. 10 millsite - - - - 4.999 A ✓

Area in conflict with

Survey No. 3161 Ocatilla # 5 lode - - 0.428 A ✓

Survey No. 3161 Ocatilla # 6 lode - - 4.571 A ✓

Total area of Wolverine No. 11 millsite - - - - 5.000 A ✓

Area in conflict with Survey No. 3161 Ocatilla # 6

Survey No. 3161 Ocatilla # 6 lode - - 2.111 A

Survey No. 3161 Verde # 14 lode - - - 0.045 A ✓

Survey No. 3161 Ocatilla # 7 lode - - 2.844 A ✓

Total area of Wolverine No. 12 millsite - - - - 4.999 A

Area in conflict with

Survey No. 3161 Verde # 14 lode - - - 0.315 A ✓

Survey No. 3161 Ocatilla # 7 lode - - 3.367 A ✓

Total Area of Wolverine No. 6 millsite - - - - 4.999 A ✓

Area in conflict with

Survey No. 3161 Ocatilla # 6 lode - - 4.999 A ✓
 Total area of Wolverine No. 5 millsite - - - - 4.999 A ✓
 Area in conflict with

Survey No. 3161 Ocatilla # 7 lode - - 4.038 A ✓
 Survey No. 3161 Ocatilla # 6 lode - - 0.961 A ✓
 Total area of Wolverine No. 3 millsite - - - - 4.999 A ✓
 Area in conflict with Survey No. 3161
 Ocatilla # 7 lode - - - - - 2.406 A ✓

Total area of Bright Star No. 5 millsite - - - - 4.999 A ✓
 Area in conflict with

Survey No. 3161 Ocatilla # 6 lode - - 4.876 A ✓
 Survey No. 3161 Ocatilla # 7 lode - - 0.123 A ✓
 Total Area of Wolverine No. 1 millsite - - - - 4.999 A ✓
 Area in conflict with

Survey No. 3161 Ocatilla # 6 lode - - 0.118 A ✓
 Survey No. 3161 Ocatilla # 7 lode - - 4.881 A ✓
 Total area of Wolverine No. 2 millsite - - - - 4.999 A ✓
 Area in conflict with

Survey No. 3161 Ocatilla # 7 lode - - 1.482 A ✓
 Total area of Bright Star No. 4 millsite - - - - 4.999 A ✓
 Area in conflict with

Survey No. 3161 Ocatilla # 6 lode - - 0.331 A ✓
 Survey No. 3161 Ocatilla # 7 lode - - 0.066 A ✓
 Survey No. 3161 Ocatilla # 9 lode - - 3.722 A ✓
 Survey No. 3161 Ocatilla # 8 lode - - 0.880 A ✓
 Total Area of Dodge No. 4 millsite - - - - 4.999 A ✓
 Area in conflict with

Survey No. 3161 Ocatilla # 7 lode - - 0.860 A ✓
 Survey No. 3161 Ocatilla # 8 lode - - 4.139 A ✓
 Total area of Dodge No. 3 millsite - - - - 4.999 A ✓
 Area in conflict with

Survey No. 3161 Ocatilla # 7 lode - - 0.207 A ✓
 Survey No. 3161 Ocatilla # 8 lode - - 0.361 A ✓
 Total area of Bright Star No. 3 millsite - - - - 4.999 A ✓
 Area in conflict with

Survey No. 3161 Ocatilla # 9 lode - - 3.154 A ✓

Survey No. 3161 Ocatilla # 8 lode - - 1.845 A ✓
 Total Area of Dodge No. 1 millsite - - - - - 4.999 A ✓
 Area in conflict with
 Survey No. 3161 Ocatilla # 8 lode - - 4.665 A ✓
 Total area of Dodge No. 2 millsite - - - - - 4.999 A ✓
 Area in conflict with
 Survey No. 3161 Ocatilla # 8 lode - - 0.008 A ✓
 Total area of Copperhead No. 2 millsite - - - - 4.999 A ✓
 Area in conflict with
 Survey No. 3161 Ocatilla # 9 lode - - 2.256 A ✓
 Survey No. 3161 Ocatilla # 8 lode - - 2.743 A ✓
 Total area of Bright Star No. 2 millsite - - - - 4.999 A ✓
 Area in conflict with
 Survey No. 3161 Ocatilla # 8 lode - - 3.780 A ✓
 Total and net area of Bright Star No. 1 millsite 4.999 A ✓
 Total area of Copperhead No. 1 millsite - - - - 4.999 A ✓
 Area in conflict with
 Survey No. 3161 Ocatilla # 8 lode - - 0.004 A ✓
 Total area of Cora No. 2 millsite - - - - - 4.999 A ✓
 Area in conflict with
 Survey No. 3161 Ocatilla # 8 lode - - 0.761 A ✓
 Survey No. 3161 Ocatilla # 10 lode - 3.062 A ✓
 Total Area of Cora Fraction millsite - - - - - 4.999 A ✓
 Area in conflict with
 Survey No. 3161 Ocatilla # 8 lode - - 0.138 A ✓
 Survey No. 3161 Ocatilla # 10 lode - 2.638 A ✓
 Sur. No. 3161 East Side No. 3 lode - 2.059 A ✓
 Sur. No. 3161 Ocatilla # 9 lode - - - 0.164 A ✓
 Total Area of Melrose No. 2 millsite - - - - - 4.999 A ✓
 Area in conflict with
 Sur. No. 3161 Ocatilla # 9 lode - - - 0.005 A ✓
 Sur. No. 3161 East Side No. 3 lode - 4.292 A ✓
 Sur. No. 3161 East Side No. 2 lode - 0.702 A ✓
 Total area of Melrose No. 1 millsite - - - - - 4.999 A ✓
 Area in conflict with
 Sur. No. 3161 East Side No. 2 lode - - - - - 4.999 A ✓

Total Area of Wolverine No. 8 millsite - - - - 4.999 A ✓

-Area in-conflict with

Sur. No. 3161 East Side No. 2 lode - 0.716 A

Sur. No. 3161 East Side No. 1 lode - 4.283 A ✓

Total Area of Wolverine No. 7 millsite - - - - 4.999 A ✓

-Area in conflict with

Sur. No. 3161 East Side No. 1 lode - 2.143 A ✓

Sur. No. 3161 New Moon No. 2 lode - 2.856 A ✓

Total Area of Hope No. 1 Millsite - - - - - 4.999 A ✓

-Area in conflict with

Sur. No. 3161 New Moon No. 2 lode - 3.571 A ✓

Sur. No. 3159 New Moon No. 1 lode - 1.428 A ✓

Total Area of Live Oak No. 2 millsite - - - - - 4.999 A ✓

-Area in conflict with

Sur. No. 3159 New Moon No. 1 lode - 4.999 A ✓

Total Area of Live Oak No. 3 millsite - - - - - 4.997 A ✓

-Area in conflict with

Sur. No. 3159 New Moon No. 1 lode - 4.997 A ✓

Total Area of Live Oak No. 4 millsite - - - - - 4.999 A ✓

-Area in conflict with

Sur. No. 3159 New Moon No. 1 lode - 1.429 A ✓

Sur. No. 3161 New Moon No. 2 lode - 3.570 A ✓

Total Area of Live Oak No. 1 millsite - - - - - 4.999 A ✓

-Area in conflict with

Sur. No. 3161-New Moon No. 2 lode - 2.857 A ✓

Sur. No. 3161 East Side No. 1 lode - 2.142 A ✓

Total Area of Live Oak Fraction millsite - - - - - 4.999 A ✓

-Area in conflict with

Sur. No. 3161 East Side No. 1 lode - 4.284 A ✓

Sur. No. 3161 East Side No. 2 lode - 0.715 A ✓

Total Area of Cora No. 1 millsite - - - - - 4.999 A ✓

-Area in conflict with

Sur. No. 3161 East Side No. 2 lode - 4.999 A ✓

Total Area of Dodge No. 5 millsite - - - - - 4.999 A ✓

-Area in conflict with

Sur. No. 3161 East Side No. 2 lode - 0.687 A ✓

- Sur. No. 3161 East Side No. 3 lode - 4.312 A ✓
 Total area of Gaskill No. 4 millsite - - - - 4.999 A ✓
 Area in conflict with

Sur. No. 3161 East Side No. 3 lode - 2.117 A ✓
 - Sur. No. 3161 Ocatilla # 10 lode - - 2.882 A ✓
 Total area of Wolverine No. 14 millsite - - - 4.999 A ✓
 Area in conflict with

Sur. No. 3161 Ocatilla # 10 lode - - 3.546 A ✓
 Total Area of Wolverine No. 13 millsite - - - 4.999 A ✓
 Total Area of Wolverine No. 4 millsite - - - - 4.999 A ✓
 Total area of Little Jonnie millsite - - - - 4.998 A ✓
 Area in conflict with

- Sur. No. 3161 Ocatilla # 10 lode - - 4.776 A ✓
 Total area of Iron wood millsite - - - - 4.907 A ✓
 Area in conflict with Sur. No. 3161

Ocatilla # 10 lode - - - - - 3.750 A ✓
 Sur. No. 3161 East Side No. 3 lode - 1.157 A ✓
 Total Area of Pinto No. 3 millsite - - - - 4.999 A ✓
 Area in conflict with

Sur. No. 3161 East Side No. 3 lode - 4.999 A ✓
 Total Area of Pinto No. 2 millsite - - - - 4.999 A ✓
 Area in conflict with

- Sur. No. 3161 East Side No. 3 lode - 1.609 A ✓
 Sur. No. 3161 East Side No. 2 lode - 3.390 A ✓
 Total Area of Pinto Millsite - - - - - 4.999 A ✓
 Area in conflict with

- Sur. No. 3161 East Side No. 2 lode - 3.565 A ✓
 Sur. No. 3161 East Side No. 1 lode 1.434 A ✓
 Total Area of Ajo Junior No. 3 millsite - - - 4.999 A ✓
 Area in conflict with

- Sur. No. 3161 East Side No. 1 lode - 4.807 A ✓
 Sur. No. 3161 New Moon No. 2 lode - 0.192 A ✓
 Total area of Ajo Junior No. 2 millsite - - - 4.999 A ✓
 Area in conflict with Sur. No. 3161

New Moon No. 2 lode - - - - - 4.999 A ✓
 Total area of Ajo Junior millsite - - - - - 4.999 A ✓

Area in conflict with

Sur. No. 3161 New Moon No. 2 lode - 0.286 A ✓

Sur. No. 3159 New Moon No. 1 lode @ 4.713 A ✓

LOCATION

This survey is located in Secs. 13, 21, 23 and 24, T 12 S, R 6 W, (Unapproved) G & S R B & M, in the Ajo Mining District, Pima County, Arizona.

INSTRUMENT

This survey was made with a C. L. Berger & Sons No. 1 o Light Mountain Transit. Courses were deflected from the true meridian as determined for Survey No. 3492. Distances were measured with 100 and 300 ft. steel tapes. Magnetic variation 14° 30' E at all corners.

ADJOINING CLAIMS

		lodes
South:-	C & A No. 2, Ford No. 1, Ford No. 2 and Howard No. 2,	all
	unsurveyed and owned by Sam H. Clark	
	Survey No. 3161 Luna No. 1 and Luna No. 2 lodes	
WEST :-	Survey No. 3159 First Chance lode	
	Survey No. 3492 Luna # 19, Luna # 6, Luna # 5, Joint, Cardinoff, Main Stay and Butte millsites	
North:-	Survey No. 3161 Verde # 12, Verde # 13 and Verde # 14 lodes	
	Survey No. 3492 Butte, Quien Sabe, Ajo View, Copper King, Ajo Queen, Wedge and Lone Star millsites	

REPORT

U. S. M. M. No. 1, Ajo Mining District is a 2 in. iron pipe about 20 ft. long set in the ground in a monument with copper tag on side marked "U. S. Mineral Monument No. 1, Ajo Mining District, Pima County, Arizona"

U. S. L. M. No. 3161 is a pine post 6 inches square 5

ft. above ground set in concrete and surrounded by large monument: Post scribed U S L M No. 3161

Cor. of Secs. 13, 14, 23 and 24, T 12 S, R 6 W is an iron pipe with brass top marked T 12 S, R 6 W, S 13, S 14, S 23, S 24. Pits 5 ft. northeasterly, 5 ft. northwesterly, 5 ft. southwesterly and 5 ft. southeasterly

1/4 Cor. between Secs. 13 and 14 is an iron pipe with brass cap marked 1/4 S 13, S 14. Pits 5 ft. northerly and 5 ft. southerly

1/4 Cor. between Secs. 13 and 24 is an iron pipe with brass cap, marked 1/4 S 13, S 24, pits 5 ft. easterly and 5 ft. westerly

1/4 Cor. between Secs. 23 and 24 is an iron pipe with brass cap marked 1/4 S 23, S 24. Set in a monument of rocks.

1/4 Cor., between Secs. 14 and 23 is an iron pipe with brass cap, marked 1/4 S 14, S 23, Pits 5 ft. easterly and 5 ft. westerly

Survey No. 448; Cor. No. 3 of the Pinto lode is a 4 x 4" post marked P C N 3; Survey No. 449, Cor. No. 3 of the Pinto No. 2 lode is 4 x 4" post marked P 2 C N 3; Survey No. 450, Cor. No. 3 of the Pinto No. 3 lode is an iron pipe with copper top marked 450 3 PINTO 3

Survey No. 451, Ajo Jr, Cor. No. 1 is a pine post marked A J C N 1; Survey No. 452, Ajo Jr No. 2, Cor. No. 1 is a pine post marked A J 2 C N 1; Survey No. 453, Ajo Jr No. 3, Cor. No. 1 is a pine post marked A J 3 C N 1.

Survey No. 3159, Survey No. 3160-A, Survey No. 3161, Survey No. 3258 and Survey No. 3511. All corners of these surveys mentioned in the notes are pine post properly set and scribed.

Survey No. 3488; all corners of this survey mentioned in these notes are iron pipes with copper caps, properly set and marked.

Survey No. 3492; all corners of this survey mentioned in these notes are iron pipe set in concrete with copper tags properly marked.

Ralph L. Moz

U. S. Mineral Surveyor.

Dated at Bisbee, Arizona.

April 17th, 1920.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Ralph L. Motz

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

New Cornelia Copper Company

known as the see list on other side

and showing the respective capacities in which they acted.

- Albert Witte , *Chainman.*
- , *Chainman.*
- , *Arman.*
- , *Flagman.*

FINAL OATHS OF ASSISTANTS.

~~me~~ I, Alc Albert Witte

and , do solemnly swear that ~~we~~ ^I assisted

Ralph L. Motz , United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of New Cornelia Copper Company

known as the see list on other side

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his ^{my} direction; and that said survey has been in all respects, to the best of ~~my~~ knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona.

- Albert Witte , *Chainman.*
- , *Chainman.*
- , *Arman.*
- , *Flagman.*

Subscribed and sworn to by the above-named persons before me this 5 th

day of April , 19 20

My commission expires Apr. 8 - 1922

Stromland
Notary Public

6-1043

In and for the County of Pima, State of Arizona



Ajo Junior, Ajo Junior No. 2, Ajo Junior No. 3, Pinto, Pinto No. 2, Pinto No. 3, Ironwood, Little Jonnie, Wolverine Nos. 1, 2, 3, 4, 5, 6, 7, 8, 10, 11, 12, 13, 14, Gaskill No. 4, Dodge No. 5, Cora Nos. 1, 2, Cora Fraction, Live Oak Fraction, Live Oak Nos. 1, 2, 3, 4, Hope No. 1, Melrose Nos. 1, 2, Copperhead Nos. 1, 2, Birhgt Star Nos. 1, 2, 3, 4, 5, Dodge Nos. 1, 2, 3, 4, Big Jim, Big Jim No. 2 and Intimate millsites.



FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Ralph L. Motz, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated March 19, 1920, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of New Cornelia Copper Company

, known as the see other side

situate in Ajo Mining District, Pima County, Arizona


13, 23, 24, Township No. 12 S., Range No. 6 W., G. & S. R. B. & M. unapproved and designated as Survey No. 3666

, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Ralph L. Motz U. S. Mineral Surveyor.

Subscribed and sworn to by the said Ralph L. Motz U. S. Mineral Surveyor, before me Charles R. Woods, Notary Public this 17th day of April, 1920

Charles R. Woods Notary Public, in and for the County of Cochise, State of Arizona. My Commission expires May 23, 1921.



FINAL STATE OF U. S. MINERAL SURVEYOR

Ajo Junior, Ajo Junior No. 2, Ajo Junior No. 3, Pinto, Pinto Nos. 1, 2, Ironwood, Little Jonnie, Wolverine Nos. 1, 2, 3, 4, 5, 6, 7, 8, 10, 11, 12, 13, 14, Gaskill No. 4, Dodge Nos. 1, 2, 3, 4, 5, Cora Nos. 1, 2, Cora Fraction, Live Oak Fraction, Live Oak Nos. 1, 2, 3, 4, Hope No. 1, Melrose Nos. 1, 2, Copperhead Nos. 1, 2, Bright Star Nos. 1, 2, 3, 4, 5, Big Jim, Big Jim Nos 2 and Intimate millsites



U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

May 24, 1920, 191

I, U. S. Surveyor-General for Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of New Cornelia Copper Company

known as the see other side

situate in Ajo

Mining District, Pima County, Arizona

in Section 13, 23, 24, Township No. 12 S, Range No. 6 W. unapp'd., and

designated as Survey No. 3666, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

~~And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or grantors, and that said improvements consist of~~

~~and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.~~

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona.

AJO JUNIOR, AJO JUNIOR NO.2, AJO JUNIOR NO.3, PINTO, PINTO NO.2, PINTO NO.3, IRONWOOD, LITTLE JONNIE, WOLVERINE NOS. 1,2,3,4,5,6, 7,8,10,11,12,13,14, GASKILL NO.4, DODGE NOS. 1,2,3,4,5, CORA NOS. 1,2, CORA FRACTION, LIVE OAK FRACTION, LIVE OAK NOS. 1,2,3,4, HOPE NO.1 MELROSE NOS. 1,2, COPPERHEAD NOS. 1,2, BRIGHT STAR NOS. 2,1,3,4,5, BIG JIM, BIG JIM NO.2, and INTIMATE Millsites.

4-687

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES
AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR
OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona,

May 24, 1920, 191

I, U. S. Surveyor General for Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
~~Mining~~ Claim of New Cornelia Copper Company

known as the

see other side

situate in Ajo mining district,

Pima County, Arizona

in Section 13, 23, 24, Township No. 12 S., Range No. 6 W. unapp'd.

designated as Survey No. 3666

executed by Ralph L. Motz, U. S. Mineral

Surveyor, March 23-April 5, 1920, under my instructions dated

March 19, 1920, ~~1919~~, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and made

a part of the transcript of the field notes.


U. S. Surveyor General for Arizona.

AJO JUNIOR, AJO JUNIOR NO.2, AJO JUNIOR NO.3, PINTO,
PINTO NO.2, PINTO NO.3; IRONWOOD, LITTLE JONNIE, WOLVERINE
NOS. 1,2,3,4,5,6,7,8,10,11,12,13,14, GASKILL NO.4, DODGE
NOS. 1,2,3,4,5, CORA NOS. 1,2, CORA FRACTION, LIVE OAK
FRACTION, LIVE OAK NOS. 1,2,3,4, HOPE NO.1, MELROSE NOS.
1,2, COPPERHEAD NOS. 1,2, BRIGHT STAR NOS. 2,1,3,4,5,

BIG JIM, BIG JIM NO.2, and INTIMATE Millsites

