4-683

MINERAL SURVEY No. 3680

Arizona Land District.

	r	TELD NOTES			
OF THE SURVEY OF THE MINING CLAIM OF					
W . A .	Dell, Charles W	. Rambo and I. Jacob	soh		
		KNOWN AS THE			
	PARR	RIS NO. (3) Lode.			
••••••		Warren	Mining District,		
	Cochise	County, Ar	izona		
ection .					
	18 , T	ownship 23 S	, Range 24 E. G & S R B		
	18 , T		, Range 24 E. G & S R B		
	18 , T	ownship 23 S ctions dated May 24	, Range 24 E. G & S R B		
	18 , T	ownship 23 S ctions dated May 24	, Range 24 E. G & S R B &		
	18 , To	ownship 23 S ctions dated May 24	, Range 24 E. G & S R B & , 1920 L. Motz U. S. Mineral Surveyor.		
	18 , To	ownship 23 S etions dated May 24 by Ralph February 1	, Range 24 E. G & S R B & , 1920 L. Motz U. S. Mineral Surveyor.		
	eyed under instructions of the commence of the	ownship 23 S etions dated May 24 by Ralph February 1	, Range 24 E. G & S R B & . , 1920 L. Motz U. S. Mineral Surveyor. , 19 11 , 19 20		
	claim located Survey commence Survey completed	ownship 23 S etions dated May 24 by Ralph February 1 ed June 15	, Range 24 E. G & S R B &, 1920 L. Motz U. S. Mineral Surveyor. , 19 11 , 19 20 ed Sutter.		
	Claim located Survey commence Survey completed Address of claim	ownship 23 S ctions dated May 24 by Ralph February 1 ed June 15 June 15 ant 's attorney , Fr	, Range 24 E. G & S R B &, 1920 L. Motz U. S. Mineral Surveyor. , 19 11 , 19 20 ed Sutter. Bisbee, Arizona.		
	Claim located Survey commence Survey completed Address of claim	ownship 23 S etions dated May 24 by Ralph February 1 ed June 15	, Range 24 E. G & S R B &, 1920 L. Motz U. S. Mineral Surveyor. , 19 11 , 19 20 ed Sutter. Bisbee, Arizona.		

TRANSCRIBED COPY OF ORIGINAL FIELD NOTES

MINERAL SURVEY NO. 3680.

FARRIS NO. (3) Lode.

Beginning at Cob. No. 1, the NW Cor, identical with focation and with Cors 1 and 4 and the SE cor of Survey No.
3364 Paris No. 2 lode, Survey No. 3607 Cliff Tode and
Mayflower lode unsurveyed, respectively, a redwood post
4 inches square 30 inches above ground in a mound of
stones and scribed 1-3680 P 3, whence a porphyry rock in
place 51 x 54 x 40 inches high above ground chiseled B
R x 1-3680 brs S 12° 21' W 8.8 ft and a second porphyry
rock in place 67 x 67 x 15 inches high above ground with
like chiseling brs N 74° 25' W 30.6 ft. The 1/4 Cor.
between Secs. 13, T 23 S, R-23 E and 18, T 23 S, R 24 E
G & S R B & M brs S 88° 26' W 1235.0 ft.

thence N 79° 49' E

300.0

along line 1-4 Survey No. 3364 Paris No. 2 lode to original location for the northend center being a mound of stones 3 ft high with 3 ft base

600.0

to Cor. No. 2, the N E Cor., identical with location and with Cor. No. 2 of Survey No. 3650 Paris Fraction lodeand situated on line 4-1 of Survey No. 3364 Paris No. 2 lode, a redwood post 4 inches square 30 inches above ground in a mound of stones and scribed 2-3680 P 3, whence a limestone ledge with 27 x 97 x 67 inches high exposure chiseled B R x 2-3680 brs S 48° 32' E 20.6 ft. and a second limestone ledge with 55 x 134 x 73 inches high exposure with like chiseling brs S 15° 00' W 38.9 ft.

thence S 12° 31' E

1201.9

along line 2-1 Survey No. 3650 Paris Fraction lode to Cors 1 and 3 of Survey No. 3650 Paris Fraction lode and Survey No. 3533 Angelus lode respectively

1467.6

along line 3-2 Survey No. 3533 Angelus lode to Cor. No. 3, the S E Cor, *Identical* with location and with Cors. 2 and 3 of Survey No. 3533 Angelus lode and Survey No. 3466 Statehood No. 1 lode respectively, a redwood post 4 inches square 30 inches above ground in a mound of

TRANSCRIBED COPY OF ORIGINAL FIELD NOTES

stones and scribed 3-3680 P 3, whence a limestone ledge with $18 \times 36 \times 45$ inches high exposure chiseled B R x 3-3680 brs N 66° 10' E 65.8 ft. and a second limestone ledge with $11 \times 36 \times 7$ inches high exposure with like chiseling brs S 70° Q4' W 38.2 ft.

thence S 79.º 49! W

300.0

along line 3-2 of Survey No. 3466 Statehood No. 1 lode to original location for the south end center being a mound of stones 3 ft high with 3 ft base

600.0

to Cor. No. 4, the S. W. Cor. identical with location and with Cor. No. 5 of Survey No. 3607 Cliff lode and situated on line 2-3 of Survey No. 3466 Statehood No. 1 lode a pine post 4 inches square 30 inches above ground in a mound of stones and scribed 4-3680 P 3, whence a quartzite rock in place 15 x 21 x 17 inches above ground chiseled B R x 4-3680 brs S 29° 36' E 7.1 ft and a porphyry ledge with 28 x 33 x 56 inches high exposure with like chiseling brs N 14° 25' W 14.8 ft.

thence N 12° 31' W

1467.6

along line 5-4 of Survey No. 3607 Cliff lode to Cor. No. 1, the place of the beginning.

LEDGE

The presumed course of the vein on this claim is from the north end center S 12° 31' E 1467.6 ft.

AREA

Total and net of PARRIS NO. (3) lode - - - - 20.198 A

LOCATION

This survey is situated in Sec. 18. T 23 S, R 24 E, G & S R B & M, in the Warren Mining District, Cochise County. Arizona.

IMPROVEMENTS

I hereby certify that the value of the labor and improvements placed upon this claim by the claimants or their grantors is not less than five hundred dollars and

	I	that	said	improvements	consist	of:-
--	---	------	------	--------------	---------	------

- Discovery cut 4 x 10 x 12 ft long brg N 12° W face of which brs from north end center on lode No. 1 line 25 ft. Value - - - -
- Open cut 6 x 8 x 10 ft long brg N 15° W mouth of which brs from Cor. No. 1 S 77° 20' E 255.0 ft. No. 2 Value - - -
- Open cut 6 x 10 x 13 ft long brg N 15° W at face is tunnel 2 1/2 x 5 x 17 ft. long brg N 22° E. mouth of open cut brs from Cor. No. 1 S 86° 06' No. 3 165.00 240.0 ft.
- Open cut 12 x 18 x 12 ft. long brg N 80° W mouth of which brs from Cor. No. 1 S 80° 02' E 151.0 No. 4 ft. Value - - -
- Open cut 4 x 8 x 9 ft. long brg S 65° E mouth of which brs from Cor. No. 1 S 86° 30' E 485.0 No. 5 Value - -40.00

Total Value of Improvements - - - - \$650.00

ADJOINING CLAIMS

North Survey No. 3364 Paris No. 2 lode

Survey No. 3650 Paris Fraction lode Survey No. 3533 Angelus lode East

Survey No. 3466 Statehood No. 1 lode South

Survey No. 3607 Cliff lode West

INSTRUMENT

This survey was made with a C. L. Berger & Sons No. 1 C The course was deflected from the meridian transit. as determined for Survey Nos. 3364 and 3466. The distances were measured with 100 and 300 ft. steel tapes. Magnetic variation 12° 30' Hast at all corners.

REPORT

The 1/4 Cor. between Secs. 13, T 23 S, R 23 E and 18, T 23 S, R 24 E, C & S R B & M is an iron pipe with copper cap.

Survey No. 3364 Paris No. 2 lode, Cor. No. 4 is a 4 x 4 post properly marked.

Survey No. 3466 Statehood No. 1 lode, Cor. No. 2 is a 4 x 4 post properly marked

Survey No. 3533 Angelus lode, Cor. No. 3 is a 4 x 4 post properly marked

Survey No. 3650 Paris Fraction lode, Cor. No. 1 is a 4 x 4 post properly marked.

U. S. Mineral Surveyor.

Tid I'd acce. Intimen and . I

Dated at Bisbee, Arizona.

June 17, 1920.

s .or .con . chaf I .ot hoc. se

A SEA MARKET AND SOCIAL TOP STREET

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the in	idividuals er	mployed by Ralph L. Notz
United States Mineral Surveyor	, to assist in	n running, measuring, and marking the lines, corners, an
boundaries described in the foreg	going field n	otes of the survey of the mining claim of
W. A. Dell, Charles	W. Rambo	and I. Jacobson
known as the Rarr		
and showing the respective capac	ities in whic	
		R. A. Ziesemer , Chainman.
		, Chainman.
		, Axman.
		, Flagman.
FINAL	OATE	HS OF ASSISTANTS.
		, do solemnly swear that we assisted
		tes Mineral Surveyor, in marking the corners and surveying
Jacobson	m of	A. Dell, Charles W. Rambo and I.
known as the Pa:	rris No.	(3) Lode.
represented in the foregoing field	notes as ha	aving been surveyed by said mineral surveyor and under his
direction; and that said survey ha	s been in all	l respects, to the best of our knowledge and belief, faithfully
and correctly executed, and the corr	ier and boun	ndary monuments established according to law and the instruc
ions furnished by the United State	s Surveyor-(General for Arizona.
		Chainman.
		, Chainman.
		, Axman.
		, Flagman.
Subscribed and	l sworn to b	by the above-named persons before me this 17th
day of	June	20.
uwy 01	图 30 P4 M M 44 A P4 P4 R4 M M M 18 P4	CharlesRlvoods
		Notary Public in and for the Country
		Cochise, State of Aricona.

My commission expires May 23, 1921.

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, Ralph L. Motz , U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona , dated
May 24 , 1920, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of W. A. Dell, Charles W. Rambo and I. Jacobson
, known as the
PARRIS NO. (3) Lode.
situate in Warren Mining District,
Cochise County, Arizona , in Section
18 , Township No. 23 S , Range No. 24 E, G & S R B & M
and designated as Survey No. 3680 , as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or their grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
Rayol L. Moz U.S. Mineral Burveyor.
U. S. Mineral Burveyor.
Subscribed and sworn to by the said Ralph L. Motz
U. S. Mineral Surveyor, before me Charles R. Woods, Notary Fublic
this 17th
day of June , 19 20
Charlesplvoods

Notary Public, in and for the County of Cochise, State of Arizona.
My commission expires May 23, 1921.

0-1044

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Ph oe	nix, Ariz	ona,	
			July 6	, 1920
I, U. S. Surveyor	-General for Ari	zona,		
do hereby certify that	the foregoing transcript	t of the Field N	Votes, return and approva	al of the survey
of the mining claim o	f W. A, Dell	, Charles	W. Rambo and I.	Jacobson
situate in	Warren			
Mining District,	Cochise	Co	ounty, Arizona	•
in Section 18	, Township No. 2	3 S , R	ange No.24 E.G&SRB	21, and
			ectly copied from the orig	
			scription of said mining o	
			, and that such reference i	
			and fix the <i>locus</i> thereof.	
			f labor has been expend	
			grantors, and that said	
			e \$650.00	
	·			
	said labor or improvem	ients nas been 1	ncluded in the estimate of	f expenditures
upon any other claim.			177	
Amirona			and Office at Phoenix	
or or to Vaste	is correct and i	in conformity w	ith the foregoing Field N	otes.
		· F	rank P. Trott,	
	United State	s Sammanan Can an	alem Arizona.	

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona,	
July 6	, 1920
I, U. S. Surveyor General for Arizona	
do hereby certify that the foregoing and hereto attached Field Notes and Retur	n of the Survey of the
Mining Claim of W. A. Dell, Charles W. Rambo and	I. Jacobson,
PARRIS NO. (3) Lode	
situate in	mining district,
Cochise County, Arizona.	
in Section 18 , Township No. 23 S. , Rang	ge No. 24 E.
G & S R B & M, designated as Survey No. 3680	
executed by Ralph L. Motz	, U. S. Mineral
Surveyor, June 15, 1920. , sex , under	my instructions dated
May 24, 1920. , xxxx , have been critically examined	and the necessary cor-
rections and explanations made, and the said Field Notes and Return, and the	Survey they describe,
are hereby approved. The certified copy of the location certificate filed by the	applicant for survey is
on file in this office and a true copy of said certified copy of said location certificat	e is included and made
a part of the transcript of the field notes.	
Frank Ode	Strott

U. S. Surveyor General for Arizona.