MINERAL SURVEY No. 3684

***************************************	Arizona	Land Dis	strict.
	FIELD NO HE SURVEY OF THE MIN	NING CLAIM OF	
	KNOWN AS TH	E	
 	LOOKOUT Lode	е	
	Warren		Mining District,
 Cochise	County,	Arizona	4
			24 E. G & S R B & 1
	ructions dated June		
	by Rai	ph L. Motz U. A	S. Mineral Surveyor.
Claim located	April 10	,	19 20
Survey comm	enced June 24	,	1920
Survey comple	ted June	24 ,	19 ²⁰
Address of cla	imants attorney,	Fred Sutter,	. Bisbee, Arizona.
DA	TES OF AMENDED LO	CATIONS.	

LOOKOUT Lode

Beginning at Cor. No. 1, the S. E. Cor., identical with location and with Cors 2 and 3 of Survey No. 3354 Point Lookout lode and Survey No. 3681 Los Angeles lode respectively, a redwood post 4 inches square 30 inches above ground in a mound of stones and scribed 1-3684 L, whence a limestone ledge with 12 x 30 x 7 inches high exposure chiseled B R x 1-3684 brs S 73° 16 ' W 11.6 ft. and a second limestone ledge with 9 x 21 x 9 inches high exposure with like chiseling brs N 53° 49' W 10.6 ft.

> The 1/4 Cor. between Secs. 17 and 18, T 23 S, R 24 E, G & S R B & M brs S 87° 02' E 1888.9 ft.

thence s 68° 53' W

along line 3-2 Survey No. 3681 Los Angeles lode to Cor. 1477.2 No. 2, the S . W. Cor., identical with location and with Cor. No. 4 of Survey No. 3650 Paris Fraction lode and situated on line 2-3 Survey No. 3681 Los Angeles lode, a redwood post 4 inches square 30 inches above ground in a mound of stones and scribed 2-3684 L, whence a porphyry rock in place 56 x 81 x 19 inches above ground chiseled B R x 2-3684 brs N 32° oo' E 16.5 ft. and a second porphyry rock in place 7 x 19 x 4 inches above ground with like chiseling brs N 1° 05' E 6.9 ft.

thence N 1º 05' E

300.0 along line 4-3 Survey No. 3650 Paris Fraction lode to original location for the west end center being a mound of stones 3 ft high with 3 ft base

600.9 to Cor. No. 3, the N W Cor., identical with location and with Cor. No. 3 of Survey No. 3650 Paris Fraction lode and situated on line 4-1 Survey No. 3364 Paris No. 2 lode, a redwood post 4 inches square 30 inches above ground scribed 3-3684 L, whence a limestone ledge with 11 x 28 x 25 inches high exposure chiseled B R x 3-3684 brs N 63° 55' E 20.5 ft. and a second limestone ledge with 19 x 50 x 39 inches high exposure with like chiseling brs N 29° 42' E 11.1 ft.

thence N 79° 49' E

Along line 1-4 Survey No. 3364 Paris No. 2 lode to Cor.

No. 4, identical with Cors 4 and 1 of Survey No. 3364

Paris No. 2 lode and Survey No. 3584 Pannama lode respectively, a redwood post 4 inches square 30 inches above ground in a mound of stones and scribed 4-3684 L.

no bearings available

thence N 59° 36' E

- and 4 of Survey No. 3385 New York lode and Survey No. 3584 Pannama lode respectively
- along line 1-4 Survey No. 3385 New York lode to Cor. No. 5, the N. E. Cor., identical with location and with Cor. No. 3 of Survey No. 3354 Point Lookout lode and situated on line 4-1 of Survey No. 3385 New York lode, a redwood post 4 inches square 30 inches above ground in a mound of stones and scribed 5-3684 L, no bearings available

thence S 1º 05' W

- 300.0 along line 3-2 of Survey No. 3354 Point Lookout lode to original location for the east end center being a mound of stones 3 ft. high with 3 ft. base
- 600.0 to Cor. No. 1, the place of the beginning

LEDGE

The presumed course of the vein on this claim is from the east end center S 68° 53' W 1477.2 ft.

AREA

Total and Net area of Lookout lode - - - - - - 16.635 A

LOCATION

This survey is situated in Sec. 18, T 23 S, R 24 E, G & S R B & M, in the Warren Mining District, Cochise County, Arizona.

IMPROVEMENTS

I hereby certify that the value of the labor and the improvements placed on this claim by the claimants or their

im 4	grantors was at the time of survey as follows:-
No. 1	Discovery open cut 4 x 14 x 35 feet long, tunnel
x i ess	at face 4 x 6 x 7 ft. long both brg S 67° E,
	mouth of open cut from from east end center on
sun 3	lode line 612.0 ft. Value 320.00
No. 2	Open cut 7 x 9 x 15 ft. long brg N 85° E, of this
1, 34, 3	open cut 3 x 9 x 15 ft. long was done by the
	claimants. Value of new work 60.00
No. 3	Mouth of above open cut brs from point on lode
	line 612 ft from the east end center S 56° 30' E
A era l	100.0 ft. productions strategic and service and servic
No. 3	Shart 4 x 6 x 8 ft. deep brs from same point
-amig a	S 73° 20' E 140. Oft. Value 50.00
e vi	Total Value \$ 430.00
	And the break the with a transfer they have the

OTHER IMPROVEMENTS

Open cut 4 x 9 x 15 ft. long with tunnel at face 4 x 6 x 51 ft. long both brg N 85° E, mouth of open cut brs from point on lode line 612 ft. from the east end center S 56° 30' E 100.0 ft.

ADJOINING CLAIMS

North

Survey No. 3364 Paris No. 2 lode

Survey No. 3385 New York lode

Survey No. 3584 Pannama lode

East

Survey No. 3354 Point Lookout lode

South

Survey No. 3681 Los Angeles lode

West

Survey No. 3650 Paris Fraction lode

INSTRUMENT

This survey was made with a C. L. Berger & Sons No. 1 C transit. The courses were deflected from the meridian as determined in Survey Nos. 3364, 3385 and 3354. The distances were measured with 100 and 300 ft. steel tapes. Magnetic variation 12° 30' East at all corners.

REP ORT

The 1/4 Cor. between Secs. 17 and 18, T 23 S, R 24 E

-G & S R B & M is an iron pipe with copper cap marked 1/4 S .17. S 18

AT MARKET THE PARK THE TAVETTE AND

Survey No. 3364 Paris No. 2 lode, Cors. 1 and 4 are 4 x 4 posts properly set and marked

Survey No. 3354 Point Lookout lode, Cors. 2 and 3 are 4 x 4 posts properly set and marked.

Survey No. 3385 New York lode, Cors 1 and 4 are 4 x 4 posts properly set and marked.

Survey No. 3584 Pannama lode, Cors. 1 and 4 are 4×4 posts properly set and marked.

Survey No. 3650 Paris Fraction lode, Cors 3 and 4 are 4 x 4 posts properly set and marked.

Survey No. 3681 Los Angeles lode, Cor, No. 2 is a limestone rock, properly set and marked. Cor. No. 3 is a 4 x 4 post properly set and marked.

Ralph L. mok
U. S. Mineral Surveyor.

Date d at Bisbee, Arizona June 25, 1920.

obof smander ASAF can gaying

Buryen he of the Perin He. 2 lone

Sharvey Mer. 3388 and York lone

stermy we. field too aurolas lode

I . ou come a regres . T. T. Seren as morning eligi

ed lotermined to curvey Mos. Tips, 356; and 3556. The dis-

paretic veriation 12° 50° mate on all corners.

750 750 . .

is the tone between twos. If and the got her

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals en	mployed by Ralph L. Motz	
United States Mineral Surveyor, to assist in	n running, measuring, and marking the li	nes, corners, and
boundaries described in the foregoing field n		
	Rambo	
known as the Lookout Lode		
and showing the respective capacities in which		
	R. A. Ziesemer	. Chainman.
		., Flagman.
FINAL OATH	HS OF ASSISTANTS.	
and		
	es Mineral Surveyor, in marking the corner	
the boundaries of the mining claim of We	A. Dell and Charles Rambo	
known as the Loo	kout Lode	
represented in the foregoing field notes as ha	ving been surveyed by said mineral surveyo	r and under his
direction; and that said survey has been in all	respects, to the best of our knowledge and b	elief, faithfully
and correctly executed, and the corner and boun	dary monuments established according to law	and the instruc-
tions furnished by the United States Surveyor-C	deneral for Arizona	
	(a Biesemen	, Chainman.
		Axman.
Subscribed and sworn to be	y the above-named persons before me this	25th
day of June	10.20	- J 011
	Charles Rlvoo	1
	marine Wood	M

Notary Public, in and for the County of Cochise, State of Arizona. 6-1048

My commission expires May 23, 1921.

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, Ralph L. Motz , U. S. Mineral Surveyor
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona., dated
June 22 , 1920, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of W. A. Dell and Charles Rambo
known as the
TOOKOOT, Pode
situate in Warren Mining District
Cochise County, Arizona in Section
18 , Township No. 23 S , Range No. 24 E . G & S R B & M
and designated as Survey No. 3684 as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
mprovements made upon said mining alim had and
mprovements made upon said mining claim by claimant for their grantors
are as therein fully stated, and that the character, extent, location, and itemized value
hereof are specified therein with particularity and full detail, and that no portion of
aid labor or improvements so credited to this claim has been included in the estimate
f expenditures upon any other claim.
Rue Phase
Ralph L. Moh U. S. Mineral Surveyor.
Subscribed and sworn to by the said Ralph L. Motz
U. S. Mineral Surveyor, before me Charles R. Woods
Notary Public this 25th
day of June , 1920
Charlesklvoods

Notary Public, in and for the County of Cochise, State of Arizona.
My commission expires May 23, 1921.

15-1044

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoen	ix, Arizon	na,	
		***************************************	July 20	, 1920
I, U. S. Surveyo	or-General for Ar	izona		
of the mining claim	at the foregoing transcript of of	l and Char	cles Rambo	
	LOOKOUT Lode			
	W			
	Cochise			
in Section 18	Township No. 23 S	, Rang	e No.24 E.G&SRB&	M, and
designated as Survey	, No. 3684 , ha	as been correctl	y copied from the origi	nals on file in
	Field Notes furnish such an			
	atent, serve fully to identify t	The state of the s		
	permanent monuments as wil			
	ertify that five hundred doll			d or improve-
	id mining claim by claimant			
consist of at tir	me of survey, 2 cu	ts, 1 tunn	el and 1 shaft	, total
value \$430.				

	f said labor or improvements			
apon any other claim.				
I further certify t	hat the plat thereof, filed in	the U.S. Land	Office at Phoenix,	
	is correct and in co			
		Frank P.	Trott,	
	United States Same			

Certificate of U. S. Surveyor General

AS TO

Expenditures	REPORTED	AFTER	RETURN	OF	SURVEY	0F	MINING	CLAIM.
--------------	----------	-------	--------	----	--------	----	--------	--------

I. II. S. Surveyor Consum	al for District of Arizona
	al for District of Arizona
	Hundred Dollars' worth of labor has been expended or
	antsor their grantors, upon the mining claim of Dell and Charles Rambo
	IOOKOUT Lode
	Warren mining district,
	County, Arizona
	ship No. 23 S., Range No. 24 E.,
	st of . in addition to those reported at
time of survey, a	an extension to cut and tunnel No. 1,
value \$90.00	
and	that no portion of said labor or improvements has been
	enditures upon any other claim. A copy of the report of
	, U. S. Deputy Mineral Surveyor, dated
October 20 ,1	1920 ig berete etterled
, 1	, is hereto attached.
	Grant Africa
	U.S. Surveyor General for Arizona.
ffice of U.S. Surveyor General,	
Phoenix, Arizona	
November 11	
	, LJ = 0

13

LOOKOUT

SUPPLEMENTAL REPORT OF IMPROVEMENTS

I hereby certify that the Value of the labor performed and improvements made upon this claim by the claimants or their grantors is not less than five hundred dollars and that said improvements in addition to those which were reported at time of survey consist of:-

No. 1 Additional open cut 3 x 10 x 18 ft. long making part of discovery cut now 7 x 10 x 18 ft. long.
Tunnel now 4 x 6 x 8 ft. long. Value of additional work - - - - - - - - - - - - - - - - - \$90.00

Ralph L. Moz.
U. S. Mineral Surveyor

Dated at Bisbee, Arizona.

October 20, 1920.

I. Ralph L. Motz, U. S. Mineral Surveyor for the District of Arizona, first being duly sworn, depose and say that the above supplemental report is true and correct and that the improvements mentioned therein were made and completed prior to the date of the expiration of the period of the publication of the notice of application for patent to the lands embraced in Mineral Survey No. 3684.

Rach L. moz U. S. Mineral Surveyor.

State of Arizona) ss. County of Cochise)

Ralph L. Motz, U. S. Mineral Surveyor, before me Charles R? Woods, a notary public, in and for the County of Cochise State of Arizona, this 20th day of October, 1920.

Notary Public.

My commission expires May 23, 1921.

CharlesRW

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

		Phoenix, Ar	izona,	
			July 20	, 1920.
I, U. S. Surveyor Ge	oneral forA:	rizona		
do hereby certify that th	e foregoing and hereto a	ttached Field No	otes and Return of th	ie Survey of the
Mining Claim of	W. A. Dell and (Charles Ram	ibo .	
		·		., known as the
	<u> </u>	JT Lode		
situate in	Warren			mining district,
Cochise	Cou	nty, Arizo	na	
in Section 18	, Township No	. 23 S	, Range No.	24 E. G&S
BB&M, desi	gnated as Survey No	3684		
executed by	Ralph L. Motz		,	U. S. Mineral
Surveyor, June	e 24, 1920		,xxx , under my ins	tructions dated
June 22, 19	20, " xp9 xx, h	ave been critical	lly examined and the	necessary cor-
rections and explanations	made, and the said Fiel	d Notes and Re	turn, and the Survey	they describe,
are hereby approved. The	e certified copy of the lo	cation certificate	filed by the applican	t for survey is
on file in this office and a tr	rue copy of said certified	copy of said loca	tion certificate is incl	uded and made
a part of the transcript of	the field notes.			
		Frank	1 Posts	
		- VY-VVU	/ //8	27/

U.S. Surveyor General for Arizona.