

MAY 28 1921

1

4-683.

MINERAL SURVEY No. 3704.

LOT No.

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

E.A. COSTON,

KNOWN AS THE

PRESTON No. 2, PRESTON No. 3, PRESTON No. 4 and PRESTON No. 5 Lodes,

CRAWFORD Mining District,

APACHE County, ARIZONA, (Navajo Indian Reservation.)

Approx. Sections 21 and 28, Township 14 N., Range 7 W. Navajo Base & Mer.

Surveyed under instructions dated September 13th., 1920.

by Allison L. Hoeger U. S. Mineral Surveyor.

Claim located See location notices., 19

Survey commenced December, 11th., 19 20.

Survey completed February, 7th., 19 21.

Address of claimant, J.L. Wade, Agent, Farmington, New Mexico.

~~Dates of amended locations.~~

~~See location notices attached.~~

Feet. Mineral SURVEY No.3704.
 PRESTON No.2 LODE.

Beginning at Cor.No.1,
 Identical with Cor.No.1 of the amended location.
 A hewn cedar post,4 ft.long,6 ins.square, set 2 ft.in the ground, sur-
 rounded by a mound of earth and stone, scribed 1-P.2,-3704, whence,
 U.S.M.M.No.1 bears S.47°38'37"E.5513.42 ft.
 THENCE, N.49° 27'W.
 VAR.15° 25'E.

300.00 To north end center,
 Identical with the north end center of the amended location.
 A hewn cedar post,3 ft.6 ins.long,5 ins.square, set 18 ins.in the
 ground, surrounded by a mound of earth and stone, scribed E.C.-P.2,-
 3704, whence,
 The location monument, ~~Preston No.2 lode~~, bears S.40° 33'W.800 ft.

600.00 To Cor.No.2,
 Identical with Cor.No.2 of the amended location.
 A hewn cedar post,4 ft.long,5 ins.square, set 18 ins.in the ground,
 surrounded by a mound of earth and stone, scribed 2-P.2,-3704, whence,
 The top of a rock in place, chiseled B.R.X,2-P.2,-3704, bears S.30° 13'
 E.40.30 ft.
 THENCE, S.40° 33'W.
 VAR.15° 25'E.

1409.22 To Cor.No.1, Preston.No.4 lode of this survey.

1500.00 To Cor.No.3,
 Identical with Cor.No.3 of the amended location, and with Cor.No.2,
 Preston No.3 lode, of this survey.
 An iron pipe 3 ft.long, 1½ ins.in diameter, set 11 ins.in solid rock,
 with an iron cap 3½ ins.in diameter on top, stamped 3-P.2,- 2-P.3,-3704,
 whence,
 The top of a rock in place, chiseled B.R.X,3-P.2,-2-P.3,-3704, bears
 S.77° 43'W.16.10 ft.
 THENCE, S.49° 27'E.
 VAR.15° 25'E.

300.00 To south end center,
 Identical with the south end center of the amended location, and with
 the north end center, Preston No.3 lode, of this survey.

Feet.	SURVEY No. 3704, (Continued.)
	PRESTON No. 2 LODE, (Continued.)
	A hewn cedar post, 4 ft. long, 6 ins. square, set 18 ins. in the ground, surrounded by a mound of earth and stone, scribed E.C.-P.2, - E.C.-P.3,
	-true, bearing-3704. ...
600.00	To Cor. No. 4. Identical with Cor. No. 4 of the amended location, and with Cor. No. 1, Preston No. 3 lode of this survey.
	A hewn cedar post, 4 ft. long, 6 ins. square, set 2 ft. in the ground, surrounded by a mound of earth and stone, scribed 4-P.2, -1-P.3, - 3704.
	No bearings available.
	THENCE N. 40° 33' E. ... VAR. 15° 25' E.
1500.00	To Cor. No. 1, the place of beginning.
	PRESTON No. 3 LODE.
	Beginning at Cor. No. 1, Identical with Cor. No. 1 of the amended location, and with Cor. No. 4, Preston No. 2 lode, of this survey, heretofore described, whence,
	U.S. M.M. No. 1 bears, S. 62° 59' E. 5668.37 ft.
	THENCE, N. 49° 27' W. VAR. 15° 25' E.
300.00	To north end center, Identical with the north end center of the amended location and with the south end center of the Preston No. 2 lode, of this survey, heretofore described, whence,
	The location monument, Preston No. 3 lode bears, S. 40° 33' W. 900.99 ft.
600.00	To Cor. No. 2, Identical with Cor. No. 2 of the amended location and with Cor. No. 3, Preston No. 2 lode, of this survey, heretofore described, whence, The top of a rock in place, chiseled B.R.X, 3-P.2, - 2-P.3, - 3704, bears
	S. 77° 43' W. 16.10 ft. THENCE, S. 40° 33' W. VAR. 15° 25' E.
410.87	To Cor. Nos. 1 and 2, Preston No. 5 and Preston No. 4 lodes, respectively, of this survey.
993.83	To Cor. No. 2, Preston No. 5 lode, of this survey.
1500.00	To Cor. No. 3,

Feet. SURVEY No.3704,(Conyinned.)

PRESTON No.3 LODE,(Continued.)

Identical with Cor.No.3 of the amended location.

An iron pipe,3 ft.long,1 1/2 ins.in diameter,set 9 ins.in solid rock, with an iron cap 3 1/2 ins.in diameter on top,stamped,Cor.3,Preston 3-3704,whence,

The top of a rock in place,chiseled B.R.X,3-P.3,-3704,bears S.59° 11' W.62. ft.

THENCE,S.49° 27'E. VAR.15° 25'E.

300.00 To south end center, Identical with the south end center of the amended location.

A hewn cedar post,3 ft.6 ins.long,5 ins.square,set 12 ins.in the ground, surrounded by a mound of earth and stone,scribed E.C.-P.3,- 3704.

600.00 To Cor.No.4; Identical with Cor.No.4 of the amended location,

An iron pipe 3 ft.long,1 1/2 ins.in diameter,set 12 ins.in solid rock, with an iron cap 3 1/2 ins.in diameter on top,stamped,Cor.4,Preston 3-3704.

No bearings available. THENCE,N:40° 33'E. VAR.15° 25'E.

1500.00 To Cor.No.1,the place of beginning. PRESTON No.4 LODE.

Beginning at Cor.No.1, Identical with Cor.No.1 of the amended location. On line 2-3,Preston No.2 lode,of this survey.

An iron pipe,3 ft.long,1 1/2 ins.indiameter,set 10 ins.in solid rock, with an iron cap 3 1/2 ins.in diameter on top,stamped 1-P.4,-3704,whence, The top of a rock in place,chiseled B.R.X,1-P.4,-3704,bears S.33° 36'W. 18.80 ft.

U.S.M.M.No.1 bears S.60° 52' 53"E.6234.65 ft. THENCE,S.40° 33'W. VAR.15° 25'E.

90.78 To Cor.Nos.3 and 2,Preston No.2 and Preston No.3 lodes,respectively, of this survey.

501.65 To Cor.No.2,

Feet.

SURVEY No. 3704, (Continued.)

PRESTON No. 4 LODE, (Continued.)

Identical with Cor. No. 2 of the amended location and with Cor. No. 1,
Preston No. 5 lode, of this survey.

On line 2-3, Preston No. 3 lode, of this survey.

An iron pipe 3 ft. long, $1\frac{1}{2}$ ins. in diameter, set 14 ins. in solid rock,
with an iron cap $3\frac{1}{2}$ ins. in diameter on top, stamped Cor. 2, Preston 4,
Cor. 1, Preston 5, -3704, whence,

The top of a rock in place, chiseled B.R.X, 2-P.4, - 1-P.5, -3704, bears,
S. $30^{\circ} 18' W$. 28.40 ft.

THENCE ^N $49^{\circ} 27' W$.

VAR. $15^{\circ} 25' E$.

300.00 To south end, center,

Identical with the south end center of the amended location, and with
the north end center Preston No. 5 lode, of this survey.

A hewn pinon post, 3 ft. long, 6 ins. square, set 14 ins. in the ground, sur-
rounded by a mound of earth and stone, scribed E.C.P.4, -E.C.P.5, -3704.

600.00 To Cor. No. 3,

Identical with Cor. No. 3 of the amended location and with Cor. No. 6,
Preston No. 5 lode, of this survey.

A hewn cedar post, 3 ft. 6 ins. long, 6 ins. square, set 12 ins. in the ground,
surrounded by a mound of earth and stone, scribed 3-P.4, - 6-P.5, - 3704.

No bearings available.

THENCE, N. $40^{\circ} 33' E$.

VAR. $15^{\circ} 25' E$.

348.35 To Cor. No. 4,

Identical with Cor. No. 4 of the amended location,

A hewn cedar post, 4 ft. long, 6 ins. square, set 2 ft. in the ground, sur-
rounded by a mound of earth and stone, scribed 4-P.4, -3704, whence,

A pinon tree, 8 ins. in diameter, blazed and scribed, B.T.X, 4-P.4, -3704,
bears S. $79^{\circ} 52' E$. 36.22 ft.

THENCE, N. $11^{\circ} 53' E$.

VAR. $15^{\circ} 25' E$.

1162.37 To Cor. No. 5,

Identical with Cor. No. 5 of the amended location,

A hewn cedar post, 3 ft. 6 ins. long, 7 ins. square, set 18 ins. in the ground,
surrounded by a mound of earth and stone, scribed 5-P.4, -3704.

Feet.

(SURVEY.No.3704,(Continued.)

PRESTON No.4 LODE,(CONTINUED.)

No bearings available.

THENCE,S.49° 27'E.

VAR.15° 25'E.

341.90

To north end center,
Identical with the north end center of the amended location.

A hewn cedar post,4 ft.long,6 ins.square, set 18 ins.in the ground,
surrounded by a mound of earth and stone,scribed E.C.-P.4,-3704,whence,
The location monument, Preston No.4 lode, bears S.11° 53'W.725.56 ft.

683.81

To Cor.No.6,
Identical with Cor.No.6 of the amended location.

An iron pipe 3 ft.long,1½ ins.in diameter, set 12 ins.in solid rock,
with an iron cap 3½ ins.in diameter on top, stamped Cor.6, Preston 4,-
3704,whence,

The top of a rock in place, chiseled B.R.X,6-P.4,-3704, bears N.69° 18'W.

55.71 ft.

THENCE,S.11° 53'W.

VAR.15° 25'E.

987.63

To Cor.No.1, the place of beginning.

PRESTON No.5 LODE.

Beginning at Cor.No.1,

Identical with Cor.No.1 of the amended location, and with Cor.No.2,
Preston No.4 lode, of this survey, heretofore described, whence,

U.S.M.M.No.1 bears S.65° 19' 13"E.6353.19 ft.

The top of a rock in place, chiseled B.R.X,2-P.4,- 1-P.5,- 3704, bears,
S.30° 18'W.28.40 ft.

THENCE,S.40° 33'W.

VAR.15° 25'E.

582.96

To Cor.No.2,

Identical with Cor.No.2 of the amended location.

On line 2-3, Preston No.3 lode of this survey.

An iron pipe 3 ft.long,1½ ins.in diameter, set 12 ins.in solid rock,
with an iron cap 3½ ins.in diameter on top, stamped Cor.2, Preston 5,-
3704,whence,

The top of a rock in place, chiseled B.R.X,2-P.5,- 3704, bears, N.81° 34'
W.17.70 ft.

Feet.	(SURVEY No. 3704, (Continued.)
	PRESTON NO. 5 LODE, (Continued.)
	THENCE, S. 71° 28' W.
	VAR. 15° 25' E.
903.29	To Cor. No. 3,
	Identical with Cor. No. 3 of the amended location.
	An iron pipe, 3 ft. long, 1½ ins. in diameter, set 9 ins. in solid rock, with an iron cap 3½ ins. in diameter on top, stamped Cor. 3, Preston 5, -3704, whence,
	The top of a rock in place, chiseled B.R.X, 3-P. 5, -3704, bears S. 65° 20' E. 34.50 ft/.
	THENCE, N. 49° 27' W.
	VAR. 15° 25' E.
-349.68	To west end center,
	Identical with the west end center of the amended location.
	A hewn cedar post, 4 ft. long, 6 ins. square, set 12 ins. in the ground, surrounded by a mound of earth and stone, scribed E.C.P. 5, -3704, whence, The location monument, Preston No. 5 lode , bears N. 71° 28' E. 49.19 ft.
699.37	To Cor. No. 4,
	Identical with Cor. No. 4 of the amended location.
	A hewn cedar post 4 ft. long, 6 ins. square, set 2 ft. in the ground, surrounded by a mound of earth and stone, scribed 4-P. 5, -3704.
	No bearings available.
	THENCE, N. 71° 28' E.
	VAR. 15° 25' E.
1096.71	To Cor. No. 5,
	Identical with Cor. No. 5 of the amended location.
	An iron pipe 3 ft. long, 1½ ins. in diameter, set 12 ins. in solid rock, with an iron cap 3½ ins. in diameter on top, stamped Cor. 5, Preston 5, -3704, whence,
	The top of a rock in place, chiseled B.R.X, 5-P. 5, -3704, bears S. 50° 03' E. 29.70 ft.
	THENCE, N. 40° 33' E.
	VAR. 15° 25' E.
417.04	To Cor. No. 6,
	Identical with Cor. No. 6 of the amended location and with Cor. No. 3, Preston No. 4 lode, of this survey, heretofore described.

Feet. SURVEY No. 3704, (Continued.)

PRESTON No. 5 LODE, (CONTINUED,)

No bearings available,

THENCE, S. 49° 27' E.

VAR. 15° 25' E.

300.00 To north end center,

Identical with the north end center of the amended location and with the south end center, Preston No. 4 lode, of this survey, heretofore described.

600.00 To Cor. No. 1, the place of beginning.

LODE LINES.

As near as can be determined from present development the veins of the several locations embraced in this survey extend as follows from their respective discovery points:

Preston No. 2 lode, 800 ft. running N. 40° 33' E. and 700 ft. running S. 40° 33' W.

Preston No. 3 lode, 900.99 ft. running N. 40° 33' E. and 599.01 ft. running S. 40° 33' W.

Preston No. 4 lode, 725.56 ft. running N. 11° 53' E. and 349.44 ft. running S. 11° 53' W. thence 425 Ft. running S. 40° 33' W.

Preston No. 5 lode, 49.19 ft. running S. 71° 28' W. and 950.81 ft. running N. 71° 28' E. thence 500 ft. running N. 40° 33' E.

Areas.

Total area Preston No. 2 lode, 20.661 acres.

Total area Preston No. 3 lode, 20.661 acres.

Total area Preston No. 4 lode, 20.661 acres.

Total area Preston No. 5 lode, 20.661 acres.

LOCATION.

As near as can be determined from the present condition of the Public Survey, this survey is located in sections 21 and 28, township 14 N. range 7 W. Navajo Base & Mer., in the Carriso mountains. The approximate latitude is 36° 55' N. and the approximate longitude is 109° 12' W.

IMPROVEMENTS.

I certify, that the labor and improvements made upon or for the benefit of each of the locations embraced in said mining claim, by the claimant or his grantors, is as follows:-

Preston No. 2.

No.1;- The discovery cut, the mouth of which being the discovery point, is on the lode line 800 ft. from the center of line 1-2, 5 ft. wide, 2 ft. deep, running S. 40° 33' W. 10 ft. to face,

Preston No. 3,

No.1, The discovery cut, the face of which being the discovery point, is on the lode line 900.99 ft. from the center of line 1-2, 6 ft. wide, 4 ft. deep, running S. 40° 00' W. 15 ft. to the mouth.

Preston No. 4.

No.1:- The discovery cut, the mouth of which being the discovery point is on the lode line 725.56 ft. from the center of line 5-6, 6 ft. wide, 2 ft. deep, running S. 11° 00' W. 15 ft. to the face.

Preston No. 5.

No.1:- The discovery cut, the face of which being the discovery point is on the lode line, 49.19 ft. from the center of line 3-4, 4 ft. wide, 1 foot deep, running S. 75° 00' W. to the mouth.

OTHER IMPROVEMENTS.

None.

INSTRUMENT.

The instrument used in making this survey, was a C.L. Berger & Sons Mining Transit.

The courses were deflected from the true meridian as determined by direct solar observations.

The distances were measured with a five hundred foot steel tape.

REPORT.

The lode lines of each of the locations of this claim were run directly upon the ground, and the several corners established by means of offsets from the lode lines.

U.S.M.M. No. 1 is a sandstone 8 ins. by 20 ins. square, projecting 1 foot above the ground, chiseled with an X on top and U.S.M.M. No. 1, PRESTON, on the east side.

Diligent search and extensive inquiry was made for corners of the Public Survey within a radius of several miles of said claim, but there are apparently none to be found. As these corners are purported to have been established some fifty years ago, it is very probable that if any remain standing they have been buried by the shifting sands of this region.

ADJOINING CLAIMS.

None.

Note:- The discovery cut of each of the locations embraced in this survey shows ore or a vein in place.

The Preston No.4 and Preston No.5 lodes, which have angles in their lode lines are located following the ledge or vein, which outcrops and is readily traced upon the ground.

DESCRIPTION OF U.S.M.M. PRESTON, (No.1)

No. 1

U.S.M.M. PRESTON is a white sandstone 3 ft. long, 8 ins. by 20 ins. square set 2 ft. in the ground. Monument is set on a round knoll higher than the surrounding valley, Monument is chiseled X on top, U.S.M.M. No. 1, PRESTON on east side, Whence,

A cedar post projecting 5 ft. above the ground, surrounded by a monument of stone 4 ft, 6 ins. square, 4 ft. high, bears S. 82° 01' E. 6.80 ft.

A cedar tree, (low and bushy) 14 ins. in diameter, blazed and scribed B.T.X, U.S.M.M.P. bears N. 17° 45' E. 90.91 ft.

A cedar tree, (low and Bushy) 20 ins. in diameter, blazed and scribed B.T.X, U.S.M.M.P., bears N. 31° 40' W. 148.59 ft.

A cedar tree, (low and bushy) 10 ins. in diameter, blazed and scribed B.T.X. bears S. 29° 34' E. 138.80 ft.

A monument on top of Say-Tah Cone bears S. 11° 35' W.

The most easterly peak of the bear ears on the Elk Mountains in Utah bears N. 32° 09' W.

The most easterly high peak of the Blue mountains in Utah bears N. 8° 54' W.

No. 2

U.S.M.M. Eurida bears S. 3° 42' 50" W. 35083.80 ft.

No. 3

U.S.M.M. Sunnyside bears, S. 0° 24' 28" W. 54887.60 ft.

256 Mile Post on the Utah-Arizona boundary line bears N. 48° 57' W. 57841.00 ft. +

After a search along the state line by retracement survey this was the nearest and only monument found.

(in sec 6 T 13 N R 7 W Navajo base line unsurveyed.)

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Allison L. Kroeger,
United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of _____

E.A. COSTON,

known as the PRESTON No. 2, PRESTON No. 3, PRESTON No. 4 and PRESTON No. 5 lodes,
and showing the respective capacities in which they acted.

John Clarke _____, *Chainman.*

_____, *Chainman.*

_____, *Arman.*

_____, *Flagman.*

FINAL OATHS OF ASSISTANTS.

We, I, John Clarke,

and _____, do solemnly swear that ^Iwe ^{XX}assisted _____

Allison L. Kroeger, _____, United States Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of E.A. COSTON,

known as the PRESTON No. 2, PRESTON No. 3, PRESTON No. 4 and PRESTON No. 5 lodes,

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
and correctly executed, and the corner and boundary monuments established according to law and the instruc-
tions furnished by the United States Surveyor-General for Arizona.

John Clarke _____, *Chainman.*

_____, *Chainman.*

_____, *Arman.*

_____, *Flagman.*

Subscribed and sworn to by the above-named persons before me this 18th

day of February, 1921

Robert S. Clements

Notary Public.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, ALLISON L. KROEGER, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for ARIZONA, dated
September, 13th, 1920., I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of E. A. COSTON,
....., known as the
PRESTON No. 2, PRESTON No. 3, PRESTON No. 4 and PRESTON No. 5 lodes.,
situate in Crawford Mining District,
Apache County, Arizona, in Sections
Approx. 21 and 28, Township No. 14 N., Range No. 7 W. Navajo Base Line & Mer.,
and designated as Survey No. 3704, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon ^{or for the benefit of} said mining claim by claimant or his grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

Allison L. Kroeger
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Allison L. Kroeger
U. S. Mineral Surveyor, before me Robert S. Clements, a Notary
Public in and for La Plata County, Colo. this 18th
day of February, 19 21

Robert S. Clements

Notary Public
La Plata County, Colorado.

My Commission Expires Sept. 26, 1921

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

August 8, 19 21

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

E. A. Coston

known as the PRESTON NO.2, PRESTON NO.3, PRESTON NO.4, and PRESTON NO.5 Lodes

situate in Navajo Indian Reservation, Crawford

Mining District, Apache County, Arizona, Approx.

in Section s 21 & 28., Township No. 14 N., Range No. 7 W., Navajo B&M, and designated as Survey No. 3704,

has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

~~And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or grantors, and that said improvements consist of~~

~~and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.~~

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott

United States Surveyor-General for Arizona.

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona,

August 8, 1921

I, U. S. Surveyor General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

E. A. Coston

known as the

PRESTON NO.2, PRESTON NO.3, PRESTON NO.4. and PRESTON NO.5 lodes

situate in Navajo Indian Reservation, Crawford mining district,

Apache County, Arizona, Approx.

in Section s 21 & 28, Township No. 14 N., Range No. 7 W., Navajo B. & M.

designated as Survey No. 3704

executed by Allison L. Kroeger, U. S. Mineral

Surveyor, December 11, 1920 - February 7, 1921, under my instructions dated

September 13, 1920, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and made

a part of the transcript of the field notes.

[Handwritten signature]

U. S. Surveyor General for Arizona.

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956)
BUREAU OF LAND MANAGEMENT M.S. 3704
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The PRESTON NO. 2, PRESTON NO. 3, PRESTON NO. 4, and PRESTON NO. 5 lodes, Mineral Survey No. 3704, located in approx. sections 21 and 28, Township 14 North, Range 7 West (canceled), Navajo Base and Meridian, Arizona, (approx. section 1, Township 40 North, Range 28 East (unsurveyed), Gila and Salt River Meridian, Arizona), are hereby canceled.

These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"PRESTON NO. 2, PRESTON NO. 3, PRESTON NO. 4, and PRESTON NO. 5 lodes, M.S. 3704, were canceled April 12, 2006, by memo 9605 (956) M.S. 3704, which is now a part of the original field notes."

April 12, 2006
Date

Stephen K. Hansen
Chief Cadastral Surveyor of Arizona