

JFC-4 1920

4-683

MINERAL SURVEY No. 3709

1

ARIZONA

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

JOHN MACKIN

KNOWN AS THE

JIMBO LODE.

WARM SPRINGS Mining District,

COCONINO County, ARIZONA

APPROXIMATELY
Section 1, Township 38 North, Range 1 E., unsurveyed.

~~KABAB NATIONAL FOREST RESERVE~~

Surveyed under instructions dated September 16, 19 20

by Leon H. Foster
U. S. Mineral Surveyor.

Claim located May 23rd see location notice, 19 16

Survey commenced September 27, 19 20

Survey completed September 27, 19 20

Address of claimant John Mackin, 513 N. State St.,
Chicago, Ill.

DATES OF AMENDED LOCATIONS.

Mineral Survey No. 3709

feet	JIMBO LODE.
	Beginning at Cor. No. 1.
	A limestone rock, 20 X 10 X 8 ins., set 10 ins., in the ground in a mound of earth and stone, marked with a cross at the exact corner point with J-1-3709 on north face.
	Identical with the location.
	A yellow pine tree, 14 ins., diam., bears N 44°20'E., 19.80 ft., marked X B T 3709-J-1.
	A yellow pine tree, 15 ins., diam., bears S 53° 43'E., 13.00 ft., marked X B T 3709.
	U.S.M.M.No.1 bears S 10°06'E., 8712.84 ft., Thence N 23°32'W.
300.00	To the west end center of the location.
	The discovery cut bears N 66°28'E., 280.00 ft.
468.00	Cross road to Jacobs Lake, bears N 60°W., and S 60°E.
600.00	To Cor. No. 2.
	A limestone rock, 20 X 10 X 10 ins., set 10 ins., in the ground in a mound of earth and stone, marked with a cross at the exact corner point with J-2-3709 on southeast face.
	Identical with the location.
	A yellow pine tree, 24 ins., diam., bears S 27° 43'E., 21.80 ft., marked X B T 3709-J-2
	A yellow pine tree, 10 ins., diam., bears N 4° 53'W., 7.00 ft., marked X B T 3709.
	Thence N 66°28'E.,
1500.00	To Cor. No. 3.
	A limestone rock, 20 X 12 X 6 ins., set 10 ins., in the ground in a mound of earth and stone, marked with a cross at the exact point for corner, with J-3-3709 on southwest face.
	Identical with the location.
	A yellow pine tree, 30 ins., diam., bears S 16°

Survey No. 3709.

feet.

JIMBO LODE, continued.

53'E., 72.70 ft., marked X B T 3709-J-3.

A yellow pine tree 18 ins., diam., bears N 56°07'E., 34.50 ft., marked X B T 3709.

Thence S 23°32'E.,

300.00

To the east end center of the location.

The discovery cut bears S 66°28'W., 1220.00 ft.

600.00

To Cor. No. 4.

A limestone rock, 24 X 10 X 10, ins., set 12 ins. in the ground in a mound of earth and stone, marked with a cross at the exact corner point with J-4-3709 on west face.

Identical with the location.

A yellow pine tree, 18 ins., diam., bears N. 46°03'W., 69.00 ft., marked X B T 3709-J-4.

A yellow pine tree 24 ins., diam., bears S 39°26'E., 59.20 ft., marked X B T 3709.

Cor. No. 2, Hawk lode, Sur. No. 3695 bears S 83° 41'E., 1493.50 ft.

Cor. No. 2, Grant lode, Sur. No. 3707 bears S 21° 55'E., 528.38 ft.

Thence S 66°28'W.

1400.00

Cross road to Jacobs Lake, bears S 25°E., and N 25°W.

1500.00

To Cor. No. 1, the place of beginning.

Variation at all corners 15°30'E.

LODE LINES.

As near as can be determined from present developments, the vein in this claim extends N 66°28'E., 1220.00 ft., and S 66°28'W., 280.00 ft. from the discovery cut.

Survey No. 3709.

AREA.

Total area of the Jimbo lode.....Acres. 20.661

LOCATION.

This survey is located in the Warm Springs Mining District, in Coconino County, Arizona, in approximately section 1, T. 38 N., R. 1 E., of the G. & S. R. B. & M., unsurveyed, in Kaibab National Forest

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the improvements and labor made upon and for the benefit of this claim by the claimant or his grantors is not less than five hundred dollars and consists of the following;

No. 1, the discovery cut, an open cut, 6 ft. wide, 8 ft. deep, extending N 73°30'W., 20 ft., and a cut 6 ft. wide, 2½ ft. deep extending S. 73°30'E., 17 ft., from the point of discovery which is on the lode line, N 66°28'E., 280.00 ft. from the west end center.

Value.....\$190.00

No. 2, an open cut, 6 ft. wide, 3 ft. deep, extending S 73°E., 10 ft.. The face of this cut is on the lode line, N 66°28'E., 260.00 ft. from the west end center.

Value.....\$ 25.00

No. 3, an open pit, 10 ft. X 6 ft. - 5 ft. deep. the center of this pit bears N 37°E., 505.00 ft. from Cor. No. 1.

Value.....\$ 35.00

No. 4, an open pit, 8 ft. X 6 ft. - 5 ft. deep. The center of this pit bears N 53°30'E., 590.00 ft. from Cor. No. 1.

Value.....\$ 35.00

SURVEY NO. 3709.

EXPENDITURE OF FIVE HUNDRED DOLLARS, continued.

No. 5, an open cut, 5 ft. wide, 2½ ft. deep, extending N 18°E., 28 ft. to bend in cut, thence an open cut, 5 ft. wide, 4 ft. deep, extending N 80°W., 31 ft., The face of this cut bears N 35°30'E., 602.00 ft. from Cor. No. 1.

Value..... \$200.00

No. 6, an open cut, 3 ft. wide, 1½ ft. deep, extending N 18°E., 10 ft. The face of this cut bears N 34°40'E., 655.00 ft. from Cor. No. 1.

Value,.....\$ 25.00

No. 7, an open cut, 10 ft. wide, 2 ft. deep, extending, N 18°E., 19 ft., The face of this cut bears N 32°30'E., 650.00 ft. from Cor. No. 1.

Value..... \$ 50.00

No. 8, an open cut, 5 ft. wide, 2½ ft. deep, extending N 18°E., 18 ft. The face of this cut bears N 31°15'E., 640.00 ft. from Cor. No. 1.

Value.....\$ 35.00

REPORT.

The side and end lines and all other lines were run directly on the ground. The end centers of location are monuments of stone 3ft. high, 3 ft. base.

U. S. M. M. No. 1, is a pine post, 6 ins., square, 6 ft. above ground, properly marked and set in a mound of stone, 6 ft. base, 12 ins. high.

Sur. No. 3707, Grant lode: The corner tied to is a limestone rock firmly set in the ground properly witnessed and marked with the number of the corner and survey.

Sur. No. 3695, Hawk lode: The corner tied to is a limestone rock, firmly set in the ground, properly witnessed and marked with the number of the corner and survey.

SURVEY NO. 3709.

INSTRUMENT AND MERIDIAN.

The survey was made with a 100 ft. and 500 ft. tape and with a Berger Mining transit.

The meridian was determined by elongation observation on polaris.

CONFLICTING AND SURROUNDING CLAIMS.

This claim is surrounded on all sides by public domain.

The differences between the notices and the survey is due to error in the former.

Leon H. Foster

Kingman, Arizona.

U.S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Leon H. Foster

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

John Mackin

known as the Jimbo lode

and showing the respective capacities in which they acted.

Fred W. Rodolf, Chainman.

_____, Chainman.

_____, Axman.

_____, Flagman.

FINAL OATHS OF ASSISTANTS.

I, Fred W. Rodolf

_____, do solemnly swear that ~~we~~^I assisted

Leon H. Foster, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of John Mackin

known as the Jimbo lode

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully

and correctly executed, and the corner and boundary monuments established according to law and the instruc-

tions furnished by the United States Surveyor-General for Arizona.

Fred W. Rodolf, Chainman.

_____, Chainman.

_____, Axman.

_____, Flagman.

Subscribed and sworn to by the above-named persons before me this 2nd

day of December, 1920

Mary E. Carrow
Notary Public

My Commission Expires Nov. 20th, 1923.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Leon H. Foster, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona, dated
September 16, 1920., I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of John Mackin
, known as the
Jimbo lode
situate in Warm Springs Mining District,
Coconino County, Arizona approximately
1 Township No. 38 N., Range No. 1 E., unsurveyed, G. & S. R. B. & M.
and designated as Survey No. 3709, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or his grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

Leon H. Foster
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Leon H. Foster
U. S. Mineral Surveyor, before me Mary P. Cannon
this 2nd
day of December, 1920

My Commission Expires Nov. 20th, 1923.

Mary P. Cannon
Notary Public



U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

February 8, 19 21

I, U. S. Surveyor-General for District of ARIZONA, do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

JOHN MACKIN

known as the JIMBO LODE,

situate in WARM SPRINGS,

Mining District, COCONINO County, ARIZONA,

approximately in Section 1, Township No. 38 North, Range No. 1 E., unshr., and

designated as Survey No. 3709, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or his grantors, and that said improvements consist of 6 cuts and 2 pits, total value \$595.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona.

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES
AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR
OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona,

February 8, 19 21

I, U. S. Surveyor General for District of ARIZONA,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of _____

JOHN MACKIN

_____, known as the

JIMBO LODE,

situate in _____ WARM SPRINGS, _____ mining district,

COCONINO _____ County, _____ ARIZONA

approximately _____
in Section _____ 1 _____, Township No. _____ 38 North _____, Range No. _____ 1 E.,

unsurveyed _____, designated as Survey No. _____ 3709 _____

executed by _____ Leon H. Foster _____, U. S. Mineral

Surveyor, _____ September 27th _____, 1920, under my instructions dated

September 16., _____, 1920 have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and made

a part of the transcript of the field notes.

Frank O. Smith

U. S. Surveyor General for Arizona.