

JUN 11. 1921

1

AUG 23 1921

4-683

MINERAL SURVEY No. 3713

Arizona

Land District.

# FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

James Stevens, William Stevens, John Case (S.B. 87) and S.J. 53  
(Apache Indians)

KNOWN AS THE

"PEACOCK NO. 1" and "PEACOCK NO. 2" Lodes

San Carlos Indian Reservation, ~~San Carlos~~ Mining District,

GILA

County,

ARIZONA

Section Approx. 19, Township 1 S, Range 18 E. Unsur,

Surveyed under instructions dated Oct. 21, 1920

by R. G. Thomas

*U. S. Mineral Surveyor.*

Claims located November 1, 1919

Survey commenced October 25, 1920

Survey completed December 31, 1920

Address of claimant is Attys., Morris & Malett, Box 879 Globe, Ariz

DATES OF AMENDED LOCATIONS.

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

MINERAL SURVEY NO. 3713

Feet.

PEACOCK NO. 1 LODGE

Beginning at Cor. No. 1,

An unsurfaced pine post, 5 ft. long, 4 x 4 ins. square, set 18 ins. in the ground, scribed Pl-1-3713, with nail for exact corner point.

U.S.M.M. No. 3713 bears N.71°03'E. 390.2'6 ft.

A paloverde tree, 8 ins. diameter, scribed BT-X-Pl-1-3713, bears N.63°36'E. 118.86 ft.

A malpais outcropping, 2 x 3 ft. face, chiseled BR-X-Pl-1-3713, bears S.89°05'E. 25.92 ft.

A malpais outcropping, 2 x 3 ft. face, chiseled BR-X-Pl-1-3713, bears S.35°40'E. 33.85 ft.

Identical with Cor. No. 4 Peacock No. 2 lode of this survey.  
Thence S.17°28'W.

1500.00 To Cor. No. 2.

An unsurfaced pine post, 5 ft. long, 4 x 4 ins. square, set 24 ins. in the ground, scribed Pl-2-3713, with nail for exact corner point.

Identical with Cor. No. 3 Peacock No. 2 lode of this survey.

No bearings available

Thence N.72°32'W.

300.00 To south end center of the location and lode, an unsurfaced pine post, 5 ft. long, 4 x 4 ins. square, set 24 ins. in the ground.

600.00 To Cor. No. 3.

An unsurfaced pine post, 4 ft. long, 4 x 4 ins. square, set 18 ins. in the ground, with a mound of stone, scribed Pl-3-3713, with nail for exact corner point.

No bearings available.

Thence N.17°28'E.

1500.00 To Cor. No. 4.

An unsurfaced pine post, 5 ft. long, 4 x 4 ins. square, set 18 ins. in the ground, scribed Pl-4-3713, with nail for exact corner point.

No bearings available.

## MINERAL SURVEY NO. 3713 continued

Thence S.72°32'E

300.00 To north end center of the location and lode, a mound of stone.

600.00 To place of beginning.

## PEACOCK NO. 2 LODE

Beginning at Cor. No. 1.

An unsurfaced pine post, 5 ft. long, 4 x 4 ins. square, set 24 ins. in the ground, scribed P2-1-3713, with nail for exact corner point.

U.S.M.M. No. 3713 bears N.23°29'W. 306.7'.

No bearings available.

Thence S.17°28'W.

1500.00 To Cor. No. 2

An unsurfaced pine post 5 ft. long, 4 x 4 ins. square set 24 ins. in the ground, scribed P2-2-3713, with nail for exact corner point.

No bearings available.

Thence N.72°32'W.

300.00 To south end center of the location and lode, a 6 ins. round pine post, 5 ft. long set 18 ins. in the ground.

515.00 To Cor. No. 3, identical with Cor. No. 2 of Peacock No. 1 lode of this survey heretofore described, to which I add P2-3 for this claim.  
No bearings available

Thence N.17°28'E.

1500.00 To Cor. No. 4, identical with Cor. No. 1 Peacock No. 1 lode of this survey heretofore described, to which I add P2-4 for this claim.

No bearings available

Thence S.72°32'E.

215.00 To north end center, a 5 ins. round pine post, 5 ft. long, set 24 ins. in the ground.

515.00 To place of beginning

Variation at all corners N.14°E.

LODE LINE:

As near as can be determined from present developments the veins of the two different locations embraced in

MINERAL SURVEY NO. 3713 continued

these claims extend as follows from their respective discovery points.

Peacock No. 1 lode, 750 ft. N.17°28'E. & 750 ft. S.17°28'W

Peacock No. 2 lode, 678 ft. N.17°28'E. & 822 ft. S.17°28'W.

AREA

	Acres
Total area Peacock No. 1 lode	20.661
" " Peacock No. 2 lode	17.734

The survey of each lode of this location is identical with the respective location as staked upon the ground.

LOCATION

The survey is located on unsurveyed ground, approximately in Sec. 19, T.1S., R.18E., within the boundaries of the San Carlos Indian Reservation, Gila Co., Arizona, about 18 miles east of Globe, Ariz.

EXPENDITURES.

I hereby certify that the value of the labor and improvements made upon or for the benefit of each of the locations embraced in said mining claims by the claimant or its grantors is as follows;

PEACOCK NO. 2 LODGE

No. 1, the discovery shaft on the center line 678 ft. from the the center of line 4-1, 6 x 8 x 10 ft. deep.  
Value \$ 50.00

PEACOCK NO. 1 LODGE

No. 1, the discovery cut, the mouth of which being the discovery point is on the center line 750 ft. from the center of line 4-1, 6 ft. wide 12 ft. face., running N.72°28'W. 20 ft.  
Value \$ 75.00

OTHER IMPROVEMENTS:

No other improvements

INSTRUMENT

This survey was made with a Berger transit. The course was deflected from the true meridian as determined by taking an observation on Polaris at its western elongation.

The distance was measured with a 100 and 300 ft. steel tape


ADJOINING CLAIMS

The adjoining claims are unknown.

## MINERAL SURVEY NO. 3713 continued

REPORT:

U.S.M.M. No. 3713, Latitude  $33^{\circ}18'N$ , Longitude  $110^{\circ}31'W$ , is located on the San Carlos Indian Reservation, about  $6\frac{1}{2}$  miles southwest of Rice, Ariz. and 1 mile east of Gilson Butte, and  $3\frac{1}{2}$  miles south of the Arizona Eastern Railroad. U.S.M.M. No. 3713 is a malpais outcropping 30 inches x 3 ft with the letters U.S.M.M.-3713, and X for exact point, chiseled on the stone with a conical mound of rock 4 ft. high and 6 ft. base alongside. A malpais outcropping 2 x 2 ft. chiseled BR- - U.S.M.M. 3713, with X for exact point, bears  $S.38^{\circ}07'W$ . 38.3 ft. A malpais outcropping 1.5 x 2.6 ft. , chiseled BR-U.S.M.M. 3713, with X for exact point, bears  $N.79^{\circ}39'E$ . 47.4 ft. A malpais outcropping 3 x 2 ft. , chiseled BR.-U.S.M.M. 3713, with X for exact point, bears  $S.73^{\circ}36'W$ . 123.7 ft. The highest point of Mt. Turn Bull bears  $S.45^{\circ}04'E$ . Highest and middle peak of Triplets bears  $N.80^{\circ}19'E$ . The East peak of Gilson Butte bears  $S.88^{\circ}52'W$ . U.S.M.M. No. 3664 bears  $N.44^{\circ}23'30"E$ . 12990.9 ft. The difference between these field notes and the location certificates is due to errors in the latter.

  
U.S.M.S.

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by R. G. Thomas

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

James Stevens, William Stevens, John Case, (S.B. 87) and S.J. 53  
(Apache Indians)

known as the "Peacock No. 1" and "Peacock No. 2" Lodes

and showing the respective capacities in which they acted.

- H. Hagen ..... , Chainman.
- ..... , Chainman.
- ..... , Axman.
- ..... , Flagman.

## FINAL OATHS OF ASSISTANTS.

We, I, H. Hagen

~~and~~ //////// ..... , do solemnly swear that we assisted

R. G. Thomas ..... , United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of James Stevens, William Stevens, John Case  
(S.B. 87) and S.J. 53 (Apache Indians)

known as the "PEACOCK No. 1" and "PEACOCK No. 2" Lodes

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona

- H. Hagen ..... , Chainman.
- ..... , Chainman.
- ..... , Axman.
- ..... , Flagman.

Subscribed and sworn to by the above-named persons before me this 2<sup>nd</sup>

day of February, 1921

Harry T. Bene  
Notary Public  
in and for Gila Co. Ariz.  
G-1013

My Commission  
Expires Nov 14 1922

# FINAL OATH OF U. S. MINERAL SURVEYOR.

I, R. G. Thomas, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Oct. 21, 1920, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of James Stevens, William Stevens, John Case (S.B. 87) and S.J. 53 (Apache Indians), known as the "PEACOCK NO. 1" and "PEACOCK NO. 2" Lodes, situate in San Carlos Indian Reservation, Gila Mining District, Gila County, Arizona, in Section Approx. 19, Township No. 1S., Range No. 18 E. Unsur., and designated as Survey No. 3713, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or their grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

*R. G. Thomas*  
U. S. Mineral Surveyor.

Subscribed and sworn to by the said R. G. Thomas  
U. S. Mineral Surveyor, before me Ethel L. Newton  
Notary Public Gila County Ariz. this eight  
day of June, 19 21

Ethel L. Newton  
Notary Public  
Gila County  
Ariz.

*My commission expires*  
Mar. 25 - 1925 -

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON  
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,  
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

October 18, 1921.

I, U. S. Surveyor General for District of Arizona,  
do hereby certify that the foregoing transcript of the Field Notes, return and approval  
of the Survey of the mining claim of James Stevens, William Stevens,  
John Case, (S.B.87) and S.J.53, (Apache Indians)  
, known as the PEACOCK NO.1, and PEACOCK NO.2 lodes  
, situate in San Carlos Indian Reservation  
Mining District, Gila County,  
Arizona, in Section Approx. 19, Township No. 1 S.  
Range No. 18 E., Unsur., and designated as Survey  
No. 3713, has been correctly copied from the originals on  
file in this office; that said Field Notes furnish such an accurate description of said  
mining claim as will, if incorporated into a patent, serve fully to identify the premises,  
and that such reference is made therein to natural objects or permanent monuments as  
will perpetuate and fix the *locus* thereof.

~~And I further certify that five hundred dollars' worth of labor has been expended  
or improvements made upon said mining claim by claimant or grantors, and  
that said improvements consist of~~

~~and that no portion of said labor or improvements has been included in the estimate of  
expenditures upon any other claim.~~

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,  
Arizona, is correct and in conformity with the foregoing Field Notes.

**FRANK P. TROTT**

Arizona.

United States Surveyor General for



SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona, October 18, 1921

I, U. S. Surveyor General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of James Stevens, William Stevens, John Case (S.B.87) and S.J. 53 (Apache Indians)

known as the PEACOCK NO. 1 and PEACOCK NO. 2 lodes

situate in San Carlos Indian Reservation mining district, Gila County, Arizona

in Section Approx. 19, Township No. 1 S., Range No. 18 E., Unsur. designated as Survey No. 3713

executed by B. G. Thomas, U. S. Mineral Surveyor, October 25 - December 31, 1920, under my instructions dated October 21, 1920, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved.

The certified copy of the location certificate filed by the applicant for survey is on file in this office and a true copy of said certified copy of said location certificate is included and made a part of the transcript of the field notes.

[Handwritten signature]

U. S. Surveyor General for Arizona

UNITED STATES DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT  
ARIZONA STATE OFFICE

9605 (952)  
M.S. 3713

---

NOTICE OF CANCELLATION OF MINERAL SURVEY

The PEACOCK No. 1 and No. 2 lodes, Mineral Survey No. 3713, located in section 25, Township 1 South, Range 17 East and section 30, Township 1 South, Range 18 East, Gila and Salt River Meridian, Arizona, are hereby canceled.


These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"PEACOCK No. 1 and No. 2 lodes, M.S. 3713 were canceled May 18, 2001, by memo 9605 (952) M.S. 3713, which is now a part of the original field notes."

May 18, 2001  
Date

  
\_\_\_\_\_  
Chief Cadastral Surveyor of Arizona