

5-18-1921  
10  
1

4-683

MINERAL SURVEY No. 3746

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Arizona Superior Copper Company

KNOWN AS THE

Prince Albert, Prince Albert No. 1, Prince Albert No. 2  
Prince Albert No. 3, Prince Albert No. 4, Prince Albert No. 5  
Prince Albert No. 6, Prince Albert No. 7, Prince Albert No. 8 lodes

Hassayampa Mining District,

Yavapai County, Arizona

Section 24 25, Township 13 N, Range 2 W

Surveyed under instructions dated Feb 23, 1921

by Richard L. Merrill  
U. S. Mineral Surveyor.

Claim located See location Notices, 19

Survey commenced Feb 25, 1921

Survey completed Mar 8, 1921

Address of claimants, <sup>Attys.</sup> Capt E Morrison  
Prescott Ariz.

DATES OF AMENDED LOCATIONS.

See location Notice

Mineral Survey 3746  
1

Feet

Prince Albert lode

Beginning at Cor. No.1, identical with the location and with Cor.No.4 Prince Albert No.1 lode and the E.C.E Prince Albert No.6 lode of this survey a Schist stone 10x12x24ins.set 12 inches in the ground with mound of stones, chiselled x-1 P A, 4 P A 1, 3746. A Cedar tree 20 ins. in diameter blazed and scribed x B T-1 P A, 4 P A 1, 3746 brs.S9°35'E -22.6 ft. A Pine tree 18 ins. in diam. blazed and scribed x B T 1 P A, 4 P A 1, 3746 brs.S68°30'W 32.5 ft. The 1/4 Cor. between sections 24 and 25, T 13 N, R 2 W brs.N6°37'E -1308.76 ft. Location Cor. a mound of stones 3x3 ft.

-----  
Thence N85°32'E Va 14°E

~~300.0~~ ~~Gross wash 10 ft. wide course S73°W~~

300.0 To the N.C.E. a mound of stones 3x3 ft. identical with the location and with the S.C.E. Prince Albert No1 lode of this survey, in wash 10ft. wide, course, S. 73°W.

600.0 To Cor. No 2, identical with the location and with Cor No 3 Prince Albert No 1, Cor. No.4 Prince Albert No.4, Cor No.4 Prince Albert No 3 lodes of this survey, a Schist stone 6x14x24 ins. set 12 ins. in the ground with mound of stones chiselled x 2 P A, 3 P A 1, 4 P A 4, 4 P A 3, 3746; Whence a Pine tree 18 ins. in diam. blazed and scribed x B T 2 P A, 3 P A 1, 4 P A 4, 4 P A 3, 3746 brs. S81°50'W 17.5 ft. A Pine tree 12 ins. diam, blazed and scribed x B T 2 PA, 3 P A 1, 4 P A 4, 4 P A 3, 3746 brs N43°W 31.1 ft. Location Cor. a mound of stones 2x2 ft.

-----  
Thence S4°28'E Va 14°E

1500.0 To Cor. No 3 identical with the location and with Cor. No.3 Prince Albert No 3 lode of this survey, A Porphyry stone 8x10x24 ins. set 12 ins in the ground with mound of stones chiselled x 3 P A, 3 P A 3, 3746, whence an Oak tree 6 inches in diam. blazed and scribed x B T 3 P A, 3 P A 3, 3746, brs.S 1°30'E-7.0 ft.

Feet A Pine tree 10 ins. in diam. blazed and scribed x B T  
3 P A, 3 P A 3, 3746 brs N12°53'W 25.0 ft. Location Cor.  
a mound of stones 2x2 ft.

-----  
Thence S85°32'W Va. 14°E

300.0 To the S.C.E. a mound of stones 3x3 ft, identical with  
the location.

600.0 To Cor. No. 4, identical with the location, a Porphyry  
stone 7x7x24 ins. set 12 ins. in the ground with mound of  
stones chiselled x 4 P A ,3746. No bearings available,  
location cor. a mound of stones 2x2 ft.

-----  
Thence N4°28'W Va 14°E

1090.0 To Cor. No 2 Prince Albert No 6 lode of this survey.

1410.0 Cross wash 10 ft. wide course S73°W.

1500.0 To Cor. No.1 the place of beginning.

-----  
Prince Albert No.1 lode

Beginning at Cor. No.1, identical with the location,  
a Schist stone 6x6x24 ins. set 12 ins in the ground with  
mound of stones chiselled x 1 P A 1, 3746; Whence an Oak  
tree 6 ins. in diam. blazed and scribed x B T 1 P A 1,  
3746, brs. N47°20'W 19.0 ft. A Pine 18 ins. in diam. blazed  
and scribed X B T 1 P A 1, 3746 brs. N78°55'E -31.5 ft.  
Location Cor a mound of stones 2x2 ft. The  $\frac{1}{2}$  Cor. between  
sections 24 and 25 T13 N, R 2 W brs. S53°52'E -331.37 ft.

-----  
Thence N85°32'E Va 14°E

300.0 To the N.C.E. a mound of stones 3x3 ft. identical with  
the location.

370.0 Cross wash 10 ft. wide course S39°W

600.0 To Cor. No 2 identical with the location a Schist stone  
5x8x24 ins. set 12 ins. in the ground with mound of stones  
chiselled x 2 P A 1, 3746; Whence an Oak 6 ins. in diam.  
blazed and scribed x B T 2 P A 1, 3746 brs. S 4°20'W 16.0'  
A Pine 14 ins. in diam. blazed and scribed X B T 2 P A 1  
3746 brs. S43°28'W - 10.3 ft.

Feet	Location Cor a mound of stones 2x2 ft.
	-----
	Thence S4°28'E Va. 14°E
242.86	Intersect section line between sections 24 and 25 T 13 N, R 2 W at east 2298.46 to <del>section</del> <sup>Secs. 19, 24, 25 &amp; 30</sup> Cor. and west 349.46 to the 1/4 Cor.
770.0	Cross road course N71°E & S71°W
832.0	To Cor NO. 1 Prince Albert <sup>No 4</sup> lode of this survey.
1176.0	To W.C.E. Prince Albert No. 4 lode of this survey.
1410.0	Cross wash 10 ft. wide course S78°W.
1500.0	To Cor. No. 3 identical with the location and with Cor. No 4 Prince Albert No 4, Cor. No 4 Prince Albert No.3, Cor No 2 Prince Albert lodes of this survey, hereinbefore described.
	-----
	Thence S85°32'W Va. 14°E
<del>300.0</del>	<del>Cross wash 10 ft. wide course S75°W</del>
300.0	To the S.C.E. identical with the location and with the N.C.E. Prince Albert lode of this survey hereinbefore described, in wash, 10 ft. wide, course S. 73°W.
600.0	To Cor. No 4 identical with the location and with Cor. No 1 Prince Albert lode, and the E.C.E. Prince Albert No 6 lode of this survey, hereinbefore described.
	-----
	Thence N4°28'W Va. 14°E and Cor 1 Prince Albert No. 6 lode,
410.0	To Cor. No. 2 Prince Albert No. 2 lode, of this survey.
476.0	Cross road course S79°W
1304.01	Intersect section line between sections 24 and 25, T 13 N, R 2 W at East 252.36 to the 1/4 Cor. and west 2395.56 ft to the <del>section</del> Cor. of Secs. 23, 24, 25 & 26.
1350	Cross wash 10 ft. wide course West.
1500.0	To Cor No 1 the place of beginning.
	-----
	Prince Albert No 2 lode.
	Beginning at Cor. No. 1 identical with the location, a Schist stone 4x8x24 ins. set 12 ins. in the ground with mound of stones chiselled x 1 P A 2, 3746.

Feet	An Oak 7 ins in diam. blazed and scribed x B T 1 P A 2, 3746 brs. N34°05'E -18.5 ft. A Pine tree 8 ins. in diam. blazed and scribed x B T 1 P A 2, 3746 brs S54°W 10.4 ft. The $\frac{1}{4}$ Cor. between sections 24 and 25, T 13 N, R 2 W, brs. S26°22'25"E -674.34 ft. Location Cor. a mound of stones 2x2 ft.
	----- Thence S4°28'E Va 14°E
410.0	To Cor No.1 Prince Albert No.1 lode of this survey;
560.0	Cross wash 10 ft. wide course west.
605.99	Intersect section line between sections 24 & 25, T 13 N, R 2 W at East 252.36 <sup>ft.</sup> to the $\frac{1}{4}$ Cor. and West 2395.56' to the section Cor. of Sections 23, 24, 25 & 26.
1434.0	Cross road course N79°E & S79°W
1500.0	To Cor. No 2 identical with the location and with Cor. No 1 Prince Albert No 6 lode of this survey, a Porphyry stone 6x6x24 ins. set 12 ins. in the ground with mound of stones chiselled x 2 P A 2, 1 P A 6, 3746; Whence a Pine tree 20 ins. in diam. blazed and scribed x B T, 2 P A 2, 1 P A 6, 3746, brs S57°E -24.2 ft. A Pine tree 24ins. in diam. blazed and scribed x B T 2 P A 2, 1 P A 6, 3746 brs S68°40'W 34.2 ft. Location Cor. a mound of stones 2x2 ft.
	----- Thence S41°17'W Va. 14°E
230.0	To the S.C.E. a mound of stones 3x3 ft identical with the location.
648.0	To Cor. No 3 identical with the location a Schist stone 4x6x24ins set 12 ins in the ground with mound of stones chiselled x 3 P A 2, 3746, whence a Pine tree 18 ins. in diam. blazed and scribed x B T 3 P A 2, 3746 brs. S23°E -18.4 ft. No other bearings available. Location Cor. a Pine post 4x4ins. by 4 ft. long in a mound of stones.
	----- Thence N4°28'W Va. 14°E
950.0	Cross road course N48°W & S48°E
1382.44	Intersect section line between sections 24 & 25,

Feet T13 N, R2W. at East 717.93' to the  $\frac{1}{4}$  Cor. and West 1929.99  
 to the section Cor. of Secs. 23, 24, 25 & 26.

1500.00 To Cor. No 4 identical with the location a Schist  
 stone 6x8x24ins. set 12 ins in the ground with mound of  
 stones chiselled x 4 P A, 2, 3746. Whence a Pine tree 10  
 ins. in diam. blazed and scribed X B T 4 P A 2, 3746  
 brs. S52°33'W -12.5 ft. No other bearings available. Loc.  
 Cor. a mound of stones 2x2 ft.

-----

Thence N41°17'E --- Va. 14°E

18.0 Cross a wash 10 ft. wide course West.

418.0 To the N.C.E a mound of stones 3x3 ft. identical with th  
 the location.

648.0 To Cor No 1 the place of beginning.

-----

Prince Albert No 6 lode

Beginning at Cor No 1, identical with the location,  
 with Cor. No 2 Prince Albert No 2 lode of this survey,  
 hereinbefore described. Whence the  $\frac{1}{4}$  Cor. between sections  
 24 & 25, T 13 N, R 2 W brs N11°35'12"E -909.83 ft.

-----

Thence S4°28'E Va 14°E

410.0 To the E.C.E. identical with the location and with  
 Cor. No. 4 Prince Albert No 1, Cor. No.1 Prince Albert  
 lodes of this survey hereinbefore described.

500.0 Cross wash 10 ft. wide course S73°W.

820.0 To Cor. No 2 identical with the location a Porphyry  
 stone 10x16x30 ins. set 15 ins. in the ground with a  
 mound of stones chiselled x 2 P A 6, 3746; Whence an Oak  
 tree 9ins. in diam. blazed and scribed x B T 2 P A 6,  
 3746 brs. N0°30'E -15.1 ft. An Oak tree 10 ins. in diam.  
 blazed and scribed x B T 2 P A 6, 3746, brs. N39°10'E -16.2'  
 Location Cor a mound of stones 2x2 ft.

-----

Thence S41°17'W Va 14°E

1325.0 To Cor No 3, identical with the location a

Feet

A Schist stone 5x12x24 ins. set 12 ins. in the ground with a mound of stones chiselled x 3 P. A. 6, 3746; No bearings available. Location Cor. a mound of stones 2x2 ft.

-----  
Thence N4°28'W Va 14°E

410.0 To the west center end a mound of stones 3x3 ft iden. with the location.

640.0 Cross a wash 10 ft. wide course S57°W

820.0 To Cor. No. 4 identical with the location a Schist <sup>stone</sup> 4x10x24 ins set 12 ins. in the ground with mound of stones chiselled x 4 P. A. 6, 3746, Whence a Cedar tree 8 ins. in diam. blazed and scribed X B T 4 P. A. 6, 3746 brs. N77°30'E 16.5 ft. An Oak tree 8 ins. in diam. blazed and scribed x B T 4 P. A. 6, 3746 brs. N40°34'W 13.0 ft.

Cor. No. 3 Monte Cristo lode survey 2410 brs. S4°26'E 194.6 ft. Location Cor. a mound of stones 2x2 ft.

-----  
Thence N41°17'E Va. 14°E

677.0 To Cor. No. 3 Prince Albert No. 2 lode of this survey.

1095.0 To the S.C.E. Prince Albert No. 2 lode of this survey.

1325.0 To Cor. No. 1 the place of beginning.

-----  
Prince Albert No 3 lode

Beginning at Cor. No 1 identical with the location and with Cor. No 1 Prince Albert No 8 lode of this survey a Schist <sup>stone</sup> 4x6x24 ins. set 12 ins in the ground with mound of stones chiselled x 1 P. A. 3, 1 P. A. 8, 3746; Whence a Pine tree 18 ins. in diam. blazed and scribed X B T 1 P. A. 3, 1 P. A. 8, 3746 brs. S41°10'W 33.5 ft. An Oak tree 6 ins in diam. blazed and scribed x B T 1 P. A. 3, 1 P. A. 8, 3746 brs North 8 ft. Location Cor. a mound of stones 2x2 ft. The  $\frac{1}{4}$  Cor. bet. secs. 24 & 25, T13N, R2W brs. N54°38'53"W 1233.29 ft.

-----  
Thence S4°28'E Va. 14°E

1500.0 To Cor. No. 2 identical with the location and with Cor No. 4 Prince Albert No. 8 lode of this survey, a Granite <sup>stone</sup> 4x6x24 ins set 12 ins. in the ground with mound of stones,

Feet

chiselled x 2 PA 3, 4 P A 8, 3746; Whence a Pine tree 9  
 ins. in diam. blazed and scribed x B T 2 P A 3, 4 P A 8,  
 3746 brs. N57°30'W 10.0 ft. A Pine tree 9 ins. in diam.  
 blazed and scribed X B T 2 P A 3, 4 P A 8, 3746 brs.  
 N 42°E 13.5 ft. Cor.No 4 Moscow lode survey 1636 brs.  
 N89°49'W 407.09 ft. Location Cor a mound of stones 2x2 ft.

Thence S46°02'W Va. 14°E  
 4.55 Intersect line 3-4 Moscow lode sur.1636 at <sup>S</sup>89°22'<sup>E</sup>  
 403.85 ft <sup>from</sup> to Cor. No 4.

388.0 To the S.C.E. a mound of stones 3x3 ft identical with  
 the location.

488.57 Intersect line 4-1 Moscow lode Sur. 1636 at S9°15'E  
 344.97 ft from Cor. No 4.

776.0 To Cor. No. 3 identical with the location and with Cor.  
 No.3 Prince Albert lode of this survey, hereinbefore  
 described.

Thence N4°28'W Va 14°E  
 1500.0 To Cor. No. 4 identical with the location and with Cor  
 No 4 Prince Albert No 4, Cor No 3 Prince Albert No1,  
 Cor No 2 Prince Albert lodes of this survey hereinbefore  
 described.

Thence N46°02'E Va.14°E  
 388.0 To the N.C.E. a mound of stones 3x3 ft. identical with  
 the location.

776.0 To Cor. No. 1 the place of beginning.

Prince Albert No 8 lode.  
 Beginning at Cor No. 1 identical with the location  
 and with Cor. No. 1 Prince Albert No 3 lode of this  
 survey hereinbefore described. The  $\frac{1}{4}$  Cor Between Sections  
 24 and 25 T 13 N, R 2 W brs N54°38'53"W 1233.29 ft.

Thence N46°02'E - Va.14°E  
 70.0 Cross road course N44°W & S44°E



Feet	To the N.C.E. a mound of stones 3x3 ft. identical with the location.
724.0	To Cor. No. 2 identical with the location and with Cor. No. 3 Prince Albert No 4 lode of this survey a Schist stone 4x6x24 ins. set 12 ins. in the ground with a mound of stones chiselled x 3 P A 4, 2 P A 8, 3746. No bearings available, location Cor. a mound of stones 3x3 ft. Cor. No 1 Prince Albert No 5 lode of this survey brs. S30°32'45"W. 233.63 ft.
210.87	Thence S 4°08'08"W Va 14°E Intersect line 1-2 Prince Albert No 5 lode of this survey at S84°58'E 103.94 ft. from Cor. No. 1 and line 1-2 Prince Albert No. 7 lode
1711.05	Intersect line 3-4 Prince Albert No 5 lode, of this survey, at <sup>S</sup> 84°58' <sup>E</sup> 127.44' <sup>from</sup> the Cor No 4 & 1 respectively
<del>1711.05</del>	<del>To Intersect line 1-2 Prince Albert No 7 lode of this survey at S84°58'E 127.44' from Cor. No 1.</del>
1733.21	To Cor No 3 identical with the location a Granite stone 6x7x26 ins. set 13 ins in the ground with mound of stones, chiselled x 3 P A 8, 3746 Whence a Pine tree 6 ins in diam. blazed and scribed x B T 3 P A 8, 3746 brs. S38°W 10.0 ft. An Oak 7 ins. in diam. blazed and scribed x B T 3 P A 8, 3746 brs. S60°50'E - 28.0 ft. Cor No 4 Prince Albert No5, iden. with Cor No.1 Prince Albert No 7 lodes of this survey brs. <sup>N</sup> 75°07'52" <sup>W</sup> -129.69 Ft.
194.78	Thence S46°02'W Va 14°E Intersect line 4-1 Prince Albert No 7 lode of this survey at <sup>S</sup> 75°02' <sup>W</sup> 169.16 ft <sup>from</sup> to Cor No 1
388.0	To Cor. No 4 identical with the location and with Cor.No 2 Prince Albert No 3 lode of this survey herein- before described. Thence N 4°28'W Va. 14°E.
1500.0	To Cor. No.1 the place of beginning.
	Prince Albert No 7 lode of this survey

Feet

Beginning at Cor. No 1 identical with the location and with Cor No 4 Prince Albert No 5 lode of this survey a Granite Stone 6x6x24 ins. set 12 ins in the ground with mound of stones chiselled x 1 P A 7, 4 P A 5, 3746, Whence an Oak tree 10 ins. in diam. blazed and scribed X B T 1 P A 7, 4 P A 5, 3746 brs. S55°W-10.2 ft. A Pine 10 ins. in diam. blazed and scribed X B T 1 P A 7, 4 P A 5, 3746 brs. S82°35'E -16.0 ft. The  $\frac{1}{4}$  Cor. Between Secs. 24 & 25 T 13 N, R 2 W brs. N33°48'30" W 2294.34 ft.  
*Cor. No 3 Moscow lode Sur. 1636 brs S7°12'30"E - 310.43'*  
 -----

127.44 Thence S84°58'E Va 14°E  
 Intersect line 2-3 Prince Albert No 8 lode of this survey at <sup>N</sup> ~~S~~4°08'08" <sup>E</sup> 22.16 <sup>from</sup> ~~to~~ Cor No 3.

300.0 To the N.C.E. identical with the location and with the S.C.E Prince Albert No 5 lode of this survey, a mound of stones 3x3 ft.

600.0 To Cor. No 2 identical with the location and with Cor No 3 Prince Albert No 5 lode of this survey a Schist stone 6x6x24 ins set 12 ins in the ground with mound of stones chiselled x 2 P A 7, 3 P A 5, 3746; Whence a Pine 18 ins. in diam. blazed and scribed x B T 2 P A 7, 3 P A 5 3746 brs. N15°54'E-15.7 ft. A Pine tree 7 ins. in diam. blazed and scribed X B T 2 P A 7, 3 P A 5, 3746 brs.  
 N43°15'W -16.0 ft. Loc Cor a mound of stones 3x3 ft.  
 -----

1500.0 Thence S5°02'W Va 14°E  
 To Cor. No 3 identical with the location a Granite stone 4x6x24 ins. set 12 ins. in the ground with mound of stones chiselled 3 P A 7, 3746; Whence a Pine tree 18 ins. in diam. blazed and scribed x B T 3 P A 7 brs. N33°05'E 15.5 Ft. A Pine tree 24 ins. in diam. blazed and scribed x B T 3 P A 7, 3746 brs. N35°35'W -28.5 ft. Location Cor. a Pine post 4x4 ins. x4 ft long in a mound of stones:  
 Cor. No. 1 Gold Trail lode Survey 1752, identical with Cor. No 2 Contest lode Survey 1549 brs. N9°48'E-407.5'

-----

Feet Thence N84°58'W Va. 14°E  
 229.53 Intersect line 2-3 Moscow lode Survey 1636 at <sup>S</sup> ~~79°15'W~~ <sup>E</sup>  
 1234.81 ft <sup>from</sup> to Cor No 3.  
 300.0 To the S.C.E. a mound of stones 3x3 ft. identical with  
 the location.  
 600.0 To Cor. No 4 identical with the location a Quartz ~~stone~~  
 6x8x24 ins. set 12 ins in the ground with mound of stones  
 chiselled x4 P A 7,3746; Whence A pine tree 12 ins. in  
 diam. blazed and scribed X B T 4 P A 7,3746 brs. N25°50'W  
 22.0 ft. An Oak tree 7 ins. in diam. blazed and scribed  
 x B T 4 P A 7, 3746 brs S20°26'W - 41.5 ft. Cor No 3  
 Moscow lode Survey 1636 brs. N8°10'52"E-1198.44 ft. and Cor.  
 No. 2 said lode brs. S 84°02'30" E. 372.06 ft.  
 Location Cor. a mound of stones 3x3/ft.

-----  
 Thence N5°02'E Va. 14°E  
 1191.56 Intersect line 3-4 Moscow lode Survey 1636 at N89°22'W  
 66.01 ft. from Cor. No. 3.  
 1330.84 Intersect line 3-4 Prince Albert No.8 lode of this  
 194.78  
 survey at S46°02'W ~~193.22~~ ft from Cor. No 3.  
 1500.0 To Cor. No 1 the place of beginning.

-----  
 Prince Albert No 5 lode  
 Beginning at Cor. No 1 identical with the location a  
~~stone~~  
 Schist, 3x10x24 ins. set 12 ins. in the ground with a  
 mound of stones chiselled x 1 P A 5, 3746; Whence a  
 Juniper 30 ins. in diam. blazed and scribed X B T 1 P A 5  
 3746 brs. S79°12'E -27.5 ft. An Oak tree 16 ins. in diam.  
 blazed and scribed X B T 1 P A 5,3746 brs. N55°30'W 34.5'  
 The  $\frac{1}{4}$  Cor. between secs. 24 & 25, T 13 N, R 2 W brs N73°  
 41'30"W -1467.28 ft. Location Cor a mound of stones 3x3'

-----  
 Thence S84°58'E Va. 14°E  
 103.94 Intersect line 2-3 Prince Albert No 8 lode of this  
 survey at S4°08'08"W 210.87 ft. ~~ft~~ from Cor. No 2.  
 300.0 To the N.C.E a mound of stones 3x3 ft. Identical with  
 the location.

Feet	
600.0	<p>To Cor. No.2, identical with the location a Schist stone 8x8x24 ins. set 12 ins. in the ground with a mound of stones chiselled x 2 P A 5, 3746; Whence a Cedar tree 24 ins. in diam. blazed and scribed x B T 2 P A 5, 3746 brs. N51°E 12.0 ft. A Pine tree 10 ins. in diam. blazed and scribed x B T 2 P A 5, 3746 brs. S59°30'E -6.5 ft.</p> <p>Cor. No. 2 Cornucopia lode Survey 1572 brs N 7°55'E- 245.0 ft. Location Cor a mound of stones 3x3 ft.</p>
1500.00	<p style="text-align: center;">-----</p> <p style="text-align: center;">Thence S5°02'W Va. 14°E.</p> <p>To Cor No 3 identical with the location and with Cor. Cor No 2 Prince Albert No 7 lode of this survey hereinbefore described.</p>
300.0	<p style="text-align: center;">-----</p> <p style="text-align: center;">Thence N84°58'W Va. 14°E</p> <p>To the S.C.E. a mound of stones 3x3 ft identical with the location and with the N.C. E. Prince Albert No 7 lode of this survey hereinbefore described.</p>
472.56	<p>Intersect line 2-3 Prince Albert No. 8 lode of this survey at S4°08'08"W <sup>1711.05 ft. from</sup> <del>22.16</del> to Cor. No 3.</p>
600.0	<p>To Cor. No. 4 identical with the location and with Cor. No.1 Prince Albert No.7 lode of this survey hereinbefore described.</p>
1500.0	<p style="text-align: center;">-----</p> <p style="text-align: center;">Thence N5°02'E Va. 14°E</p> <p>To Cor. No 1 the place of beginning.</p> <p style="text-align: center;">-----</p> <p style="text-align: center;">Prince Albert NO.4 lode.</p> <p>Beginning at Cor. No. 1, identical with the location, a Schist stone 4x15x24 ins. set 12 ins. in the ground with mound of stones chiselled x 1 P A 4, 3746; Whence a Juniper 24 ins. in diam. blazed and scribed X B T 1 P A 4, 3746 brs S 4°30'E 27.0 ft A Juniper 24 ins. in diam. blazed and scribed X B T 1 P A 4, 3746 brs N48°30'W-20.5' The <math>\frac{1}{4}</math> Cor. between secs. 24 &amp; 25 T 13 N, R2 W brs. N33°59'26"W 707.17 ft. Loc. Cor a mound of stones 3x3 ft.</p>

Feet	
	Thence N46°02'E Va. 14°E
150.0	Cross road course East & West.
846.04	Intersect section line between secs. 24 & 25 T 13 N, R 2 W at west 1004.27 ft to the $\frac{1}{4}$ Cor. and east 1643.65 To the <del>section</del> Cor. of Secs. 19, 24, 25 & 30.
1500.0	To Cor No 2 identical with the location a Schist stone 4x6x24 ins. set 12 ins. in the ground with mound of stone chiselled x 2 P A 4,3746; Whence A pine tree 6 ins. in diam. blazed and scribed x B T 2 P A 4,3746 brs.S32°30'E 12.0 ft. An Oak tree 6 ins. in diam. blazed and scribed X B T 2 P A 4, 3746 brs.N86°W 13.0 ft.
	Thence S4°28'E Va. 14°E
344.0	To the E.C.E. a mound of stones 3x3 ft. identical with the location.
455.34	Intersect section line between sections 24 & 25 ; T 13 N, R 2 W at west 1510.37 ft to the $\frac{1}{4}$ Cor. and East 1137.55 ft to the <del>section</del> Cor. of Secs. 19, 24, 25 & 30.
668.0	To Cor. No 3 identical with the location and with Cor No 2 Prince Albert No 8 lode of this survey hereinbefore described.
	Thence S46°02'W Va. 14°E
336.0	To the N.C.E. Prince Albert No 8 lode of this survey.
654.0	Cross road course N44°W & S44°E.
724.0	To Cor. No 1 Prince Albert No 8, & Cor No 1 Prince Albert No 3 lodes of this survey.
1112.00	To the N.C.E. Prince Albert No 3 lode of this survey.
1500.00	To Cor No 4, identical with the location and with Cor. No. 4 Prince Albert No 3, Cor No 2 Prince Albert, Cor. No 3 Prince Albert No 1 lodes of this survey, hereinbefore described.
	Thence N4°28'W Va 14°E
90.0	Cross wash 10 ft. wide course S78°W
324.0	To the W.C.E. a mound of stones 3x3 ft. iden. with Loc.

Feet

668.0

To Cor. No 1 the place of beginning.

AREA

	Acres
Total Area Prince Albert lode-----	20.661 ✓
Total Area Prince Albert No 1 lode-----	20.661 ✓
Total Area Prince Albert No 2 lode -----	15.983 ✓
Total Area Prince Albert No 3 lode -----	20.619 ✓
Area in Conflict with Moscow lode Sur.1636--	1.575 ✓
Total Area Prince Albert No 4 lode -----	17.749 ✓
Total Area Prince Albert No 5 lode --	20.661 ✓
Area in Conflict with Prince Albert No 8 lode of this survey-----	3.983 ✓
Total Area Prince Albert No 6 lode-----	17.866 ✓
Total Area Prince Albert No 7 lode-----	20.661 ✓
Area in conflict with Prince Albert No 8 lode of this survey-----	0.281 ✓
Area in conflict with Moscow lode Sur.1636--	5.989 ✓
Total Area Prince Albert No 8 lode-----	14.773 ✓

LODE LINES

As near as can be determined from the present developments the veins of the several locations embraced in this claim extend as follows from their respective discovery points.

- Prince Albert lode N4°28'W 30.0 ft. S4°28'E 1470.0 ft. ✓
- Prince Albert No 1 lode S4°28'E 30.0' N4°28'W 1470.0 ft ✓
- Prince Albert No 2 lode S4°28'E 160.0' N4°28'W 1340.0ft. ✓
- Prince Albert No 3 lode N4°28'W 470.0' S4°28'E 1030.0ft. ✓
- Prince Albert No 4 lode S46°02'W 525.0' N46°02'E 975.0ft. ✓
- Prince Albert No 5 lode N5°02'E 700.0' S5°02'W 800.0ft. ✓
- Prince Albert No 6 lode S41°17'W 100.0' N41°17'E 1225.0' ✓
- Prince Albert No 7 lode N5°02'E 860.0' S5°02'W 640.0' ✓
- Prince Albert No 8 lode N4°28'W 180.0' S4°28'E 1320.0' ✓

LOCATION

This claim is situated in the Hassayampa Mining district

Yavapai County Arizona. In Sections 24 and 25, T13 N,  
R 2 W. In the Prescott National forest.

-----  
EXPENDITURE OF FIVE HUNDRED DOLLARS

I certify that the value of the labor and improvements made upon or for the benefit of, each of the locations embraced in said mining claim by the claimant or its Grantors is not less than five hundred dollars and that said improvements consist of;

Prince Albert lode.

No1 the discovery shaft which is on the lode line 30.0' from the N.C.E. 5x9x115 ft. Timbered. At the 100 ft. level a drift 4x6ft. runs north 85 ft, a drift 4x6 ft runs south 30 ft. This shaft was 4x4 x27 ft when located by claimant. Value of work by claimant \$7200.00. This shaft is a common improvement and 1/9 its value \$800.00 is credited to this lode.

No.2 A tunnel 4x6x100 ft the mouth of which is on the lode line 60 ft from the N.C.E. Course S4°28'E Value \$500.0

Total value of improvements credited to this lode \$1300.00

Prince Albert No 1 lode

No 1 the Discovery Tunnel which is on the lode line 30.0ft. from the S.C.E. 4x6x100 ft Course N4°28'W Value \$500.00.

1/9 the Value \$800.00, of Shaft No 1 Prince Albert lode, a common improvement is credited to this lode.

Total value improvements credited to this lode \$1300.00

Prince Albert No 2 lode

No.1 the discovery shaft which is on the lode line 160.0 ft from the S.C.E. 4x6x8 ft . Value \$50.00

1/9 the value \$800.00 of shaft No.1 Prince Albert lode is credited to this lode.

Total value improvements credited to this lode \$850.0

## Prince Albert No 3 lode

No 1 the discovery tunnel the mouth of which is on the lode line 470.0' from the N.C.E. 4x6x50 ft course

S4°28'E Value \$200.0

1/9 the value \$800.00 of shaft No.1 Prince Albert lode, a common improvement is credited to this lode.

Total value of improvements credited to this lode \$1000.

## Prince Albert No 4 lode

No 1 the discovery shaft which is on the lode line 525.0 ft. from the W.C.E. 4x6x8 ft value \$50.00

1/9 the value \$800.00 of shaft No 1 Prince Albert lode a common improvement is credited to this lode.

Total value of improvements credited to this lode \$850.

## Prince Albert No 5 lode

No 1 the discovery shaft which is on the lode line 700.0 ft. from the N.C.E. 4x6x8 ft. value \$50.00

1/9 the value \$800.00 of shaft No 1 Prince Albert lode a common improvement is credited to this lode.

Total Value of improvements credited to this lode \$850.0

## Prince Albert No 6 lode

No.1 the discovery shaft which is on the lode line 100 ft from the W.C.E. 4x6x8 ft value \$50.0

1/9 the value \$800.0 of shaft No 1 Prince Albert lode a common improvement is credited to this lode.

Total value of improvements credited to this lode \$850.

## Prince Albert No 7 lode

No 1 the discovery Cut which is on the lode line 860.0 ft from the N.C.E. 5x15x10 ft face value \$50.00  
1/9 the value \$800.0 of shaft No 1 Prince Albert lode a common improvement is credited to this lode.

Total value improvements credited to this lode \$850.0

## Prince Albert No 8 lode

No 1 the discovery shaft which is on the lode line 180.0 ft from the N.C.E. 4x6x8 ft value \$50.0

1/9 the value \$800.0 of shaft No 1 Prince Albert lode a common improvement is credited to this lode.



Total value of improvements credited to this lode \$850.

-----

This survey was made with a light mountain Gurley transit. The courses were deflected from the meridian as determined by direct solar observations. The distances were measured with a 500.0 ft. and a 50.0 ft. steel tape.

-----

#### ADJOINING CLAIMS

This claim is bounded on the North by U.S. Land, On the east by U.S. Land, on the south by Moscow lode Survey 1636 and U.S. Land on the West by U.S. Land.

-----

#### REPORT

The lode lines of each location of this claim were run direct upon the ground and the several Corners were established by means of offsets there from. All tie lines were run direct upon the ground.

The Official Notes were used in figuring the intersections of Moscow lode with this claim as the Corners with the exception of No two were not in place.

The official notes were used in figuring the intersections of this claim with Section line between secs. 24 & 25, T 13 N, R 2 W. The boundary of section 25, T13N, R 2 W was run no corners were found that would be closer to any the location of this claim than the  $\frac{1}{4}$  Cor. Bet. secs. 24 & 25. The  $\frac{1}{4}$  Cor. is a mound of stones with 2 Pine bearing trees, properly marked.

Cor. No 2 Moscow lode Sur. 1636 is post 4x4 ins x 4 ft in a mound of stones Properly marked.

Cor No 3 Monte Cristo lode is a schist stone 6x8x12 ins. above ground, properly marked.

Cor. No 2 Cornucopia lode survey 1572 is a Schist stone 6x12 x12 ins above ground properly marked.

Cor. No 1 Gold Trail, lode Sur. 1752, Cor No 2 Contest lode Survey 1549 is a schist stone 4x12x12 ins

above the ground properly marked.

Other Improvements

A hoist house 24x36 ft course long side N40°E, the west Cor. of which brs. N85°32'E 320' from Cor.1 Prince Albert lode.

A House 24x25 ft, course long side N36°E the south west Cor of which brs. S88°10'E - 87ft. from Cor No 1 Prince Albert No 8 lode.

This claim is located on rolling ground and shaft No 1 Prince Albert lode, the common improvement is located so that by sinking, drifting, and cross cutting the entire group will be developed.

*Richard L. Merritt*  
U.S. Mineral Surveyor

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by Richard L. Merritt

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of \_\_\_\_\_

Arizona Superior Copper Company

known as the Prince Albert, Prince Albert No. 1, Prince Albert No. 2, Prince Albert No. 3, Prince Albert No. 4, Prince Albert No. 5, Prince Albert No. 6, Prince Albert No. 7, Prince Albert No. 8. lodes and showing the respective capacities in which they acted.

W. H. Merritt, Chainman.

\_\_\_\_\_, Chainman.

\_\_\_\_\_, Axman.

\_\_\_\_\_, Flagman.

## FINAL OATHS OF ASSISTANTS.

I, W. H. Merritt

and \_\_\_\_\_, do solemnly swear that I assisted Richard L.

Merritt

\_\_\_\_\_, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of Arizona Superior Copper Company,

known as the Prince Albert, Prince Albert No. 1, Prince Albert No. 2, Prince Albert No. 3, Prince Albert No. 4, Prince Albert No. 5, Prince Albert No. 6, Prince Albert No. 7, Prince Albert No. 8 lodes represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instruc-

tions furnished by the United States Surveyor-General for ARIZONA

\_\_\_\_\_, Chainman.

W. H. Merritt, Chainman.

\_\_\_\_\_, Axman.

\_\_\_\_\_, Flagman.

Subscribed and sworn to by the above-named persons before me this 18<sup>th</sup>

day of March, 1921

D. A. Barrett  
Notary Public

My Commission Expires Aug. 19, 1924



FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Richard L. Merritt, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Feb. 23, 1921, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Arizona Superior Copper Company

known as the Prince Albert, Prince Albert No. 1, Prince Albert No. 2, Prince Albert No. 3, Prince Albert No. 4, Prince Albert No. 5, Prince Albert No. 6, Prince Albert No. 7, Prince Albert No. 8 <sup>lodes</sup> situate in Hassayampa Mining District,

Yavapai County, Arizona, in Section 24925, Township No. 13N, Range No. 2W and designated as Survey No. 3746

as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Richard L. Merritt  
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Richard L. Merritt  
U. S. Mineral Surveyor, before me R. O. Barrett, a  
notary Public this 18<sup>th</sup>  
day of March, 1921

R. O. Barrett  
Notary Public

My Commission Expires Aug. 19-1924



U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

May 24, 1921

I, U. S. Surveyor-General for DISTRICT OF ARIZONA,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of ARIZONA SUPERIOR COPPER COMPANY, known as the PRINCE ALBERT, PRINCE ALBERT NO. 1, PRINCE ALBERT NO. 2, PRINCE ALBERT NO. 3, PRINCE ALBERT NO. 4, PRINCE ALBERT NO. 5, PRINCE ALBERT NO. 6, PRINCE ALBERT NO. 7, and PRINCE ALBERT NO. 8 lodes, situate in HASSAYAMPA Mining District, YAVAPAI County, ARIZONA, in Sections 24 & 25., Township No. 13 N., Range No. 2 W., and designated as Survey No. 3746, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 6 shafts, 3 tunnels, 1 cut and 3 drifts, total value \$8700.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona.

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES  
AND SURVEY OF MINING CLAIM


DEPARTMENT OF THE INTERIOR  
OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona,

May 24, 1921

I, U. S. Surveyor General for DISTRICT OF ARIZONA,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of ARIZONA SUPERIOR COPPER COMPANY, known as the PRINCE ALBERT, PRINCE ALBERT NO. 1, PRINCE ALBERT NO. 2, PRINCE ALBERT NO. 3, PRINCE ALBERT NO. 4, PRINCE ALBERT NO. 5, PRINCE ALBERT NO. 6, PRINCE ALBERT NO. 7, and PRINCE ALBERT NO. 8 Lodes, situate in HASSAYAMPA mining district, YAVAPAI County, ARIZONA, in Sections 24 and 25, Township No. 13 N., Range No. 2 W., G. & S. R. B. & M, designated as Survey No. 3746 executed by Richard L. Marritt, U. S. Mineral Surveyor, February 25 - March 8, 1921, under my instructions dated February 23, 1921, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. The certified copy of the location certificate filed by the applicant for survey is on file in this office and a true copy of said certified copy of said location certificate is included and made a part of the transcript of the field notes.



U. S. Surveyor General for ARIZONA.