4-683

MINERAL SURVEY No. 3749

Arizona Land District.

1

# FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Howard Copper Company

### KNOWN AS THE

\_\_\_\_\_

Oregon No.2 and Oregon No.4 lodes

Black Canyon Mining District,

Yavapai County, Arizona

Section 30 Unsur., Township 10 N., Range 2 E.G.& S.R.B.& M.

Surveyed under instructions dated March 3-, 1921

·----

6-822

by <u>Alfred B.Colwell</u> U. S. Mineral Surveyor.

\_\_\_\_\_

Claim located <u>See location notices</u>, 19 Survey commenced <u>March 5</u>, 19 Survey completed <u>March 20</u>, 1921 Address of claimant <u>612 I.W.Hellman Bldg.</u> Los Angeles, Cal. DATES OF AMENDED LOCATIONS.

_		
	Feet	Oregon No.2 lode.
		Beginning at Cor.No'.1
		Identical with Cor.No.2 Oregon No.4 lode of this survey. On line 2=3 Sur.No.3645 Strip lode, claimant herein
		A schist rock 4 x 18 x 36 ins.set 18 ins.in the ground
		chiseled + at exact corner point and 0 2-1,0 4-2,3749
		with mound of rock alongside, Whence
		The S.# Cor.Sec.31 unsur.T.10 N.R.2 E.G.& S.R.B.& M.bears
	, brood	S.3°22'40"E.=7349.87 ft.
	cra.	No suitable bearing rocks available.
	60001	Thence N.88°25'W.
	12.00	Cor.No.3 Strip and Cor.No.2 Oregon No.1 lodes, Sur.No.
		3645 .** SP. CSE?~. "'d1'ST'/. ? ansed
	300.00	) South End Center
		A monument of rock.
	312.00	North end center O'regon No.1 lodeSur.No.3645
	600.00	To Cor.No.2 200 Pool
		On line 2-3 Sur.No.3645 Oregon No.1 lode.
		A schist rock 4 x 14 x 48 ins.set 10 ins.in ground to
	-0H-1173.	solid rock, with mound of rocks, chiseled + at exact corner
		point and 0 2-2,3749 with mound of rock alongside. Whence
		Cor.No.2 Sur.No.3645 Millsite lode bears N.88°25'W12 ft.
•	Ve AJTLE	A + and B.R. 0.2-2,3749 chiseled on face of precipiteous
		cliff bears East 3.4 ft.
		Thence N.3°50'E.
	1500.00	To Cor.No.3
	. Yoxam	A granite stone 7 x 14 x 26 ins.set 14 ins.in the ground
		chiseled + at exact corner point and 0 2-3,3749 with
		mound of rocks alongside Whence
		A prominent granite peak in Bradshaw Range bears N.77°26W A corner of the location bears N.28°W.75 ft. Thence S.88°25'E.
	300.00	North End Center
	Bunous	A monument of rock.
	600.00	To Cor.No.4 We inter the token token the Lafaction
	abuell	Identical with Cor.No.3 Oregon No.4 lode of this survey.
		A diorite rock 3 x 9 x 26 ins.set 16 ins.in the ground,
		chiseled + at exact corner point and 0,2-4,04-3,3749
		with mound of rock alongside Whence
1		

4

Feet	No bearings are available.					
0.995	Thence S.3°50.'W. and the spirate solution					
1500.00	To Cor.No.1. The place of beginning					
	Oregon No.4 lode.					
	Beginning at Cor.No.1					
On line 2=3 Sur.No.3645 Oregon No.3 lode at N.88°25'W.						
228.00 ft.from Cor.No.2						
5 1.C	A schist rock 5 x 12 x 21 ins. set 12 ins. in the ground,					
	chiseled + at exact corner point and 0,4-1,3749 with					
	mound of rock alongside. Whence					
	The S.+ Cor. Sec. 31 unsur .T. 10 N., R.2 E. G.& S.R.B.& M.					
	bears S.1°18'18"W7322.42 ft.					
a starter	A cedar tree 6 ins.dia.blazed and scribed B.T.0,4-1,3749					
	bears N.35°E5.7 ft.					
	Thence N.88°25'W.					
72.00	North end center Oregon No.3 lode Sur.No.3645					
	South End Center					
	A monument of rock					
and the second	Cor.No.2 Strip lode and Cor.No.3 Oregon No.3 lode, Sur.No.					
	. 3645 the short to broom tothe Caro, 5-5,0 one dated					
	To Cor. No.2 so shol stilled destruction and back to					
	Identical with Cor.No.1 Oregon No.2 Lode of this survey					
	previously described					
	Thence N.3°50'E.					
1500.0	0 To Cor.No.3					
bruont	Identical with Cor.No.4 Oregon No.2 lode of this survey					
	previously described					
hence	m					
No. of the second second	oWorth End Center					
	A monument of rock.					
600.0	00 To Cor.No.4					
	A quartzite rock 3 x 8 x 31 ins.set 18 ins.in the ground					
	chiseled + at exact corner point and $0, 4-4, 3749$ with					
rvey.	mound of rock alongside. Whence					
	A corner of the location bears N.10°E.42 ft.					

Thence S.3°50'W.

1500.00 To Cor.No.l, The place of beginning.

Variation at all corners 14°30'E.

Lode lines.

Area land land.

As near as may be determined from present developments the lode lines of this claim run as follows from their respective discovery points.-

Oregon No.2 lode, S.3°50'W.-50 ft., N.3°50'E.-1450 ft. <sup>1400</sup> Oregon No.4 lode, S.3°50'W.-<del>1385</del> ft.and N.3°50'E.-<del>115</del> ft.

The survey of this claim is identical with the respective locations except when otherwise noted in these notes.

#### Location

This claim is situated in Sec.30 unsur.T.10 N.,R.2 E. Gila and Salt River Base and Meridian

### Adjoining Claims.

The only known claims contiguous hereto are the Oregon No. *lo des, Sur. No. 3645* 1, Strip and Oregon No.3, situated on the South side.

Expenditure of Five Hundred Dollars.

I certify that the value of the labor and improvements as described herein, made upon the locations embraced in this claim is less than five hundred dollars and that said improvements consist of: On Oregon No.2 lode

No.1

The discovery cut, the mouth of which is on the lode line at 50 ft.from the south end center, running thence East 12 ft. 3 ft.wide, 8 ft.face.

Value \$50

Value

On Oregon No.4 lode.

No.l The discovery cut, the mouth of which is on the lode line at 100 ft. South of the North End Center, running thence southerly 14 ft.to 9 ft.face, 4 ft.wide.

\$50

Other Improvements

Feet

5

Instrument. This survey was made with a C.L.Berger & Sons transit. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with steel tapes.

#### Report.

The lines of this survey were run direct upon the ground, except the section corner connection which was calculated through my Sur.No.3645 contiguous hereto.

The S.<sup>1</sup> Cor. Sec.3l unsur.T.10 N.R.2 E.G.& S.R.B.& M. is a 1 in.Iron pipe with bronze cap properly set and marked.

# Note.

.Adjoiding Glaigh.

. epts Study eff to Bedeutte. C.of conero ane grate

. Pressition of Fire Sundred Dollare.

The only known claims contiguous service reaction or or no

The discrepancies between these field notes and the location certificate of the Oregon No.4 lode, with respect to location of discovery point are due to errors in the latter.

The discover out, the mouth of which is or the lote line at to frifted the south and center, maine there ast 12 ft. 2 1. vide, 6 fifted.

On Oregon Te.s lode.

shot stoff nosand no

: to tabango arramarongor bisa

No.1 The discovery dut, the mouth of which is on the lode line at lod (t. south of the Borth End Center, funning trance southerly 14 ft. to 9 ft. 1966, 4 ft. wide.

there I want we want

# FINAL OATHS FOR SURVEYS.

4-685.

### LIST OF NAMES.

A list of the names of the individuals employed by Alfred B.Colwell
United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of
Howard Copper Company
known as the Oregon No.2 and Oregon No.4 lodes.
and showing the respective capacities in which they acted.

J.S.Osborn, Chainman. ....., Chainman. , Axman. , Flagman.

### FINAL OATHS OF ASSISTANTS.

W26, I	J.S.Osborn	
and	60 Aut 40 20 20 20 00 00	, do solemnly swear that we assisted
Alfred B.	Colwell, United	States Mineral Surveyor, in marking the corners and surveying
the boundaries	of the mining claim of	Howard Copper Company

known as the Oregon No.2 and Oregon No.4 lodes.

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instruc-

tions furnished by the United States Surveyor-General for Arizenaf = S + Osbern + Chainman, Chainman.

, Axman,

, Chainman.

, Flagman.

Subscribed and sworn to by the above-named persons before me this 1176-

day of april , 1921 My commission expires Molary Publico 11-14-23 Cavapai Co. 6-1013 izores

4-686.

# FINAL OATH OF U.S. MINERAL SURVEYOR.

I, \_\_\_\_\_, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for \_\_\_\_\_\_, dated March 3-1921 , I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of \_\_\_\_\_ Howard Copper Company , known as the Oregon No.2 and Oregon No.4 lodes situate in \_\_\_\_\_ Black Canyon \_\_\_\_\_ Mining District, Yavapai County, Arizona, in Section ... 30 Unsur., Township No. 10 N., Range No. 2 E. G.& S.R.B.& M. in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

U. S. Mineral Surveyor.

\_\_\_\_\_

Subscribed and sworn to by the said <u>Alfred B.Colwell</u> U. S. Mineral Surveyor, before me <u>A.Notary public in and for the</u> County of Yavapai, State of Arizona this <u>19th</u>. day of <u>April</u>, 19 21

Bartha M

6---1044

R:\_ A

My Commission expires October 1, 1924. Notary Public

7

4-688.

### U. S. SURVEYOR=GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

# Department of the Interior,

OFFICE OF U.S. SURVEYOR-GENERAL,

Phoenix, Arizona,

	June 29 , 19 21				
I, U. S. Surveyor-General for <u>DISTRICT OF</u>	ARIZONA,				
do hereby certify that the foregoing transcript of the Field N					
of the mining claim of					
HOWARD COPPER CO					
known as the OREGON NO. 2, and OREGON NO. 4 Lodes, situate in BLACK CANYON					
Mining District, YAVAPAICou					
in Section 30 Unsur., Township No. 10 No. , Ra					
designated as Survey No	ectly copied from the originals on file in				
this office; that said Field Notes furnish such an accurate des	scription of said mining claim as will, if				
incorporated into a patent, serve fully to identify the premises,	and that such reference is made therein				
	f labor has been expended or improve- grantors, and that said improvements 1value\$100.				
and that no portion of said labor or improvements has been in upon any other claim.	ncluded in the estimate of expenditures				
I further certify that the plat thereof, filed in the U.S.L	and Office atPhoenix,				
Arizona,					
Frank P.	Tratt,				

United States Surveyor-General for.\_\_\_\_Arizona.

21812b3m2-06

<

### SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

4 - 687

### DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

E	Phoenix, Arizona,	
	June 29, 1921	
I, U. S. Surveyor General forDISTRI	ICT OF ARIZONA,	
do hereby certify that the foregoing and hereto attached	d Field Notes and Return of the Survey of the	
Mining Claim of		
HOWARD COPPER COM	IPANY	
	, known as the	
OREGON NO. 2, and OREGON	NO. 4 Lodes,	
situate inBLACK_CANYON	mining district,	
YAVAPAT: County,	ARIZONA	
in Section .30, Unsur., Township No10.		
G.&.S.R.B.&.M, designated as Survey No.		
executed byAlfred B. Golwell	, U. S. Mineral	
Surveyor, March 5-20,	, 1921, under my instructions dated	
March 3,	en critically examined and the necessary cor-	
rections and explanations made, and the said Field Note	es and Return, and the Survey they describe,	
are hercby approved. The certified copy of the location of	certificate filed by the applicant for survey is	
on file in this office and a true copy of said certified copy of	of said location certificate is included and made	
a part of the transcript of the field notes.		

Frank DIn 0th

U.S. Surveyor General for \_\_\_\_\_\_Arizona.

#### UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956) BUREAU OF LAND MANAGEMENT M.S. 3749 ARIZONA STATE OFFICE

## NOTICE OF CANCELLATION OF MINERAL SURVEY

The Oregon No 2 and Oregon No.4 lodes, Mineral Survey No. 3749, located in section 30, Township 10 North, Range 2 East, Gila and Salt River Meridian, Arizona, are hereby canceled.

These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Oregon No 2 and Oregon No.4 lodes, M.S. 3749, were canceled March 3, 2011, by memo 9605 (956) M.S. 3749, which is now a part of the original field notes."

March 3, 2011 Date

Chief Cadastral Surveyor of Arizona