

7-6-1921
1
MAY-3 1921

4-683

MINERAL SURVEY No. 3766

Arizona Land District

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Charles W. Rambo

KNOWN AS THE

NOB HILL L. # 1 lode

Warren

Mining District,

Cochise

County,

Arizona

Sections 13 and 24, Township 23 S, Range 23 E
G & S R B & M

Surveyed under instructions dated April 25, 19 21

by Ralph L. Motz

U. S. Mineral Surveyor.

Claim located see location notice, 19

Survey commenced April 29, 19 21

Survey completed April 29, 19 21

Address of claimant's attorney, Fred Sutter, Bisbee, Arizona.

DATES OF AMENDED LOCATIONS.

MINERAL SURVEY NO. 3766

Feet.

NOB HILL L. # 1 Lode

Beginning at Cor. No. 1, the S. E. Cor., identical with location and with Cor. No.² of Survey No. 3153 Nob Hill lode, also situated on line 3-4 Survey No. 3605 R A M No. 4 lode, a pine post 4 inches square 30 inches above ground in a mound of stones and scribed 1-3766 N H 1 whence a quartzite rock in place 42 x 60 x 13 inches high above ground chiseled B R x 1-3766 brs S 51° 11' E 14.4 ft and a second quartzite rock in place 12 x 10 x 18 inches high above ground with like chiseling brs N 21° 31' W 17.0 ft. The Cor. of Secs. 13 and 24, T 23 S, R 23 E and 18 and 19, T 23 S, R 24 E, G & S R B & M brs N 62° 36' E 520.5 ft.
 thence N 86° 50' W

171.5 along line 4-3 Survey No. 3605 R A M No. 4 lode to Cors. 3 and 4 of Survey No. 3605 R A M No. 4 and Survey No. 3621 Creole lodes respectively

346.7 along line 4-3 Survey No. 3621 Creole lode to original location for the south end center being a mound of stones 3 ft. high with 3 ft. base

683.5 cross gulch course southerly

693.5 to Cor. No. 2, the S. W. Cor., identical with location and with Cor. No. 1 Survey No. 3652 Octoroon lode and situated on line 3-4 Survey No. 3621 Creole lode, a pine post 4 inches square 30 inches above ground in a mound of stones and scribed 2-3766 N H 1, whence a limestone rock in place 29 x 37 x 6 inches high above ground chiseled B R x 2-3766 brs N 80° 41' E 13.1 ft. and a second limestone rock in place 27 x 32 x 17 inches high above ground with like chiseling brs S 27° 43' E 32.0 ft.
 thence N 27° 30' W

86.8 along line 1-4 Survey No. 3652 Octoroon lode cross gulch course southeasterly

199.8 cross same gulch course southwesterly

217.6 intersect line between Secs. 13 and 24, T 23 S, R 23 E at S 89° 37' 30" W 1255.0 ft. from the Cor. of Secs. 13 and 24, T 23 S, R 23 E and 18 and 19, T 23 S, R 24 E and N 89° 37' 30" E 1377.8 ft. from the 1/4 Cor. between Secs.

13 and 24
694.8 to Cors. 4 and 4 of Survey No. 3652 Octoroon lode and
Survey No. 3723 Los Tiempos lode respectively
1112.6 along line 4-3 Survey No. 3723 Los Tiempos lode cross
gulch, course southwesterly
1389.6 to Cors. 3 and 1 of Survey No. 3723 Los Tiempos lode
and Survey No. 3649 Tornado lode respectively
1500.0 along line 1-4 Survey No. 3649 Tornado lode to Cor. No.
3, the N. W. Cor., identical with location and with Cor.
No. 1 Survey No. 3759 Barbarosia lode and situated on
line 4-1 Survey No. 3649 Tornado lode, a redwood post
4 inches square 30 inches above ground in a mound of stones
and scribed 3-3766 N H 1, whence a quartzite ledge with
99 x 166 x 163 inches high exposure chiseled B R x 3-
3766 brs S 27° 30' E 72.1 ft. and a limestone ledge with
15 x 21 x 10 inches high exposure with like chiseling
brs S 17° 33' W 18.2 ft.
thence S 86° 50' E
180.0 along line 1-4 Survey No. 3759 Barbarosia lode cross
gulch, course southerly
346.8 to north end center, identical with location and with
the south end center of Survey No. 3759 Barbarosia lode
being a mound of stones 3 ft. high with 3 ft. base
693.5 to Cor. No. 4, the N. E. Cor., identical with location
and with Cors. 3 and 4 of Survey No. 3153 Nob Hill lode
and survey No. 3759 Barbarosia lodes respectively and
with the S. W. Cor. of the Dream lode unsurveyed, exact
location of corner marked by x chiseled on limestone
ledge with 36 x 36 inches exposure, alongside is chiseled
4-3766 N H 1, over this is placed a pine post 4 ft. long
4 inches square set in a mound of rocks and scribed 4-
3766 N H 1, whence a limestone ledge with 36 x 39 x 4
inches high exposure chiseled B R x 4-3766 brs S 17° 00'
W 14.5 ft. and a second limestone ledge with 43 x 48 x 3
inches high exposure with like chiseling brs N 0° 58' W
5.5 ft.

thence S 27° 30' E

MINERAL SURVEY NO. 3766 (Con't)

345.0 along line 3-2 Survey No. 3153 Nob Hill lode cross gulch
 00.00 course southwesterly
 1234.3 intersect line between Secs. 13 and 24, T 23 S, R 23 E
 00.00 at S 89° 37' 30" W 584.8 ft. from the Cor. of Secs. 13
 and 24, T 23 S, R 23 E and 18 and 19, T 23 S, R 24 E and
 N 89° 37' 30" E 2048.0 ft. from the 1/4 Cor. between
 Secs. 13 and 24
 1500.0 to Cor. No. 1, the place of the beginning.

LEDGE

00.00 The presumed course of the vein on this claim is from the
 north end center S 27° 30' E 1500.0 ft.

AREA

Total and net area Nob Hill L# 1 lode - - - - 20.541 A

LOCATION

00.00 This survey is situated in Secs. 13 and 24, T 23 S, R 23
 00.00 E, G & S R B & M, in the Warren Mining District, Cochise
 County, Arizona.

IMPROVEMENTS

I hereby certify that the value of the labor and improve-
 ments placed upon the claim by the claimant or his grantors
 is not less than five hundred dollars and that said im-
 provements consist of:-

- No. 1 Discovery open cut 8 x 12 x 12 ft. long brg
 S 50° E mouth of which brs from the north end
 center on lode line 770 ft. Value - - - - - \$ 120.00
- No. 2 Open cut 8 x 10 x 10 ft. long brg S 14° E
 mouth of which brs from Cor. No. 4 S 8° 05' E
 610.0 ft. Value - - - - - 100.00
- No. 3 Open cut 4 x 12 x 12 ft. long with tunnel 4 x
 8 x 5 ft. long both brg S 50° E mouth of open
 cut brs from Cor. No. 4 S 5° 40' E 521.0 ft.
 Value - - - - - 110.00
- No. 4 Open cut 4 x 8 x 8 ft. long brg N 70° W mouth

| | | | |
|-------|---|---|-----------|
| | of which brs from Cor. No. 2 N 6° 25' W 609.0 | ft. Value - - - - - | \$ 30.00 |
| No. 5 | Open cut 4 x 9 x 12 ft. long brg N 70° W | mouth of which brs from Cor. No. 2 N 7° 56' W | |
| | 581.0 ft. Value - - - - - | | 45.00 |
| No. 6 | Open cut 8 x 12 x 15 ft. long brg N 70° W | mouth of which brs from Cor. No. 2 N 9° 24' W | |
| | 552.0 ft. Value - - - - - | | 150.00 |
| No. 7 | Open cut 8 x 10 x 12 ft. long brg N 40° W | mouth of which brs from Cor. No. 2 N 22° | |
| | 30' E 160.0 ft. Value - - - - - | | 100.00 |
| No. 8 | Open cut 4 x 7 x 8 ft. long brg N 80° E | mouth of which brs from Cor. No. 3 S 66° | |
| | 30' E 377.0 ft. Value - - - - - | | 30.00 |
| No. 9 | Open cut 9 x 10 x 10 ft. long with tunnel | 4 x 5 x 10 ft. long both brg N 80° W mouth | |
| | of open cut brs from Cor. No. 3 S 57° E | 205.0 ft. Value - - - - - | 175.00 |
| | Total Value of Improvements - - - - - | | \$ 860.00 |

ADJOINING CLAIMS

| | |
|-------|----------------------------------|
| North | Survey No. 3759 Barbarosia lode |
| East | Survey No. 3153 Nob Hill lode |
| South | Survey No. 3605 R A M No. 4 lode |
| | Survey No. 3621 Creole lode |
| West | Survey No. 3649 Tornado lode |
| | Survey No. 3723 Los Tiempos lode |
| | Survey No. 3652 Octoroon lode |

INSTRUMENT

This survey was made with a C. L. Berger & Sons No. 1 c transit. The courses were deflected from the true meridian as determined in Survey Nos. 3153 and 3605. The distances were measured with 100 and 300 ft. steel tapes. Magnetic variation 12° 30' East at all corners.

REPORT

The Cor. of Secs. 13 and 24, T 23 S, R 23 E and Secs. 18 and 19, T 23 S, R 24 E G & S R B & M is an iron pipe with copper cap properly marked.

The 1/4 Cor. between Secs. 13 and 24, T 23 S, R 23 E is an iron pipe with copper cap properly marked.

The corners of adjoining approved surveys are posts properly set and scribed.


U. S. Mineral Surveyor.

Dated at Bisbee, Arizona.

April 30th, 1921.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Ralph L. Motz
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of Charles W. Rambo
 known as the Nob Hill L. # 1 lode
 and showing the respective capacities in which they acted.

Philip Dupen , *Chainman.*
 , *Chainman.*
 , *Aceman.*
 , *Flagman.*

FINAL OATHS OF ASSISTANTS.

~~We~~, I, Philip Dupen
 and , do solemnly swear that we assisted
Ralph L. Motz , United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of Charles W. Rambo
 known as the Nob Hill L. # 1 lode
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-
 tions furnished by the United States Surveyor-General for Arizona.

Philip Dupen , *Chainman.*
 , *Chainman.*
 , *Aceman.*
 , *Flagman.*

Subscribed and sworn to by the above-named persons before me this 30th
 day of April , 1921

Charles Woods
 Notary Public, in and for the County of
 Cochise, State of Arizona
 My commission expires May 23, 1921. 9-1013

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Ralph L. Motz, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona, dated
April 25, 1921, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Charles W. Rambo
, known as the
Nob Hill L. # 1 lode
situate in Warren Mining District,
Cochise County, Arizona, in Section
13 & 24, Township No. 23 S., Range No. 23 E. G & S R B & M
and designated as Survey No. 3766, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or his grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

Ralph L. Motz
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Ralph L. Motz
U. S. Mineral Surveyor, before me Charles R. Woods
this 30th
day of April, 1921

Charles R. Woods
Notary Public, in and for the County of
Cochise, State of Arizona.

My commission expires May 23, 1921.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

July 11, 19 21

I, U. S. Surveyor-General for DISTRICT OF ARIZONA,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

CHARLES W. RAMBO

known as the NOB HILL L # 1 Lode

situate in WARREN

Mining District, COCHISE County, ARIZONA

in Sections 13 & 24, Township No. 23 S., Range No. 23 E.,

designated as Survey No. 3766, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or his grantors, and that said improvements consist of 9 cuts and 2 tunnels, total value \$860.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott

United States Surveyor-General for Arizona.

4-687

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES
AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR
OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona,

July 11, 1921

I, U. S. Surveyor General for DISTRICT OF ARIZONA,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

CHARLES W. RAMBO

, known as the

NOB HILL L # 1 Lode,

situate in WARREN mining district,
COCHISE County, ARIZONA

in Sections 13 and 24, Township No. 23 S., Range No. 23 E.,

G. & S. R. B. & M. designated as Survey No. 3766

executed by Ralph L. Motz, U. S. Mineral
Surveyor, April 29, 1921, 191 , under my instructions dated

April 25, 1921, 191 , have been critically examined and the necessary cor-
rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is
on file in this office and a true copy of said certified copy of said location certificate is included and made
a part of the transcript of the field notes.



U. S. Surveyor General for Arizona.