

MINERAL SURVEY No. 3773

1

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

E. BLOCK

KNOWN AS THE

FAIR VIEW EXTENSION lode

PECK Mining District,

YAVAPAI County, ARIZONA

Section 2 Unsur., Township 10 N., Range 1 W un-sur.

Surveyed under instructions dated May 26, 1921, 19

by J. WILLIAM WAARA U. S. Mineral Surveyor.

Claim located See location notice December 15, 1915, 19

Survey commenced July 10, 19 21

Survey completed July 15, 19 21

Address of claimant E. BLOCK, Prescott, Arizona.

DATES OF AMENDED LOCATIONS.

Feet

MINERAL SURVEY NO. 3773

FAIR VIEW EXTENTION LODE

Beginning at Cor. No.1, a diorite stone 8 x 12 x 26 inches long set twelve inches in the ground with a substantial mound of stone alongside; chiseled F V E 1 3773 with cross on top for exact corner point, whence,

The corner to sections <sup>1, 6, 7 & 12</sup> ~~1-12-6-7~~ T. 10 N.R. 1 W & 1 E of the Gila and Salt River base and meridian, brs. S.84°-19'-30"E. 7020.4 feet.

Cor. No.4 Budd lode Sur.No.2107 brs. S. 63°-22'E. 66.5 feet.

No other bearings available.

Thence S.26°-47'W.

1.35 Intersect line 4-1 Budd lode Sur.No.2107, S.64°-31'-30"E. 532.3 feet from Cor. No.1

77.5 TO COR. NO.2, identical with Cor. No.1 Fairview Lode, Sur. No.3261, an oak post 4x4x3 feet exposed surrounded by a substantial mound of stone; scribed F V E 2 3773, F V 3 3261, with nail in the top for exact corner point, whence

A diorite rock in place 1 x 1 x 0.5 ft exposed and chiseled BxR F V E 2 3773, brs. N.43°-16'E. 12.5 feet.

No other bearings available.

Thence N.63°-08'W.

240 Cross gulch flows northeasterly.

300 SOUTH CENTER END, identical with North center End Fair View lode Sur.No.3261, a post in mound of stone.

599.0 TO COR. NO.3, identical with Cor. No. 2 Fair View Lode Sur.No.3261, a diorite rock in place, 6 x 10 x 2 feet exposed with a post in mound of stone alongside; chiseled F V 2 3261, F V E 3 3773 with cross on top for exact corner point, whence;

No bearings available.

Thence N.26°-47'E.

65.0 Witness corner to Cor.No.4 this lode hereafter described.

77.5 POINT FOR COR. NO.4, where it was impracticable to set a stone for corner, due to bed rock, so I established a witness corner S.26°

-47°W. 12.5 feet, a diorite stone 8x12 x 24 inches long set twelve inches in the ground with a post in mound of stone alongside; chiseled <sup>W.C.</sup> F V E 4 3773 with cross on top for exact corner point, from the true corner point,

Cor. No. 1 Budd lode Sur.No. 2107 brs. S.51°-07'E. 68.6 feet.

No other bearings available.

Thence S.63°-08'E. from the true cor.pt.

66.8 Intersect line 1-2 Budd lode Sur.No.2107, N.35°-44'E. 14.3 feet from Cor. No.1

399.0 NORTH CENTER END, a post set into the ground.

320.0 Cross gulch, flows northeasterly.

599.0 TO THE PLACE OF BEGINNING. All corners are identical with their respective locations. Variation at all corners 14°-30'E.

LODE LINES

As near as can be determined from the present developments, the vein on this lode extends as follows from the discovery.

N.26°-47'E. 52.5 ft. and S.26°-47'W. 25.0 ft.

AREAS

FAIR VIEW EXTENSION LODE

Total area	-----	acres	1.066
Area in conflict with Budd lode Sur.No.2107	-----	0.096	

LOCATION

This survey is located in Sec. 2, <sup>Unsur,</sup> T. 10 N., R. 1 W. ~~unsurveyed,~~ of the Gila and Salt River base and Meridian, within the Prescott National Forest, Peck Mining District, Yavapai County, State of Arizona.

EXPENDITURE OF FIVE HUNDRED DOLLARS

I hereby certify that the value of the labor and improvements made upon or for the benefit of this location by the claimant or his granters is not less than five hundred dollars, and that said improvements consist of:

No.1 Discovery cut and shaft, the face of cut hrs. N.26°-47'E. 25 ft from the South Center end, cut 6 x 14 x 8 foot face, shaft 4 x 6 x 40 ft deep, drift running southwesterly from 35 foot level of shaft, 10 ft.

Value cut	\$100.00
-----------	----------

shaft	800.00
-------	--------

drift	150.00
-------	--------

Total value	<del>\$1050.00</del>
-------------	----------------------

#### OTHER IMPROVEMENTS

None.

#### ADJOINING CLAIMS

This survey is bounded on the north by the Budd lode Sur.No.2107, claimant unknown, on the east by U.S.Land, on the south by the Fair View lode Sur.No.3261, E.Block claimant, and on the west by U.S.Land.

#### INSTRUMENT

This survey was made with a Lietz Light Mountain transit theodolite, No.13 5929. The courses were deflected from the true meridian as determined by Saegmuller Solar observations, and checked by direct solar observations. The distances were measured with a 150 and 500 foot steel tape.

#### REPORT

The corner to sections <sup>6, 7 & 12</sup> 1-13-6-7 T. 10 N., R. 1 W and 1 E. is an iron pipe with brass cap properly marked.

Sur.No.2107

The corners adjoining this survey are stones properly set and chiseled with the number of the corner and survey. I do not agree with the course and distance of line 4-1 of this survey.

Sur.No.3261

The corners of this survey have been described heretofore. I do not agree with the courses and distances of the tie to the section corner and line - 1-2. Cor.

no.1 has been incorectly marked as Cor. No.3.

The discrepancies found existing between the claim as marked by the location monuments and as described in the location notices are due to errors in the location notices.

The discrepancies between the lines of this survey and prior approved surveys are due to errors in the latter.

*J. Williams Wagon*  
U. S. MINERAL SURVEYOR

REPORT ON FINAL OATH OF ASSISTANT

A Notary Public was not available at Crown King, Arizona, to take acknowledgement of my assistant, and to avoid delays and unnecessary expense, I executed the the same as a U. S. Mineral Surveyor

*J. Williams Wagon*  
U. S. MINERAL SURVEYOR

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by J. WILLIAM WAARA

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of \_\_\_\_\_

E. BLOCK

known as the FAIR VIEW EXTENTION lode.

and showing the respective capacities in which they acted.

R. S. PATTERSON, Chainman.

\_\_\_\_\_, Chainman.

\_\_\_\_\_, Axman.

\_\_\_\_\_, Flagman.

## FINAL OATHS OF ASSISTANTS.

~~WA~~ I. R. S. Patterson

and \_\_\_\_\_, do solemnly swear that <sup>I</sup>~~he~~ assisted J. William

Waara

\_\_\_\_\_, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of E. BLOCK

known as the FAIR VIEW EXTENTION lode

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for

ARIZONA

R. S. Patterson, Chainman.

\_\_\_\_\_, Chainman.

\_\_\_\_\_, Axman.

\_\_\_\_\_, Flagman.

Subscribed and sworn to by the above-named persons before me this 15 th

day of July, 19 21

J. William Waara  
U. S. MINERAL SURVEYOR

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, J. WILLIAM WAARA, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for ARIZONA, dated May 26, 1921, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of E. BLOCK, known as the FAIR VIEW EXTENSION lode, situate in PECK Mining District, YAVAPAI County, ARIZONA, in Section 2 Unsur., Township No. 10 N., Range No. 1 W. unsurveyed, and designated as Survey No. 3773, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

J. William Waara
U. S. Mineral Surveyor.

Subscribed and sworn to by the said J. WILLIAM WAARA
U. S. Mineral Surveyor, before me E. G. Horne
a Notary Public on this 19th
day of July, 19 21

E. G. Horne
NOTARY PUBLIC

My commission expires Apr. 7th 1923



U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON  
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

September 27, 1921.

I, U. S. Surveyor General for DISTRICT OF ARIZONA,  
do hereby certify that the foregoing transcript of the Field Notes, return and approval  
of the Survey of the mining claim of

E. BLOCK,  
, known as the FAIR VIEW EXTENTION LODE,  
, situate in

PECK Mining District, YAVAPAI County,  
ARIZONA, in Section 2, Unsur., Township No. 10 N.

Range No. 1 W., G. & S. R. B. & M., and designated as Survey  
No. 3773, has been correctly copied from the originals on  
file in this office; that said Field Notes furnish such an accurate description of said  
mining claim as will, if incorporated into a patent, serve fully to identify the premises,  
and that such reference is made therein to natural objects or permanent monuments as  
will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended  
or improvements made upon said mining claim by claimant or his grantors, and  
that said improvements consist of 1 cut, shaft and drift, total value  
\$1050.

-----  
-----  
-----  
-----  
-----  
-----  
-----  
-----

and that no portion of said labor or improvements has been included in the estimate of  
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,  
Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor General for Arizona.



SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES  
AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR  
OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona,

September 27, 1921

I, U. S. Surveyor General for DISTRICT OF ARIZONA,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

E. BLOCK,

, known as the

FAIR VIEW EXTENTION LODE,

situate in PECK mining district,

YAVAPAI County, ARIZONA,

in Section 2, Unsur., Township No. 10 N., Range No. 1 W.,

G. & S. R. B. & M., designated as Survey No. 3773

executed by J. WILLIAM WAARA, U. S. Mineral

Surveyor, July 10-15, 1921, under my instructions dated


May 26, 1921, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and made

a part of the transcript of the field notes.



U. S. Surveyor General for Arizona.