

AUG 16 1921

MINERAL SURVEY No. 3779

ARIZONA

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

OATMAN RED LION MINING COMPANY

KNOWN AS THE

Hill, Cold Hill, Red Lion and Gold Wedge lodes

San Francisco

Mining District,

Mohave

County,

Arizona

Section 23, Township 19 N., Range 20 W. G. and S.R.M.

Surveyed under instructions dated June 14 - , 19 21

by Edward L. Haff

U. S. Mineral Surveyor.

Claim located See Location Notices, 19

Survey commenced July 5th., 19 21

Survey completed July 25th, 19 21

Address of claimant's ^{ATTY, C.W. Herndon} Kingman, Arizona.

DATES OF AMENDED LOCATIONS.

~~October 17 th. 1916 for the Hill,~~

~~and Gold Wedge lodes, June 4th. 1921~~

~~for the Cold Hill lode.~~

letter 9-23-21

Feet

Hill lode, to line 2-3 Sur. No. 3427 Gold

Beginning at Cor. No. 1 on line 2-3 Sur. No. 3427 Gold

Wedge lode, and line 3-4 Gold Wedge lode of this survey.

Identical with Cor. Nos. 4-1 Sur. No. 3427, Gold Hill and Hill lode and Cor. No. 2 Gold Hill lode of this survey.

A cross chiseled on a porphyry boulder 3 ft. wide, 4 ft.

long, 18 ins. above ground, chiseled H-1-G H-2-3779. With

a mound of stone 3 ft high alongside, whence 1/4 Cor.

between Secs. 23 and 24, T. 19 N. R. 20 W. G. and S. R. M.

bears N. 77° 12' 40" E. - 1991.65 ft. Thence

Thence S. 8° 34' W.

46.30 To easterly end center. A redwood post 4 ft. long, 4 ins.

square, set 18 ins. in the ground with a nail at center

point, scribed E E Cen Hill 3779. at end of

122.28 Intersect line 3-4 Sur. No. 3505 Connecting Link No. 1

lode, Telluride Mining, Milling and Development Company, claimant, at S. 57° 50' E. 211.04 ft from Cor. NO. 3.

122.88 Cor. No. 3 Sur. No. 3427 Gold Wedge lode and Cor. No. 3 Gold

Wedge lode of this survey.

173.37 To Cor. No. 2. Identical with Cor. No. 4, Sur. No. 3427 Hill

lode. A redwood post, 4 ins. square, 4 ft. long, set

18 ins. in the ground with mound of earth and stone, a

nail at corner point, scribed H-2-3779, whence Cors.

No. 1

Nos. 2-4 Sur. No. 3505; Connecting Link and Connecting Link

No. 2 lodes, bears N. 46° 24' W. - 236.18 ft. Thence

Thence N. 56° 37' 30" W.

225.39 Intersect line 3-2 and 4-1 Sur. No. 3505 Connecting Link

No. 1 and Connecting Link No. 2 lodes at S. 23° 51' W. 42:51

ft. from Cor. Nos 3 and 4, respectively.

495.00 Bed of dry gulch, 10 ft wide, runs southwesterly.

972.28 Intersect line 2-3 Sur. No. 3505 Connecting Link No. 2 lode

at S. 23° 51' W. - 0.02 ft. from Cor. No. 3, which Cor. bears

N. 59° 52' W. - 741.04 ft. from Cor. No. 4, said Connecting

Link No. 2 lode.

- 1498.50 To Cor.No.3. Identical with Cor.No.3, Sur. No.3427 Hill lode. A redwood post 4 ft. long, 4 in. square, set 18 ins. in the ground with mound of earth and stone, scribed H-3-3779. Thence N.8° 34'E.
- 127.07 To westerly end center. A pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground with nail at center point, scribed W.E. Cen. Hill 3779. Identical with Cor. No.3, Sur.No.2904, Cone View No.2 lode, claimant unknown.
- 173.37 To Cor.No.4, on line 3-4 Sur.No.2904, Cone View No.2 lode and identical with Cor.Nos.3-2 Sur.No.3427 Gold Hill and Hill lode and with Cor.No. 3 Gold Hill lode of this survey. A redwood post 4 ft. long, 4 ins. square, set 18 ins in the ground with a mound of earth and stone, a nail at corner point, scribed H-4-G.H-3-3779. Thence S.56°37' 30"E.
- 1400.00 Bed of dry gulch, 10 ft. wide, runs, southwesterly.
- 1498.50 To Cor.No. 1, the place of beginning. Gold Hill lode. Beginning at Cor.NO 1, on line 4-1 Sur.No.3427 Gold Hill lode and identical with Cor.No.2 Red Lion lode of this survey. A redwood post 4 ft. long. 4 ins. square set 18 ins. in the ground with a mound of earth and stone, a nail at corner point, scribed G.H-1-R.L-2-3779, whence, 1/4 Cor.between Secs.23 and 24, T. 19 N. R.20 W. G. and S.R.M. bears N.88°02' 10"E.-1886.67 ft. Cor.NO. 4 Sur.No. 2199 Grey Eagle lode, Tom Reed Gold Mines Company, claimant, bears N.64°24' W.-330.46 ft. Thence S.8° 34'W.
- 50.00 To east end center. A redwood post 4 ft. long. 4 ins, square, set 18 ins. in the ground with mound of earth

Feet

and stone, scribed E. E. Cen. G. H. 3779.

109.04 'Cor.No. 4 Gold Wedge lode' of this survey and intersect line 3-4 Sur.No. 3199 Grey Eagle lode at S.48°21'W. - 377.10' ft. from Cor.NO.4.

313.36 West end center, Gold Wedge lode of this survey.

350.00 Bed of dry gulch, 10 ft wide runs westerly,

380.50 To Cor.No.2. Identical with Cor. No.4 Sur.No.3427 Gold Hill lode and corner No.1 Hill lode of this survey hereinbefore described.

Thence N,56°37'30"W.

98.50 Bed of dry gulch, 10 ft wide, runs westerly.

1498.50 To Cor.No.5. On line 3-4, Sur.No.2904 Cone View No.2 lode, identical with Cor.Nos.2-3 Sur.No.3427 Hill and Gold Hill lodes and with Cor.No. 4 Hill lode of this survey, hereinbefore described.

Thence N.8°34'E.

230.50 To west end center. A redwood post 4 ft long. 4 ins. square set 18 ins. in the ground with mound of earth and stone, scribed W. E. Cen. G. H. 3779.

380.50 To Cor.No.4. On line 3-4 Sur.No.2904, Cone View No.2 lode at N.8°34'E. - 426.80^{ft} from Cor.NO.3.

Also on line 2-3 Sur.No.3427 Gold Hill lode. Identical with Cor.No. 3 Red Lion lode of this survey. A redwood post 4 ft long, 4 ins square set 18 ins. in the ground with mound of earth and stone, a nail at corner point, scribed G. H. 4-R. L. -3-3779.

Thence S.56°37'30"E.

1174.69 Intersect line 4-5 Sur.No. 3199 Grey Eagle lode at N.38°0'E.-44.85 ft. from Cor.No.4.

1498.50' To Cor.NO. 1, the place of beginning.

Feet

Red Lion lode.

Beginning at Cor.No. 1, identical with Cor.No.1, Sur. No.3427, Gold Hill lode. A redwood post 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and stone, a nail at corner point, scribed R.L.-1-3779, whence, the 1/4 Cor.between Secs.23 and 24 T. 19 N. R.20 W. G & S R M, bears S.83°25'E.-1856 ft. Cor.No. 4, Sur.No.3199, Grey Eagle lode bears S.68° 23' 30" W. 365.49 ft.

Thence S.8° 34'W.

26.50 To east end center. A redwood post 4 ft long, 4 ins square, set 18 ins. in the ground with mound of earth and stone, a nail at center point, scribed E.E. Cen. Red Lion 3779.

200.00 wagon road, course southeasterly and northwesterly.

280.50 To Cor.No.2. Identical with Cor.NO.1, Gold Hill lode of this survey hereinbefore described.

Thence N.56°37'30" W.

325.81 Intersect line 4-5 Sur.No. 3199 Grey Eagle lode at N.38°0'E.-44.85^{ft} from Cor.NO.4.

1498.50 To Cor.NO.3. On line 3-4 Sur.No. 2904 Cone View No. 2 lode and line 2-3 Sur.No. 3427 Gold Hill lode. Identical with Cor.NO.4 Gold Hill lode of this survey hereinbefore described.

Thence N.8°34'E.

254.00 To West End Center. A redwood post 4 ft.long, 4 ins square, set 18 ins. in the ground with mound of earth and stone, a nail at center point scribed W.E. Cen. Red Lion 3779.

280.50 To Cor.No. 4. Identical with Cor.Nos 4-1 Sur.No.2610 Benjamin Harrison and Rising Star lodes, Cor.No.4, Sur. No. 2904, Cone View No. 2 lode and Cor.No.2 Sur.No. 3427 Gold Hill lode. A pine post 4½ ft long, 4 ins.

square, set 18 ins. in the ground with mound of earth and stone, scribed R.I. 4-3779.

Thence S.56°37' 30" E.

1313.00 Cor.No.5, Sur.No. 2610 Rising Star lode and intersect line 4-5 Sur.No. 3199 Grey Eagle lode at N.38°0'E. 300.00 ft from Cor.NO. 4.

1390.00 Wagon road, course northerly and southerly.

1498.50 To Cor.No.1, the place of beginning.

Gold Wedge lode.

Beginning at Cor.No.1. Identical with Cor.NO.1, Sur.No. 3427 Gold Wedge lode. A pine post 4 ft. long, 4 ins square, set 18 ins. in the ground with mound of earth and stone, a nail at the corner point, scribed G.W. 1-3779, whence, the 1/4 Cor. between Secs 23 and 24, T 19 N., R. 20 W. G and S.B.M, bears N. 65° 13' 30" E.- 1399.30 ft. Cor.Nos 2-4 Sur.No. 3199 Grey Eggle and Bald Eagle lodes, bears S.72°04'W.-279.22 ft.

Thence S.8° 34'W.

204.32 To East End Center. A redwood post 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and stone, a nail at center point, scribed E E Cen

Gold Wedge-3779.

378.14 which bears S.36°01'E.-356 ft from Cor.No.4 Bald Eagle lode Cor.NO. 3, Sur.No.3199 Bald Eagle lode, and intersect line 3-4 Sur.No.3505, Connecting Link No.1 lode at S.57°50'E. 959.55 ft from Cor.No. 3.

394.32 To Cor. No. 2. Identical with Cor.No.4 Sur.No.3427 Gold Wedge lode. A redwood post 4 ft. long, 4 ins. square set 18 ins. in the ground with mound of earth and stone, a nail at corner point, scribed G W 2-3779.

Thence N. 56° 45'W.

754.89 To Cor. No. 3. On line 1-2 Hill lode of this survey,

and line 4-1 Sur. No. 3427 Hill lode. A redwood post 4 ft long, 4 ins square, set 18 ins in the ground with mound of earth and stone, a nail at corner point, scribed G W 3-3779.

Thence N.8° 34' E.

- 0.60 Intersect line 3-4, Sur. No. 3505, Connecting Link No. 1 lode, at S. 57°50'E.-211.04 ft. from Cor. No. 3.
- 122.88 Cor. Nos. 1-2 Hill and Gold Hill lodes of this survey and Cor. Nos. 1-4 Sur. No. 3427 Hill and Gold Hill lodes.
- 153.38 Bed of dry gulch, 10 ft. wide, runs westerly.
- 190.00 To West End Center. A redwood post 4 ft. long, 4 ins square, set 18 ins. in the ground with mound of earth and stone, a nail at center point, scribed W W Cen Gold Wedge 3779.
- 394.32 To Cor. No. 4. Identical with Cor. No. 2 Sur. No. 3427 Gold Wedge lode, on line 4-1 Sur. No. 3427 Gold Hill lode and line 1-2 Gold Hill lode of this survey. Also, on line 3-4, Sur. No. 3199 Grey Eagle lode at N.48°21'W. 8.6 ft. from Cor. No. 3; and said Cor. No. 3 bears N.36° 01' W -610.9 ft from Cor. No. 2, said Grey Eagle lode. A redwood post 4 ft. long, 4 ins. square, set 18 ins, in the ground with mound of earth and stone, a nail at corner point, scribed G W 4-3779.

Thence S. 56°45' E.

- 597.92 Intersect lines 1-2 and 4-5 Sur. No. 3199 Grey Eagle and Bald Eagle lodes at N. 38° 0' E. 218.28 ft. from Cor. Nos. 2-4 respectively.
- 754.89 To Cor. No. 1, the place of beginning.

Variations at all corners 15° E.

Lode Lines.

As near as can be determined from present development the lode lines of the several locations embraced in this claim extend as follows from their respective discoveries;

Hill lode: 680 ft. N. $56^{\circ}37'30''$ W. 818.50 ft. S. $56^{\circ}37'30''$ E.

Gold Hill lode:
805 ft. N. $56^{\circ}37'30''$ W., 693.50^{ft.} S. $56^{\circ}37'30''$ E.

Red Lion lode:
1249.50^{ft.} N. $56^{\circ}37'30''$ W., 249. ft S. $56^{\circ}37'30''$ E.

Gold Wedge lode:
245^{ft.} N. $56^{\circ}45'$ W., 509.89^{ft.} S. $56^{\circ}45'$ E.

The survey of each claim of this group is identical with the location, all corners and end centers having been found in place.

Location.

This survey is located in Sec. 23 T. 19 N. R. 20 W. G. and S. R. M., in the San Francisco Mining District, Mohave County, Arizona.

Adjoining claims.

The adjoining and conflicting lode claims of this survey are as follows:

On the North:

Sur. No. 2610 Benjamin Harrison and Rising Star lodes, Tom Reed Gold Mines Company, claimant.

On the East:

Sur. No. 3199 Grey Eagle and Bald Eagle lodes, Tom Reed Gold Mines Company, claimant.

On the South:

Sur. No. 3505 Connecting Link No. 1 and Connecting Link No. 2 lodes, Telluride Mining, Milling and Development Company, claimant.

On the West:

Sur. No. 2904 Cone View No. 2 lode, claimant, unknown.

Area.

Total area Hill lode:	5.414 [✓] acres
Area in conflict with Sur. No. 3427 Hill lode:	5.414 [✓] "
Sur. No. 3427 Hill lode, exclusive of its conflict with Sur. No. 3505 Connecting Link No. 1 lode	5.192 [✓] "
Sur. No. 3427 Hill lode, exclusive of its conflict with Sur. No. 3505 Connecting Link No. 2 lode,	5.054 [✓] "
Sur. No. 3427 Hill lode, exclusive of its conflict with Sur. No. 3505 Connecting Link No. 1 and Connecting Link No. 2 lodes	4.832 [✓] "
Sur. No. 3505 Connecting Link No. 1 lode	0.222 [✓] "
Sur. No. 3505 Connecting Link No. 2 lode	0.360 [✓] "
Total area Gold Hill lode	11.382 [✓] "

Area in conflict with; Sur.No.3199, Grey Eagle lode,	0.562 ✓ acres
Sur.No.3427 Gold Hill lode	11.882 ✓ "
Sur.No.3427 Gold Hill lode, exclusive of its conflict with Sur.No.3199 Grey Eagle lode,	11.320 ✓ "
<u>Total area Red Lion lode</u>	<u>8.759 ✓ "</u>
Area in conflict with; Sur.No.3199 Grey Eagle lode,	1.48 ⁸ ✓ "
Sur.No.3427 Gold Hill lode	8.759 ✓ "
Sur.No.3427 Gold Hill lode, exclusive of its conflict with Sur.No.3199, Grey Eagle lode,	7.272 ✓ "
<u>Total area Gold Wedge lode</u>	<u>6.209 ✓ "</u>
Area in conflict with; Sur.No.3199, Grey Eagle lode,	1.480 ✓ "
Sur.No. 3199, Bald Eagle lode	1.476 ✓ "
Sur.No.3505 Connecting Link No. 1 lode	0.132 ✓ "
Sur.No.3427 Gold Wedge lode	<u>6.209 ✓ "</u>
Sur.No.3427 Gold Wedge lode, exclusive of its conflict with Sur.No.3199, Grey Eagle lode,	4.729 ✓ "
Sur.No.3427 Gold Wedge lode, exclusive of its conflict with Sur.No.3199, Bald Eagle lode	4.73 ³ ✓ "
Sur.No.3427 Gold Wedge lode, exclusive of its conflict with, Sur.No.3505 Connecting Link No.1 lode	6 8.077 ✓ "
Sur.No.3427 Gold Wedge lode, exclusive of its conflict with Sur.No.3199 Grey Eagle and Bald Eagle lodes and Sur.No.3505 Connecting Link No.1 lode,	3.121 ✓ "

Expenditure of Five Hundred Dollars:

I certify that the value of the labor and improvements made upon or for the benefit of each lode of this claim, by the claimant or its grantors, is not less than Five Hundred Dollars, and that said improvements consist of:

On the Hill Lode:

No.1: The discovery shaft which is on the lode line at S.56°37'30"E.-680 ft. from the West End Center, 4 x 6 ft, 8 ft. deep on a quartz vein,

Value \$80.00

~~No.2:~~ An undivided 1/4 interest in improvement No.2 Red Lion lode is accredited to this lode.

Value \$8557.50

On the Gold Hill Lode:

No. 1: The discovery shaft which is on the lode line at S.56°37'30"E.-805 ft. from the west end center, 4 ft. wide, 8 ft long, 10 ft deep on a quartz and calcite vein in andesite.

Value \$100.00

No.2: A shaft which bears from Cor.NO.1 N.62°W. 708.5 ft. 4 x 6 ft., 7 ft. deep in altered andesite.

Value \$70.00

No,3: An open cut, 4 ft wide, 21 ft.long. 5ft.deep course S.80°W., the center of which bears from corner No. 1, N.63°35'W. 650. ft.

Value \$75.00

No.4: A shaft which bears from Cor.No.1 N. 65°47'W. 764.5 ft. 4x6 ft. 21 ft.deep on a quartz vein in andesite.

Value \$315.00

No.5: A shaft which bears from Cor.No.2 N.56°W. 765.ft 4x6 ft. 8 ft.deep on a quartz vein in andesite.

Value \$80.00

No.6: A shaft which bears from Cor.No.1 N.60°^{W.}503 ft.
4 x 6 ft, 8 ft deep in altered andesite.

Value \$ 80.00

An undivided 1/4 interest in improvement No.2 on
the Red Lion lode is accredited to this lode.

Value \$8557.50

On the Red Lion:

No.1: The discovery shaft, the center of which
bears from Cor.No.1, N.58° 15'W.-228 ft, 4x6 ft.40ft
deep, timbered, at the depth of 33 ft in this shaft a
cross cut, 4x6 ft.timbered, runs S.65°W.-19,5 ft. to
face, at which point a raise 4x6 ft extends upward,
10 ft. on a quartz vein in andesite. This raise being
the discovery work of the Red Lion lode ~~is~~ is on the
lode line at N.56°37'30"W.-249.ft from the east end
center.

Value of the shaft, cross cut and raise-\$1400.00

No.2: A shaft, the northeast corner of which bears
from Cor.No.1, N.58°15'W.340 ft. 4x8 ft in the clear,
515 ft.deep, two compartments, timbered. Course of
long side S.34°W. At the depth of 320 ft in said shaft
a cross cut 4 x 6 ft runs S.35°W.-105 ft to face; also
at the depth of 500 ft. in this shaft a drift 4x6 ft.runs
S.60°30'E.-85 ft to face and N.60°W.-234 ft. to face.

Value of shaft, drifts and cross cut. \$34,230.

An undivided 1/4 interest in this improvement is
accredited to this lode.

Value \$8557.50

The above shaft is being sunk and the drifts and
cross cuts therefrom are being run for the joint develop-
ment of all of the lodes of this group. The shaft is
centrally located and accessible to the wagon road.

The bottom of the shaft is at present several hundred feet below the surface of any point on the group.

This shaft, therefore, is common benefit improvement and drifts and cross cuts extended therefrom will develop all of the several veins of the group so that with one plant of machinery and one system of workings all the group can be systematically developed and ore extracted therefrom.

On the Gold Wedge lode:

No.1: The discovery cut, the face of which is on the lode line at S.56°45'E.-245 ft. from the westerly end center, 4 ft. wide, 10 ft face, extends N.10°W.

15 ft. to mouth in mineralized andesite and calcite.

Value \$75.00

An undivided 1/4 interest in improvement No.2 of the Red Lion lode is accredited to this lode.

Value \$ 8557.50

Other Improvements.

An iron and frame engine room, the northeast corner of which bears from Cor.No.1 Red Lion lode, N,58°15'W. 280ft. 24 ft.wide, 30 ft long, course of long side, N.56°30'W.

A dwelling house, the northeast corner of which bears from Cor.No.1 Red Lion lode N.74°W.-245 ft; 12x16 ft, course of long side, N. 56°30'W. Both of these improvements belong to claimant herein.

Instrument.

This survey was made with a C.L.Berger & Sons No. 2 transit, the courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with 100 and 500 ft. steel tapes.

REPORT.

All lines and ties in, this survey were run upon the ground and the courses and distances found to be as herein given.

No bearing objects were available in the survey?

The 1/4 Cor. Between Secs. 23 and 24 T 19 N.R. 20 W. is a one inch iron pipe with a brass cap, properly set and marked.

Sur.No.2904.Cone View No. 2 Lode.

All corners are found to be pine posts, properly set and marked.

Sur.No.2610, Benjamin Harrison and Rising Star Lodes.

All corners are pine posts, properly set and marked except Cor.No.5 of the Rising Star, which is a large boulder, 4 ft square and 3 ft above the ground, properly chiseled.

Sur.No.3199, Grey Eagle and Bald Eagle lodes:

All corners are pine posts properly set and marked.

Sur.No.3505, Connecting Link No.1 and Connecting Link No.2 lodes:

All corners are redwood posts, properly set and marked.

NOTE.

The disagreement between these field notes and the location certificates are due to errors in the latter.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Edward L. Haff
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of
Oatman Red Lion Mining Company
 known as the Hill, Gold Hill, Red Lion and Gold Wedge lodes
 and showing the respective capacities in which they acted.

F. M. Rapp , *Chainman.*
 , *Chainman.*
 , *Asman.*
 , *Flagman.*

FINAL OATHS OF ASSISTANTS.

~~was~~ I, F.M. Rapp
~~and~~ , do solemnly swear that ~~we~~ I assisted
Edward L. Haff , United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of Oatman, Red Lion Mining Company
 known as the Hill, Gold Hill, Red Lion and Gold Wedge lodes.
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction ; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-
 tions furnished by the United States Surveyor-General for Arizona

F. M. Rapp , *Chainman.*
 , *Chainman.*
 , *Asman.*
 , *Flagman.*

Subscribed and sworn to by the above-named persons before me this 25th

day of July , 1921

My Commission Expires July 2 - 1924

Caris L. Wallace
Notary Public in and for Mohave County, Arizona



FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Edward L. Haff, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated June 14th 1921, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Oatmen Red Lion Mining Company, known as the Hill, Gold Hill, Red Lion and Gold Wedge lodes, situate in San Francisco Mining District, Mohave County, Arizona, in Section 23, Township No. 19 N., Range No. 20 W. G. and S. R. M., and designated as Survey No. 3779, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Edward L. Haff
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Edward L. Haff
U. S. Mineral Surveyor, before me Louis L. Wallace, a Notary Public in and for Mohave County, Arizona this 25th day of July, 1921

Louis L. Wallace
Notary Public in and for
Mohave County, Arizona

My Commission Expires July 2 - 1924

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

21

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

October 21, 1921.

I, U. S. Surveyor General for District of Arizona, do hereby certify that the foregoing transcript of the Field Notes, return and approval of the Survey of the mining claim of Oatman Red Lion Mining Company, known as the HILL, GOLD HILL, RED LION, and GOLD WEDGE lodes, situate in San Francisco Mining District, Mohave County, Arizona, in Section 23, Township No. 19 N, Range No. 20 W., and designated as Survey No. 3779, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim ^{or for each of} by claimant or its grantors, and that said improvements consist of 2 cuts, 8 shafts, 2 drifts, 1 raise and 2 crosscuts, total value \$36,505.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott

United States Surveyor General for Arizona.

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona,

October 21, 1921

I, U. S. Surveyor General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Oatman Red Lion Mining Company

, known as the

HILL, GOLD HILL, RED LION, and GOLD WEDGE Lodes

situate in San Francisco mining district,

Mohave County, Arizona

in Section 23, Township No. 19 N, Range No. 20 W.

, designated as Survey No. 3779

executed by Edward L. Haff, U. S. Mineral

Surveyor, July 5 - 25, 1921, under my instructions dated

June 14, 1921, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and made

a part of the transcript of the field notes.

[Handwritten signature]

U. S. Surveyor General for Arizona.



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

ARIZONA STATE OFFICE
2400 VALLEY BANK CENTER
PHOENIX, ARIZONA 85073

IN REPLY REFER TO

9632 (942)
M.S. # 3779

March 8, 1982

Memorandum

To: Chief, Branch of Lands and Minerals Operations
From: Chief, Branch of Cadastral Survey
Subject: Cancellation of Mineral Survey No. 3779

This memorandum cancels the survey of the Hill, Gold Hill, Gold Wedge and Red Lion lode claims of Survey No. 3779.

The following notation should be made on the plat of Mineral Survey No. 3779:

"Survey of Hill, Gold Hill, Gold Wedge and Red Lion lode claims cancelled by Chief, Branch of Cadastral Survey, memorandum dated March 8, 1982, File 9632 (942)."

A notation of this cancellation should also be made on the Mineral Mining District Sheet. This memorandum should be made a part of the original field notes. The plat and field notes should remain in the files.

These claims have not been recorded with the BLM in accordance with Section 314 of the Federal Land Policy and Management Act of 1976, and are considered to be invalid as noted in a memorandum from the Chief, Branch of Lands and Minerals Operations, dated March 5, 1982.

James P. Kelley