Reid. 6-29-21

MINERAL SURVEY No. 3780

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

	HUBERT E. SMITH	
	KNOWN AS THE	
	BUNKER HILL lode	
	WALLAPAI	Mining Distric
Mohave	County,	ARIZONA
	, Township 22 N.	
Surveyed under	instructions dated June 1	1921
	by Leon H	. Foster
		U. S. Mineral Surveyo
Claim loc	ated January I	, <i>19</i> 0I
Survey co.	mmenced June 23	, <i>19</i> 2I
Survey con	mpleted June 23	, <i>19</i> 2I
$Address$ o_i	f claimant P.O. Box 474 Ki	ngman, Arizona
	DATES OF AMENDED LOCAT	ions.
Jan	uary 5, 1921	
-		
6—822		

reet

300.00

feet

Bunker Hill lode.

1446.45 Intersect line between sections 5 & B at N. 890471 T.

167.34 ft. and S. 59° 471 .enclose aning Corner of

8 & 7 smoits and granite stone, 45 by 9 by 28 inches long, set 18 ins. in the ground, in a mound of earth and stone, with a monument of stone alongside, marked with a cross at the .eni di dexact corner and BH-1-3780. anota stimeny A

A flat top granite boulder, 3 1/2 ft. wide, 6 ft. long and 18 ins. above ground, marked BR-BH-I-3780-X, bears N. 89° 30' E. 36.15 ft. .0878-8-HH bas denged to axe

. The corner of sections 6 & 7, Tr. 22 N. R. 17 W.

marked ER-M-3-3.1.73 70.880 .WW. 3986.05 Cft. -2-M-93 bears M. 840 60 W. 211.73

No. 2 nano Cor. No. 3, Juror flode Sur. No. 3600 bears S.

To the east end tenter m. 1330.60 ft. resten bne tase ent of

The southwesterly corner of the Mohawk No. 2 lode, unsurveyed, bears N. 830 25 E. 364.00 ft.

of sections 5-6-7-8 and the I/4 corner between sections Thence N. 23° 55' E.

To the west end center monument of the location. 300.00

Intersect the southwest side line of the Mohawk No. 353.38

2 lode, unsurveyed, at N. 37° 49' W. 356. IO ft. and S. 37° 49' E. 422.90 ft. from the southwesterly and the northwesterly corners, respectively.

600.00

A granite stone, 5 by 15 by 30 inches long, set 12 ins. in the ground, in a mound of earth and stone, with a monument of stone alongside, marked with a cross at the exact corner, and BH-2-3780. sections the corner of sections

No bearing object available.

o & 7, reanectiv Thence S. 66° 05' E.

To Uor beginning. Intersect the southeast end line of the Mohawk No. 2 523.40 lode, unsurveyed, at N. 50° 43' E. 465.23 ft. and S. 50° 43' W. 86.07 ft. from the southwesterly and the southeasterly corners, respectively.

1269.05 Intersect line between sections 5 & 6 at N. 0° 10' W. 74.93 ft. and S. 0° IO' E. 2565.07 ft. from the corner of sections 5-6-7-8 and the I/4 corner between sections 5 & 6. respectively.

300.008

600.00

Bunker Hill lode.

feet 1452.32 1446.45

Intersect line between sections 5 & 8 at N. 89°47' E. 167.37 ft. and S. 89° 47' W. 2466.09.ft. from the corner of sections 5-6-7-8 and the I/4 corner between sections 5 & 8. die errespectively. to bosom a mi bosom and and all and SI

1500.00 agoro To Cor. No. 3. ablagache enote to themunam a

A granite stone, 5 by IO by 30 ins. long, set I5 ins. in the ground, in a mound of earth and stone, with a monument of stone alongside, marked with a cross at the exact corner and BH-3-3780. . 1 108 08 . M

A granite stone, 18 ins. square, 8 ins. above ground,

300.00

To the east end center monument of the location.

516.00 . Intersect line between sections 7 & 8 at S. 0° 12' E. 490.40 ft. and N. 0° 12 W. 2245.60 ft. from the corner of sections 5-6-7-8 and the I/4 corner between sections 7 & 8, respectively.

To Cor. No. 4.

ne Monayk Ne. A granite stone, 5 by 12 by 30 inches long, set 15 ins. in the ground, in a mound of earth and stone with a monument of stone alongside, marked with a cross at the exact westerly corners, respective corner and H-4-3780.

To the west end center

No bearing objects available.

Thence N. '66° 05' W. y 30 inches long, set I2

1218.54

Intersect line between sections 6 & 7 at S. 86° 21' W. II48.59 ft. and N. 86° 20 E. 4233.42 ft. from the corner of sections 5-6-7-8 and the corner of sections delieva josico gnimad ok 6 & 7, respectively.

1500.00

To Cor. No. I, the place of beginning. .oM awarioM s All corners are identical with the location. lode, unsur Variation, all corners, 15° 30' E.

LODE LINE

As near as can be determined from present developments the lode line of this claim extends N. 660 05' W. 740 ft. and S. 66° 05' E. 760 ft. from the discovery monument,

* * * * * * * * * * * * * * * * * corners, respectively.

which is over the face of the discovery tunnel.

The Meridian was determonated LOCATION rated are meibired and

This survey is located in the Wallapai Mining District,

* Mohave County, Arizona, in sections 5-6-7-8, T. 22 N. R.

17 W. G. &. S. R. B. & M.

THE STATE OF THE RESERVE AS A SECOND SECOND

AREA

direct on the ground.

conflict with Mohawk No. 2 lode,

unsurveyed ----- 3.383 "

.W ST 20 .M OFFIVE HUNDRED DOLLARS IMPROVEMENT

made upon and for the benefit of this claim, by the claimant or his grantor, lis not tess than five hundred and the dollars and ois as follows; - I have not tess than five hundred

No. I. The face of a crosscut tunnel, which is on the lode line at 740 ft. from the west end center, running as nows. 7° 30° W. 30 ft. to the portal thence an open cut, 12 ft. face, 4 ft. wide, extending S. 15° W. 28 feet.

From the face, a drift runs westerly along the lode

.ti of value -----\$3010.00

No. 2 The face of an open cut, IO ft. high, 4 ft. wide, extending S. 66° 05' E. I8 ft. Thence from the face, a tunnel, westerly along the lode line II5 ft. with a 20 ft. crosscut at 6I ft. running S. 25°w.

feet from the west end center. Value ----- 1400.00

No. 3- A shaft, 4 ft. wide, 6 ft. long, 30 ft. deep.

on the lode line at 396 ft. from the east end center.

Value ---- 450.00

U.S. Mineral Surveyor

Kingman, Arizona.

MINERAL SURVEY NO. 3780

INSTRUMENT and MERIDIAN.

This survey was made with a Berger & Sons transit

The Meridian was determined by direct observation on

Report .M. S. R. B. & M. Trogen

direct on the ground.

stone properly set and marked.

Section lines and corners; - - - beyeveren

Beginning at the I/4 corner of sections 7 & 8,
which is a stone, properly marked, I go N. 0° I2' W.
2736 ft. to a mound of earth and stone with the remains
of an old post in the center. The upper part of this
post had been removed to location monument. I set this
post in its original position as the corner of sections

5-6-7-8, T. 22 N. R. I7 W.

per Public Land Survey records.

set and marked and being the most permanent I tie corner

No. I of this survey to it.

lode, Sur. No. 3600 are in error due to wrong location of

850 to onil and and Adjoining & Conflicting claims

. add by All other sides are joined by public domain.

U.S. Mineral Surveyor

Kingman, Arizona.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

| A list of the names of the individuals employed by Leon H. Foster |
|---|
| United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and |
| boundaries described in the foregoing field notes of the survey of the mining claim of |
| Hubert E. Smith |
| known as the Bunker Hill lode |
| and showing the respective capacities in which they acted. |
| R. C. Everhart , Chainman. |
| XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX |
| ************************************** |
| XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX |
| |
| FINAL OATHS OF ASSISTANTS. |
| xwx, I, R. C. Everhart |
| and XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX |
| Leon H. Foster , United States Mineral Surveyor, in marking the corners and surveying |
| the boundaries of the mining claim of Hubert E. Smith |
| known as the Bunker Hill lode |
| represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his |
| direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully |
| and correctly executed, and the corner and boundary monuments established according to law and the instruc- |
| tions furnished by the United States Surveyor-General for Arizona |
| K. C. Evenhart., Chainman. |
| , Chainman. |
| Axman. |
| Flagman. |
| Subscribed and sworn to by the above-named persons before me this 28 |
| day of June 1921 |
| Jamis L. Wallace |
| |
| My Communion Rolary Public mand for Workene Comby. 1013 |

FINAL OATH OF U.S. MINERAL SURVEYOR.

| I, Leon H. Foster | , U. S. Mineral Surveyor, | | | | |
|--|--|--|--|--|--|
| do solemnly swear that, in pursuance of in | | | | | |
| Surveyor General for Arizona | | | | | |
| June 18, 1921 , , I | | | | | |
| United States, the official regulations and in | | | | | |
| of said Surveyor General, faithfully and correctly executed the survey of the Mining | | | | | |
| Claim of Hubert E. Smith | | | | | |
| | | | | | |
| Bunker Hill lode | | | | | |
| situate in Wallapai | | | | | |
| Mohave Co | ounty. Arizona in Section | | | | |
| 5-6-7-8 , Township No. 22 N. , Rang | e No. I7 W. G. & S.R. B. & M | | | | |
| and designated as Survey No. 378 | 30 as represented | | | | |
| in the foregoing field notes, which accurately | | | | | |
| as distinctly marked by monuments on the g | | | | | |
| of the location certificate, which was receive | | | | | |
| said instructions, and that all the corners of | | | | | |
| petuated in strict accordance with the law, | | | | | |
| under; and I do further solemnly swear that | | | | | |
| | | | | | |
| field notes of said survey and my report t | | | | | |
| improvements made upon said mining claim | | | | | |
| are as therein fully stated, and that the cha | | | | | |
| thereof are specified therein with particularity | | | | | |
| said labor or improvements so credited to th | is claim has been included in the estimate | | | | |
| of expenditures upon any other claim. | | | | | |
| | | | | | |
| | 11 1 | | | | |
| | II S Minoral Surveyor | | | | |
| | 7 | | | | |
| Subscribed and sworn to by the said | on N Fasta | | | | |
| | | | | | |
| U. S. Mineral Surveyor, before me | 204 | | | | |
| 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | this | | | | |
| day of | PO | | | | |
| | and Concession | | | | |
| | S. C. S. O. | | | | |
| . 5—1044 | Nelay Kulle | | | | |
| n a | in and for Mohor County. | | | | |
| Thy Commosion Expires July 2-19 vet | dele of angona. | | | | |
| Copies July 2-1924 | | | | | |

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR

OFFICE OF U. S. SURVEYOR GENERAL

| | | <u>Ph</u> | oenix, | Arizona. |
|--|--------------------|-------------------|--------------|-----------------------|
| | | | | May 1 , 1922 |
| I, U. S. Surveyor General for | Di | strict of | Arizona | 1 |
| do hereby certify that the foregoing ar | nd hereto attache | ed Field Notes | and Return | of the Survey of the |
| Mining Claim of | | | | |
| | | | | |
| | | | | |
| | BUNKER H | ILL Lode | | |
| situate in | Wallapa | ai | | mining district, |
| Mohave | County, | | Arizona | |
| in Section 8 5,6,7,8 , To | wnship No | 22 N. | , Range | No17_W |
| , designated as Sur | vey No | 3 | 780 | |
| executed by Leon H | . Foster | | | , U. S. Mineral |
| Surveyor,June 23 | | | | |
| June 18 | | | | |
| corrections and explanations made, and t | he said Field No | tes and Return | , and the s | urvey they describe, |
| are hereby approved. The certified cop | y of the location | certificate filed | by the ap | plicant for survey is |
| on file in this office and a true copy of | said certified cop | y of said locat | ion certific | ate is included and |
| made a part of the transcript of the field | | | | |
| | | Frank P. T | rott | |
| | U.S. | Surveyor Gener | al for Ar | izona. |

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

| | Phoenix, Arizona, |
|---|---|
| | May 1 , 1922 . |
| I, U. S. Surveyor General for | District of Arizona, |
| do hereby certify that the foregoing | ng transcript of the Field Notes, return and approval |
| of the Survey of the mining claim | n of |
| 3 | Hubert E. Smith |
| , known as the | BUNKER HILL Lode |
| | , situate inWallapai |
| Mining District | , Mohave County, |
| Arizona | , in Sections 5,6,7,8 , Township No. 22 N, |
| Range No. | 17 W. , and designated as Survey |
| will perpetuate and fix the <i>locus</i> the And I further certify that five or improvements made upon said | erein to natural objects or permanent monuments as ereof. e hundred dollars' worth of labor has been expended mining claim by claimant or his grantors, and |
| expenditures upon any other claim | r improvements has been included in the estimate of hereof, filed in the U.S. Land Office at Phoenix, |
| | nd in conformity with the foregoing Field Notes. |
| United Ste | ttes Surveyor General for Arizona. |

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956) BUREAU OF LAND MANAGEMENT M.S. 3780 ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The BUNKER HILL lode, Mineral Survey No. 3780, located in sections 5, 6, 7 and 8, Township 22 North, Range 17 West, Gila and Salt River Meridian, Arizona, is hereby canceled.

This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"BUNKER HILL lode, M.S. 3780 was canceled June 27, 2012, by memo 9605 (956) M.S. 3780, which is now a part of the original field notes."

June 27, 2012

Date

Stelle K. Hann
Chief Cadastral Surveyor of Arizona