

4-683

MINERAL SURVEY No. 3787

Arizona Land District.

FIELD NOTES

EXTERIOR BOUNDARIES OF THE OF THE SURVEY OF THE MINING CLAIM OF

B.H.Kerrick, Charles Pennington, W.C.Ashlock, J.B.Kerrick,, Bennit Hancock, Wm.G.Shanley and D.V.Marley.

Consisting of two contiguous locations

Made under

Regulations under the Act of June 30, 1919, as amended November 11, 1920

situated in

Fort Apache Indian Reservation

Mining District,

Gila

County,

Arizona, approximately in

Section -- 12, Township 5 N., Range 18 E., uns.

Surveyed under instructions dated October 6, 1921

by Edwin T. Stewart

U. S. Mineral Surveyor.

Claim located April 10 and 12, 1921.

Survey commenced October 8, 1921.

Survey completed October 10, 1921.

Address of claimant's attorney, Charles L. Rawlins, Box 98,

Globe, Arizona

DATES OF AMENDED LOCATIONS.

September 30, 1921.

1.

Feet.	<p style="text-align: center;">MINERAL SURVEY NO. 3787.</p> <p>Beginning at Cor. No. 1, identical with N.W. corner of the location.</p> <p>A diabase stone, 5 x 9 x 24 ins., chiseled cross at the exact corner and 1-3787, set 12 ins. in the ground, with mound of stone alongside, whence</p> <p>U.S.L.M. No. 3787 bears N.69°-16'W. 989.0 ft.</p> <p>A diabase boulder, 10 x 30 x 36 ins., out of the ground, chiseled cross B.R. 3787, bears N.32°-36'E. 7.20 ft.</p> <p style="text-align: center;">No other bearings available.</p> <p style="text-align: center;">Thence N.53°-45'E.</p> <p>Along line of the location.</p>
772.00	Bed of gulch, draining southerly,
1280.00	<p>To Cor. No. 2, identical with N.E. corner monument of the location.</p> <p>A diabase stone, 3 x 10 x 24 ins., chiseled cross at the exact corner and 2-3787, set 12 ins. in the ground, with mound of stone alongside, whence</p> <p>A cross on south side of diabase ledge, about which is chiseled B.R. 3787, bears N.51°-30'W. 9.25 ft.</p> <p style="text-align: center;">No other bearings available.</p> <p style="text-align: center;">Thence S.15°-15'E.</p> <p>Along line of the location.</p>
1499.50	<p>To Cor. No. 3, identical with S.E. corner monument of the location.</p> <p>A limestone, 5 x 8 x 25 ins., chiseled cross at the exact corner and 3-3787, set 12 ins. in the ground, with mound of stone alongside, whence</p> <p>A diabase boulder, 1 x 2.5 x 4.5 ft. out of the ground, chiseled cross B.R. 3787, bears N.15°-15'W. 11.9 ft.</p> <p style="text-align: center;">No other bearings available.</p> <p style="text-align: center;">Thence S.53°-45'W.</p> <p>Along line of the location.</p>
215.00	<p>North bank of Salt River, flowing westerly.</p> <p>Along bed of river.</p>
1078.00	Northwest bank of Salt River, flowing southwesterly.

Feet.
1280.00

To Cor. No. 4, identical with S.W. corner monument of the location.

A diabase boulder, showing 2 x 3.5 x 4.5 ft. out of the ground, with mound of stone alongside, chiseled cross at the exact corner and 4-3787.

No bearings available.

Thence N.15°-15'W.

Along line of the location.

1499.50 To Cor. No. 1, the place of beginning.

Mean magnetic variation at all corners, 15°-30'E.

oooooooooooooooooooo

AREA.

Total area of survey, 41.136 acres.

oooooooooooooooooooo

LOCATION.

This survey is located approximately in ^{Sec. 12,} T. 5 N., R. ~~16~~¹⁷ E., G. & S.R.B. & M., unsurveyed, on the Fort Apache Indian Reservation, Gila County, Arizona.

oooooooooooooooooooo

ADJOINING CLAIMS.

This survey is bounded on the north and east by unknown claims, owners unknown. On the west and south by unappropriated Indian Reservation.

oooooooooooooooooooo

INSTRUMENT AND DETERMINATION OF MERIDIAN.

This survey was made with a 6¼ inch Berger transit. The courses were deflected from the true meridian as determined by Polaris observation, verified by Solar observation.

The distances were measured with a 660 foot steel tape.

oooooooooooooooooooo

REPORT

U.S.L.M. No. 3787, to which tie is given is a limestone boulder, showing 1.5 x 3 x 5 ft. above the bedding, chiseled cross at the exact point and U.S.L.M. 3787, with mound of stone alongside. The tie to this

3.

Feet. monument was computed through a traverse run N. $64^{\circ}-19'$ W.
344.1 ft., thence N. $71^{\circ}-54'$ W. 646.9 ft. from Cor. No. 1
to said monument.

Edwin P. Stewart

United States Mineral Surveyor.

Globe, Arizona,

October 7 , 1921.

In the execution of Mineral Survey No. 3787, I find that the claims are not within the two mile limit of an approved corner of the public survey or a U.S.L.M., so established U.S.L.M. No. 3787.

There being no suitable post available, I selected a limestone boulder, which shows 1.5 x 3 x 5 ft. above the bedding, and which is situated on the top of a high ridge, visible for a great distance in all directions, chiseled a cross and U.S.L.M. 3787 on top of it and erected a monument of stone 6 ft. base, 5 ft. high, N.14°W. 17.0 ft. from it.

This monument is on the north side of Salt River, about $1\frac{1}{2}$ miles in an easterly direction from the Peninsula, a local land mark; and is approximately in Latitude 33°-48'N.

The $20\frac{1}{2}$ Mile Monument on the West Boundary of the White Mountain or San Carlos Indian Reservation is visible, and bears S.70°-01'W. about 11000 feet.

Cor. No.1 of Mineral Survey No. 3787 bears S.69°-16'E. 989.0 feet.

A limestone boulder, 1 x 1.5 x 2.5 ft. out of the ground, chiseled cross B.R. U.S.L.M. 3787, bears N.64°-08'E. 18.20 feet.

A cross on limestone in place, about which is chiseled B.R. U.S.L.M. 3787, bears S.42°-03'E. 18.1 feet.

Edwin P. Stewart
United States Mineral Surveyor.

Globe, Arizona,
October 17, 1921.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Edwin T. Stewart

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of B.H. Kerrick, Charles Pennington, W.C. Ashlock, Bennit Hancock, J.B. Kerrick, Wm.G. Shanley and D.V. Marley, known as the consisting of two contiguous locations, and showing the respective capacities in which they acted.

Tee Hinton , *Chainman.*
..... , *Chainman.*
..... , *Arman.*
..... , *Flagman.*

FINAL OATHS OF ASSISTANTS.

We,

and I, Tee Hinton, do solemnly swear that we assisted

Edwin T. Stewart , United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of B.H. Kerrick, Charles Pennington, W.C. Ashlock, J.B. Kerrick, Bennit Hancock, Wm.G. Shanley and D.V. Marley known as the consisting of two contiguous locations.

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the ~~corner and~~ **exterior** boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona

Tee Hinton , *Chainman.*
..... , *Chainman.*
..... , *Arman.*
..... , *Flagman.*

Subscribed and sworn to by the above-named persons before me this 17th

day of October , 1921.

My commission expires November 12, 1924.

M. L. Harrison

Notary Public, Gila County, Arizona.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Edwin T. Stewart, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated October 6, 1921, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of B.H.Kerrick, Charles Pennington, W.C.Ashlock, J.B.Kerrick, Bennit Hancock, Wm.G.Shanley and D.V.Marley, ~~known as the~~ consisting of two contiguous locations, situate in Fort Apache Indian Reservation ~~-Mining District,~~ Gila County, Arizona, approx., in Section Approx. Sec. 22, Township No. 5 N., Range No. 17 E. ~~unsurveyed~~, and designated as Survey No. 3787, as represented in the foregoing field notes, which accurately show the exterior boundaries of said mining claim as distinctly marked by monuments on the ground, ~~and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions,~~ and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, ~~and that the labor expended and improvements made upon said mining claim by claimant or~~ grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim. ~~and that said exterior boundaries as surveyed embrace the~~ 2 contiguous locations as applied for and no additional tracts.

Edwin T. Stewart

U. S. Mineral Surveyor.

Subscribed and sworn to by the said Edwin T. Stewart
U. S. Mineral Surveyor, before me M.L.Harrison, a Notary Public
this 17th
day of October, 19 21.

My commission expires
November 12, 1924.

M. L. Harrison

Notary Public, Gila
County, Arizona.

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES
AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR
OFFICE OF U. S. SURVEYOR GENERAL

.....Phoenix, Arizona,.....

.....December 19, 1921, 191-.....

I, U. S. Surveyor General forDistrict of Arizona,.....

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim ofB.H.Kerrick, Charles Pennington, W.C.Ashlock, J.B.Kerrick,
Bennit Hancock, Wm.G.Shanley, and D.V.Marley.....

....., known as the

situate inFort Apache Indian Reservation..... mining district,

.....Gila..... County,Arizona.....

in Section Approx. 12....., Township No.5 N....., Range No. 17 E., Uns.

....., designated as Survey No.3787.....

executed byEdwin T. Stewart....., U. S. Mineral

Surveyor,October 8 - 10, 1921,....., 191- , under my instructions dated


.....October 6, 1921....., 191- , have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and made

a part of the transcript of the field notes.



U. S. Surveyor General forArizona.....

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

December 19, 1921.

I, U. S. Surveyor General for District of Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of B.H.Kerrick, Charles Pennington,
W.C.Ashlook, J.B.Kerrick, Bennit Hancock, Wm.G.Shanley, and D.V.Marley
, known as the

Fort Apache Indian Reservation
Mining District, Gila County,
Arizona, in Section Approx. 12, Township No. 5 N.,
Range No. 17 E., Uns., and designated as Survey
No. 3787

, has been correctly copied from the originals on
file in this office; that said Field Notes furnish such an accurate description of said
mining claim as will, if incorporated into a patent, serve fully to identify the premises,
and that such reference is made therein to natural objects or permanent monuments as
will perpetuate and fix the locus thereof.

~~And I further certify that five hundred dollars' worth of labor has been expended
or improvements made upon said mining claim by claimant or grantors, and
that said improvements consist of~~

~~and that no portion of said labor or improvements has been included in the estimate of
expenditures upon any other claim.~~

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,
Arizona. is correct and in conformity with the foregoing Field Notes.

Frank P. Trott

United States Surveyor General for Arizona.

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (952)
BUREAU OF LAND MANAGEMENT M.S. 3787
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Mineral Survey No. 3787, located in section 25, Township 5 North, Range 17 East and section 30, Township 5 North, Range 18 East, Gila and Salt River Meridian, Arizona, is hereby canceled.


These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Mineral Survey No. 3787 was canceled May 4, 1999, by memo 9605 (952) M.S. 3787, which is now a part of the original field notes."

May 4, 1999
Date



Chief Cadastral Surveyor of Arizona