

MINERAL SURVEY No. 3798

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

C. P. Wingfield

KNOWN AS THE

Blizzard & Isabelle lodes

Turkey Creek

Mining District,

Yavapai

County,

Arizona

Approx. 31 & 32

12 1/2 N.

1 W.

Unsur. &

Sections 5 & 6, Township 12 N, Range 1 W Unsur.

Surveyed under instructions dated July 28, 1921

by Richard L. Merritt U. S. Mineral Surveyor.

Claim located See location Notices, 19

Survey commenced Sept 17, 1921

Survey completed Sept 19, 1921

Address of claimant J. E. Russell, Atty Prescott Ariz.

DATES OF AMENDED LOCATIONS.

See location Notices

Mixeral Survey 3798

Feet

Blizzard lode.

Beginning at Cor. No 1 identical with the location, a Granite stone 6x10x24 ins. set 12 ins in the ground, in a mound of stones chiselled x -1-B, 3798, whence U.S.M.M. No 3 brs. S84°03'E 6308.16 ft. A Pine tree 8 ins. in diam. blazed and scribed x B.T. 1 B, 3798 , brs.N62°E 6.3' An Oak tree 8 ins. in diam. blazed and scribed X B T 1 B 3798 brs.S14°E 14.6 ft. Location Cor. amount of stones 2x2 ft.

Thence S84°46'W Va. 14°E

50.00
230.00
300.00

Cross Road Course N23°W & S23°E
" " " northwesterly and southeasterly.
To the S.C.E. a mound of stones 3x3 ft. identical with the location.

470.00

To Cor. No. 2 identical with the location and with Cor. No 1 Isabelle lode of this survey, A Granite stone 6x6x24 ins. set 12 ins. in the ground with mound of stones chiselled x 2 B, 1 I, 3798, Whence an Oak tree 9 ins. in diam. blazed and scribed X B T 1 I, 2 B, 3798, brs. N14°45'W 5:8 ft. An Oak tree 10 ins. in diam blazed and scribed x B T 1 I, 2 B, 3798 brs. S46°45'W 20.5 ft. Loc. Cor a mound of stones 2x2 ft.

Thence N5°14'W Va. 14°E

130.0

Cross a road course S82°30'E & N82°30'W

1500.00

To Cor. No 3 identical with the locatiön and with Cor No 4 Isabelle lode of this survey. A Granite stone 12x14x24 ins. set 12 ins. in the ground with mound of stones chiselled x 3 B, 4 I, 3798; Whence a Spruce tree 24ins. in diam. blazed and scribed X B T 4 I, 3 B, 3798 brs.N28°W 8 ft. An Oak tree 6 ins in diam. blazed and scribed X B T 4 I, 3 B, 3798 brs. S75°E 51. ft. Loc. Cor a mound of stones 2x2 ft.

Thence N84°46'E Va. 14°E

20.00

Cross road course N20°W & S20°E

feet

170.0 To the N.C.E. a mound of stones 3x3 ft, iden. with the location.

470.0 To Cor. No 4 iden. with the location, a Rock in Place, Granite, 6x6 ft. x 3 ins. above ground chiselled x 4 B, 3798; Whence a Pine tree 16 ins. in diam. blazed and scribed x B T 4 B, 3798, brs. S5°00'E 20 ft. A Pine tree 10 ins. in diam. blazed and scribed x B T 4 B, 3798 brs. N19°E 14.8 ft. Cor. No 2 Glenwood lode Sur. 3797 brs. S40°56'E 132.0 ft. Location Cor. a mound of stones 3x3 ft.

Thence S5°14'E Va. 14°E

1500.00 To Cor. No 1 the place of beginning.

Isabelle lode.

Beginning at Cor No 1, iden. with the loc. and with Cor. No 2 Blizzard lode of this survey, hereinbefore described, Whence U.S.M.M. No ~~2~~³ brs. S84°49'20"E 6769.82 ft.

Thence S84°46'W Va. 14°E

300.00 To the S.C.E. a mound of stones 3x3 ft. iden. with the location.

590.0 Cross Road course N50°E & S50°W

600.0 To Cor. No. 2 iden. with the location, a Granite rock in place 4x8x2 ft. above the ground chiselled x 2-I, 3798; Whence an Oak tree 10 ins. in diam. blazed and scribed x B T 2-I, 3798 brs. N79°W 16.9 ft. An Oak tree 6 ins. in diam. blazed and scribed x B T 2-I, 3798 brs. N22°E 11.7 ft. Location Cor. a mound of stones 2x2 ft.

Thence N5°14'W Va. 14°E

1500.00 To Cor. No. 3 iden. with the loc. a Granite Rock in Place 2x3x5 ft above the ground, chiselled x 3 I, 3798; Whence a Pine tree 12 ins. in diam. blazed and scribed x B T 3-I, 3798 brs. S49°E 11.6 ft. A Pine tree 14 ins. in diam. blazed and scribed x B T 3-I, 3798 brs. N19°E-22.6 ft. loc. Cor a mound of stones 2x2 ft.

Fee t

300.00 Thence N84°46'E Va. 14°E To the N.C.E a mound of stones 3x3 ft iden. with the location.

600.00 To Cor No 4 iden. with the loc. and with Cor. No 3 Blizzard lode of this survey hereinbefore described.

1370.0 Thence S5°14'E Va 14°E Cross road course S82°30'E & N82°30'W

1500.0 To Cor. No 1 the place of beginning.

Total area Isabelle lode -----	20.661 Acres.
Total area Blizzard lode -----	16.185 "
	13.889 "

Lode lines

As near as can be determined from the present developments the veins of the several locations embraced in this claim extend as follows from their respective discovery shafts;

Isabelle lode N5°14'W 1200 ft & S5°14'E 300.0 ft

Blizzard lode N5°14'W 800.ft & S5°14'E 700.0 ft.

Location

This claim is located in the Turkey Creek Mining district approximately in Sections 5 & 6, Township 12N, R1W ^{Unsurveyed, & Secs. 31 & 32,} T. 12 1/2 N., R. 1 W., Unsur., within the Prescott National Forest.

Improvements.

I certify that the value of the labor and improvements made upon or for the benefit of each of the locations embraced in said claim by the claimant or his grantors is not less than five hundred dollars and that said improvements consist of ;

Blizzard lode;

No. 1 the dis. Shaft which is on the lode line 700 ft.

from the south center end. 4x6x 100 ft value \$3000.00
 No 2 a tunnel which brs. S67°E 44ft. From Cor. 3 4x6x15 ft. value \$150. Course S22'W

Total value improvements credited this lode \$3150

Isabelle lode.

1891

No. 1, the discovery shaft which is on the lode line 300 from the S.C.E. 6x8x100 ft value \$4000.00. Total value improvements credited this lode \$4000.00

Adjoining claims

This claim is bounded on all sides by U.S.Land.

Instrument

This survey was made with a light mountain Gurley transit. The courses were deflected from the meridian as determined by direct solar observations. The distances were measured with 500 ft. & 50 ft. steel tapes.

Report

The lode lines of each location of this claim ^{was} run direct upon the ground and the several corners were established by means of offsets therefrom. All tie lines were run direct upon the ground. The location of the Blizzard lode calls for the claim running east and west, however the ledge runs North and South and the claim is so monumented. Cor. No. 2 Glenwood lode Sur. 3797 is a Granite stone 6x6x12 ins. above the ground properly marked. U.S.M.M. No ³/~~X~~ is located on a rocky ridge course NE & SW. A Malapai ⁰/~~o~~ck in place 6x2x3 ft above ground, chiselled x U.S.M.M. No ³/~~X~~ T. C. This Mineral monument is on the Skookum lode survey 913.

Richard L. Merritt
Richard L. Merritt,
U.S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Richard L. Merritt
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of C. P. Wingfield
 known as the Blizzard & Isabelle lodes
 and showing the respective capacities in which they acted.

W. A. Merritt, Chainman.
 _____, Chainman.
 _____, Axman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, W. A. Merritt
 and _____, do solemnly swear that we assisted Richard L. Merritt
L. Merritt, United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of C. P. Wingfield
 known as the Blizzard & Isabelle lodes
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-
 tions furnished by the United States Surveyor-General for Arizona

_____, Chainman.
W. A. Merritt, Chainman.
 _____, Axman.
 _____, Flagman.

Subscribed and sworn to by the above-named persons before me this 29th
 day of October, 1921

R. Keohane
 Notary Public

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Richard L. Merritt, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona, dated
July 28 1921, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of C. P. Wingfield
, known as the
Blizzard & Isabelle Loda's
situate in Turkey Creek Mining District,
Yavapai County, Arizona, in Sections approx
31 & 32, Township No. 12 1/2 N., Range No. 1 W. UNSURVEYED
5 & 6, and designated as Survey No. 3798, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or his grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

Richard L. Merritt
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Richard L. Merritt
U. S. Mineral Surveyor, before me a Notary Public
this 29th
day of October, 1921

Stephane
Notary Public

My Commission Expires February 23, 1924

13

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

January 10, 1922.

I, U. S. Surveyor General for District of Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of

C. P. Wingfield

, known as the BLIZZARD and ISABELLE Lodes

, situate in Turkey Creek

Yavapai County,

Approx. 31 & 32 in Sections 5 & 6, Township No. 12 N,

Range No. 1 W., Unsur.,
1 W., Unsur., and designated as Survey

No. 3798, has been correctly copied from the originals on
file in this office; that said Field Notes furnish such an accurate description of said
mining claim as will, if incorporated into a patent, serve fully to identify the premises,
and that such reference is made therein to natural objects or permanent monuments as
will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended
or improvements made upon ^{each of} said mining claims by claimant or his grantors, and
that said improvements consist of 2 shafts and 1 tunnel, total value
\$7150.

and that no portion of said labor or improvements has been included in the estimate of
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,
Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott

United States Surveyor General for Arizona.

**SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES
AND SURVEY OF MINING CLAIM**

**DEPARTMENT OF THE INTERIOR
OFFICE OF U. S. SURVEYOR GENERAL**

Phoenix, Arizona.

January 10, 1922

I, U. S. Surveyor General for District of Arizona.

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

C. P. Wingfield

, known as the

BLIZZARD and ISABELLE Lodes

situate in Turkey Creek mining district,

Yavapai County, Arizona

Approx. 31 & 32 12 1/2 N. 1 W., Uns.,
in Sections 5 & 6, Township No. 12 N., Range No. 1 W., Uns.

, designated as Survey No. 3798

executed by Richard L. Merritt, U. S. Mineral

Surveyor, September 17 - 19, 1921, under my instructions dated

July 28, 1921, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.

U. S. Surveyor General for Arizona.