

MAR 25 1921

MINERAL SURVEY No. 3812

Arizona Land District.

FIELD NOTES

exterior boundaries of the OF THE SURVEY OF THE MINING CLAIM OF

Arch Penrod, B. Penrod, James Hansen and Tomas Ortega

Made under regulations under the Act of June 30, 1919, as amended Nov. 11, 1920.

KNOWN AS THE

Cyax Nos. 1, 2, 3, 4, 5, 6, 7, 8, and Bluff Nos. 1 & 2 lodes

Ft. Apache Indian Reservation Mining District,

Gila County, Ariz.

Approx. 11, 12, 13 & 14

Sections 29 & 30, Township 5N., Range 17E unsurveyed

Surveyed under instructions dated Oct. 25, 1921

by R. C. Thomas U. S. Mineral Surveyor.

Claim located, 19

Survey commenced Jan. 3, 19 22

Survey completed Jan. 12, 19 22

Address of claimant Pinetop, Arizona.

DATES OF AMENDED LOCATIONS.

(1)

MINERAL SURVEY NO. 3812

Feet

Beginning at Cor. No.1,

A diabase boulder, 24 in. long, 1.0 x 1.3 ft. square, set 12 ins. in the ground with mound of stone, chiseled 1-3812 with X for exact corner point. Identical with

the N.W.cor. of the O.D. claim unsurveyed.

on the West Bdy. of the White Mountain Indian Reservation
21 M Cor., ~~W.M.R.~~ WB bears S. 87°21'50"W. 7999.06 ft.

No bearings available.

Thence N.19°44'E.

1489.03 To Cor. No.2.

A limestone boulder in place, 2.0 x 1.0 ft. square, 1.0 ft. out of ground, with mound of stone, chiseled 2-3812 with X for exact corner point.

A flat limestone outcrop at base of 50 ft. limestone cliff, chiseled BR-2-3812 with X for exact point, bears N.19°44'E. 27.09 ft.

Thence N.77°40'E.

1401.06 To Cor. No. 3.

A limestone boulder, 24ins. long, .3 x .8 ft. square, set 12 ins. in the ground with mound of stone, chiseled 3-3812 with X for exact corner point.

A limestone boulder, 4.0 x 2.0 ft. square, 1.0 ft. out of ground chiseled BR-3-3812 with X for exact point bears S.71°52'E. 20.56 ft.

Thence S.19°44'W.

62.60 Cor. No. 2, Survey No.3823.

1562.60 To Cor. No. 4.

A diabase boulder 24 ins. long, .3 x 1.0 ft. square, set 12 ins. in the ground with a mound of stone chiseled 4-3812 with X for exact corner point. Identical with Cor.

No. 1 Survey No. 3823. A diabase boulder in place 7.0 x 3.0 ft. square 2.0 ft. out of ground chiseled BR-4-3812 bears S.19°44'W. 10.6 ft.

(2)

Thence S.85°11'E.

785.52 To Cor. No. 5.

A diabase boulder in place 2.5 x 2.5 ft. square, 0.6 ft. out of ground with mound of stone, chiseled 5-3812 with x for exact corner point. Identical with Cor. N°8Min.

Sur. No. 3823. A diabase boulder, 3.0 x 3.0 ft. square, 4.0 ft. out of ground chiseled BR-5-3812 with X for exact point bears N51°27'E. 2.87 ft.

Cor. No. 7 Sur. No. 3823 brs. S.36°45'30"E. 1600.81 ft.

Thence S.38°33'E.

1615.29 Intersect lines 4-1 and 6-7 respectively of Sur.No.3807 and 3823 at N.68°24'E. 52.3 ft. from Cors. No.4 and 7 respectively.

3040.67 To Cor. No.6.

A limestone boulder 24 in. long, 1.0 x 1.0 ft. square, set 12 ins. in the ground with mound of stone chiseled 6-3812 with x for exact corner point.

No bearings available.

Thence S.51°27'W.

468.33 Intersect line 2-3 Sur. No. 3807 at N.68°24'E.

19.86

19.68 ft. from Cor. No.3. Cor. No. 4 said Sur. No. 3807 brs. N. 21°36'

W. 1500 ft. from Cor. No. 3.

1500.00 To Cor. No. 7.

A diabase boulder, in place, 4.5 x 3.0 ft. square, 4.0 ft. out of ground, with mound of stone chiseled 7-3812 with X for exact corner point.

No bearings available.

Thence N. 38°33'W.

2901.08 To Cor. No. 8.

A diabase boulder 24 ins. long, .8 x .6 ft. square, set 12 ins. in the ground with mound of stone, chiseled 8-3812 with x for exact corner point.

No bearings available.

(3)

Thence S.51°27'W.

428.10 To Cor. No. 9.

A limestone boulder 24 ins. long, .4 x .7 ft. square, set 12 ins. in the ground with mound of stone, chiseled 9-3812 with x for exact corner point.

No bearings available.

Thence S.77°40'W.

643.83 To Cor. No. 10.

A limestone boulder, 24 ins. long, 1.2 x .3 ft. square, set 12 ins. in the ground with mound of stone, chiseled 10-3812 with x for exact corner point.

Identical with the S.E.cor. of the O.D.claim, unsurveyed.

No bearings available.

Thence N.19°44'E.

1500.00 To Cor. No. 11.

A diabase boulder in place, .8 x 1.0 ft. square 1.0 ft. out of ground, with mound of stone, chiseled 11-3812 with x for exact corner point. Identical with the N.E. corner of the O.D. claim unsurveyed.

No bearings available.

Thence S.77°40'W.

596.79 To the place of beginning.

Variation at all corners 15°30' East.

AREA:

Total area Mineral Survey No. 3812	Acres	177.676 ✓
Area in conflict with-		
Sur. No. 3807		8.904 ✓
Sur. No. 3823		.927 ✓

(4)

Mineral Survey No. 3812 continued

LOCATION:

This survey is located on unsurveyed ground which when surveyed will be approximately Secs ^{11, 12, 13, & 14} ~~29 & 30~~, T 5 N., R ¹⁷ ~~18~~ E, G&S.R.B & M within the boundaries of the Fort Apache Indian Reservation, about 1 mile easterly from the Peninsula Bend on Salt River.

INSTRUMENT:

This survey was made with a Gurley transit. The course was deflected from a true meridian as determined by an observation on Polaris at its western elongation. The distance was measured with a 100 and 300 foot steel tape.

ADJOINING CLAIMS:

Min. Sur. No. 3812 is bounded on the east by Min. Sur. Nos. 3823 and 3807, on the south and north by unknown claims, and on the west by the O.D. claim unsurveyed.

REPORT:

The 21 Mile corner^{West Edy. White Mountain Indian Reservation,} is a 3 inch iron pipe with a brass cap marked

21 M
PL WMIR
AWB
1915

Sur. No 3807, ~~Orange~~ Grove lode:

Corners 3 & 4 are stones, properly set and chiseled with the number of the corner and survey. I find lines ^{& 3-4} 4-1 and 3-2_A to be correct as approved.

Sur. No. 3823 Big Three Group:

Corners 1, 2, 8, and 7 are stones properly set and chiseled with the number of the corner and survey. I find lines 1-2, 1-8, 8-7 to be correct.

The survey of this group is identical with the location of the exterior corners, all of which were found in place.

R. G. Thomas
U.S.M.S.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by R. G. Thomas
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of _____
Arch Penrod, E. Penrod, James Hansen and Tomas Ortega
 known as the Cya x Nos. 1, 2, 3, 4, 5, 6, 7, 8 and Bluff Nos. 1 & 2 lodes
 and showing the respective capacities in which they acted.

L. C. Shields _____, *Chainman.*
 _____, *Chainman.*
 _____, *Arman.*
 _____, *Flagman.*

FINAL OATHS OF ASSISTANTS.

I, L. C. Shields
 and _____, do solemnly swear that ^Iwe assisted _____
R. G. Thomas, United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of Arch Penrod, E. Penrod, James Hansen
and Tomas Ortega
 known as the Cya x Nos. 1, 2, 3, 4, 5, 6, 7, 8, and Bluff No. 1 & 2 lodes
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-
 tions furnished by the United States Surveyor-General for Arizona.

L. C. Shields _____, *Chainman.*
 _____, *Chainman.*
 _____, *Arman.*
 _____, *Flagman*

Subscribed and sworn to by the above-named persons before me this 23rd

day of March, 1922

E. S. Davis

NOTARY PUBLIC
 IN AND FOR THE COUNTY OF GILA, STATE OF ARIZONA



FINAL OATH OF U. S. MINERAL SURVEYOR.

I, R. C. Thomas, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona, dated
Oct. 25, 1921, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Arch Penrod, E. Penrod, James Hansen and Tomas Ortega

....., known as the
Cyax No 1, 2, 3, 4, 5, 6, 7, 8 and Bluff Nos. 1 & 2 lodes,
situate in Fort Apache Indian Reservation Mining District,
Gila County, Ariz., in Sections
11, 12, 13 & 14 Township No. 5N., Range No. 18E unsurveyed,

and designated as Survey No. 3812, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, ~~and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions,~~ and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, ~~and that the labor expended and
improvements made upon said mining claim by claimant or~~ grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
~~of expenditures upon any other claim.~~ and that said exterior boundaries as
surveyed embrace the 10 contiguous locations as applied for and
no additional tracts.

R. C. Thomas
U. S. Mineral Surveyor.

Subscribed and sworn to by the said R. C. Thomas
U. S. Mineral Surveyor, before me E. J. David
Notary Public this 23rd
day of March, 1922

E. J. David
NOTARY PUBLIC
IN AND FOR THE COUNTY OF GILA, STATE OF ARIZONA

MY COMMISSION EXPIRES MARCH 16, 1924.

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

May 2, 1922.

I, U. S. Surveyor General for District of Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of

Arch Penrod, E. Penrod, James Hansen, and
Tomas Ortega, known as the CYAX NOS. 1,2,3,4,5,6,7,8, and BLUFF NOS.
1 & 2 lodes, situate in Ft. Apache Indian Reservation

Mining District, Gila County,
Arizona, in Section 11, 12, 13 & 14, Township No. 5 N.,

Range No. 17 E., unsurveyed, and designated as Survey
No. 3812

, has been correctly copied from the originals on
file in this office; that said Field Notes furnish such an accurate description of said
mining claim as will, if incorporated into a patent, serve fully to identify the premises,
and that such reference is made therein to natural objects or permanent monuments as
will perpetuate and fix the locus thereof.

~~And I further certify that five hundred dollars' worth of labor has been expended
or improvements made upon said mining claim by claimant or grantors, and
that said improvements consist of~~

~~and that no portion of said labor or improvements has been included in the estimate of
expenditures upon any other claim.~~

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,
Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott

United States Surveyor General for Arizona.

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona,

May 2, 1922

I, U. S. Surveyor General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Arch Penrod, E. Penrod, James Hansen, and Tomas Ortega

, known as the

CYAX NOS. 1, 2, 3, 4, 5, 6, 7, 8, and BLUFF NOS. 1 & 2 lodes

situate in Fort Apache Indian Reservation mining district,

Gila County, Arizona

Approx. in Sections 11, 12, 13 & 14, Township No. 5 N., Range No. 17 E., Unsur.,

, designated as Survey No. 3812

executed by R. G. Thomas, U. S. Mineral

Surveyor, January 3 - 12, 1922, under my instructions dated

October 25, 1921, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.

[Handwritten signature]

U. S. Surveyor General for Arizona.

SUPPLEMENTAL REPORT ON MINERAL SURVEY NO. 3812.

Beginning at the N. W. Cor., identical with Cor. No. 11 of Sur. 3812, thence N. $77^{\circ} 40'$ E. 643.83 ft. to the N.E. Cor., a monument of stone, thence S. $19^{\circ} 44'$ W. 1500 ft. to the S. E. Cor., being Cor. No. 9 of Survey No. 3812, thence S. $77^{\circ} 40'$ W. 643.83 ft. to the S.W. Cor., being Cor. No. 10 of Survey No. 3812, thence N. $19^{\circ} 44'$ E. 1500 ft. to the place of beginning, containing 18.788 acres.

 I certify that the above and foregoing is a true description of the boundaries of the Cyack No.1 lode, embraced in Mineral Survey No. 3812, as determined by me in the field.

R. G. Thomas
 U.S. Mineral Surveyor

Subscribed and sworn to before me by the said R. G. Thomas, this *7* day of *June* 1923.


E. J. Davis
 Notary Public.

My commission expires
March 16, 1924

DEPARTMENT OF THE INTERIOR
Office of U. S. Surveyor General,
Phoenix, Arizona,
June 6, 1923.

Beginning at the N.W.Cor., identical with Cor. No. 11 of Sur. 3812, thence N. $77^{\circ} 40'$ E. 643.83 ft. to the N.E.Cor., a monument of stone, thence S. $19^{\circ} 44'$ W. 1500 ft. to the S.E.Cor., being Cor. No. 9 of Survey No. 3812, thence S. $77^{\circ} 40'$ W. 643.83 ft. to the S.W.Cor., being Cor. No. 10 of Survey No. 3812, thence N. $19^{\circ} 44'$ E. 1500 ft. to the place of beginning, containing 18.788 acres.

I hereby certify that the above and foregoing correctly describes the boundaries and states the area of the Cysack No.1 lode, embraced in Mineral Survey No. 3812, as reported by U. S. Mineral Surveyor R. G. Thomas, in his supplemental report dated June 2, 1923, a copy of which is hereto attached, and that said data has been shown upon the plat of Survey No. 3812.


U.S. Surveyor General for
Arizona.

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (952)
BUREAU OF LAND MANAGEMENT M.S. 3812
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Cyax No.1, No.2, No.3, No.4, No.5, No.6, No.7, No.8, Bluff No.1 and No.2 lodes, Mineral Survey No. 3812, located in sections 24 and 25, Township 5 North, Range 17 East, Gila and Salt River Meridian, Arizona, are hereby canceled.


These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Cyax No.1, No.2, No.3, No.4, No.5, No.6, No.7, No.8, Bluff No.1 and No.2 lodes, M.S. 3812 were canceled May 11, 1999, by memo 9605 (952) M.S. 3812, which is now a part of the original field notes."

May 11, 1999
Date


Chief Cadastral Surveyor of Arizona