MINERAL SURVEY No. 3823.

		Arizona	Land District.	
		VEY OF THE MINING	ndaries of the CLAIM OF	smorth
		KNOWN AS THE		
		2,3,4,5 and 6]		
made ur	nder regulations u	nder the Act of	June 30, 1919,	Nov.11, 1920
Fort A	pache Indian Reser	vation	Minin	g District,
	Gila			
Approx.	11 BC 12		17	
Section	20 & 30 , Town	ship 5 N.	, Range 188	unsur.
Surve	yed under instruction	s datedJan	9, 1922	
		by R. C.	Thomas	
	+		U. S. Miner	ral Surveyor.
	Claim located		, 19	
	Survey commenced	Jan. 18	, 1922	
	Survey completed	Jan . 21	, 19 ²²	
		% Ariz. Trust	& Savings Bank,	
	Address of claimant	Me Moody, The	tcher, Ariz.	
	DATES OF	F AMENDED LOCAT	rions.	

(1)

Mineral Survey No. 3823

Big Three Group:

Feet

Beginning at Col. No. 1

Identical with Cor. No. 4 Survey No. 3812, a diabase boulder 24 ins. long, .3 x 1.0 ft. square, set 12 ins. in the ground with mound of stone chiseled 4-3812 with x for exact corner point to which I add 1-3823 for this survey.

West Bdy. White Mt. Indian Reservation The 21 MC-WMIR-WB bears S.86°20'W. 9353.7 ft.

No bearings available.

Thence N.19°44'E.

1500.00 To Cor. No. 2 On line 1-2 Sur. No. 3812.

> A limestone boulder, 24 ins. long, .3 x .9 ft. square, set 12 ins. in the ground with mound of stone chiseled 2-3823 with X for exact corner point.

No bearings available.

Thence \$8.87°54E.

1229.50 To Cor. No. 3

On line 1-2 Sur. No. 3808.

A limestone boulder 24 ins. long, .5 x 1.0 ft. square set 12 ins. in ground with mound of stone chiseled 3-3823 with X for exact corner point. No bearings available.

Thence S.15°08'E.

1374.80 To Cor. No. 4

Identical with Cor. No. 1 Sur. No. 3808, a diabase stone 24 ins. long, .7 x .3 square, set 12 ins. in the ground with a mound of stone chiseled 1-3808 with x for exact corner point to which I add 4-3823 for this Burvey. U. S.L. M. No. 3787 brs. S. 62° 43'W. 245.96 ft. No bearings available.

(2)

Survey No. 3823 continued

Thence N.74°52'E.

600.00 To Cor. No. 5

Identical with Cor. No. 4 Sur. No. 3808, a diabase outcrop in place, 4 x 4 ft. square, 7 ft. out of ground, with mound of stone chiseled 4-3808 with X for exact corner point to which I add 5-3823 for this survey. No bearings available.

E .On .. tt va pu

Thence S.15.44120"W.

1373.95 To Cor. No. 6

Identical with Cor. No. 1 Sur. No. 3807, a diabase stone, 24 ins. long, .8 x .3 ft. square, set 12 ins. in the ground with a mound of stone chiseled 1-3807 with X for exact corner point to which I add 6-3823 for this survey. A diabase boulder 3.5 x 2.5 ft. square, 1 ft. out of ground, chiseled B R-1-3807 with X for exact point bears N.68°24°E. 3.92 ft. to which I add B R-6-3823 for this survey.

Thence S.68°24'W.

547.70 Intersert line 5-6 Sur. No. 3812 at S.38°33'E. 1615.29 ft. from Cor. No. 5

600.00 To Cor. No. 7

Identical with Cor. No. 4 Sur. No. 3807, a diabase stone, 24 ins. long, .8 x .5 ft. square, set 12 ins. in the ground with mound of stone chiseled 4-3807 with X for exact corner point to which I add 7-3823 for this survey.

No bearings available.

Thence N.36°45' 30"W.

1600.81 To Cor. No. 8

Identical with Cor. No. 5 Sur. No. 3812, a diabase boulder in place, 2.5 x 2.5 ft. square, .6 ft. out of

(3) Mineral Survey No. 3823 continued

ground with mound of stone, chiseled 5-3812 with X for exact corner point to which I add 8-3823 for this survey. A diabase boulder 3 x 3 ft. square, 4 ft. out of ground chiseled B R-5-3812 with X for exact point bears N.15°27'E. 2.87 ft. to which I add B R-8-3823 for this survey.

Thence N.85°11'W.

785.52 To place of beginning.

variation at all corners 15°30'E.

Total area Min. Sur. No. 3823 Area in conflict with:

Acres 90.708

Sur. No. 3812 .927

LOCATION:

This survey is located on unsurveyed ground which when surveyed will be approximately Secs. 29 & 30, T 5 N., R 18 E, G & S.R. B & M. within the boundaries of the Fort Apache Indian Reservation about 12 mile northerly from the Peninsula Bend on Salt River.

INSTRUMENT:

This survey was made with a Berger transit. The course was deflected from a true meridian as determined by an observation on Polaris at its western elongation. The distance was measured with a 100 and 300 foot steel tape.

ADJUINING CLAIMS:

Min. Sur. No. 3823 is bounded on the east by Sur. No. 3808, on the south by Sur. No. 3807 and on the west by Sur. 3812.

REPURT:
The 21 Mile Corner, of the White Mountain Indian Reservation west soundary is a 3 inch iron pipe with a brass cap marked 21M

PL WMTR AWB 1915

Mineral Survey No. 3823. continued

Sur. No. 3812:

Corners 3, 4, 5, and % are stones properly set and chiseled with the number of the corner and survey. I find all courses and distances to be correct as approved. reported.

Corners k, 2 and 4 are stones, properly set and chiseled with the number of the corner and survey. I find all courses and distances to be correct as approved.

Corners 1 and 4 are stones properly set and chiseled with the number of the corner and survey.

I find all courses and distances to be correct as approved.

The survey of this group is identical with the location, all the exterior corners of which were found in place.

U.S.M.S.

determined by in observation on relarizent its western

OOJ o dlim dersegem san occupant adl .noidemole

string and reader to drive of an east vertue

100t News Tool

no between al eses .ex .too .ola

seas by out, no. 2006, on the switch by same the Stor and

The second section of the first second section is all the second sections and the second section is a second section in the second section in the second section is a second section in the second section in the second section is a second section in the second section in the second section is a second section in the second section in the second section is a second section in the section in

Reservation west soundary is a light trop sine w

ALS bedram des sant

on the west of the Bull.

d.FR.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

United States Mineral Surveyor, to assist in running, measure	R. G. Thomas	
and the state of t	ing, and marking the l	ines, corners, and
boundaries described in the foregoing field notes of the survey	of the mining claim of	
Roy Reidhead, W. Moody and Whittie Ellswo		
known as the Big Three Nos. 2,3,4,5, and 6 1		
and showing the respective capacities in which they acted.		
L.C. Sh	i al ds	, Chainman.
		, Flagman.
FINAL OATHS OF ASS	SISTANTS	
We, I, I.C. Shields		
and, do solemnly swe	ar that we assisted	
R.G. Thomas United States Mineral Surveyor	r, in marking the corner	s and surveying
the boundaries of the mining claim of Roy Reidhead, W	, Moody and Whit	tie Ellsworth
known as the Big Three Nos. 2,3,4,5, & 6 lodes		
		or and under his
represented in the foregoing field notes as having been surveyed	by said mineral survey	
known as the Big Three Nos. 2,3,4,5,& 6 lodes represented in the foregoing field notes as having been surveyed direction; and that said survey has been in all respects, to the best and correctly executed, and the conner and boundary monuments est	by said mineral survey	belief, faithfull y
represented in the foregoing field notes as having been surveyed direction; and that said survey has been in all respects, to the best and correctly executed, and the corner and boundary monuments est	by said mineral survey t of our knowledge and ablished according to lay	belief, faithfully
represented in the foregoing field notes as having been surveyed direction; and that said survey has been in all respects, to the best and correctly executed, and the corner and boundary monuments est tions furnished by the United States Surveyor-General for	by said mineral survey t of our knowledge and ablished according to lay	belief, faithfully
represented in the foregoing field notes as having been surveyed direction; and that said survey has been in all respects, to the best and correctly executed, and the corner and boundary monuments est tions furnished by the United States Surveyor-General for	by said mineral survey t of our knowledge and ablished according to lav Arizona Shelds:	belief, faithfully v and the instruc-
represented in the foregoing field notes as having been surveyed direction; and that said survey has been in all respects, to the best and correctly executed, and the corner and boundary monuments est tions furnished by the United States Surveyor-General for	by said mineral survey t of our knowledge and ablished according to lay	belief, faithfully v and the instruc-
represented in the foregoing field notes as having been surveyed direction; and that said survey has been in all respects, to the best and correctly executed, and the corner and boundary monuments est tions furnished by the United States Surveyor-General for	by said mineral survey t of our knowledge and ablished according to lav Arizona Shelds:	belief, faithfully v and the instruc, Chainman, Chainman.
represented in the foregoing field notes as having been surveyed direction; and that said survey has been in all respects, to the best and correctly executed, and the conserved boundary monuments est tions furnished by the United States Surveyor-General for	by said mineral survey tof our knowledge and ablished according to lav	belief, faithfully vand the instruc, Chainman, Chainman, Axman.
represented in the foregoing field notes as having been surveyed direction; and that said survey has been in all respects, to the best and correctly executed, and the conservant boundary monuments est tions furnished by the United States Surveyor-General for	by said mineral survey t of our knowledge and ablished according to lav Arizona Shulls.	vand the instruc, Chainman, Chainman, Axman, Flagman
represented in the foregoing field notes as having been surveyed direction; and that said survey has been in all respects, to the best and correctly executed, and the conservant boundary monuments est tions furnished by the United States Surveyor-General for	by said mineral survey t of our knowledge and ablished according to lav Arizona Shulls.	vand the instruc, Chainman, Chainman, Axman, Flagman
represented in the foregoing field notes as having been surveyed direction; and that said survey has been in all respects, to the best and correctly executed, and the conner and boundary monuments est tions furnished by the United States Surveyor-General for	by said mineral survey t of our knowledge and ablished according to lav Arizona Shulls.	vand the instruc, Chainman, Chainman, Axman, Flagman

FINAL OATH OF U.S. MINERAL SURVEYOR.

	I, R. G. Thomas , U. S. Mineral Surveyor,
	do solemnly swear that, in pursuance of instructions received from the United States
	Surveyor General for Arizona , dated
	Jan. 9, 1922, , , I have, in strict conformity to the laws of the
	United States, the official regulations and instructions thereunder, and the instructions
	of said Surveyor General, faithfully and correctly executed the survey of the Mining
	Claim of Roy Reidhead, W. Moody and Whittie Ellsworth
	, known as the
	Rig Three Nos. 2,3,4,5 & 6 lodes
	situate in Fort Apache Indian Reservation Mining District,
Approx.	County, Ariz , in Section
TPP SX.	Township No. 5N., Range No. 18E. unsur.
	and designated as Survey No. exterior, as represented
	in the foregoing field notes, which accurately show the boundaries of said mining claim
*	as distinctly marked by monuments on the ground, and described in the attached copy
	of the location certificate, which was received by me from the Surveyor General with
	said instructions, and that all the corners of said survey have been established and per-
	petuated in strict accordance with the law, official regulations and instructions there-
	under; and I do further solemnly swear that the foregoing are the true and original
	field notes of said survey and my report therein, and that the labor expended and
	improvements made upon said mining claim by claimant or grantors
	are as therein fully stated, and that the character, extent, location, and itemized value
	thereof are specified therein with particularity and full detail, and that no portion of
	said labor or improvements so credited to this claim has been included in the estimate
	of expenditures upon any other claim. and that said exterior boundaries as
	surveyed embrace the 5 contiguous locations as applied for and
	no additional tracts.
	J. S. Mineral Surveyor.
	U. S. Mineral Surveyor.
	and the state of t
	Subscribed and sworn to by the said A Thomas
	U. S. Mineral Surveyor, before me
•	day of March, 1922
	day of
	6. A. Day
	MI-CSOTTIGGION EVERTORS
	THE AND FOR THE COURSE ADDRONG

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

	***************************************	Phoenix, A	rizona.	r.
			lay 12	. 1922.
I, U. S. Surveyor Ge	eneral for	District of	Arizona	*************************
do hereby certify that th	ne foregoing transc	ript of the Field I	Votes, return a	and approval
of the Survey of the mi	ning claim of	***************************************		
Roy	Reidhead. W. 1	loody, and Whi	ttie Ellsw	orth
, known as	s the BIG THE	EE NOS. 2.3.4	.5, and 6 1	odes
·				
Miniı				CARAMANAT INCESSIONS
Arizona	, in Sec	tion 8 Approx.1	18 Township	No. 5 No.
Range No.			10	
	, has			
file in this office; that s				
mining claim as will, if				
and that such reference i				
will perpetuate and fix the			(4)	
And I further certi	fy that five hundre	ed dollars' worth o	labor has be	en expended
or improvements made	upon said mining	claim by claimant	or g	rantors, and
that said improvements	consist of			

4				
and that no portion of sa	aid labor or improv	rements has been i	ncluded in the	e estimate of
expenditures upon any c	other claim.			
I further certify tha	t the plat thereof, f	iled in the U.S.La	nd Office at	Phoenix,
Arizona, i	s correct and in co	nformity with the	foregoing Field	l Notes.
		Frank P	Trott	
	Thritail States Summer	In Commal for	rizona.	

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR

OFFICE OF U. S. SURVEYOR GENERAL

		Phoenix, Arizona,
		May 12 , 192 2
I, U. S. Surveyor Gen	eral for	District of Arizona
do hereby certify that the	foregoing and hereto atta	ached Field Notes and Return of the Survey of the
		dy, and Whittie Ellsworth
		, known as the
	BIG THREE NOS.	2, 3, 4, 5, and 6 Lodes
situate in	Fort Apache Ind	ian Reservation mining district,
Gila	County	y,Arizona
		5 N. Range No.17 E. Unsur
		3823
		Thomas U. S. Mineral
		, 1922, under my instructions dated
January 9	, 1922 ,	have been critically examined and the necessary
		d Notes and Return, and the survey they describe,
are hereby approved. The	pertified copy of the locat	tion certificate filed by the applicant for survey is
		copy of said location certificate is included and
nade a part of the transcript	of the field notes.	
		Frank Potrott
	U	J. S. Surveyor General forArizona.

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT ARIZONA STATE OFFICE

9605 (952) M.S. 3823

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Big Three No.2, No.3, No.4, No.5 and No.6 lodes, Mineral Survey No. 3823, located in sections 24 and 25, Township 5 North, Range 17 East, Gila and Salt River Meridian, Arizona, are hereby canceled.

These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Big Three No.2, No.3, No.4, No.5 and No.6 lodes, M.S. 3823 were canceled May 11, 1999, by memo 9605 (952) M.S. 3823, which is now a part of the original field notes."

May 11, 1999 Date

Chief Cadastral Surveyor of Arizona