

4-683

MINERAL SURVEY No. 3829

ARIZONA

Land District.

FIELD NOTES

exterior boundaries of the OF THE SURVEY OF THE MINING CLAIM OF

Mc D. Robinson, R.M. Anderson, Geo. England and R.H. Anderson

Made under Regulations under the Act of June 30, 1919, as amended November 11, 1920

KNOWN AS THE

Accident, Accident Nos. 1 to 6 inclodes

San Carlos

Indian Reservation Mining District,

Gila

County, Arizona, approx. in

Approx.

Sections 15 & 22, Township 5 N., Range 17 E., uns.

Surveyed under instructions dated February 25, 1922.

by Edwin T. Stewart

U. S. Mineral Surveyor.

Claim located, 19

Survey commenced May 7, 1922.

Survey completed May 11, 1922.

% R.M. Anderson

Address of claimants, Globe, Arizona.

- DATES OF AMENDED LOCATIONS.

Feet.

MINERAL SURVEY NO. 3829.

beginning at Cor. No.1, identical with monument of the location.

On the West Boundary of the White Mountain or San Carlos Indian Reservation.

A cross on diabase out crop, about which is chiseled

1-3829, with mound of stone alongside, whence

The 20 Mile Monument/ ^{on the West Boundary} of the White Mountain or San Carlos

Indian Reservation bears N.00°-33'E. 117.2 ft.

No other bearings available.

Thence S.78°-03'E.

Along lines of the locations.

1831.00 To Cor. No. 2, identical with monument of the location.

A diabase stone in place, showing 12 x 12 x 24 ins. out of the ground, chiseled cross at the exact corner and

2-3829, with mound of stone alongside, whence

A sycamore tree, 12 ins. in diameter, blazed and scribed cross B.T. 3829, bears N.13°-34'E. 11.95 ft.

No other bearings available.

Thence S.00°-33'W.

Along lines of the locations.

2280.40 To Cor. No. 3, identical with monument of the location.

A cross on limestone in place, about which is chiseled 3-3829, with mound of stone alongside.

No bearings available.

Thence S.78°-03'E.

Along line of the location.

969.10 Intersect line 1-2, Sur. 3831, N.00°-03'E. 563.8 ft. from Cor.1.

1499.00 To Cor. No. 4, identical with monument of the location.

A quartzite stone, 8 x 8 x 24 ins., chiseled cross at the exact corner and 4-3829 on the side facing the claim, set 12 ins. in the ground, with mound of stone alongside, whence

A cedar tree, 8 ins. in diameter, blazed and scribed

cross B.T. 3829, bears S.77°-50'W. 18.3 ft.

Cor. No. 1, Sur. 3831, bears S.48°-49'W. 689.5 ft.

No other bearings available.

Thence S.00°-33'W.

Along line of the location.

454.50 Intersect line 8-1, Sur. 3831, S.89°-57'E. 514.5 ft. from
Cor. 1

610.00 To Cor. No. 5, identical with monument of the location.

A diabase stone, 5 x 8 x 24 ins., chiseled cross at the
exact corner and 5-3829 on the side facing the claim, set
12 ins. in the ground, with mound of stone alongside, whence
Cor. No. 8, Sur. 3831, bears N.29°-14'E. 178.2 ft.

A cross on diabase in place, about which is chiseled B.R.
3829, bears S.67°-50'W. 32.2 ft.

No other bearings available.

Thence N.78°-03'W.

Along line of the location.

1499.00 To Cor. No. 6, identical with monument of the location.

A diabase stone, 5 x 6 x 27 ins. chiseled cross at the
exact corner and 6-3829 on the side facing the claim, set
12 ins. in the ground, with mound of stone alongside,
whence

A quartzite stone in place, 3 x 4 x 12 ins. out of the
ground, chiseled cross B.R.3829, bears N. 08°-37'W. 10.1
feet.

No other bearings available.

Thence S.00°-33'W.

Along line of the location.

108.60 To Cor. No. 7, identical with monument of the location.

A quartzite stone, 4 x 6 x 25 ins., chiseled cross at
the exact corner and 7-3829 on the side facing the claim,
set 12 ins. in the ground, with mound of stone alongside.

No bearings available.

Thence N.78°-03'W.

Along lines of the locations.

1831.00 To Cor. No. 8, identical with monument of the location.
 On the West Boundary of the White Mountain or San Carlos
 Indian Reservation, N.00°-33'E. 298.5 ft. from the 19 $\frac{1}{2}$
 Mile Monument.
 A quartzite stone, 4 x 6 x 26 ins., chiseled cross at
 the exact corner and 8-3829 on the side facing the claim,
 set 12 ins. in the ground, with mound of stone along-
 side, whence
 A quartzite stone, 8 x 14 ins., flush with the ground,
 chiseled cross B.R. 3829, bears S.00°-33'W. 8.15 ft.
 No other bearings available.
 Thence N.00°-33'E.
 Along said Reservation Boundary.

2999.00 To Cor. No. 1, the place of beginning.
 Mean magnetic variation at all corners, 15°-00'E.

.....

Areas.

Total area of survey, 144.150 acres.

Area in conflict with Sur. 3831, 6.040 acres.

.....

Location.

This survey is located approximately in ^{Secs. 15 & 22,} T. 5 N.,
 R. 17 E., G. & S.R.B. & M., unsurveyed, on the San Carlos
 Indian Reservation, Gila County, Arizona.

.....

Adjoining and Conflicting Claims.

Unknown claims, unsurveyed, owners unknown, adjoin
 on the north. Unknown claims, unsurveyed, and the
 claims in Survey No. 3831, owned by R.M.Anderson et al.,
 adjoin and conflict on the east. Unappropriated Indian
 Reservation and the Camp Site of the claimant adjoin
 on the south. Unknown claims, unsurveyed, owned by
 R.M.Anderson et al., adjoin on the west.

Instrument and Determination of Meridian.

This survey was made with a $6\frac{1}{4}$ inch Berger transit. The courses were deflected from the true meridian as determined by direct Solar observations. The distances were measured with a 660 foot steel tape.

.....

Report.

The $19\frac{1}{2}$ Mile Monument on the West Boundary of the White Mountain or San Carlos Indian Reservation is a 1 inch iron post, 12 ins. above the ground, with brass cap stamped $19\frac{1}{2}$ M WMIR AWB PL 1915. The tie to this monument from Cor. No.8 was made direct on the ground. The 20 Mile Monument of said Reservation boundary is a 3 inch iron post, showing 20 ins. out of the ground, with brass cap stamped 20 M WMIR AWB PL 1915. The tie to this monument from Cor. No. 1 was taped direct on the ground. Cors. 1, 2 and 8 of Sur. 3831 are stones properly set and marked. I find lines 1-2 and 8-1 correct as approved. There is a nominal disagreement between the tie line from Cor. No.1 of said Sur. 3831 to the $19\frac{1}{2}$ Mile Monument on the West Boundary of the White Mountain or San Carlos Indian Reservation as approved and this line as computed through the lines of this survey.

Globe, Arizona,
May 17, 1922.

Edwin P. Stewart

United States Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Edwin T. Stewart
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of _____
McD. Robinson, R.M. Anderson, Geo. England and R.H. Anderson
 known as the Accident, Accident Nos. 1 to 6 in. lodes
 and showing the respective capacities in which they acted.

Rudolph Wolf _____, *Chainman.*
 _____, *Chainman.*
 _____, *Axman.*
 _____, *Flagman.*

FINAL OATHS OF ASSISTANTS.

We, _____
 and I, Rudolph Wolf _____, do solemnly swear that ^I ~~we~~ assisted
Edwin T. Stewart _____, United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of McD. Robinson, R.M. Anderson, Geo. England
and R.H. Anderson
 known as the Accident, Accident Nos. 1 to 6 in. lodes
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
 and correctly executed, and the ^{exterior} ~~corner~~ and boundary monuments established according to law and the instruc-
 tions furnished by the United States Surveyor-General for Arizona.

Rudolph Wolf _____, *Chainman.*
 _____, *Chainman.*
 _____, *Axman.*
 _____, *Flagman*

Subscribed and sworn to by the above-named persons before me this 16th

day of May, _____, 19 22.

My commission expires
 November 12, 1924.

M. L. Harrison _____

 Notary Public, Gila
 County, Arizona.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Edwin T. Stewart, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated February 25, 1922, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of McD. Robinson, R.M. Anderson, Geo. England and R.H. Anderson, known as the Accident, Accident Nos. 1 to 6 inc., lodes, situate in the San Carlos Indian Reservation - Mining District, Gila County, Arizona, approx., in Sections 15 & 22, Township No. 5N., Range No. 17 E., uns. and designated as Survey No. 3829, as represented in the foregoing field notes, which accurately show the exterior boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim. and that said exterior boundaries as surveyed embrace the 7 contiguous locations as applied for and no additional tracts.

Edwin T. Stewart
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Edwin T. Stewart
U. S. Mineral Surveyor, before me a Notary Public in and for
Gila County, Arizona, this 16th
day of May, 1922.
My commission expires Nov. 12, 1924.

M. J. Harrison
Notary Public, Gila
County, Arizona.

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona

May 31, 1922.

I, U. S. Surveyor General for District of Arizona, do hereby certify that the foregoing transcript of the Field Notes, return and approval of the Survey of the mining claim of

Mod. Robinson, R.M. Anderson, Geo. England, and P.H. Anderson, known as the ACCIDENT, and ACCIDENT NOS. 1 to 6 lodes, situate in San Carlos Indian Reservation Mining District, Gila County, Arizona, Approx., in Sections 15 & 22, Township No. 5 N., Range No. 17 E., Unsur., and designated as Survey

No. 3829, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimants or their grantors, and that said improvements consist of

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott

United States Surveyor General for Arizona.

4-687

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona,

May 31, 1922

I, U. S. Surveyor General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

McD. Robinson, R.M. Anderson, Geo. England, and R.H. Anderson

known as the

ACCIDENT, and ACCIDENT NOS. 1 to 6 lodes

situate in San Carlos Indian Reservation mining district,

Gila County, Arizona, Approx.

in Sections 15 & 22, Township No. 5 N., Range No. 17 E., Unsur.

designated as Survey No. 3829

executed by Edwin T. Stewart, U. S. Mineral

Surveyor, May 7 - 11, 1922, under my instructions dated

February 25, 1922, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.

[Handwritten signature]

U. S. Surveyor General for Arizona.

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (952)
BUREAU OF LAND MANAGEMENT M.S. 3829
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Accident, Accident No.1, No.2, No.3, No.4, No.5 and No.6 lodes, Mineral Survey No. 3829, located in section 3, Township 4 1/2 North, Range 17 East and section 34, Township 5 North, Range 17, Gila and Salt River Meridian, Arizona, are hereby canceled.

These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Accident, Accident No.1, No.2, No.3, No.4, No.5 and No.6 lodes, M.S. 3829 were canceled May 4, 1999, by memo 9605 (952) M.S. 3829, which is now a part of the original field notes."

May 4, 1999
Date

Kenny D. Lamka
Chief Cadastral Surveyor of Arizona