

FEB-7 1925
3

4-683

MINERAL SURVEY No. 3840

ARIZONA

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

PINTO VALLEY CO.

KNOWN AS THE

FLIVER and KETT Lodes.

GLOBE

Mining District,

GILA

County, ARIZONA, approximately in

25 and 36

T. 1 N.,

13 E., uns.

Section S 31

, Township

T. 1 N.,

Range

14 E., uns.

G. & S.R.M.

Surveyed under instructions dated April 1, 1922.

by Edwin T. Stewart

U. S. Mineral Surveyor.

Claim located See notices, 19

Survey commenced April 14, 1922.

Survey completed April 16, 1922.

Address of claimant's attorneys, Morris & Malott,
Box 879, Globe, Arizona.

DATES OF AMENDED LOCATIONS.

MINERAL SURVEY NO. 3840.

Feet.

FLIVER lode.

Beginning at Cor. No. 1, identical with S.E. Cor. of the location, Cor. No. 1, Rambler No. 2 lode and Cor. No. 2, Virginia lode, both of Sur. 2667.

On line 3-4, Lost Coon lode, Sur. 2667.

A pine post, 4 ins. sq., showing 24 ins. out of the ground, with nail at the exact corner, scribed 2-2667-V L and 1-R², to which I add 1-F-3840 for this claim, whence

The standard corner of T's 1 N., R's 13 and 14 E., G. & S.R.M., bears S.08°-47'E. 3034.1 ft.

No other bearings available.

Thence N.56°-12'W.

Along lines 1-2 and 4-3, respectively, of said Rambler No. 2 and Lost Coon lode.

300.00 To S.W.E.C. monument of the location, identical with S.W.E.C. of said Rambler No. 2 lode, -from which the discovery cut bears N. 33°-47'E. 49.0 ft.

A pine post, 4 ins., square, with nail at the exact point, showing 30 ins. out of the ground, scribed 2667, to which I add 3840, for this claim.

600.00 To Cor. No. 2, identical with S.W. Cor. of the location, Cor. No. 2 of said Rambler No. 2 lode, Cor. No. 3 of said Lost Coon lode and S.E.E.C., Red Wing lode, Sur. 2676.

A pine post, 4 ins. sq., showing 24 ins. out of the ground, with mound of stone, scribed 2-2667-R², 3-2667 LC, to which I add 2-F-3840 for this claim, whence

A granite stone, 3 x 5 x 5.5 ft. out of the ground, chiseled cross BR-2667, to which I add 3840; bears S.76°-54'E. 32.7 ft.

No other bearings available.

Thence N.33°-47'E.

Along lines 1-4 and 2-3, respectively, of said Red Wing and Rambler No. 2 lodes.

299.90 To Cor. No. 4 of said Red Wing lode, identical with Cor. No. 1, Alto lode, also of Sur. 2676.

Along line 1-4 of said Alto lode.

588.70 To S.E.E.C. of said Alto lode.

889.10 To Cor. No. 4 of said Alto lode, identical with Cor. No. 1, Kett lode, this survey.

Along line 1-4 of said Kett lode.

1189.10 To S.E.E.C. of said Kett lode.

1489.00 To Cor. No. 4 of said Kett lode.

1500.00 To Cor. No. 3, identical with N.W. Cor. of the location and Cor. No. 3, Rambler No. 2 lode, Sur. 2667.

A pine post, 4 ins. sq., with nail at the exact-corner, showing 24 ins. out of the ground, with mound of stone, scribed 3-2667-R 2, to which I add 3-F-3840 for this claim, whence

A granite stone, showing 6 x 18 x 36 ins. out of the ground, chiseled cross BR-3840, bears S.33°-47'W. 7.3 ft.

No other bearings available.

Thence S.56°-12'E.

Along line 3-4 of said Rambler No. 2 lode.

300.00 To N.E.E.C. monument of the location, identical with N.E.E.C. of said Rambler No. 2 lode.

A monument of stone, 4 ft. base, 3 ft. high.

600.00 To Cor. No. 4, identical with N.E. Cor. of the location, Cor. No. 4 of said Rambler No. 2 lode and Cor. No. 3, Virginia lode, Sur. 2667.

A pine post, 4 ins. sq., with nail at the exact corner, showing 24 ins. out of the ground, with mound of stone, scribed 4-2667-R², 3-2667-V, to which I add 4-F-3840 for this claim, whence

A granite stone, 2.5 x 1.5 x 2.5 ft. out of the ground, chiseled cross BR only, to which I add 3840, bears N.26°-12'W. 8.61 ft.

No other bearings available.

Thence S.33°-47'W.

Along lines 4-1 and 3-2, respectively, of said Rambler No. 2 and Virginia lodes.

1500.00 To Cor. No. 1, the place of beginning.

KETT Lode.

Beginning at Cor. No. 1, identical with S.E. Cor. of the location and Cor. No. 4, Alto lode, Sur. 2676.

On line 2-3, Fliver lode, this survey and line 2-3, Rambler No. 2 Lode; Sur. 2667.

A pine post, 4 ins. sq., with nail at the exact corner, showing 24 ins. out of the ground, with mound of stone, scribed 4-2676-A, to which I add 1-K-3840 for this claim, whence

The standard corner of T's 1 N., R's 13 and 14 E., G. & S.R.M., bears S.06°-33'E. 4098.0 ft.

A granite stone, 1 x 3 x 6 ft. out of the ground, chiseled cross BR-3840, bears N.25°-00'W. 18.40 ft.

Cor. No. 3, Alto lode, Sur. 2676, bears N.56°-16'W. 1480.0 ft.

No other bearings available.

Thence N.56°-28'W.

1480.00 Intersect line 2-3, Alto lode, Sur. 2676, S.33°-48'W.

5.17 ft. from Cor. No. 3; and intersect line 4-1, Crown Point No. 1 lode, Sur. 2840, S.24°-37'W. 298.4 ft. from Cor. No. 4.

1500.00 To Cor. No. 2, identical with S.W. Cor. of the location.

A granite stone, 5 x 6 x 24 ins., chiseled cross at the exact corner and 2-K-3840 on the side facing the claim, set 12 ins. in the ground, with mound of stone alongside, whence Cor. No. 3, Alto lode, Sur. 2676, bears S.70°-57'E. 20.70 ft.

Cor. No. 4, Crown Point No. 1 lode, Sur. 2840, identical with Cors. 1 and 2, respectively, of Crown Point No. 2 and Crown Point No. 4 lodes, also of Sur. 2840, bears N.28°-27'E. 295.9 ft.

No other bearings available.

Thence N.33°-47'E.

124.00 Intersect line 4-1, Crown Point No. 1 lode, Sur. 2840, S.24°-37'W. 172.9 ft. from Cor. No. 4.

- 299.15 Intersect line 1-2, Crown Point No. 4 lode, Sur. 2840,
N.65°-23'W. 571.9 ft. from Cor. No.1 and S.65°-23'E.
27.9 ft. from Cor. No. 2.
- 300.00 To N.W.E.C. monument of the location, from which the
discovery cut bears S.56°-28'E, 462.0 ft.
A monument of stone, 4 ft. base, 4 ft. high.
- 599.90 To Cor. No. 3, identical with N.W. Cor. of the location.
A granite stone, 4 x 9 x 24 ins., chiseled cross at the
exact corner and 3-K-3840 on the side facing the claim,
set 12 ins. in the ground, with mound of stone alongside,
whence
Cor. No. 1, Crown Point No. 4 lode, Sur. 2840, bears
S.35°-51'E. 602.3 ft.
No other bearings available.
Thence S.56°-28'E.
- 530.40 Intersect line 4-1, Crown Point No. 4 lode, Sur. 2840,
N.24°-37'E. 214.7 ft. from Cor. No. 1.
- 1500.00 To Cor. No. 4, identical with N.E. Cor. of the location.
On line 2-3, Fliver lode, this survey, and line 2-3,
Rambler No. 2 lode, Sur. 2667.
A granite stone, 6 x 7 x 24 ins., chiseled cross at the
exact corner and 4-K-3840 on the side facing the claim,
set 12 ins. in the ground, with mound of stone alongside,
whence
Cor. No. 3, Fliver lode, this survey, identical with Cor.
No. 3, Rambler No. 2 lode, Sur. 2667, bears N.33°-47'E.
11.0 ft.
A granite stone showing 6 x 18 x 36 ins. out of the ground,
chiseled cross BR-3840, bears N.33°-47'E. 3.70 ft.
No other bearings available.
Thence S.33°-47'W.
Along line 3-2, Fliver lode, this survey, and line 3-2,
Rambler No. 2 lode, Sur. 2667.
- 299.90 To S.E.E.C. monument of the location.
A monument of stone, 3 ft. base, 3 ft. high.
- 599.90 To Cor. No. 1, the place of beginning.

Mean magnetic variation at all corners, $13^{\circ}-30'E$.

.....

LODE LINES.

As near as can be determined from present developments, the veins of the two locations in this survey extend as follows from their respective discovery points:

Fliver lode, $N.33^{\circ}-47'W$. 1451.0 ft. and $S.33^{\circ}-47'W$. 49.0 ft.

Kett lode, $N.56^{\circ}-28'W$. 462.0 ft. and $S.56^{\circ}-28'E$. 1038.0 ft.

.....

AREAS.

	Acres.
Total area Fliver lode,	20.661
Area in conflict with Rambler No. 2 lode, Sur. 2667.	20.661
Total area Kett lode,	20.658
Area in conflict with:	
Alto lode, Sur. 2676	0.088
Crown Point No. 1 lode, Sur. 2840.	0.028
Crown Point No. 4 lode, Sur. 2840.	3.240

.....

LOCATION.

This survey is located on unsurveyed land, in what will probably be, when surveyed, sections 25 and 36, T. 1 N., R. 13 E. and section 31, T. 1 N., R. 14 E. G. & S. R. M., Globe Mining District, Gila County, Arizona, in the Crook National Forest.

.....

ADJOINING AND CONFLICTING CLAIMS.

The Crown Point No. 4 lode, Sur. 2840, owned by the Crown Point Copper Company; and the Basalt No. 2, Basalt No. 3 and Basalt No. 4 lodes, unsurveyed, owned by the claimant, adjoin and conflict on the northeast. The Virginia lode of Sur. 2667, owned by the claimant, adjoins on the southeast. The Lost Coon lode of Sur. 2667, and the Alto lode of Sur. 2676, owned by the claimant, adjoins on the southwest. The Red Wing and Alto lodes, Sur. 2676, owned by the claimant; and the Crown Point No. 1

and Crown Point No. 2 lodes of Sur. 2840, owned by the Crown Point Copper Company, adjoin and conflict on the northwest. The Rambler No.2 lode of Sur. 2667, a lapsed location, conflicts in its entirety with the Fliver lode of this survey.

.....

DISCOVERY AND IMPROVEMENTS

I certify that the value of the labor and improvements made upon the claims of this survey by the claimant are of the value set forth herein, and that said improvements consist of:

Fliver

No. 1, the discovery, cut, 4 x 10 x 19 ft., the center of the face of which is on the lode line 49.0 ft. from the S.W.E.C., and which extends thence N.80°W. to toe. Value, \$35.00

Kett.

No. 1, the discovery, cut, 4 x 10 x 20 ft., the center of the face of which is on the lode line 462.0 ft. from the N.W.E.C., and which extends thence N.35°E. to toe. Value, \$35.00.

Prior to the expiration of the period of publication of the claimant's notice of application for patent, a supplemental report of work to be done on, or for the benefit of, the claims in this survey, will be made.

.....

OTHER IMPROVEMENTS.

A caved shaft, 4 x 6 x 5 ft., the center of which is on the lode line of the Fliver lode 21.0 ft. from the S.W.E.C. This shaft is not credited to the Fliver lode on account of not having been sunk by the claimant.

.....

INSTRUMENT AND DETERMINATION OF MERIDIAN.

This survey was made with a 6 1/4 inch Berger transit. The distances were measured with a 660 foot steel tape, and the courses were deflected from the true meridian as

determined by direct Solar observations.

.....

REPORT.

The standard corner of T's 1 N., R's 13 and 14 E., to which ties are given, is a schist stone, showing 6 x 10 x 18 ins. out of the ground, chiseled cross at the exact corner, and, as near as can be discerned, six grooves on the north, east and west, 14 E on the east, 13 E on the west and SC on the north. The ties to this corner were computed from a traverse extending from Cor. No. 1 of the Fliver lode S.16°-25'-30" E. 2344.6 ft.; thence S.14°-55'W. 775.7 ft. to said Township corner.

Sur. 2667, Virginia, Lost Coon and Rambler No. 2 lodes:

All the corners of these claims, marking coinciding lines with this survey are 4 x 4 posts, properly set and scribed. I find the bearing of line 3-4, Lost Coon lode and the bearings and distances of lines 1-2 and 3-4, Rambler No. 2 lode correct as approved. There is a nominal disagreement between these notes and the bearings of lines 2-3 and 4-1 of said Rambler No. 2 lode and line 2-3, Virginia lode and these lines as approved. There is a nominal disagreement between the tie line from Cor. No. 1 of the Fliver lode to the Standard corner for T's 1 N., R's 13 and 14 E., as approved, and this same tie as reported herein.

Sur. 2667, Alto and Red Wing lodes:

All the corners of these claims, marking coinciding and conflicting lines with this survey, are 4 x 4 posts, properly set and scribed. The disagreement between these notes and lines 3-4 and 4-1 of the Alto lode as approved, and these lines as reported herein, is due to errors in Sur. 2676. I find a nominal error in the bearing of line 4-1, Red Wing lode as approved. And I find a nominal error in the tie from Cor. No. 1 of the Alto lode to the Standard corner of T's 1 N., R's 13 and 14 E.

as approved, and this line as computed through the lines of this survey.

Sur. 2840, Crown Point No.1, Crown Point No.2 and Crown Point No. 4 lodes:

All the corners of these claims, marking conflicting lines with this survey are 4 x 4 posts, properly set and scribed. I find the bearing of line 4-1, Crown Point No. 1 lode and the bearings of lines 1-2 and 4-1, Crown Point No. 4 lode correct as approved. There is a nominal error in the length of line 1-2, Crown Point No. 4 lode as approved. There is a nominal disagreement between the ties from Cors. 1 of the Crown Point No. 2 and Crown Point No. 4 lodes to the Standard corner of T's 1 N., R's 13 and 14 E. as approved, and these ties as computed through the lines of this survey. The disagreement between the point of intersection of line 4-1, Crown Point No. 1 lode with line 3-4, Alto lode, Sur. 2676, as reported in the returns of Sur. 2840, and this same intersection point as reported herein, is due to error in Sur. 2840.

The disagreement between these notes and the location notices is due to errors in the notices.

Edwin P. Stewart

United States Mineral Surveyor.

Globe, Arizona,
February 5, 1923.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Edwin T. Stewart
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of _____
Pinto Valley Co.,
 known as the Kett and Fliver lodes,
 and showing the respective capacities in which they acted.

Rudolph Wolf _____, *Chainman.*
 _____, *Chainman.*
 _____, *Asman.*
 _____, *Flagman.*

FINAL OATHS OF ASSISTANTS.

We, _____
 and I, Rudolph Wolf _____, do solemnly swear that ^I~~we~~ assisted _____
Edwin T. Stewart _____, United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of Pinto Valley Co.
 known as the Kett and Fliver
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-
 tions furnished by the United States Surveyor-General for Arizona

Rudolph Wolf _____, *Chainman.*
 _____, *Chainman.*
 _____, *Asman.*
 _____, *Flagman*

Subscribed and sworn to by the above-named persons before me this 3rd

day of February, 19 23.

My commission ex-
 pires Nov. 12, 1924.

W. L. Harrison _____

Notary Public,
 Gila County, Arizona. 1043



4-686.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Edwin P. Stewart, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated April 1, 1922, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Pinto Valley Co., known as the Kett and Fliver lodes, situate in Globe Mining District, Gila County, Ariz., approximately in Sections 25 and 36, Township No. 1 N., Range No. 14 E., G. & S. R. M., unsur, and designated as Survey No. 3840, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant ~~xxx~~ grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Edwin P. Stewart
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Edwin P. Stewart
U. S. Mineral Surveyor, before me M. L. Harrison, a Notary Public,
Gila County, Arizona, this 3rd
day of February, 1923.

M. L. Harrison
Notary Public, Gila
County, Arizona.

My commission expires Nov. 12, 1924.

4-687

**SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES
AND SURVEY OF MINING CLAIM**

**DEPARTMENT OF THE INTERIOR
OFFICE OF U. S. SURVEYOR GENERAL**

Phoenix, Arizona,

March 24, 1923.

I, U. S. Surveyor General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Pinto Valley Co.

known as the

FLIVER and KETT Lodes

situate in Globe mining district,

Gila County, Arizona,

in Sections 25 & 36, Township No. 1 N., Range No. 13 E., Unsur., &
31, 1 N., 14 E., Unsur.

designated as Survey No. 3840

executed by Edwin T. Stewart, U. S. Mineral

Surveyor, April 14 - 16, 1922, under my instructions dated

April 1, 1922, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is on file in this office and a true copy of said certified copy of said location certificate is included and made a part of the transcript of the field notes.

Frank P. Trott

U. S. Surveyor General for Arizona.

4-688.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

March 24, 1923.

I, U. S. Surveyor-General for District of Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey
of the mining claim of

Pinto Valley Co.

known as the FLIVER and KETT Lodes

situate in Globe

Mining District, Gila County, Arizona


in Section S 25 & 36, Township No. 1 N., Range No. 13 E., Unsur., & 31, 1 N., 14 E., Unsur., and

designated as Survey No. 3840, has been correctly copied from the originals on file in
this office; that said Field Notes furnish such an accurate description of said mining claim as will, if
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein
to natural objects or permanent monuments as will perpetuate and fix the *locus* thereof.

And I further certify that ^{less than} five hundred dollars' worth of labor has been expended or improve-
ments made upon ^{each of} said mining claims by claimant or ^{its} grantors, and that said improvements
consist of 2 cuts, value \$70.00

and that no portion of said labor or improvements has been included in the estimate of expenditures
upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,
Arizona, is correct and in conformity with the foregoing Field Notes.



United States Surveyor-General for Arizona.



United States Department of the Interior

IN REPLY REFER TO
9183.1 (942)
M.S. #3840

BUREAU OF LAND MANAGEMENT
Arizona State Office
3022 Federal Building
Phoenix, Arizona 85025

1

March 10, 1972

Memorandum

To : Chief, Division of Management Services, ASO
(Att'n. Branch of Records & Data Management)

From : ~~ASSOCIATE~~ State Director, Arizona

Subject: Mineral Survey No. 3840

This memorandum cancels the survey of the KETT and FLIVER lode claims of Mineral Survey No. 3840.

The following notation should be made on the plat of Mineral Survey No. 3840:

"Survey of KETT and FLIVER lodes canceled by State Director's memorandum dated March 10, 1972."

The plat and field notes should remain in the files. This memorandum should be made a part of the original field notes of Mineral Survey No. 3840.

By Relinquishment of Mining Claims, dated March 8, 1972, the claimant, Cities Service Company, relinquished all their right, title and interest in and to these two lode claims.

The area embraced by these lode claims is within Tract 40 scheduled for disposal under a Forest Exchange Application.

cc: Director

RELINQUISHMENT OF MINING CLAIMS

The undersigned, owner and holder of the mining claim or claims listed below situated in Section _____, T. 1 N., R. 14 E. (uns.), G & SR M. Country of Gila, State of Arizona, and about 1 miles in a Northwesterly direction from Standard Corner of T.1 N., T.1 S., R 13 E. & R. 14 E.

_____ hereby relinquishes to the United States all right, title and interest in and to such claim or claims:

<u>Name of Claim</u>	<u>Date Located</u>	<u>Recorded Date</u>	<u>Gila County, Arizona</u>	<u>Book</u>	<u>Page</u>
KETT	Feb. 22, 1922	Mar. 24, 1922		36	395
FLIVER	Aug 17, 1921	Nov. 7, 1921		36	205

(Both in Mineral Survey No. 3840)

CITIES SERVICE COMPANY

[Signature] 3/8/22 [Signature] Mar 8, 1922
 Assistant Secretary Date Group Vice President Date

ACKNOWLEDGEMENT

State of New York
County of New York ss.

On this 8th day of March, 1922, before me, personally appeared V.R. CHILDRESS known to me to be the person or persons who subscribed the above relinquishment and acknowledged that it was executed for the uses and purposes therein contained.

[Signature]
Notary Public
ROBERT F. TAYLOR
Notary Public, State of New York
No. 36-929878
Qualified in Nassau County
Certificate filed in New York County
Commission Expires March 30, 1927

Seal
My Commission expires March 30, 1922