

MAY 28 1923

JUL 12 1923

MINERAL SURVEY No. 3851

ARIZONA Land District.

FIELD NOTES

EXTERIOR BOUNDARIES OF THE OF THE SURVEY OF THE MINING CLAIM OF

E. D. Reidhead KNOWN AS THE

Ring Cone No. 1 & Ring Cone No. 2 lodes

KNOWN AS THE MADE UNDER

Regs. under the Act of June 30, 1919, as amended Nov. 11, 1920.

Fort Apache Ind. Res. Mining District,

Gila County, Ariz

approx. 35 6N Section 2, Township 5N, Range 17E & 17E Unsur.

Surveyed under instructions dated May 19, 1922

by R. C. Thomas U. S. Mineral Surveyor.

Claim located See location notices, 19

Survey commenced April 12, 1923

Survey completed April 13, 1923

Address of claimant O. D. Flake 1025 E Portland, 225 E. McKinley, Phoenix

DATES OF AMENDED LOCATIONS.



## MINERAL SURVEY NO. 3851

Ring Cone Nos. 1 &amp; 2, lodes

Beginning at Cor. No. 1,

A diabase stone, 24 ins. long, 0.5 x 0.3 ft. square, set 12 ins. in ground with mound of stone, chiseled 1-3851 with X for exact corner point.

A limestone outcrop 20.0 x 8.0 ft. square, 3.5 ft. high chiseled BR-1-3851 with X for exact point bears N.12°46'W 31.22 ft.

MC on 22d mile MIR-WB bears S.69°28'W. 3687.6 ft.

Feet

Thence N.51°37'E.

1430.17 To Cor. No. 2

A diabase outcrop 2.5 x 3.0 ft. square with mound of stone chiseled 2-3851 with X for exact corner point.

A flat diabase outcrop 20 ft. high chiseled BR-2-3851 with X for exact point 2 ft. back from edge bears S.38°23'E. Thence S.38°23'E.

599.97 To Cor. No. 3.

A diabase stone 24 ins. long, .9x.4 ft. square, 12 ins. in ground with mound of stone, chiseled 3-3851 with X for exact corner point. No bearings available.

Thence S.24°52'E.

1257.32 To Cor. No. 4

Identical with Cor. No. 2-Sur. No. 3820, a diabase stone in place, 1.0 x 0.4 ft. square, 0.5 ft. out of ground with mound of stone, chiseled 2-3820 with X for exact corner point to which I add 4-3851 for this survey.

A quartzite boulder, 3.0 x 2.0 ft. square, 1.0 ft. out of ground chiseled BR-2-3820 with X for exact point bears N.11°21'W. 26.97 ft. to which I add BR-4-3851 for this survey.

Thence S.78°39'W.

590.00 To Cor. No. 5.

Identical with Cor. No. 1 Sur. No. 3820, a diabase stone 24 ins. long, 0.7 x 0.8 ft. square, set 12 ins. in ground with mound of stone, chiseled 1-3820 with X for exact corner point, to which I add 5-3851 for this survey.

No bearings available.

Thence N.24°51'W.

981.52 To Cor. No. 6



A flat limestone bluff, 10 ft. high with mound of stone, chiseled 6-3851 with X for exact corner point 1.0 ft. back from edge.

A flat limestone ledge, .9 x 1.0 ft. square vertical face, chiseled BR-6-3851 with X for exact point bears N.51°37'E. 4.1 ft.

Thence S. 51°37'W.

840.17 To Cor. No. 7

A diabase outcrop, 2.5 x 1.5 ft. square, 2.0 ft. high, with mound of stone, chiseled 7-3851 with X for exact corner point.

No bearings available.

Thence N.38°23'W.

600.00 To the place of beginning.

Variation at all corners 15°E.

AREA:- Total area Mineral Survey No. 3851 . acres 34.438

LOCATION:- This survey is located on unsurveyed ground which when surveyed will be approximately Sec. 2, T.5N., R.17E., and Sec. 35, T.6N., R.17E. within the boundaries of the Fort Apache Indian Recervation.

INSTRUMENT:- This survey was made with a Gurley transit. The course ~~was~~ deflected from line 1-2 Sur. No. 3820 the true course of which was previously determined by myself. The distance ~~was~~ measured with a 500 ft. steel tape.

ADJOINING CLAIMS:- This survey is bounded on the west and east by unappropriated ground, on the north by the claims of Chas. O. Reidhead and J.H. Hansen, and on the south by Sur. No. 3820.

REPORT:- WMIR West Bdy. MC 22d Mile is a 1 inch iron pipe in monument of stone, with brass cap marked 21.1M 27.80 chs. MC PL ANB 1915 WMIR



## Mineral Survey No. 3851 continued

Sur. 3820:-

Corners 1 & 2 are stones properly set and chiseled with the number of the corner and survey. I find all courses and distances to be correct as approved.

Sur. No. 3827, the Casey Jones group, with which this survey conflicts thru failure of

locators to secure lease has reverted back to unlocated and unappropriated Reservation ground.

The survey of this group is identical with the locations, all the exterior corners of which were found in place.

  
U.S.M.S.

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by R. G. Thomas

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

E. D. Reidhead

known as the Ring Cone Nos. 1-2 lodes

and showing the respective capacities in which they acted.

Chas. O. Reidhead, *Chainman.*

*Chainman.*

*Arman.*

*Flagman.*

## FINAL OATHS OF ASSISTANTS.

~~We~~, I, Chas. O. Reidhead

and ~~we~~, do solemnly swear that <sup>I</sup> ~~we~~ assisted

R. G. Thomas, United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of E. D. Reidhead

known as the Ring Cone Nos. 1-2

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona

Chas O Reidhead, *Chainman.*

*Chainman.*

*Arman.*

*Flagman*

Subscribed and sworn to by the above-named persons before me this 10<sup>th</sup>

day of May, 1923

*My Commission Expires Oct 7, 1926*

Geo. H. Woodford  
*Notary Public*



# FINAL OATH OF U. S. MINERAL SURVEYOR.

I, R. G. Thomas, U. S. Mineral Surveyor,  
do solemnly swear that, in pursuance of instructions received from the United States  
Surveyor General for Arizona, dated  
May 19, 1922, I have, in strict conformity to the laws of the  
United States, the official regulations and instructions thereunder, and the instructions  
of said Surveyor General, faithfully and correctly executed the survey of the Mining  
Claim of E. D. Reidhead  
....., known as the  
Ring Cone Nos. 1-2 lodes,  
situate in Fort Apache Mining District,  
Gila County, Ariz. Approx., in Section  
38 Township No. 5N, Range No. 17E Unsur.,  
and designated as Survey No. 3851, as represented  
in the foregoing field notes, which accurately show the <sup>exterior</sup> boundaries of said mining claim  
as distinctly marked by monuments on the ground, and described in the attached copy  
of the location certificate, which was received by me from the Surveyor General with  
said instructions, and that all the corners of said survey have been established and per-  
petuated in strict accordance with the law, official regulations and instructions there-  
under; and I do further solemnly swear that the foregoing are the true and original  
field notes of said survey and my report therein, ~~and that the labor expended and~~  
improvements made upon said mining claim by claimant or ..... grantors  
are as therein fully stated, and that the character, extent, location, and itemized value  
thereof are specified therein with particularity and full detail, and that no portion of  
said labor or improvements so credited to this claim has been included in the estimate  
~~of expenditures upon any other claim. and that said exterior bdys. as~~  
surveyed embrace the contiguous location as applied for and no  
additional tracts

R. G. Thomas  
U. S. Mineral Surveyor.

Subscribed and sworn to by the said R. G. Thomas  
U. S. Mineral Surveyor, before me E. D. Daniel  
Notary Public this 23rd  
day of May, 19 22

MY COMMISSION EXPIRES MARCH 16, 1924.

E. D. Daniel  
Notary Public



(4-688.)

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON  
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,  
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

August 13, 1923.

I, U. S. Surveyor General for District of Arizona,  
do hereby certify that the foregoing transcript of the Field Notes, return and approval  
of the Survey of the mining claim of

E. D. Reidhead

, known as the RING CONE NO. 1, and RING CONE NO. 2  
lodes, situate in Fort Apache Indian Reservation

Mining District, Gila County,  
Arizona, Approx., in Sections 35, Township No. 6 N.,  
Range No. 17 E., Unappr., and designated as Survey

No. 3851, has been correctly copied from the originals on  
file in this office; that said Field Notes furnish such an accurate description of said  
mining claim as will, if incorporated into a patent, serve fully to identify the premises,  
and that such reference is made therein to natural objects or permanent monuments as  
will perpetuate and fix the locus thereof.

~~And I further certify that five hundred dollars' worth of labor has been expended~~  
or improvements made upon said mining claim by claimant or grantors, and  
that said improvements consist of

and that no portion of said labor or improvements has been included in the estimate of  
~~expenditures upon any other claim.~~

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,  
Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott

United States Surveyor General for Arizona.

4-687

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona

August 13, 1923

I, U. S. Surveyor General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

E. D. Reidhead

known as the

RING CONE NO. 1, and RING CONE NO. 2 lodes

situate in Fort Apache Indian Reservation mining district,

Gila County, Arizona, Approx.

in Sections 35 2, Township No. 6 N. 5 N., Range No. 17 E., & 17 E., Unsur.

designated as Survey No. 3851

executed by R. G. Thomas, U. S. Mineral

Surveyor, April 12 - 13, 1923, under my instructions dated

May 19, 1922, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.

[Handwritten signature]

U. S. Surveyor General for Arizona



UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (952)  
BUREAU OF LAND MANAGEMENT M.S. 3851  
ARIZONA STATE OFFICE

---

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Ring Cone No.1 and No.2 lodes, Mineral Survey No. 3851, located in sections 14 and 23, Township 5 North, Range 17 East, Gila and Salt River Meridian, Arizona, are hereby canceled.


These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Ring Cone No.1 and No.2 lodes, M.S. 3851 were canceled May 11, 1999, by memo 9605 (952) M.S. 3851, which is now a part of the original field notes."

May 11, 1999  
Date

  
Chief Cadastral Surveyor of Arizona