MINERAL SURVEY No. 3865

		Land District.
OF THE SU	IELD NOTE JEVEY OF THE MINING STARBUCK MINES COL	
· · · · · · · · · · · · · · · · · · ·	KNOWN AS THE	
LITTLE ROSS	and KATHARIN	E Lodes
YAVAPAI	County,	AFIZONA
Sections 2-3-10-11 , Too Surveyed under instruct		Range 2 W. unsurveyed
	by J. WILI	JIAM WAARA
		U. S. Mineral Surveyor.
Claim located SE	E LOCATION NOTICES	
Survey commence	d Sept. 18	, 19 22
Survey completed	Sept. 22	, 19 83
	unt Howard Cornic	k, Attorney for Claimant.
DATES	OF AMENDED LOCAT	CIONS.
6—822		

Feet.

of sites I state to

MINERAL SURVEY NO. 3865

feet exposed with a substantial mound of stone alongside; chiseled L R 1 3865 with cross on top for exact corner point, whence

U.S.L.M. No. 1691 Hassayampa District, brs. N.13°-31'W. 551.4 feet.

- Thence S. 54° -461 E.

303.0 NORTH CENTER END, a mound of stone.

506.0 TO COR. NO. 2, a shist stone 4 x 8 x 22 inches long set twelve inches in the ground with a substantial mound of stone alongside; chi seled L R 2 3865 with cross on top for exact corner point, whence,

A shist reef 2 x 2 x 0.5 feet exposed and chi seled BxR L R 2 3865, brs. S.39°-48'E. 18.5 feet.

Thence S. 430 -24 W.

352.5 Intersect line 1-5 Artic lode Sur.No.3347, S.45°-43'E. 87.8 feet from Cor. No.1, said point of intersection being Lot No.44 Cor.No.3 Plevnalode,/a stone properly set

514.05 Intersect line 1-2 Katharine lode of this survey, S.13 - 54 W. 1.25 feet from the point for Cor. No.1 of said lode.

514.1 Intersect line 1-2 Artic lode Sur. No. 3347, S. 15°-05'W.
185.1 feet from Cor. No.1

1499.5 TO COR. NO.3, a granite stone 6 x 12 x 24 inches long set twelve inches in the ground with a substantial mound of stone alongside; chiseled L R 3 3865 with cross on top for exact corner point, whence,

A pine tree twelve inches in diameter and scribed BxT L R 3 3865, brs. S.66°-23'E. 14.1 feet.

Thence N. 540 -46' W.

300.3 SOUTH CENTER END, A substantial mound of stone.

603.3 TO COR. NO.4, a granite stone 4 x 8 x 24 inches long set twelve inches in the ground with a substantial mound of stone alongside; chiseled L R 4 3865 with cross on top

for exact corner point, whence,

A pine tree 24 inches in diameter and scribed BxT L R 4 3865 brs. S.88°-00'E. 11.5 feet.

Thence N. 43°-20'E.

1499.5 TO THE PLACE OF BEGINNING. All corners are identical with their respective locations. Variation at all corners 14°-30'E.

KATHARINE lode.

Beginning at the point for Cor.No.1, on line 1-2 April 2 loce. Sur. No.3347 S. F5°-05'W. 183.8 ft. from Cor. No. 1 where it was impracticable to set a stone for corner due to the fact that said point fell on a mine dump, so I established a witness corner S. 43°-22'W. 78.1 feet, a granite stone 8 x 12 x 30 inches long set twelve inches in the ground with a substantial mound of stone alongside; chiseled W C K 1 3865 with cross on top for exact corner point, whence (from witness corner)

A maple tree ten inches in diameter and scribed BxT K 1 3865, brs. S. 30°-44'W. 49.8 feet.

From true corner point, U.S.L.M. No. 1691 brs. N.12°-10'W. 1287.3 feet.

Thence S.13°-54'W. (from true cor.)

- 1.25 Intersect line 2-3 Little Ross lode of this survey,
 N.43°-24'E. 985.45 feet from Cor. No.3.
- 1332.6 Intersect line 2-3 Artic lode identical with line1-4 Corcoran lode both Sur.No. 3347, S. 46°-30'E. 31.2 feet from Cors. No. 2 and 1 respectively.
- 1497.1 TO COR. NO. 2, a granite stone 6 x 8 x 20 inches long set twelve inches in the ground with a substantial mound of stone alongside; chi seled K 2 3865 with cross on top for exact corner point, whence,

Cor.No.1 Corcoran lode Sur.No. 3547 brs. N.50-201 E 181.9 feet.

A pine tree 12 inches in diameter and scribed ExT K 2 3865 brs. S.70-44'W. 35.1 feet.

Thence 3.43°-22' W.

- 8.9 Intersect line 1-2 Corcoran lode Sur.No. 3347, S.7°-00 W.
 189.0 feet from Cor.No.1
- 597.0 SOUTH CENTER END, a substantial mound of stone.
- 1193.6 TO COR. NO. 3, a shist stone 8 x 12 x 20 inches long set twelve inches in the ground with a substantial mound of stone alongside; chi seled K 3 3865 with cross on top for exact corner point, whence,

A shist rock in place 4 x 4 x 4 feet exposed and chiseled BxR K 3 3865 brs. S. 36°-55'E. 24.6 feet.

whence N. 130-54 E.

1497.1. TO COR, NO.4, a granite stone 6 x 12 x 24 inches long set twelve inches in the ground with a substantial mound of stone alongside; chi seled K 4 3865 with cross on top for exact corner point, whence,

A porphyry reef 3 x 3 x 2 feet exposed and chiseled BxR K 4 3865 brs. N.43°=22'E. 26.6 feet.

Thence N. 430 - 321 E.

- 207.1 Cor. No. 3 Little Ross lode of this survey, previously
- described.
 596.6
 NORTH CENTER END, a mound of stone
 Witness corner to Cor.No. 1, previously described.
- 1193.6 TO THE PLACE OF BEGINNING. All corners are identical with their respective locations. Variation at all corners

LODE LINES

As near as can be determined from the present developments, the veins on the respective lodes extend as follows from their discoveries;

N.43°-20'E. 70 feet and S.43°-20'W 1429.5 feet.

KATHARINE lode

N.13° =54'E., 60 feet and S.13° =54'W. 1437.1 feet.

Partile, Wolf, edits a Officebrok Mines, Cornery, elsines ";

W. J. Lend; Land on the north by the Mederal Colone Indeas.

AREAS

LITTLE ROSS lode

acres

acres 20.605

20.180

Total area - - - - - - - - - - - - - - - - Area in conflict with

Artic lode Sur.No.3347- - - - 0.163

Katharine lode this survey- - - 0.007

KATHARINE lode

Area in conflict with

Artic lode Sur.No. 3347 - - - 0.415

Corcoran lode Sur.No. 3347 - - 0.063

Artic lode Sur.No. 3347 less area
in conflict with Little Ross lode

0.415

. - LOCATION

Approx.

This survey is located in Sec. 2340-WT. 12 N.R. 2 W unsur.

Gila and Salt River mase and Meridian, within the

Prescott National Forest, Hassayampa Mining District,

yavapai County, State of Arizona.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I hereby certify that the value of the labor and each of improvements made upon or for the benefit of/theselocations by the claimant or its grantors is less than five hundred dollars, and that said improvements consist. of;

LITTLE ROSS lode

No.1 Discovery cut, the mouth of which brs. S.43820'W. 70 feet from the North Center and, 4x14x10 foot face
brs. South.

Value \$100.00

KATHARINE lode

No.1 Discovery cut, the face of which brs. S.13° - 54'W. 60 feet from the North Center End, 4x18x10 foot face brs. southeast.. Value \$100.00

. OTHER IMPROVEMENTS

Non e.

ADJOINING CLAIMS.

This survey is bounded on the east by the Plevna lode lot.No.44, claimant unknown, Artic and Corcoran lodes Sur.No.3347, Tillie Starbuck Mines Commany, claimant; on the south by U.S.Land; on the west by the Red Ledge lode unsurveyed, Tillie Starbuck Mines Company claimant, and U.S.Land; and on the north by the Helen and Colonel lodes

un surveyed, I.D. Sweet and F. Vierthaler, claimants. INSTRUMENT

This survey was made with a Lietz Light Mountain transit theodolite No.13-5929. The courses were deflected from the true meridian as determined by direct and Saegmuller Solar observations. The distances were measured with a 500 foot steel tape.

REPORT

U. S. L. M. No. 1691 H. D. is a diorite rock in place 4 x 6 x 4 feet exposed, properly chiseled and monumented. Sur. No. 3347

All corners adjoining this survey are stones properly set and chiseled with the number of corner and survey. I and distance do not agree with the course of lines 1-2 and 1-4 Artic lode of this survey. I do not agree with the ties to U.S. L.M.No 1691

Lot No. 44 Flevna lode

All corners adjoining this survey are stones properly set and chi seled (very indistinctly).

The discrepancies found existing between the claims as marked by the location monuments and as described in t the location notices are due to errors in the location notices.

The discrepancies between the lines of this survey and prior approved surveys are due to errors in the latter

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals en	iployed by J. WIIIIam waara	
United States Mineral Surveyor, to assist in	running, measuring, and marking the l	ines, corners, and
boundaries described in the foregoing field no	tes of the survey of the mining claim of	
Tilli Starbuck Min	nes Company.	
known as the Little Ross and	d Katharine lodes	
and showing the respective capacities in which	h they acted.	
	L.B. Whi te	, Chainman.
	R.T.Sloan	
		, Flagman.
FINAL OATH	IS OF ASSISTANTS.	
We, L.B. White		
and R.T.Sloan		
, United State		
the boundaries of the mining claim of 7111		
	west of the state	
known as the Little Ross and	Katharine lodes	
represented in the foregoing field notes as have		
direction; and that said survey has been in all		
and correctly executed, and the corner and bound		wand the instruc-
tions furnished by the United States Surveyor-G	eneral for Arizona	
	XCS DI JAN	, Chainman.
	X M / Moun	_, Chainman.
	7	, Axman.
		., Flagman.
Subscribed and sworn to by	the above-named persons before me this	Hth
day of October	er, 1922	
	J. C. Jane	N
	nota	res lublic
My correit action and man		6-10/3

My commission expires

gan 10th, 1925.

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, J. WILLIAM WAAR	, U. S. Mineral Surveyor,
do solemnly swear that, in pur	suance of instructions received from the United States
Surveyor General for	AFIZONA , dated
SEPT. 12, 1922.	, , I have, in strict conformity to the laws of the
	ations and instructions thereunder, and the instructions
	fully and correctly executed the survey of the Mining
Claim of Tillie S	tarbuck. Mines Company
	, known as the
	ittle Ross lodes ,
situate in	Hassayampa Mining District,
Yavapai	County, Arizona , in Sections
2-3-10-11, Township No. 1	2 N. Range No. 2 W un surveyed
	3865 , as represented
	ch accurately show the boundaries of said mining claim
	ents on the ground, and described in the attached copy
	was received by me from the Surveyor General with
	e corners of said survey have been established and per-
	th the law, official regulations and instructions there-
	ly swear that the foregoing are the true and original
	my report therein, and that the labor expended and
	nining claim by claimant or grantors
	that the character, extent, location, and itemized value
	h particularity and full detail, and that no portion of
	redited to this claim has been included in the estimate
or expenditures upon any other cr	aim,
	Mariee.
	U. S. Mineral Surveyor.
Subscribed and sworn to by	the said J. William Waara
U. S. Mineral Surveyor, be	fore me
a Notary Pu	blic this /2 th
day of March	19 23
	Notary Public
	No to me Dubit o
by commission expires W	7. 1923
A TOTAL OF CALTION	6 11

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR, OFFICE OF U. S. SURVEYOR GENERAL,

	Phoenix, Arizona,
	May 12 , 1923.
I, U. S. Surveyor General for	District of Arizona ,
	ript of the Field Notes, return and approval
	ok Mines Company
	E ROSS and KATHARINE Lodes
	te in <u>Hasgayampa</u>
	Yavapai County,
	ions 2,3,10,11 , Township No. 12 N,
	, and designated as Survey
or improvements made upon said mining contact that said improvements consist of at times the said improvements consist of a said improvement consist of a said improv	patent, serve fully to identify the premises, natural objects or permanent monuments as dollars' worth of labor has been expended
and that no portion of said labor or improve expenditures upon any other claim. I further certify that the plat thereof file	ements has been included in the estimate of ed in the U.S. Land Office at Phoenix.
	formity with the foregoing Field Notes.
	Frank P. Trott
Timitad States Summer	r General for Arizona.
o 6-168	reveral for. All 1 2011d.

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR

OFFICE OF U. S. SURVEYOR GENERAL

	Ph	oenix, Arizona,	·
		May 1	1923
I, U. S. Surveyor General for	District	of Arizona	
do hereby certify that the foregoing and	l hereto attached Field	Notes and Return of t	he Survey of the
Mining Claim of			
Tillie S	tarbuck Mines C	ompany	
			, known as the
LITTLE	ROSS and KATHA	RINE Lodes	
situate in	Hassayampa		mining district,
Yavapai	County,	Arizona,	Approx.
in Section S. 2,3,10,11 , Tow	vnship No. 12	N, Range No.	2 W., unsur.
, designated as Surv	ey No	3865	
executed by	William Waara		., U. S. Mineral
Surveyor, September 18	- 22	, 192 2, under my in	structions dated
September 12	, 192 2, have been	critically examined an	d the necessary
corrections and explanations made, and t	he said Field Notes and	Return, and the surve	y they describe,
are hereby approved. The certified copy	y of the location certific	eate filed by the applica	ant for survey is
on file in this office and a true copy of s	said certified copy of sa	aid location certificate	is included and
made a part of the transcript of the field	notes.		
	A.	1100 F	11
	(~)nanoi	0000	//

U. S. Surveyor General for __Arizona.

Certificate of U. S. Surveyor General

AS TO

EXPENDITURES REPORTED AFTER RETURN OF SURVEY OF MINING CLAIM.

I, U. S. Surveyor General for District of Arizona,
do hereby certify that Five Hundred Dollars' worth of labor has been expended or
improvements made by claimant or 1ts grantors, upon the mining claim of
Tillie Starbuck Mines Company

known as the LITTLE POSS and KATHERINE lodes ,
situate in Hassayarına mining district,
Yavaşai County, Arizona
in Section s 2, 3, 10, 1 Township No. 12 N., Range No. 2 W., Unsur.
that said improvements consist ofin addition to those reported at
time of survey, 2/6 of the value of a certain tunnel, the other
-4/6 of which is apportioned to the artic, Corcoran, Tillie Starb
and Olay Bank lodes, of Sur. No. 3347. Value of said 2/6 intere
, and that no portion of said labor or improvements has been
included in the estimate of expenditures upon any other claim. A copy of the report of
, U. S. Deputy Mineral Surveyor, dated
Pebruary 5, 1924 , is hereto attached.
Charles ne Donohoe
U. S. Surveyor General for Arizona.
Office of U. S. Surveyor General,
-Phoenix, Arizona,
February 12, 1924-1

o 2—178

MINERAL SURVEY NO. 3865

SUPPLEMENTAL REPORT OF IMPROVEMENTS

I hereby certify that the value of labor performed and improvements made upon or for the benefit of the lodes embraced in Mineral Survey No. 3865, by the claimant or its grantors is not less than \$500.00 and that said improvements in addition to that which was reported at the time of making the survey consists of:

New deep level tunnel

This tunnel has for its portal a point 300 feet lower than the Artic tunnel on the property of the claimant. This tunnel starts on a tract purchased for tunnel and mill site purposes by the claimant, and is appropriated land. The tunnel will be run to intercept the mine workings when extended below the Artic tunnel level, and to develope all veins traversing the property between said points. I consider this improvement, a common improvement of such nature as to redound to the benefit of the claims through which it will eventually pass, and those totallying claims which are their extensions on the vein, namely Little Ross, atharine, Artic, Corcoran, Tillie Starbuck and Clay pank, the last four being included in Survey No. 3347.

Total length to date 145 feet, size 5 x 7 1/2 feet, the portal brs. S.71° W. 465 feet from Cor. No.1 Little Ross lode. The course of the tunnel is $5.34^{\circ}-07^{\circ}E$, and will reach its objective point 2236.5 feet from the portal.

Value on Feb. 5,1924

\$3625.00

To be credited to the Little Ross lode of this survey is an equal undivided one sixth interest in the above mentioned "Common Improvement"

yalue 1/6 interest

\$604.16

To be credited to the Katharine lode of this survey is an equal undivided one sixth interest in the above mentioned "Common Improvement".

Value 1/6 interest

\$604.16

J. S. Mineral Surveyor

I.J. William Waara, U.S. Mineral Surveyor for the District of Arizona, first being duly sworn, depose and say that the above supplemental xex report is true and correct and that the improvements mentioned therein were made and completed subsequent to the survey and prior to the date of the expiration of the publication of the notice of an Application for Fatent to the lands embraced within Mineral Survey No. 3865.

Feb. 5, 1924

J. S. Mineral Surveyor

State of Arizona)

County of Yavapai)

Subscribed and sworn to by said J. William Waara, before