## MINERAL SURVEY No. 3872

Arizona Land District.

FIFID MOTES
FIELD NOTES
exterior boundaries of the of the survey of the mining claim of
Chas. Davis, T. Frank Jordan, G.P. Bartlett
KNOWN AS THE
Sulphur Springs and Sulphur Springs No. 1 lodes
Made under the Act of June 30, 1919, as amended November 11, 1920.
San Carlos Indian Reservation Mining-District,
Gila County, Ariz
Section 25 (unsur), Township 5N., Range 17E, Unsur.
Surveyed under instructions dated Nov. 18 , 1922
by R. G. Thomas
U. S. Mineral Surveyor.
Claims located = 1 +: +.
Claim located See location notices , 19
Survey commenced Jan. 15 , 1923
Survey completed Jan. 19 1923
Address of claimants A.R. Edwards, Atty, Box 7, Miami, Ariz
-BATES- OF-AMENDED-LOCATIONS:

### MINERAL SURVEY NO. 3872

Feet.

Sulphur Springs Group

Beginning at Cor. No. 1

A limestone rock, 24 ins. long, .8 x 0.35 ft. square. 0.4 ft. out of ground with mound of stone, chiseled 1-3872 with X for exact corner point.

U.S M.M. No. 3872 bears S.70°06'E. 575.71 ft. No bearings available.

Thence S.70°06'E.

575.71 v.s.

1496.09 To Cor. No. 2

A diabase stone, 1.5 x 1.0 ft. square, 0.5 ft. out of ground, chiseled 2-3872 with X for exact corner point. No bearings available.

> Thence S. 02°26'W. bor. Se To Soal eas or Ad. Tod

120.78 To Cor. No. 3,

A diabase boulder 1.0 x 0.5 ft. square, 0.7 ft. out of ground, chiseled 3-3872 with X for exact corner point A diabase outcrop 3.5 x 2.0 x 1.25 ft. chiseled BR-3-3872 with X for exact corner point bears N.50°33'E. 23.27 ft.

Thence S.73°34 E. 616.62 To Cor. No. 4

A limestone rock, 24 ins. long, 0.6 x 0.4 ft. square set 12 ins. out of ground with mound of stone, chiseled 4-3872 with X for exact corner point. No bearings available.

. To it do not de la Thence N.02°26 E.

1496:25 To Cor. No. 5

A flat limestone outcrop 5.0 x 4.0 ft., 3.5 ft. high chiseled 5-3872 with X for exact corner point and mound of stone. The part of the Lagor bedeingerman

No bearings available.

Thence N.73°34'W.

616.62 To Cor. No. 6,

A diabase boulder, 1.25 x 0.7 ft. square, 0.7 ft. out of ground with mound of stone, chiseled 6-3872 with X for exact corner point.

### MINERAL SURVEY 3872 continued

A diabase boulder 6.0 x 2.5 x 2.5 ft. chiseled BR-6-3872 bears N.87°34'W. 6.4 ft.

Thence S.02°26'W. 

760.26 To Cor. No. 7,

A diabase stone in place 1.5 x 1.5 x 0.7 ft. with mound of stone chiseled 7-3872 with X for exact corner point. No bearings available.

Thence N.70°04'W.

1311.40 To Cor. No. 8

A diabase boulder 2.5 x 1.5 ft., 1.0 ft. out of ground with mound of stone, chiseled 8-3872 with X for exact corner point. ground, dhieled a-3892 with X fo

No bearings available.

Thence S.19°54'W.

. 138 990 587.54 To the place of beginning.

Variations at all corners 15°E.

Total area Mineral Survey No. 3872 AREA:

39.472

LOCATION: This survey is located on unsurveyed ground which when surveyed will be aproximately sec. 25 , T.5 N, R.17E G.& S.R. B. & M. within the boundaries of the San Carlos Indian Reservation. unon rais burron to the send

INSTRUMENT:

This survey was made with a Berger transit. The courses were deflected from a true meridian as determined by an observation on Polaris at its western elongation. The distances were measured with a 500 ft. steel tape. ADJOINING CLAIMS:

The claims are bounded on all sides by unappropriated ground of the Indian Reservation. REPORT: of establishment of U.S.M. M. No. 3872.

U.S.M.M. No. 3872 has a Latitude of 33°46' and a Longitude of 110-272 (Approx) is a flat red gritty quartzite outcrop 19 ft. wide at edge of 40 ft. cliff with the letters

U.S.M.M. No. 3872 chiseled 18 ft. back from edge of cliff

#### MINERAL SURVEY NO. 3872 continued

with a conical mound of stone 6 foot base and 5 ft. high alongside. A cross on flat gritty red quartzite outcrop 6 ft. back from edge of bluff and chiseled BR-3872 bears N.18°02W. 11.96 ft.; A red quartzite boulder, 5.0 x 4.0 x 2.0 chiseled BR.-3872 with X for exact point bears N.63°21'E. 12.95 ft. A flat red quartzite outcrop 9x 20.0 x 3.0 chiseled BR-3872 with X for exact point bears S.71°22'W. 14.58 ft. The high round topped hill which lies SE of the Cienega Ranch bears S.82°39'W. The high rocky point at head of the Cienega Ranch canon bears S.28°39'W. The high cliffs along Salt River at mouth of Sawmill Creek bear N.20°54'E. Sulphur Springs lies at base of cliff on top of which mineral monument is located. U.S.L.M.

No. 3787 bears approximately N.1°W. 22 miles distant. From previous ties I make the distance from U.S.L.M. to the 20½ Mile Monument on the W. Bdy. W.M.I.R. 11976 ft, and this survey more than two miles from said boundary.

U.S.M.S.

## FINAL OATHS FOR SURVEYS.

### LIST OF NAMES.

A list of the names	of the individuals en	mployed by _R.	- Thomas	
United States Mineral				
boundaries described in	the foregoing field no	otes of the survey	of the mining claim	of
Chas. Davi	s, T. Frank Jos	rdan and G.	Bartlett	
known as theSulj	phur Springs ar	nd Sulphur S	orings No. 1 lo	des
and showing the respect	ive capacities in whic	ch they acted.		
			Bartlett	, Chainman.
				, Chainman.
				, Axman.
				, Flagman.
F	INAL OATH	IS OF ASS	SISTANTS.	
/n/d//			ear that we assisted	
R. G. Thomas				
the boundaries of the mi				
			<u> </u>	
known as theSul				1
represented in the foregoing				
direction; and that said s				
and correctly executed, and				
tions furnished by the Uni				
		& Geor 8. V.	Bartlett.	, Chainman.
MININES ZO		***************************************		, Chainman.
03920,		••••		, Awman.
				, Flagman.
Subsci	ribed and sworn to by	the above-named	persons before me this	29th
đ	lay of Janua	ry , 19	123	
Birm		······	90 8	dwards
My commission e December 1	1, 1924.		notony Public	- Telu Co Com

## FINAL OATH OF U.S. MINERAL SURVEYOR.

I,, U. S. Mineral Surveyor,	
do solemnly swear that, in pursuance of instructions received from the United States	
Surveyor General for, dated	
November 18, 1922, , I have, in strict conformity to the laws of the	
United States, the official regulations and instructions thereunder, and the instructions	
of said Surveyor General, faithfully and correctly executed the survey of the Mining	
Claim of Chas. Davis, T. Frank Jordan, and G.P. Bartlett	
, known as the	
Sulphur Springs and Sulphur Springs No.1 lodes	
situate in San Carlos Indian Reservation Which District,	
Gila County, Ariz , in Section	
Approx. 25 Township No. 5 N. Range No. 17 F 1) Page	
and designated as Survey No. 3872 as represented	
and designated as Survey No. 3872 , as represented in the foregoing field notes, which accurately show the boundaries of said mining claim	
as distinctly marked by monuments on the ground, and described in the attached copy	
of the location certificate, which was received by me from the Surveyor General with	
said instructions, and that all the corners of said survey have been established and per-	
petuated in strict accordance with the law, official regulations and instructions there-	
under; and I do further solemnly swear that the foregoing are the true and original	
field notes of said survey and my report therein, and that the labor expended and	
improvements made upon-said mining-claim by-claimant or grantors	
are as therein fully stated, and that the character, extent, lecation, and itemized value	
thereof nee specified therein with particularity and full detail, and that no portion of	
-said-labor or improvements so credited to this claim has been included in the estimate	
of expenditures upon any other elain. that said exterior boundaries as	
surveyed embrace the Z contiguous locations as applied for and	
no additional tracts.	
R. J. Shomes	
U. S. Mineral Surveyor.	
0 6 10	
Subscribed and sworn to by the said	
U. S. Mineral Surveyor, before me Story V. Dene, a Motory L	able
U. S. Mineral Surveyor, before me Story V. Bene a Motory hard for the County of Gile State of argon this - 7th day of Selvery, 1923	
day of	
VI VB.	
Jarry ! Iden	
y Commission Motory Fulling	
Colle in Man 14/1926	

## U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR, OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,	
April 9, <b>1</b> 923	
I, U. S. Surveyor General for District of Arizona	
do hereby certify that the foregoing transcript of the Field Notes, return and approv	
of the Survey of the mining claim of	
Chas. Davis, T. Frank Jordan, C. P. Bartlett	
, known as the SULPHUR SPRINGS and SULPHUR SPRINGS NO	
lodes , situate in San Carlos Indian Reserva	
Mining-District, Gila Count	
Arizona, Approx., in Section 25, Township No. 5	
Range No. 17 E. Unsur , and designated as Surve	
No. 3872 , has been correctly copied from the originals of	n
file in this office; that said Field Notes furnish such an accurate description of same	
mining claim as will, if incorporated into a patent, serve fully to identify the premise	s,
and that such reference is made therein to natural objects or permanent monuments	ıs
will perpetuate and fix the locus thereof.	
And I further certify that five hundred dollars' worth of labor has been expende	<del>d</del> -
or improvements made upon said mining claim by claimant or grantors, an	
that said improvements consist of	
	-
	na edist
	_
and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.	f
I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix.  Arizona is correct and in conformity with the foregoing Field Nature	-
Arizona is correct and in conformity with the foregoing Field Notes.	
Frank P. Trott	
United States Surveyor General for ATIZODS.	

# SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

### DEPARTMENT OF THE INTERIOR

OFFICE OF U. S. SURVEYOR GENERAL

	Phoenix, Arizona,				
				April 9	, 192 3
I, U. S. Survey	yor General for	District	t of Arizor	да	
do hereby certify th	hat the foregoi	ng and hereto attache	d Field Notes a	and Return of the	he Survey of the
Mining Claim of					
Chas	s.Davis, I	. Frank Jordan	1. and G. F	P. Bartlett	<u>t</u>
*					, known as the
	SULPHUR	SPRINGS and SU	ILPHUR SPRI	INGS NO. 1	lodes
situate in		San Carlos	Indian Res	ervation	mining district,
Gi	la	County,		Arizona,	Approx.
in Section	25	, Township No	5 N,	, Range No.	17 E. Unsur
	., designated a	s Survey No		3872	
executed by		R. G. Th	omas		., U. S. Mineral
Surveyor,	January	15 - 19	, 1923	, under my ins	structions dated
November	: 18	, 192 2, hav	ve been criticall	y examined an	d the necessary
corrections and expla	anations made,	and the said Field N	otes and Return	, and the surve	y they describe,
are hereby approved	l. The certifie	ed copy of the location	certificate filed	l by the applica	ant for survey is
on file in this office	and a true coj	py of said certified co	py of said locat	tion certificate	is included and
made a part of the t	ranscript of th	e field notes.			
		26	F.		
		(30)	mul (	140/	0/

U. S. Surveyor General for Arizona.

#### UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT ARIZONA STATE OFFICE

9605 (952) M.S. 3872

### NOTICE OF CANCELLATION OF MINERAL SURVEY

The Sulpher Springs and Sulpher Springs No.1 lodes, Mineral Survey No. 3872, located in sections 17 and 20, Township 4 1/2 North, Range 18 East, Gila and Salt River Meridian, Arizona, are hereby canceled.

These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Sulpher Springs and Sulpher Springs No.1 lodes, M.S. 3872 were canceled April 20, 1999, by memo 9605 (952) M.S. 3872, which is now a part of the original field notes."

April 20, 1999 Date

Chief Cadastral Surveyor of Arizona