

MINERAL SURVEY No. 3874

Arizona

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Daily-Arizona Consolidated Copper Company.

KNOWN AS THE

CHALCOPYRITE, COPPER MATTE and Peacock lodes.

Old Hat

Mining District,

Pima

County, Arizona

Section 16-17-20-21, Uns., Township 11 S., Range 16 E. G. & S.R.M.

Surveyed under instructions dated December 14²², 19 22

by J. N. Dennis

U. S. Mineral Surveyor.

Claim located See location notices, 19

Survey commenced December 27, 1922

Survey completed December, 30, 1922

Address of claimant R.W. Langworthy, Tucson, Arizona.
Attorney for Claimant.

DATES OF AMENDED LOCATIONS.

See location notices

17
20
16
15
21
20

Feet.

MINERAL SURVEY No. 3874

CHALCOPYRITE Lode.

Beginning at Cor. No.1, identical with Loc. Mon. and Cor. No.3 Peacock lode of this Sur. On line 1-2 Sur. No.3017, Golden Peak No.2 lode, Copper Queen Consolidated Mining Co., Claimant.

A limestone rock 8 x 10 X 8 ins. above ground set 12 ins in the ground, chiseled with cross (X) 1-C, 3-P,-3874, with md. of stone 3 1/2 ft. base by 3 ft. high alongside, whence the N.W. Cor. Sec. 21, T. 11 S. R. 16 E., G. & S. R. M. brs. S. 43° 40' 50" E., 1088.78 ft.

Cor. No 1 Sur. No.3017 Golden Peak No.2 lode brs. S. 58° 01' E. 5.2 ft.

A limestone rock 8 ft long by 2 ft. above ground brs. S. 85° E., 8.3 ft., chiseled with cross (x) 1-3017, 1-3,-3874- BR.

No other bearings are available.

Thence N. 58° 01' W.
Va. 13° 30' E.

200.0 To N. end center. An oak post 4 ins diam. by 4 ft. high set firmly in the ground and surrounded with md. of stone 3 1/2 ft. base by 3 ft. high, scribed N. Cr. C.

388.71 To Cor. No.2, identical with loc Mon. and Cor. No. 4 Sur. No. 3499 Roskruge, ^{lode} claimant herein, and on line 1-2 Sur. No.3017 Golden Peak No. 2 lode.

A limestone rock, 6 x 8 x 6 ins. above ground, set 12 ins. in the ground, chiseled with cross (x) 4-R,-3499, 2-C,-3874 with md. of stone 3 1/2 ft. base by 3 ft. high alongside.

No bearings are available.

Thence S. 10° 15' W.,
Va. 13° 30' E.

1115.35 Intersect line 4-1 Sur. No.3056 Major Mc Kinley, ^{lode} Copper Queen Consolidated Mining Co., claimant. At S.52° 29' W., 47.13 ft. from Cor. No.1 and N.52°29' E., 713.77 ft. from Cor. No.4.

1500.00 To Cor. No.3, identical with Loc. Mon. and Cor. No.1 Sur. No. 3499 Roskruge lode.

A limestone rock 18 x 7 ins. showing 6 ins. above ground,

feet

MINERAL SURVEY NO. 3874

Chalcopyrite lode.

chiseled with cross (x) 1-R,-3499, 3-C,- 3874 with md. of stone
3 1/2 ft base by 3 ft. high alongside.

Cor. No.1 Sur. No. 3056 Major Mc.Kinley lode brs. N. 14°34'E.,
420.74 ft.

Cor. No.4 Sur. No.3056 Tunnel Site lode brs. S.49° 32' E. 107.7 ft

No other bearings are available.

Thence S. 58° 01'E.,
Va. 13°30 E.

97.66 Intersect line 1-2 Sur. No. 3056 Major McKinley lode, at S.2°52'W.
459.52 ft. from Cor. No.1

134.41 Intersect line 4-1 Sur. No. 3056 Tunnel Site lode at S.87°40'E.,
32.11 ft. from Cor. No.4 and N. 87° 40' W., 565.29 ft. from Cor.
No.1.

188.71 To S. end center, identical with Loc Mon.

An oak post 4 ins. diam. by 4 ft. high, set firmly in the ground
and surrounded with md. of stone 3 1/2 ft base by 3 ft. high.

Scribed S. Cr. C

481.20 To Cor. No. 4, identical with Loc. Mon. and Cor No.2 Peacock
lode of this Sur.

A limestone rock 7 x 8 x 12 ins. above ground, set 12 ins in the
ground, chiseled with cross (x) 4-C, 2-P,-3874 with md. of stone
3 1/2 ft base by 3 ft. high alongside.

No bearings are available.

Thence N. 7° 02' 40" E.
Va. 13°30' E.

172.14 Intersect line 4-1 Sur. No. 3056 Tunnel Site lode, at N.87°40'W.,
249.77 ft. from Cor. No.1 and S. 87°40'E., 347.63 ft. from Cor. No.4

1536.60 To Cor. No.1, the place of beginning.

COPPER MATTE Lode.

Beginning at Cor. No.1, identical with Loc. Mon. and Cor. No.1
Sur. No. 3500 Copper Princess lode. On line 4-1 Sur. No.3500,
Apache Central lode, Claimant herein.

Feet.

MINERAL SURVEY NO. 3874

Copper Matte lode.

A limestone rock 7 x 10 x 5 ins. above ground, set 12 ins. in the ground, chiseled with cross (x) 1-C M-3874, 1-C P - 3500, with md. of stone 3 1/2 ft. base by 3 ft. high alongside, whence the N.W. Cor. Sec. 21, T. 11 S., R. 16 E. brs. S. 41° 28' W., 196.78 ft.

An oak tree 8 ins. diam. Brs. S. 85° E., 5.5 ft.

No other bearings are available.

Thence S. 59° 16' W.
Va. 13° 30' E.

300.0 Road brs. southwesterly.

325.11 To N. end center, identical with S. end center, Sur. No. 3500 Copper Princess lode, an oak post 4 ins. diam. by 4 ft. high, set firmly in the ground and surrounded with md. of stone 3 1/2 ft. base by 3 ft. high, Scribed S. Cr. C P, N. Cr. C M.

650.22 To Cor. No. 2, identical with Loc. Mon. and Cor. No. 2 Sur. NO. 3500 Copper Princess lode. On line 4-1 Peacock lode of this Sur.

A concrete monument 12 ins. sq. at base, 6 ins. Sq. at top, by 18 ins. high, built on concrete base 14 ins. sq. with copper plate on top stamped with cross (X-) 2-CP-3500, 2-CM,-3874, with md. of stone 3 1/2 ft. base by 3 ft. high alongside.

No bearings are available.

Thence S. 5° 12' W.
Va. 13° 30' E.

263.82 To Cor. No. 1 Peacock lode of this Sur. hereinafter described.

447.0 Road brs. southwesterly.

1481.0 To Cor. No. 3, identical with Loc. Mon.

A diorite boulder in place, 4 ft. sq. showing 4 ft. above ground chiseled with cross (x) 3-CM,-3874, with md of stone 3 1/2 ft. base by 3 ft. high alongside.

An oak tree 6 ins. diam. brs. N. 45° E., 17.5 ft.

No other bearings are available.

Thence N. 59° 16' E.
Va. 13° 30' E.

325.11 To S. end center.

feet

MINERAL SURVEY NO. 3874.

Copper Matte lode.

An oak post 4 ins. diam. by 4 ft. high, set firmly in the ground and surrounded with md. of stone 3 1/2 ft. base by 3 ft. high, scribed S. Cr. C M .

650.22 To Cor. No 4, identical with Loc. Mon.

A diorite rock 6 x 7 x 4 ins. above ground, set 12 ins. in the ground, chiseled with cross (x) 4-CM, -3874, with md of stone 3 1/2 ft. base by 3 ft. high alongside.

No bearings are available.

Thence N. 5° 12'E.
Va. 13°30' E.

300.0 Gulch brs. easterly.

400.0 Gulch brs. southeasterly.

620.11 To Cor. No.2, Sur. No.3500 Daily Tunnel Site lode.

920.11 To W. end center Sur. No. 3500, Daily Tunnel Site Lode.

1220.11 To Cor. No.1 Sur. No.3500, Daily Tunnel Site lode.

1481.00 To Cor. No.1, the place of beginning.

PEACOCK Lode.

Beginning at Cor. No.1, identical with Loc. Mon. On line 2-3 Copper Matte lode of this Sur.

A diorite rock, 7 x 10 x 5 ins. above ground, set 12 ins. in the ground, chiseled with cross (x) 1-P, -3874 with md. of stone 3 1/2 ft. base by 3 ft. high alongside, whence the N. W. Cor. Sec. 21, T. 11S. R. 16 E. brs. N. 45° 18' 50" E., 636.44 ft.

Cor. No.1 Sur. No.3056 Tunnel Site lode brs. S.59° 13'W., 252.88 ft.

No other bearings are available.

Thence S. 59° 16' W.
Va. 13°30' E.

188.64 To S. end center.

An oak post 4 ins diam. by 4 ft. high, set firmly in the ground and surrounded with md. of stone 3 1/2 ft. base by 3 ft. high , scribed S. Cr. P.

MINERAL SURVEY NO. 3874.

Lode Lines.

As near as can be determined from the present developments the veins of the several locations embraced in this claim, extend as follows from their respective discovery points:-

Chalcopyrite lode, 225 ft., N. 10° 15' E., and 1275.0 ft., S. 10° 15' W.

Copper Matte lode, 50 ft., N. 5° 12' E., and 1431.0 ft., S. 5° 12' W.

Peacock lode, 650 ft., N. 5° 12' E., and 850 ft., S. 5° 12' W.

AREA.

Total area Chalcopyrite lode----- Acres 13.913 ✓

Area in conflict with:

Sur. No. 3056 Major Mc. Kinley lode----- 0.590

Sur. No. 3056 Tunnel Site lode ----- 0.621 ✓

Total area Copper Matte lode,----- 17.900 ✓

Total area Peacock lode, ----- 14.975 ✓

Area in conflict with:

Sur. No. 3017 Golden Peak No. 2 lode----- 0.031 ✓

Sur. No. 3056 Tunnel Site lode----- 0.491 ✓

The survey of each lode of this location is identical with the respective amended location as staked upon the ground.

LOCATION.

This survey is located in the ~~N.W. 1/4 of the N.W. 1/4 Sec. 21~~ Secs. 16, 17, 20, and 21, Unsurveyed, ~~The S.E. 1/4 Sec. 17, and the N.E. 1/4 Sec. 20,~~ T. 11 S. R. 16 E. in the Coronado National Forest.

Feet.

MINERAL SURVEY NO. 3874.

Peacock lode- Cont'd.

- 253.21 Intersect line 4-1, Sur. No. 3056 Tunnel Site lode at N. 87°40'W.,
0.4 ft. from Cor. No. 1 and S. 87°40' E., 597.0 ft. from Cor. No.4.
- 567.64 To Cor. No. 2, identical with Loc. Mon. and Cor. No. 4 Chalcopryite
lode of this Sur., heretofore described.
- Thence N. 7° 02' 40" E.
Va. 13°30' E.
- 172.14 Intersect line 4-1 Sur. No.3056 Tunnel Site lode at N. 87° 40'W.,
249.77 ft. from Cor. No.1 and S. 87° 40' E., 347.63 ft. from Cor.
No.4.
- 1536.60 To Cor. No.3, identical with Loc. Mon. and Cor. No. 1, Chalcopryite
lode of this Sur. heretofore described. On line 1-2 Sur. No. 3017
Golden Peak No.2 lode, N. 58° 01' W. 5.2 ft. from Cor. No.1.
Thence N. 59° 16' E.
Va. 13°30'E.
- 317.90 To N. end center,
An oak post 4 ins. diam. by 4 ft. high set firmly in the ground
and surrounded with md of stone 3 1/2 ft. base by 3 ft. high, scribed
N. Cr. P.
- 506.54 To Cor. No. 4, identical with Loc. Mon, and Cor. No.3 Sur. No.
3500 Copper Princess lode.
A concrete monument 12 ins. sq. at base, 6 ins. sq at top, by 18
ins. high, built on concrete base 14 ins. sq, with copper plate on
top. Stamped with cross (x) 3-G P,-3500, 4-P,- 3874 with md of
stone 3 1/2 ft. base by 3 ft. high alongside.
No bearings are available.
Thence S. 5° 12' W.,
Va. 13° 30' E.
- .82 Intersect line 4-1 Sur. No. 3017 Golden Peak No.2 lode, N. 58°49'E. 503.67 ft. from
1236.18 Cor. No. 1, S. 58° 49' W. 84.12 ft. from Cor. No. 4.
To Cor. No.2 Sur. No. 3500 Copper Princess lode, and Cor. No. 2
Copper Matte lode of this Sur. heretofore described.
- 1500.00 To Cor. No. 1, the place of beginning.

MINERAL SURVEY NO. 3874

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and the improvements made upon, or for the benefit of each of the locations embraced in said mining claim by the claimant or its grantors, is less than five hundred ^{dollars} and that said improvements consist of:

CHALCOPYRITE Lode.

No.1 The discovery cut, the face of which being the discovery point is on the lode line, 225 ft. from a point on line 1-2 at N.58°01'W., 200 ft. from Cor. No.1. 5 ft. wide, 8 ft. face, running S.5° E., 15 ft. to mouth.

Value \$100.

No. 2 A tunnel, the mouth of which hrs. from Cor. No.1, S. 43°W., 200. ft. 4 x 6 ft. running N. 25° W., 10 ft. to Sta.1, thence N.25° W., 10 ft. to Sta. 2. thence N.25° W., 25 ft. to face. From Sta.1 is a tunnel 4 x 6 ft. running west 12 ft. to face. From Sta.2 is a tunnel 4 x 6 ft. running N.45° E., 30 ft.

Value \$850.0

COPPER MATTE Lode.

No.1 The discovery point, on the center line, 50 ft. from the center of line 1-2 (On croppings) A monument of stone 3 1/2 ft. base by 3 ft. high.

No value.

No.2 A cut, the mouth of which hrs. from cor. No.1 S.56°15'W., 305 ft. 5 ft. wide, 8 ft. face, running S.65° W., 15 ft. to face/

Value \$100.0

PEACOCK Lode.

No. 1. The discovery cut, the face of which being the discovery point is on the lode line 650 ft. from a point on line 3-4 at S.59°16' W., 188.64 ft. from Cor. No.4. 5 ft. wide, 8 ft. face running S. 5° E. 15 ft. to mouth.

Value \$100.0

No.2 A cut, the mouth of which hrs. from Cor. No.1 N.5°30' W.,

MINERAL SURVEY NO. 3874

EXPENDITURE OF FIVE HUNDRED DOLLARS.

PEACOCK Lose- Cont'd.

660 ft. 5 ft. wide 8 ft. face running N. 5° W., 15 ft. to face.,

Value \$100.0

No.3 A tunnel, the mouth of which brs. from Cor. No. 1, N. 1° 30'W.,

670 ft. 4 x 6 ft. running N. 40°W., 30 ft.

Value \$300.0

No. 4 A tunnel, the mouth of which brs. from Cor. No. 1 North
590 ft. 4 x 6 ft. running N. 20° W., 50 ft. thence N. 40° E., 30
ft.,

Value \$800.

INSTRUMENT.

This survey was made with a Gurley mountain transit, the courses were deflected from the true meridian, as determined by direct solar observations. The distances were measured with a 500 ft. steel tape.

REPORT.

The lode line of each location of this claim was run directly upon the ground, and the corners were established by running around the claims. All tie lines were run directly upon the ground.

The N.W. Cor. Sec. 21, T. 11S. R. 16 E. G. & S.R. M. is a porphyry stone 10 x 10 ins. showing 6 ins. above ground, chiseled with four notches on the east face and three notches on the south face, near it are two witness trees blazed and scribed.

Sur. NO.3017 Golden Peak NO2 lode. All the corners are pine posts, properly set and scribed with the number of the corner and the survey. Line 4-1 fails to furnish the course and distance as approved (S.59° 16'W.,587.7) and same is properly given in these field notes.

Sur. No. 3056 Major Mc.Kinley and Tunnel Site lodes. All the corners are pine posts, properly set and scribed with the number of the corner and the survey. I, find all courses and distances

MINERAL SURVEY NO. 3874

REPORT Cont'd.

to be correct as approved, except line 4-1 Major Mc.Kinley lode which fails to furnish the distance as approved (787.6) and same is properly given in these field notes.

Sur. No. 3499 Roskruge lode. All corners consist of stone, properly set and chiseled with the number of the corner and survey. I find all courses and distances to be correct as approved.

Sur. No. 3500 Copper Princess, Apache Central and Daily Tunnel Site lodes. All corners consist of concrete monuments, properly set and stamped with the number of the corner and the survey, except Cor. No. 1 Copper Princess and Cor. No. 2 Daily Tunnel Site lodes which consist of stone, properly set and marked.

I find all courses and distances to be correct as approved.

Cor. No. 1 Copper Princess lode which, consisted of a concrete monument, was found to be in bad condition and not suitable for permanent Corner, I therefore set ~~set~~ a limestone rock in the exact position of the original corner with the proper markings.

ADJOINING Claims.

On the North by Sur. No. 3017 Golden Peak No. 2 lode and Sur. No. 3500 Copper Princess lode.

On the East by Sur. No. 3500 Copper Princess lode, Apache Central and Daily Tunnel Site lodes.

On the South by Sur. No. 3056 Major Mc.Kinley and Tunnel Site lodes and El Capitan lode, unsurveyed, claimant herein.

On the West by Sur. No. 3056 Major Mc.Kinley lode and Sur. No. 3499 Roskruge lode.

There are no other adjoining or conflicting claims known.

MINERAL SURVEY NO. 3874

do not include in transcript

SOLAR OBSERVATION.

Direct Solar Observation taken Thursday December 28, 1922 at
2-37P.M. Solar time. Sun bisected. Lat. 32°28' Lon. 110°44'

Difference in time 10 H/

$$\sin \frac{1}{2} A = \frac{\sqrt{\sin(S-L) \sin(S-H)}}{\cos L \cos H}$$

Apparent Declination- 23° 18' 39.8 "

Dec'l 1' 09 "

 23° 17' 30 "

P= 90°

 113° 17' 30"

L=32°28'

H=22°16'

P=113°17' 30"

2) 168°01' 30"

84°00' 45" = S.

S-L = 51°32'45"

S-H = 61°44'45"

9.8938204

9.9449050

0.0738099

0.0336563

19.9461916

9.9730958 = 70° 02'

Course of Sun---- 140° 04' = S.39°56'W.

S.39°56'W.

34°44'

S. 5°12' W.

Course of line 2-3 Copper Matte

Set up at Cor. No. 2 Copper Matte lode, F.S. to Cor. No. 3

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by T.N. Stevens

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

Daily-Arizona Consolidated Copper Co.,

known as the CHALCOPYRITE, COPPER MATTE and PEACOCK lodes

and showing the respective capacities in which they acted.

W.H. Coplen , *Chainman.*

..... , *Chainman.*

..... , *Arman.*

..... , *Flagman.*

FINAL OATHS OF ASSISTANTS.

We, I, W.H. Coplen,

and , do solemnly swear that we assisted

T.N. Stevens , United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of Daily- Arizona Consolidated Copper Co.,

known as the CHALCOPYRITE, COPPER MATTE and PEACOCK Lodes

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his

direction ; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully

and correctly executed, and the corner and boundary monuments established according to law and the instruc-

tions furnished by the United States Surveyor-General for Arizona

W.H. Coplen , *Chainman.*

..... , *Chainman.*

..... , *Arman.*

..... , *Flagman*

Subscribed and sworn to by the above-named persons before me this 5th

day of January , 1923

Helen M. Clarke

Notary Public

My commission expires
Oct 2- 1926

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, T.N. Stevens, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona, dated
December 22nd 1922, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Daily-Arizona Cons. Copper Co.,
known as the
CHALCOPYRITE, COPPER MATTE, and PEACOCK lodes,
situate in OLD HAT Mining District,
Pima County, Arizona, in Section ^S
16-17-20-21 Uns, Township No. 11 S., Range No. 16 E., G. & S. R. M.,
and designated as Survey No. 3874, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or its grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

T.N. Stevens
U. S. Mineral Surveyor.

Subscribed and sworn to by the said T. N. Stevens
U. S. Mineral Surveyor, before me Helen M. Clarke, a
notary public this 5th
day of January, 19 23

Helen M. Clarke
Notary

6-1044

My commission expires
Oct. 2 - 1926



U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

February 16, 1923

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Daily-Arizona Consolidated Copper Company known as the CHALCOPYRITE, COPPER MATTE, and PEACOCK Lodes situate in Old Hat

Mining District, Pima County, Arizona

in Sections 16, 17, 20, Township No. 21, Uns. 11 S., Range No. 16 E., and

designated as Survey No. 3874, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon ~~said mining claim by claimant or its~~ grantors, and that said improvements consist of each the Chalcopryrite and Peacock lodes, and that less than five hundred dollars' worth of labor has been expended or improvements made upon the Copper Matte lode, by claimant or his grantors, at time of survey, and that said improvements consist of 4 cuts and 3 tunnels, total value \$2350.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott

United States Surveyor-General for Arizona

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona

February 16, 1923

I, U. S. Surveyor General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Daily-Arizona Consolidated Copper Company

known as the

CHALCOPYRITE, COPPER MATTE, and PEACOCK Lodes

situate in Old Hat mining district,

Pima County, Arizona

in Sections 16, 17, 20, 21 Uns, Township No. 11 S., Range No. 16 E.

designated as Survey No. 3874

executed by T. N. Stevens, U. S. Mineral

Surveyor, December 27 - 30, 1922, under my instructions dated

December 22, 1922, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.

[Handwritten signature]

U. S. Surveyor General for Arizona

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
ARIZONA STATE OFFICE

9632.27 (942)
M.S. 3874


NOTICE OF CANCELLATION OF MINERAL SURVEY

The Copper Matte lode, M.S. No. 3874 in section 20, T. 11 S., R. 16 E., Gila and Salt River Meridian, Arizona, is hereby cancelled.

This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314 of 43 U.S.C. 1744.

This cancellation was necessitated by a need to prepare a supplemental plat requested by the Lands Forester, Coronado National Forest, to facilitate a land exchange.

October 8, 1986
Date



Chief Cadastral Surveyor of Arizona