

MAY 12 1923

1 JUN 3 1923

4-683

MINERAL SURVEY No. 3881

Arizona

Land District.

# FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Copper Ridge Mining Company

KNOWN AS THE

COPPER RIDGE NOS. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 and 11 lodes.

Ajo

Mining District,

Pima

County, Arizona.

Sections 25-26-35-36, Township 12 S., Range 6 W.

Surveyed under instructions dated January 20, 19 23

by *T. N. Swenson*

U. S. Mineral Surveyor.

Claim located See location notices, 19

Survey commenced January 31, 19 23

Survey completed February 11, 19 23

Address of claimant Elliott & Swenson, Attys., Phoenix, Arizona.

### DATES OF AMENDED LOCATIONS.

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Feet.

MINERAL SURVEY NO.3881

COPPER RIDGE No.1 lode.

Beginning at Cor. No. 1, identical with Loc. Mon and Cor. No s 1-1-1  
Copper Ridge No.2, 4 and 5 lodes respectively of this Sur.

An iron pipe 1 in diam with brass cap on top, 18 ins. above ground,  
set 18 ins. in the ground, stamped 1-CR 2, 1-CR 4 and 1-CR 5, 3881 with  
md of stone 3 1/2 ft. base by 3 ft. high alongside, whence the Cor.  
to Secs. 25,26,35 and 36 T. 12 S., R. 6 W. G. & S. R. M brs.  
N. 81° 11' E., 339.85 ft.

No other bearings are available.

Thence N. 30° 17' E.  
Va. 13° 30' E.

300.0 To E. end center, identical with W. end center, Copper Ridge No.2  
lode of this Sur. A pine post 4 ins. sq by 4 ft. high, set firmly  
in the ground and surrounded with md. of stone 3 1/2 ft. base by 3 ft.  
ft. high, scribed E. Cr. CR No.1 and W. Cr. C R. No.2.

573.6 Intersect line 2-3 Sur. No. 3488 Bright Star No. 5 lode, New  
Cornelia Copper Company, Claimant, at S. 85° 02' E., 439.2 ft. from  
Cor. No. 2 and N. 85° 02' W., 1060.8 ft. from Cor. No. 3.

600.0 To Cor. No. 2, identical with Loc. Mon. and Cor. No. 2, Copper  
Ridge No. 2 lode of this Sur.

An iron pipe 1 in. diam. with brass cap on top, 18 ins. above  
ground set 18 ins in the ground, stamped 2-CR No.1, 2-CR No.2-  
3881, with md. of stone 3 1/2 ft. base by 3 ft. high alongside.

No bearings are available.

Thence N. 59° 43' W.  
Va. 13° 30' E.

508.14 Intersect lines 1-2 and 3-4, Sur. No. 3488, Bright Star No.5  
and Bright Star No. 1 lodes at N. 2° 52'E., 241.36 ft. from Cor.  
No. 2 Bright Star No. 5 lode and N. 2°52' E.,177.2 ft. from Cor.  
No.3, Bright Star No. 1 lode.

673.0 Road brs. Northerly.  
1371.0 To. Cor. No. 3.

An iron pipe 1 in. Diam. with brass cap on top, 18 ins. above  
ground, set 18 ins. in the ground, stamped 3 C R No.1 -3881, with  
md of stone 3 1/2 ft base by 3 ft. high alongside, whence U.S.M.M.  
No. 1 brs. N. 57° 18' W., 3247.8 ft.

Feet.

## MINERAL SURVEY NO. 3881

## COPPER RIDGE NO. 1 lode.

Loc. Mon. brs. N. 59° 43' W., 129 ft.

No other bearings are available.

Thence S. 30° 17' W.

Va. 13° 30' E.

300.0 To W. end center.

A pine post 4 ins. sq by 4 ft. high set firmly in the ground and surrounded with md of stone 3 1/2 ft. base by 3 ft. high, scribed W. Cr. C R No.1 .

600.0 To Cor. No. 4, on line 4-1 Copper Ridge No. 5 lode of this Sur. and on line 2-3 Sur. No. 3488 Bright Star No. 1 lode at N. 84° 49' W. 1043.1 ft. from Cor. No. 3.

An iron pipe 1 in. diam. with brass cap on top, 18 ins. above ground, set 18 ins. in the ground, stamped 4 C R No.1- 3881 with md of stone 3 1/2 ft. base by 3 ft. high alongside.

Loc. Mon. brs. N. 59° 43' W., 129 ft.

No other bearings are available.

Thence S. 59° 43' E.

Va. 13° 30' E.

1000.0 Road brs northerly.

1371.0 To Cor. No. 1, the place of beginning.

## COPPER RIDGE NO. 2 lode.

Beginning at Cor. No.1, identical with Loc. Mon. and Cor. No.s 1-1 and 1 , Copper Ridge Nos 4-5 and 1 lodes of this Sur. heretofore described, whence the Cor. to Secs. 25, 26, 35 and 36 T. 12 S., R. 6 W brs. N. 81° 11' E., 339.85 ft.

Thence N. 30° 17' E.,

Va. 13° 30' E.

300.0 To W. end Center, identical with E. end center, Copper Ridge No.1 lode of this Sur. heretofore described.

573.6 Intersect line 2-3 , Sur. No. 3488 Bright Star No. 5 lode at. S.85° 02' E., 439.2 ft. from Cor. No.2 and N. 85° 02' W. 1060.8 ft. from Cor. No.3

600.0 To Cor. No.2, identical with Loc. Mon. and Cor. No.2 , Copper Ridge

Feet

MINERAL SURVEY NO. 3881

COPPER RIDGE NO. 2 Lode.

No. 1 lode of this Sur. heretofore described.

Thence S. 59° 43' E.  
Va. 13° 30' E.

55.8 Intersect line 2-3 Sur. No.3488 Bright Star No. 5 lode at S.85° 02' E., 500.93 ft. from Cor. No.2 and N. 85° 02'W., 999.07 ft. from Cor. No. 3.

1500.0 To Cor. No. 3, identical with Loc. Mon. and Cor. No. 4 Eagle lode Sur. No.3881 1/2, claimant herein.

An iron pipe 1 in. diam. with brass cap on top 18 ins. above ground set 18 ins. in the ground, stamped 3 C R. No.2 <sup>3881</sup> 4 Eagle-3881<sup>1/2</sup> with md of stone 3 1/2 ft. base by 3 ft high alongside.

No bearings are available.

Thence S. 30° 17' W.  
Va. 13° 30' E.

300.0 To E end center. A pine post 4 ins. sq by 4 ft. high set firmly in the ground and surrounded with md of stone 3 1/2 ft. base by 3 ft. high, scribed E. Cr. C R No.2 .

600.0 To Cor. No. 4 , identical with Loc. Mon. and Cor. Nos 4-4, Copper Ridge Nos. 3 and 4 lodes of this Sur.

An iron pipe 1 in. diam with brass cap on top, 18 ins. above ground set 18 ins. in the ground , stamped 4 CR No.2 , 4 CR No.3, 4 CR No.4 - 3881 with md of stone 3 1/2 ft. base by 3 ft. high alongside.

No bearings are available.

Thence N. 59° 43' W.  
Va. 13° 30' E.

1500.0 To Cor. No. 1, the place of beginning.

COPPER RIDGE NO. 3 Lode.

Beginning at Cor. No. 1, identical with Loc. Mon.

An iron pipe 1 in diam with brass cap on top, 18 ins above ground set 18 ins in the ground, stamped 1 C R No.3- 3881, with md of stone 3 1/2 ft. base by 3 ft. high alongside, whence the 1/4 Cor. bet. Secs 25-36 T. 12 S. R. 6 W. brs. N. 10° 51' E., 1053.1 ft.

No other bearings are available.

Thence S. 30° 17' W.  
Va. 13° 30' E.

Feet

## MINERAL SURVEY NO. 3881

## COPPER RIDGE NO. 3 Lode.

322.7 To E. end center.

A pine post 4 ins. sq by 4 ft. high set firmly in the ground and surrounded with md of stone 3 1/2 ft. base by 3 ft. high,

Scribed E. Cr. C R No. 3

645.4 To Cor. No. 2, identical with Loc. Mon. and Cor. No. 3, Copper Ridge No. 8 lode of this Sur.

An iron pipe 1 in. diam. with brass cap on top, 18 ins. above ground set 18 ins in the ground, stamped 2 C R No.3, 3 C R No.8 - 3881, with md of stone 3 1/2 ft. base by 3 ft. high alongside.

No bearings are available.

Thence N. 81° 23' W.

Va. 13 ° 30' E.

775.0 Gulch brs. northeasterly.

1500.0 To Cor. No. 3, identical with Loc. Mon. and Cor. No.2 Copper Ridge No. 8 lode of this Sur. On line 1-2 Copper Ridge No. 7 lode of this Sur.

An iron pipe 1 in. diam with brass cap on top 18 ins. above ground, set 18 ins. in the ground, stamped 3 C R No.3, 2 C R No.8-3881 with md of stone 3 1/2 ft. base by 3 ft. high alongside.

No bearings are available.

Thence N. 30° 17' E.

Va. 13° 30' E.

45.40 To Cor. Nos 2-3, Copper Ridge Nos 7 and 4 lodes respectively of this Sur. hereinafter described.

322.70 To W. end center.

A pine post 4 ins. sq. by 4 ft. high, set firmly in the ground and surrounded with md. of stone 3 1/2 ft. base by 3 ft. high scribed W. Cr. C R No. 3.

327.7 Road brs northeasterly.

345.4 To E. end center, Copper Ridge No. 4 lode of this Sur. hereinafter described.

645.4 To Cor. No.4, identical with Loc. Mon and Cor. Nos 4-4-Copper Ridge Nos 2 and 4 lodes of this Sur. heretofore described.

Feet	MINERAL SURVEY NO. 3881 COPPER RIDGE NO. 3 lode.  Thence S. 81° 23' E. Va. 13° 30' E.
542.0	Road brs. northeasterly.
827.0	Gulch brs. northeasterly.
1500.0	To Cor. No. 1, the place of beginning.  COPPER RIDGE NO. 4 lode.  Beginning at Cor. No.1, identical with Loc. Mon. and Cor. Nos. 1-1 and 1, Copper Ridge Nos. 1-2 and 5 lodes of this Sur. heretofore described, whence the Cor. to Secs. 25-26-35-36 T. 12 S.R. 6 W. brs. N. 81° 11' E., 332.85 ft.  Thence S. 30° 17' W. Va. 13° 30' E.
300.0	To W. end center, identical with E. end center, Copper Ridge No.5 lode of this Sur.  A pine post 4 ins. sq. by 4 ft. high, set firmly in the ground and surrounded with md of stone 3 1/2 ft. base by 3 ft. high.  Scribed W. Cr. C R No.4 and E. Cr. C R No.5.
600.0	To Cor. No.2, identical with Loc. Mon. and Cor. Nos. 2-3 and 3, Copper Ridge Nos 5-6 and 7 lodes respectively of this Sur.  An iron pipe 1 in. diam. with brass cap on top, 18 ins. above ground, set 18 ins in the ground, stamped 2 CR No4, 2 CR No.5, 3 CR No.6 and 3 CR No.7 - 3881, with md of stone 3 1/2 ft. base by 3 ft. high alongside.  No bearings are available.  Thence S. 59° 43' E. Va. 13° 30' E.
1425.0	Road brs. northeasterly.
1500.0	To Cor. No. 3, identical with Loc. Mon and Cor. No. 2 Copper Ridge No.7 lode of this Sur.  An iron pipe 1 in. diam with brass cap on top, 18 ins. above ground, set 18 ins. in the ground, stamped 3 CR No.4, 2 CR No.7-3881, with md of stone 3 1/2 ft. base by 3 ft. high alongside.  No bearings are available.  Thence N. 30° 17' E. Va. 13° 30' E.

MINERAL SURVEY NO. 3881

COPPER RIDGE NO. 4 lode.

277.3 To W end center Copper Ridge No.3 lode of this Sur. heretofore described.

282.3 Road brs. northeasterly.

300.0 To E. end center.

A pine post 4 ins. sq. by 4 ft. high, set firmly in the ground and surrounded with md of stone 3 1/2 ft. base by 3 ft. high, scribed E. Cr. CR No. 4.

600.0 To Cor. No.4, identical with Loc. Mon. and Cor Nos 4-4, Copper Ridge No. 2-3 lodes respectively of this Sur. heretofore described.

Thence N. 59° 43' W.  
Va. 13° 30' E.

1500.0 To Cor. No. 1, the place of beginning.

COPPER RIDGE NO5 lode.

Beginning at Cor. No. 1, identical with Loc. Mon. and Cor Nos 1-1 and 1, Copper Ridge Nos 1-2 and 4 lodes of this Sur. heretofore described, whence the Cor. to Secs. 25- 26- 35 and 36 T. 12 S. R.6W., brs. N. 81° 11' E., 339.85 ft.

Thence S. 30° 17' W.  
Va. 13° 30' E.

300.0 To E end center, identical with W. end center Copper Ridge No.4 lode of this Sur. heretofore described.

600.0 To Cor. No. 2, identical with Loc. Mon. and Cor. Nos. 2-3 and 3 Copper Ridge No.4, Copper Ridge No.7 and Copper Ridge No. 6 lodes respectively of this Sur., heretofore described.

Thence N. 59° 43' W.  
Va. 13° 30' E.

100.0 Road brs. northerly.

1500.0 To Cor. No.3, identical with Loc. Mon. and Cor. 2, Copper Ridge No.6 lode of this Sur.

An iron pipe 1 in. diam with brass cap on top, 18 ins. above ground, set 18 ins. in the ground, stamped 3 C R No.5, 2 C R No.6-3881, with md of stone 3 1/2 ft. base by 3 ft. high alongside.

No bearings are available.

	<p>MINERAL SURVEY No. 3881</p> <p>COPPER RIDGE NO. 5 lode.</p> <p>Thence N. 30° 17' E. Va. 13° 30' E.</p>
300.0	<p>To W. end center.</p> <p>A pine post 4 ins. sq by 4 ft. high set firmly in the ground and surrounded with md of stone 3 1/2 ft. base by 3 ft. high, scribed W. Cr. CR No.5.</p>
539.57	<p>Intersect line 2-3 Sur. No. 3488 Bright Star No.1 lode at S.84°49'E 314.45 ft. from Cor. No.2, &amp; N.84°49'W. 1185.55 ft from Cor. No.3.</p>
600.0	<p>To Cor. No. 4, identical with Loc. Mon.</p> <p>An iron pipe 1 in. diam. with brass cap on top, 18 ins. above ground, set 18 ins in the ground, stamped 4 C R No.5-3881 with md of stone 3 1/2 ft. base by 3 ft. high alongside.</p> <p>No bearings are available.</p> <p>Thence S. 59° 43' E. Va. 13° 30' E.</p>
129.0	<p>To Cor. No. 4 Copper Ridge No.1 lode of this Sur. heretofore described, also intersect line 2-3 Sur. No.3488 Bright Star No. 1 lode at S. 84° 49' E., 456.9 ft. from Cor. No.2, &amp; N.84°49'W.1043.1 ft. from Cor. No.3.</p>
1129.0	<p>Road brs. northerly.</p>
1500.0	<p>To Cor. No. 1, the place of beginning.</p> <p>COPPER RIDGE No.6 lode.</p> <p>Beginning at Cor. No.1, identical with Loc. Mon. and Cor. No.1 Copper Ridge No.11 lode of this Sur.</p> <p>An iron pipe 1 in. diam. with brass cap on top, 18 ins. above ground, set 18 ins. in the ground, stamped 1 C R No.6, 1 C R No.11-3881, with md of stone 3 1/2 ft. base by 3 ft. high alongside, whence the 1/4 Cor. bet. Secs. 26- 35, T. 12 S., R. 6 W. brs. N. 50°56' W., 523.5 ft.</p> <p>No other bearings are available.</p> <p>Thence N. 30° 17' E. Va. 13° 30' E.</p>
300.0	<p>To W. end center. A pine post 4 ins. sq by 4 ft. high, set firmly in the ground and surrounded with md of stone 3 1/2 ft. base by 3 ft.</p>



## MINERAL SURVEY NO. 3881.

## COPPER RIDGE NO.6 lode.

high, scribed W. Cr. CR No.6.

600.0 To Cor. No. 2, identical with Loc. Mon. and Cor. No.3 Copper Ridge No. 5 lode of this Sur. heretofore described.

Thence S. 59° 43' E.

Va. 13° 30' E.

1400.0 Road brs. northeasterly.

1500.0 To Cor. No.3, identical with Loc. Mon. and Cor Nos. 2-3 and 2 Copper Ridge Nos. 4-7 and 5 lodes respectively of this Sur. heretofore described.

Thence S. 30° 17' W.

Va. 13° 30' E.

290.0 Road brs. northeasterly.

300.0 to E. end center, identical with W. end center Copper Ridge No. 7 lode of this Sur. A pine post 4 ins. sq by 4 ft. high, set firmly in the ground and surrounded with md of stone 3 1/2 ft. base by 3 ft. high, scribed E. Cr. CR No.6 and W. CR CR No.7.

600.0 To Cor. No. 4, identical with Loc. Mon. and Cor Nos. 4-3 and 4 Copper Ridge Nos 7-10 and 11 lodes respectively of this Sur.

An iron pipe 1 in.diam. with brass cap on top, 18 ins. above ground, set 18 ins in the ground, stamped 4 CR No.6, 4 CR No.7, 3 CR No.10, 4 CR No.11-3881, with md. of stone 3 1/2 ft. base by 3 ft. high alongside.

No bearings are available.

Thence N. 59° 43' W.

Va. 13° 30' E.

1500.0 To Cor. No.1 the place of beginning.

## COPPER RIDGE NO.7 lode.

Beginning at Cor. No.1, identical with Loc. Mon. and Cor. No.2 Copper Ridge No.10 lode of this Sur. and on line 1-2 Copper Ridge No. 8 lode of this Sur.

An iron pipe 1 in. Diam with brass cap on top, 18 ins. above ground, set 18 ins. in the ground, stamped 1 CR No.7, 2 C R No.10-3881, with md of stone 3 1/2 ft. base by 3 ft. high alongside,

Feet.	MINERAL SURVEY NO. 3881 COPPER RIDGE NO. 7 lode.
	whence the 1/4 Cor. bet. Secs. 35-36, T. 12S., R. 6 W. brs. S. 23° 54' W., 871.36 ft.
	No other bearings are available.
	Thence N. 30° 17' E. Va. 13° 30' E.
231.9	To W. end center Copper Ridge No. 8 lode of this Sur. hereinafter described.
300.0	To E. end center. A pine post 4 ins. sq by 4 ft. high, set firmly in the ground and surrounded with md of stone 3 1/2 ft. base by 3 ft. high, scribed E. Cr. C R No.7
554.6	To Cor. Nos 3-2 Copper Ridge Nos 3 and 8 lodes respectively of this Sur. heretofore described.
600.0	To Cor. No.2, identical with Loc. Mon. and Cor. No. 3, Copper Ridge No. 4 lode of this Sur. heretofore described.
	Thence N. 59° 43' W. Va. 13° 30' E.
75.0	Road brs northeasterly.
1500.0	To Cor. No.3, identical with Loc. Mon. and Cor. Nos 2-2 and 3 Copper Ridge Nos 4-5 and 6 lodes respectively of this Sur. heretofore described.
	Thence S. 30° 17' W. Va. 13° 30' E.
290.0	Road brs. northeasterly.
300.0	To W. end center, identical with E. end center Copper Ridge No. 6 lode of this Sur. heretofore described.
600.0	To Cor. No.4 , identical with Loc. Mon. and cor. Nos. 4-4 and 3, Copper Ridge Nos. 6-11 and 10 lodes respectively, of this Sur. heretofore described.
	Thence S. 59° 43' E. Va. 13° 30' E.
250.0	Road brs northerly.
1300.0	Road brs northeasterly.
1500.0	To Cor. No. 1, the place of beginning.

## MINERAL SURVEY NO. 3881.

## COPPER RIDGE NO. 8 Lode.

Beginning at Cor. No.1, identical with Loc. Mon. and Cor. No. 2  
Copper Ridge No. 9 lode of this Sur.

An iron pipe 1 in. diam. with brass cap on top , 18 ins. above  
ground, set 18 ins. in the ground, stamped 1 CR No.8, 2 CR No. 9-  
3881, with md of stone 3 1/2 ft. base by 3 ft. high alongside,  
whence the 1/4 Cor. bet Secs. 35- 36 T. 12 S., R. 6 W., brs.  
S. 23° 10'W., 781.22 ft.

No other bearings are available.

Thence N. 30° 17 'E.  
Va. 13° 30' E.

- 90.8 To Cor. Nos. 1-2 Copper Ridge Nos. 7- 10 lodes respectively of  
this Sur. heretofore described.
- 322.7 To W. end center.  
A pine post 4 ins. sq by 4 ft. high, set firmly in the ground  
and surrounded with md of stone 3 1/2 ft. base by 3 ft. high ,  
scribed W. Cr. CR No. 8.
- 390.8 To E. end center Copper Ridge No. 7 lode of this Sur. heretofore  
described.
- 645.4 To Cor. No.2, identical with Loc. Mon. and Cor. No. 3 Copper  
Ridge No.3 lode of this Sur. heretofore described.  
Thence S. 81° 23' E.  
Va. 13° 30' E.
- 725.0 Gulch brs. northeasterly.
- 1500.0 To Cor. No. 3, identical with Loc. Mon. and Cor. No. 2, Copper  
Ridge No.3 lode of this Sur. heretofore described.  
Thence S. 30° 17' W.  
Va. 13° 30' E.
- 322.7 To E. end center.  
A pine post 4 ins. sq. by 4 ft. high, set firmly in the ground  
and surrounded with md. of stone 3 1/2 ft. base by 3 ft. high,  
Scribed, E. Cr. CR No. 8 .
- 645.4 To Cor. No.4, identical with Loc. Mon. and Cor. No. 3 Copper  
Ridge No.9 lode of this Sur.

Feet.	MINERAL SURVEY NO. 3881 COPPER RIDGE NO. 8 Lode.
	An iron pipe 1 in. diam with brass cap on top, 18 ins. above ground, set 18 ins. in the ground, stamped 4 CR No.8, 3 CR No.9-3881 with md. of stone 3 1/2 ft. base by 3 ft. high alongside.
	No bearings are available.
	Thence N. 81°23' W. Va. 13°30' E.
800.0	Gulch brs. northeasterly.
1500.0	To Cor. No.1, the place of beginning.
	COPPER RIDGE NO. 9 lode.
	Beginning at Cor. No.1, identical with Loc. Mon.
	An iron pipe 1 in. diam. with brass cap on top, 18 ins. above ground, set 18 ins in the ground, stamped 1 CR No.9- 3881 with md. of stone 3 1/2 ft. base by 3 ft. high alongside, whence the 1/4 Cor. bet. Secs. 35-36 T. 12 S. R. 6 W. brs. S. 6° 27' E., 161.95 ft.
	No other bearings are available.
	Thence N. 30° 17' E. Va. 13° 30' E.
136.2	To point for Cor. No.1 Copper Ridge No.10 lode of this Sur., in gulch, brs. northeasterly.
215.2	Witness Corner to Cor. No.1 Copper Ridge No.10 lode of this Sur. hereinafter described.
322.7	To W. end center. A pine post 4 ins. sq. by 4 ft. high, set firmly in the ground and surrounded with md of stone 3 1/2 ft. base by 3 ft. high, scribed W. Cr. CR No.9.
436.2	To E. end center Copper Ridge No. 10 lode of this Sur. hereinafter described.
645.4	To Cor. No. 2, identical with Loc. Mon. and Cor. No.1 Copper Ridge No. 8 lode of this Sur. heretofore described.
	Thence S. 81°23'E. Va. 13° 30' E.
700.0	Gulch brs. northeasterly.
1500.0	To Cor. No. 3, identical with Loc. Mon. and Cor. No.4 Copper Ridge No. 8 lode of this Sur. heretofore described.

Feet.	MINERAL SURVEY NO. 3881. COPPER RIDGE No.9 lode.  Thence S. 30° 17' W. Va. 13° 30' E.
322.7	To E. end center. A pine post 4 ins. sq. by 4 ft. high set firmly in the ground and surrounded with md. of stone 3 1/2 ft. base by 3 ft. high. Scribed E. Cr. CR No. 9.
645.4	To Cor. No.4, identical with Loc. Mon.  An iron pipe 1 in. diam. with brass cap on top 18 ins. above ground, set 18 ins. in the ground, stamped 4 CR No.9- 3881 with md of stone 3 1/2 ft. base by 3 ft. high alongside.  No bearings are available.  Thence N. 81° 23' W. Va. 13° 30' E.
1500.0	To Cor. No. 1 the place of beginning.  COPPER RIDGE NO. 10 lode.  Beginning at Cor. No. 1,  In water course unsuitable for permanent corner. Not set.  W.C. hereafter described brs. N. 30° 17' E., 79 ft. Thence N. 30° 17' E. (from true corner point) Va. 13° 30' E.
79.0	Witness Cor. to Cor. No.1  An iron pipe 1 in. diam. with brass cap on top, 18 ins. above ground, set 18 ins. in the ground, stamped W.C. -1 CR No.10- 3881 with md. of stone 3 1/2 ft. base by 3 ft. high alongside, whence the 1/4 Cor. bet. Secs. 35-36 T. 12 S. R. 6 W. brs. S. 14° 36' W., 358.35 ft.  No other bearings are available.
186.5	To W. end center Copper Ridge No. 9 lode of this Sur. heretofore described.
300.0	To E. end center.  A pine post 4 ins. sq. by 4 ft. high set firmly in the ground and surrounded with md. of stone 3 1/2 ft. base by 3 ft. high, scribed E. Cr. CR No. 10.
509.2	To Cor. Nos. 1-2 Copper Ridge Nos 8-9 lodes respectively of this Sur. heretofore described.

Feet	MINERAL SURVEY NO. 3881
	COPPER RIDGE NO. 10 Lode.
600.0	To Cor. No. 2, identical with Loc. Mon. and Cor. No. 1 Copper Ridge No. 7 lode of this Sur., heretofore described.
	Thence N. 59° 43' W. Va. 13° 30' E.
200.0	Road brs. northeasterly.
1250.0	Road brs. northerly.
1500.0	To Cor. No. 3, identical with Loc. Mon. and Cor. Nos. 4-4-4 Copper Ridge Nos 7-6 and 11 lodes of this Sur. heretofore described.
	Thence S. 30° 17' W. Va. 13° 30' E.
300.0	To W. end center, identical with E. end Center Copper Ridge No. 11 lode of this Sur.
	A pine post 4 ins. sq by 4 ft. high set firmly in the ground and surrounded with md of stone 3 1/2 ft. base by 3 ft. high, scribed W. Cr. C R No. 10 and E. Cr. CR No. 11
600.0	To Cor. No. 4, identical with Loc. Mon. and Cor. No. 3 Copper Ridge No. 11 lode of this Sur.
	An iron pipe 1 in. diam, with brass cap on top, 18 ins. above ground, set 18 ins in the ground, stamped 4 CR No. 10, 3 CR No. 11-3881 with md. of stone 3 1/2 ft. base by 3 ft. high alongside.
	No bearings are available.
	Thence S. 59° 43' E. Va. 13° 30' E.
700.0	Road brs northerly.
1500.0	To Cor. No. 1, the place of beginning.
	COPPER RIDGE NO. 11 Lode.
	Beginning at Cor. No. 1, identical with Loc. Mon. and Cor. No. 1 Copper Ridge No. 6 lode of this Sur. heretofore described, whence the 1/4 Cor. bet. Secs. 26-35, T. 12 S., R. 6 W. brs. N. 50° 56' W., 523.5 ft.
	Thence S. 30° 17' W. Va. 13° 30' E.
300.0	To W. end center,
	A pine post 4 ins. sq by 4 ft. high, set firmly in the ground

## MINERAL SURVEY NO. 3881

## COPPER RIDGE NO. 11 Lode.

and surrounded with md. of stone 3 1/2 ft. base by 3 ft. high,  
scribed W. Cr. CR No.11

600.0 To Cor. No. 2, identical with Loc. Mon.

An iron pipe 1 in. diam, with brass cap on top, 18 ins.  
above ground, set 18 ins. in the ground, stamped 2 CR No.11-3881  
with md. of stone 3 1/2 ft. base by 3 ft. high alongside.

No bearings are available.

Thence S. 59° 43' E.  
Va. 13° 30' E.

1500.0 To Cor. No.3, identical with Loc. Mon. and Cor. No.4 Copper  
Ridge No.10 lode of this Sur., heretofore described.

Thence N.30° 17' E.  
Va. 13° 30' E.

300.0 To E. end center, identical with W. end center Copper Ridge No.10  
lode of this Sur. heretofore described.

600.0 To Cor. No. 4, identical with Loc. Mon. and Cor. Nos. 4-4 and 3,  
Copper Ridge Nos. 6-7 and 10 lodes respectively of this Sur. ,  
heretofore described.

Thence N. 59° 43' W.  
Va. 13° 30' E.

1500.0 To Cor. No.1 , the place of beginning.

-----oOo-----

## LODE LINES.

As near as can be determined from the present developments the  
veins of the several locations embraced in this claim extend as  
follows from their respective discovery points:-

Copper Ridge No.1 lode, 100 ft., S.59° 43'E., and 1271.0 ft., N.59°43'W.

Copper Ridge No.2 lode, 560 ft., N.59°43'W., and 940.0ft., S.59°43'E.

Copper Ridge No.3 lode, 240 ft., N.81°23'W., and 1260 ft., S.81°23'E.

Copper Ridge No.4 lode, 62 ft., N.59°43'W., and 1438 ft., S.59°43'E.

Copper Ridge No.5 lode; 300 ft., S.59°43'E., and 1200 ft., N.59°43'W.

Copper Ridge No.6 lode, 20 ft., S.59°43'E., and 1480 ft., N.59°43'W.

Copper Ridge No.7 lode, 30 ft., N.59°43'W., and 1470 ft., S.59°43'E.

Copper Ridge No.8 lode, 15 ft., N.81°23'W., and 1485 ft., S.81°23'E.

MINERAL SURVEY NO. 3881

LODE LINES.

Copper Ridge No.9 lode, 30 ft., N.81°23'W., and 1470 ft., S.81°23'E.  
 Copper Ridge No.10 lode, 10 ft., S.59°43'E., and 1490 ft., N.59°43'W.  
 Copper Ridge No.11 lode, 70 ft., N.59°43'W., and 1430 ft. S.59°43'E.

-----oOo-----

AREA.

	Acres
Total area, Copper Ridge No.1 lode-----	18.884
Area in conflict with:-	
Sur. No. 3488 Bright Star No.1 lode-----	8.063
Sur. No. 3488 Bright Star No.5 lode-----	1.370
Total area, Copper Ridge No.2 lode-----	20.661
Area in conflict with:-	
Sur. No.3488 Bright Star No.5 lode-----	0.017
Total area, Copper Ridge No.3 lode-----	20.654
Total area, Copper Ridge No.4 lode-----	20.661
Total area, Copper Ridge No.5 lode-----	20.661
Total area, Copper Ridge No.6 lode-----	20.661
Total area, Copper Ridge No.7 lode-----	20.661
Total area, Copper Ridge No.8 lode-----	20.654
Total area, Copper Ridge No.9 lode-----	20.654
Total area, Copper Ridge No.10 lode-----	20.661
Total area, Copper Ridge No.11 lode-----	20.661

The survey of each lode of this location is identical with the respective amended location, except as shown in the foregoing field notes.

LOCATION.

This survey is located in Sections 25-26-35 and 36 T. 12 S., R.6 W. in the Ajo Mining District, Pima County, Arizona.

-----oOo-----

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and the improvements made upon, or for the benefit of each of the locations embraced in said mining claim by the claimant or its grantors, is not less than Five Hundred Dollars, and that said improvements consist of:

COPPER RIDGE NO.1 lode



## EXPENDITURE OF FIVE HUNDRED DOLLARS.

No.1 The discovery shaft, the center of which being the discovery point is on the center line 100 ft. from the center of line 1-2 5 x 15 ft., 10 ft. deep.

Value \$300.

No.2 A diamond drill hole, 1 in diam., 800 ft. deep which hrs. from Cor. No.1 N. 50° W., 350. ft.

Value \$5000.0

An undivided 1/11 th interest in improvement No.1, Copper Ridge No. 4 lode, hereinafter described, credited to this lode.

Value \$470.0

## COPPER RIDGE NO. 2 lode.

No.1. The discovery point, on the center line, 560 ft. from the center of line 1-2. A monument of stone 3 1/2 ft. base by 3 ft. high, on cropping.

No value.

No. 2 A shaft, the center of which hrs. from Cor. No.1 S.75°30'E. 580 ft. 4 x 6 ft. 8 ft. deep.

Value \$100.0

No.3 A shaft, on the center line 10 ft. from the center of line 1-2, 4 x 6 ft. 10 ft. deep.

Value \$100.0

An undivided 1/11th interest in improvement No.1, Copper Ridge No.4 lode, hereinafter described, credited to this lode.

Value \$ 470.0

## COPPER RIDGE NO. 3 lode.

No.1 The discovery point, on the center line, 240 ft. from the center of line 3-4. A monument of stone 3 1/2 ft. base by 3 ft. high, on cropping.

No Value.

No.2 A shaft, the center of which hrs. from Cor. No.4 S.9° E., 370 ft. 5 x 15 ft., 8 ft. deep.

Value \$170.0

An undivided 1/11th interest in improvement No.1, Copper Ridge No.4 lode, hereinafter described, credited to this lode.

Value \$470.0

## MINERAL SURVEY NO. 3881

## EXPENDITURE OF FIVE HUNDRED DOLLARS- Cont'd.

## COPPER RIDGE NO. 4 lode.

No.1 The discovery shaft, the center of which being the discovery point is on the center line, 62 ft. from the center of line 1-2, 6 x 8 ft., 103 ft. deep (timbered)

At the 40 ft. level, a drift 4 x 6 ft. running S. 35° E., 15 ft. to an upraise 4 x 6 ft., 35 ft. high. Thence S. 53° E., 42 ft. to second upraise 4 x 6 ft. 35 ft. high. Thence S. 53° E., 46 ft. to third upraise, 4 x 6 ft., 35 ft. high.

Total value \$ 5170.0

An undivided 1/11 th interest herein is assigned to this lode.

This shaft being centrally located is a practical and feasible main working shaft for the eleven claims of the group, consisting of the Copper Ridge Nos. 1-2-3-4-5-6-7-8-9-10 and 11 lodes, as by drifting and cross-cutting therefrom in different directions towards and under the above mentioned claims, same may be advantageously developed and ore extracted therefrom.

This improvement is therefore a common improvement for the benefit of the eleven above mentioned claims and an undivided 1/11 th interest of the total value of this improvement (\$470.00) is properly accredited to each of the above mentioned lode claims.

No.2 A shaft, the center of which brs from Cor. No.1 S. 24° W., 200 ft. 4 x 6 ft. 10 ft. deep.

Value \$100.0

No.3 A shaft, the center of which brs. from Cor. No.1, S.18° E., 275 ft. 6 x 8 ft. 50 ft. deep (timbered)

Value \$1500.0

No. 4 A shaft, the center of which brs. from Cor. No.1 S.47° 30'E., 130 ft., 4 x 6 ft. 8 ft. deep.

Value \$100.0

No. 5 A shaft, the center of which brs. from Cor. No.1 S.47°30' E., 240 ft., 4 x 6 ft., 10 ft. deep.

Value \$100.0

No. 6 A shaft, the center of which brs. from Cor. No.1, S.51°E., 310 ft., 4 x 6 ft. 15 ft. deep.

Value \$150.0

## MINERAL SURVEY NO. 3881

## EXPENDITURE OF FIVE HUNDRED DOLLARS - Cont'd.

## COPPER RIDGE NO. 5 lode.

No.1 The discovery shaft, the center of which being the discovery point is on the center line, 300 ft. from the center of line 1-2 4 X 6 ft. 10 ft. deep.

Value \$100.00

No.2, A shaft, the center of which is on the center line 360 ft. from the center of line 1-2, 4 x 6 ft., 8 ft. deep.

Value \$80.00

No. 3, A shaft, on the center line 420 ft. from the center of line 1-2, 4 x 6 ft., 8 ft. deep.

Value \$80.00

No.4, A shaft, on the center line, 470 ft. from the center of line 1-2, 4 x 6 ft. 8 ft. deep.

Value \$80.00

No.5, A shaft, the center of which brs from Cor.No.1 N.85°15'W., 460 ft., 4 x 6 ft. 8 ft. deep.

Value \$80.00

No.6 A shaft, the center of which brs. from Cor. No.1, N. 74°W., 430 ft. 4 x 6 ft. 8 ft. deep.

Value \$80.00

An undivided 1/11 th interest in improvement No.1, Copper Ridge No.4 lode heretofore described, credited to this lode.

Value \$470.00

## COPPER RIDGE NO. 6 lode.

No.1, the discovery shaft, the center of which being the discovery point, is on the center line, 20 ft. from the center of line 3-4, 5 x 10 ft., 8 ft. deep.

Value \$ 170.00

No.2 A shaft, the center of which is on line 3-4, 325 ft. from Cor. No.3, 5 x 10 ft., 8 ft. deep

Value \$ 170.00

An undivided 1/11 th interest in improvement no.1, Copper Ridge No.4 lode, heretofore described, credited to this lode.

Value \$470.00

## COPPER RIDGE NO. 7 lode.

No.1 The discovery point, on the center line, 30 ft. from the center of line 3-4. A monument of stone 3 1/2<sup>ft.</sup> base by 3 ft. high.

On cropping .

No value.

## MINERAL SURVEY NO. 3881

EXPENDITURE OF FIVE HUNDRED DOLLARS- Cont' d.

## COPPER RIDGE NO. 7 lode- Cont'd.

No. 2 A shaft, the center of which brs. from Cor. No.4, N.41° E.,  
270 ft. 4 x 12 ft. 8 ft. deep.

Value \$ 160.0

An undivided 1/11 th interest in improvement No.1, Copper Ridge  
No. 4 lode, heretofore described, credited to this lode.

Value \$ 470.0

## COPPER RIDGE NO. 8 lode.

No.1 The discovery point, on the center line, 15 ft. from the  
center of line 1-2 A monument of stone 3 1/2 ft. base by 3 ft.  
high, on cropping.

No value.

No. 2 A shaft, the center of which brs. from Cor. No.2 S.26° 30'W.,  
275 ft., 5 x 20 ft., 8 ft. deep.

Value \$300.00

An undivided 1/11 th interest in improvement No.1, Copper Ridge  
No.4 lode, heretofore described, credited to this lode.

Value \$470.00

## COPPER RIDGE NO. 9 lode.

No.1 The discovery point, on the center line, 30 ft. from the  
center of line 1-2. A monument of stone 3 1/2 ft. base by 3 ft.  
high, on cropping.

No value.

No. 2 A shaft, the center of which brs. from Cor. No.2, S.13° W.,  
210 ft., 4 x 6 ft. 8 ft. deep.

Value \$80.00

An undivided 1/11 th interest in improvement No.1, Copper Ridge  
No.4 lode, heretofore described, credited to this lode.

Value \$470.00

## COPPER RIDGE NO. 10 lode.

No. 1 The discovery shaft, on the center line, 10 ft. from the  
center of line 1-2, 4 x 6 ft. 8 ft. deep.

Value \$80.00

No.2 A shaft, the center of which brs. from Cor. No.4, N.75° E.,  
190 ft. 4 x 6 ft. 8 ft. deep.

Value \$ 80.00

## MINERAL SURVEY NO. 3881

EXPENDITURE OF FIVE HUNDRED DOLLARS- Cont' d.

## COPPER RIDGE NO. 10 lode.

An undivided 1/11 th interest in improvement No.1, Copper Ridge No. 4 lode, heretofore described, credited to this lode.

Value \$470.00

## COPPER RIDGE NO. 11 Lode.

No. 1 The discovery point, on the center line, 70 ft. from the center of line 1-2. A monument of stone 3 1/2 ft. base by 3 ft. high, on cropping.

No value.

No. 2 A shaft, the center of which hrs. from Cor. No.1 S.14° W., 270 ft. 4 x 6 ft. 10 ft. deep.

Value \$100.0

No. 3 A shaft, the center of which hrs. from Cor. No.1, S.18° W., 350 ft., 4 x 15 ft., 10 ft. deep.

Value \$250.0

An undivided 1/11 th interest in improvement No.1 Copper Ridge No.4 lode, heretofore described, credited to this lode.

Value \$470.00

## INSTRUMENT.

This survey was made with a Gurley mountain transit, the courses were deflected from the true meridian as determined by direct solar observations, the distances were measured with a 500 ft. steel tape.

## REPORT.

The lode line of each location of this claim was run directly upon the ground, and the corners were established by running around the claims. All tie lines were run directly upon the ground.

The corners to Secs. 25-26-35-36, the 1/4 Cor. bet. Secs.26-35, 35-36 and 25-36 all consist of iron pipe with brass caps on top, stamped with the number of the section.  
(Insert \*)

Sur. No.3488 Bright Star No.1 and Bright Star No.5 lodes, all corners consist of iron pipe 3 ins. diam. with copper plates on top, properly set and stamped with the number of the corner and the survey. I find all courses and distances to be correct as approved.

## MINERAL SURVEY NO. 3881

## REPORT - Continued.

U.S.M.M. No.1 consists of an iron pipe 2 1/2 ins. diam. by 15 ft. high, surrounded with md of stone, stamped - U.S.M.M. No.1, Ajo Mining District., Pima County. Est. Dec. 14, 1882 by L.D. Chillson, Re set Dec. 28, 1917 by Paul Fernald.

## ADJOINING CLAIMS.

On the North by Sur. No.3488, Bright Star Nos. 1 and 5 lodes, and Sur. No.3881 1/2 Eagle lode.  
On the West by Sur. No. 3488, Bright Star No. 1 lode.

No other adjoining or conflicting claims known.

## SOLAR OBSERVATION.

The true courses of the lines of this survey were ascertained by direct solar observations of Sur. No.3881 1/2 and the courses of lines of Sur. No.3488 previously established beyond question.

\* I find the ~~course-of-the~~ line between Secs. 26 and 35, (E 1/2), to be S. 89° 57' 20" W. 2642.7 ft., the line between Secs. 25 and 36, (W 1/2) to be S. 89° 59' W. 2640.78 ft., and the line between Secs. 35 and 36, (N 1/2), to be N. 0° 02' 40" W. 2641.4 ft.

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by T.N. Stevens

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

COPPER RIDGE MINING COMPANY

known as the COPPER RIDGE NOS. 1,2,3,4,5,6,7,8,9,10 and 11 lodes

and showing the respective capacities in which they acted.

W.H. Coplen, Chainman.

Chainman.

Arman.

Flagman.

## FINAL OATHS OF ASSISTANTS.

~~We~~, I, W.H. Coplen

and \_\_\_\_\_, do solemnly swear that <sup>I</sup> ~~we~~ assisted \_\_\_\_\_

T.N. Stevens, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of COPPER RIDGE MINING COMPANY

known as the COPPER RIDGE NOS. 1,2,3,4,5,6,7,8,9,10 and 11 lodes

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of <sup>my</sup> ~~our~~ knowledge and belief, faithfully

and correctly executed, and the corner and boundary monuments established according to law and the instruc-

tions furnished by the United States Surveyor-General for Arizona.

W.H. Coplen, Chainman.

Chainman.

Arman.

Flagman

Subscribed and sworn to by the above-named persons before me this 11th

day of May, 1923

My Commission Expires June 4, 1924

Isabel M. Lander  
Notary Public

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, T.N. Stevens, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated January 20, 1923, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of COPPER RIDGE MINING COMPANY, known as the COPPER RIDGE NOS. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 and 11 lodes, situate in Ajo Mining District, Pima County, Arizona, in Sections 25-26-35-36, Township No. 12, S., Range No. 6 W. G. & S. R. M, and designated as Survey No. 3881, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

T.N. Stevens
U. S. Mineral Surveyor.

Subscribed and sworn to by the said T.N. Stevens
U. S. Mineral Surveyor, before me Isabel M. Rueder
a Notary Public this 11th
day of May, 1923

Isabel M. Rueder
Notary Public

My Commission Expires June 4, 1924



U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON  
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

July 10, 1923.

I, U. S. Surveyor General for District of Arizona, do hereby certify that the foregoing transcript of the Field Notes, return and approval of the Survey of the mining claim of

Copper Ridge Mining Company

, known as the COPPER RIDGE NOS. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, and 11 lodes, situate in Ajo

Mining District, Pima County,

Arizona, in Section s. 25, 26, 35, 36 Township No. 12 S.

Range No. 6 W., and designated as Survey No. 3881, has been correctly copied from the originals on

file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim<sup>s</sup> by claimant or its grantors, and that said improvements consist of 25 shafts, 1 drill hole, 1 drift, and 3 upraises, total value \$14,680.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott

United States Surveyor General for Arizona.

**SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES  
AND SURVEY OF MINING CLAIM**

**DEPARTMENT OF THE INTERIOR  
OFFICE OF U. S. SURVEYOR GENERAL**

.....Phoenix, Arizona.....

.....July 10....., 192 3

I, U. S. Surveyor General for .....District of Arizona.....

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the  
Mining Claim of .....

.....Copper Ridge Mining Company.....

....., known as the

...COPPER RIDGE NOS. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, and 11 lodes.....

situate in .....Ajo..... mining district,

.....Pima..... County, .....Arizona.....

in Section s. 25, 26, 35, 36....., Township No. ....12 S....., Range No. ....6 W.....

....., designated as Survey No. ....3881.....

executed by .....T. N. Stevens....., U. S. Mineral

Surveyor, .....January 31 - February 11....., 192 3, under my instructions dated


.....January 20....., 192 3, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.



U. S. Surveyor General for .....Arizona.....

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (952)  
BUREAU OF LAND MANAGEMENT M.S. 3881  
ARIZONA STATE OFFICE

---

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Copper Ridge No. 6 and 7 lodes, Mineral Survey No. 3881, located in sections 26, 35 and 36, Township 12 South, Range 6 West, Gila and Salt River Meridian, Arizona, are hereby canceled.


These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Copper Ridge No. 6 and 7 lodes, M.S. 3881 were canceled December 11, 1998, by memo 9605 (952) M.S. 3881, which is now a part of the original field notes."

December 11, 1998  
Date

  
\_\_\_\_\_  
Chief Cadastral Surveyor of Arizona