

JUN-6 1923

MINERAL SURVEY No. 3888

OCT 26 1923

OCT 26 1923

NOV 17 1923

ARIZONA

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

WILLIAM F. HOLT

KNOWN AS THE

GOLDEN EAGLE, MIDNIGHT, SUNNYSIDE, SUNSET, BANNER and

ROVING DICK lodes. in SAN FRANCISCO Mining District,

MOHAVE County, ARIZONA

Section 7 & 12, Township 21 N., Range 20 & 21 W.

Surveyed under instructions dated March 2nd, 19 23

by L. H. FOSTER U. S. Mineral Surveyor.

Claim located see location notices, 19

Survey commenced March 10th., 19 23

Survey completed MAY 10th., 19 23

Address of claimant's (KINGMAN, ARIZONA) Atty. LOUIS L. WALLACE, Atty. P.O. Box 246

DATES OF AMENDED LOCATIONS.

see back

Golden Eagle, located May 30 1913. Amended Mar. 29, 1916						
Sunnyside	"	Jan. 22 1905.	"	"	"	"
Midnight	"	Jan. 6 1916	"	"	"	"
Sunset	"	Dec. 14 1914	"	"	"	"
Banner	"	Feb. 28 1916	"	"	"	"
Roving Dick	"	Sept. 1 1902	"	"	"	"

MINERAL SURVEY NO. 3888

feet

Sunnyside lode

Beginning ^{at} Cor. No. 1.

A redwood post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 12 ins. in the ground, in a mound of earth and stone, scribed S-1-3888.

Identical with the location and with Cor. No. 2 Sunset lode, this survey.

The 1/4 corner between sections 7 and 12, bears S. 70° 15' 30" W. 924.95 ft.

Thence S. 67° 47' 30" E.

201.31 To the north end center ^{post} of the location.

427.73 To Cor. No. 2.

A redwood post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 12 ins. in the ground, in a mound of earth and stone, scribed S-2-3888.

Identical with the location and with Cor. No. 4 Roving Dick lode, this survey.

Thence S. 16° 13' W.

1386.38 To Cor. No. 3.

A redwood post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 12 ins. in the ground, in a mound of earth and stone, scribed S-3-3888.

Identical with the location.

Thence N. 67° 47' 30" W.

226.42 To the south end center post of the location.

470.59 To Cor. No. 4.

A redwood post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 12 ins. in the ground, in a mound of earth and stone, scribed S-4-3888.

Identical with the location and with Cor. No. 3, Sunset lode, this survey.

Mineral Survey No. 3888

feet

Sunnyside lode, continued

Thence N. 17° 59' E.

1382.56 To Cor. No. I, the place of beginning.
Variation, ^{at} all corners, 15° 30' E.
No bearing objects available.

Sunset Lode.

Beginning ^{at} Cor. No. I.

A redwood post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 12 ins. in the ground, in a mound of earth and stone, scribed S-I-3888.

The 1/4 corner between sections 7 and 12 bears S. 30° 56' W. 625.55 ft.

Identical with the location and on line I-2, Banner lode, this survey, at S. 17° 59' W. 54.35 ft. from Cor. No. I.

Thence S. 67° 47' 30" E.

292.16 To the north end center post of the location.

592.97 To Cor. No. 2.

A redwood post, previously described, scribed S-2-3888.

Identical with the location and with Cor. No. I, Sunnyside lode, this survey.

Thence S. 17° 59' W.

1382.56 To Cor. No. 3.

A redwood post, previously described, scribed S-3-3888.

Identical with the location and with Cor. No. 4, Sunnyside lode, this survey.

Thence N. 67° 47' 30" W.

300.81 To the south end center post of the location.

Mineral Survey No. 3888

feet

Sunset lode, continued,

592.97

To Cor. No. 4.

A redwood post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 12 ins. in the ground, in a mound of earth and stone, scribed S-4-3888.

Identical with the location and on line I-2, Banner lode, this survey, at N. 17° 59' E. 63.09 ft. from Cor. No. 2.

Thence N. 17° 59' E.

1382.56

To Cor. No. I, the place of beginning.

Variation, ^{at} all corners, 15° 30' E.

No bearing objects available

Banner Lode.

Beginning ^{at} Cor. No. I.

A redwood post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 10 ins. in the ground, in a mound of earth and stone, scribed B-I-3888.

Identical with the location.

The 1/4 corner between sections 7 and 12 bears S. 29° 54' 30" W. 678.63 ft.

Cor. No. I, Roving Dick lode, this survey, bears N. 80° 16' W. 250.88 ft.

Thence S. 17° 59' W.

54.35

To Cor. No. I, Sunset lode, this survey, and intersect line I-4, Roving Dick lode, this survey, at S. 67° 47' 30" E. 248.98 ft. from Cor. No. I.

1436.91

To Cor. No. 4, Sunset lode, this survey.

1500.00

To Cor. No. 2.

A redwood post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 12 ins. in the ground, in a mound of earth and stone, scribed B-2-3888.

Identical with the location.

Thence N. 67° 47' 30" W.

feet

Banner lode, continued

300.81 To the south end center post of the location.

601.62 To Cor. No. 3.

A redwood post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 12 ins. in the ground, in a mound of earth and stone, scribed B-3-3888.

Identical with the location.

Thence N. 17° 59' E.

395.98 Intersect the southeasterly side line of the Center Star lode, unsurveyed, at S. 49° 06' W. 968.52 ft. and N. 49° 06' E. 531.48 ft. from the northeast corner and the southeast corner, respectively.

I413.61 Intersect line I-2, Golden Eagle lode, this survey, at ^{N 81° 29' W} 363.98 ft. from Cor. No. I.

I423.52 Intersect the northerly end line of the Center Star lode; unsurveyed, at S. 50° 24' E. 69.90 ft. and N. 50° 24' W. 538.40 ft. from the northwest and the northeast corners, respectively.

I500.00 To Cor. No. 4.

A redwood post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 12 ins. in the ground, in a mound of earth and stone, scribed B-4-3888.

Identical with the location.

Thence S. 67° 47' 30" E.

300.81 To the north end center post of the location.

360.00 To Cor. No. I, Golden Eagle lode, this survey, and intersect line I-2, Roving Dick lode at N. 25° 45' E. 54.31 ft. from Cor. No. I.

601.62 To Cor. No. I, the place of beginning.

Variation, ^{at} all corners, 15° 30' East.

No bearing objects available.

Mineral Survey No. 3888.

feet

Golden Eagle lode

Beginning ^{at} Cor. No. 1.

A redwood post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 12 ins. in the ground, in a mound of earth and stone, scribed GE-1-3888.

Identical with the location and on lines 1-2 and 4-1, Roving Dick and Banner lodes, at N. 25° 45' E. 54.31 ft. and S. 67° 47' 30" E. **360.00** ft. from Cors. No. ~~1~~ **4**, respectively.

The 1/4 corner between sections 7 and 12 bears S. 9° 35' W. 689.19 ft.

Thence N. 81° 29' W.

346.14 Intersect the northerly end line of the Center Star lode, unsurveyed, at S. 50° 24' E. 88.83 ft. and N. 50° 24' W. 519.47 ft. from the northwest and the northeast corners, respectively.

363.98 Intersect line 3-4 Banner lode, this survey, at S. 17° 59' W. 86.39 ft. from Cor. No. 4.

461.50 Intersect side line between the Center Star and Le Roi lodes, unsurveyed, at S. 49° 06' W. 60.39 ft. and N. 49° 06' E. 1439.61 ft. from the northerly and southerly corners, respectively.

1251.48 Intersect the westerly side line of the Le Roi lode, unsurveyed, at S. 49° 06' W. 473.91 ft. and N. 49° 06' E. 1026.09 ft. from the northwest and the southwest corners, respectively.

1255.65 To Cor. No. 2.
A redwood post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 12 ins. in the ground, in a mound of earth and stone, scribed GE-2-3888.
Identical with the location.

Mineral Survey No. 3888

feet

Golden Eagle lode, continued

Thence N. 25° 45' E.

50.00 To the westerly end center post of the location.

343.20 To Cor. No. 3.

A redwood post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 12 ins. in the ground, in a mound of earth and stone, scribed GE-3-3888.

Identical with the location.

The northwesterly corner of the Le Roi lode,

unsurveyed, bears N. 89° 49' E. 213.22 ft.

Thence 589°-53-30" E

211.97

Intersect N.W. 3/4 corner Le Roi lode, unsurveyed at 549° 06' W 165 ft and N 49° 06' E 1498.35 from the Northwest and south west corners, respectively.

214.53

Intersect Northern end line Le Roi lode, unsurveyed at 55° 24' E 170 ft. and N 50° 29' W 606.6 ft. from the Northwest and Northeast corners, respectively.

1330.27

To Cor. No. 4.

A redwood post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 12 ins. in the ground, in a mound of earth and stone, scribed GE-4-3888.

Identical with the location and with Cor. No. 2

Roving Dick lode, this survey.

Thence S. 25° 45' W.

211.33

To the easterly end center/post of the location.

546.83

To Cor. No. I, the place of beginning.

Variation, ^{at} all corners, 15° 30' E.

No bearing objects available.

Roving Dick lode

Beginning ^{at} Cor. No. I.

A redwood post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 12 ins. in the ground, in a mound of earth and stone, scribed RD-1-3888.

Identical With the location, and with Cor. No. I,

Golden Eagle lode, this survey.

The 1/4 corner between sections 7 And 12 bears

S. 8° 13' W. 637.120 ft.

Mineral Survey No. 3888

feet

Roving Dick lode, continued

Thence N. 25° 45' E.

54.31 To Cor. No. I, Golden Eagle lode, This survey, and intersect line 4-1, Banner lode, this survey, at N. 67° 47' 30" W. 241.62 ft. from Cor. No. I.

300.57 To the west end center post of the location.

601.14 To Cor. No. 2.

A redwood post, previously described, scribed RD-2-3888.

Identical with the location and with Cor. No. 4, Golden Eagle lode, this survey.

Thence S. 67° 47' 30" E.

408.71 To Cor. No. I, Midnight lode, this survey.

1269.68 To Cor. No. 3.

A cross cut on face of solid rock ledge, and marked RD-3-3888.

Identical with the location.

Cor. No. 4 Sheep Trail lode, Sur. No. 1368, bears S. 75° 27' 30" E. 255.39 ft.

Thence S. 25° 45' W.

6.50 To Witness Corner for Cor. No. 3.

A redwood post, 4 ins. square, 4 ft. long, with a nail at the exact point, set 12 ins. in the ground, in a mound of earth and stone, scribed WC-RD-3-3888.

300.57 To the east end center post of the location.

601.14 To Corner No. 4.

A redwood post, previously described, scribed RD-4-3888.

Identical with the location and with Cor. No. 2, Sunnyside lode, this survey.

Thence N. 67° 47' 30" W.

427.73 To Cors. No. 1-2, Sunnyside and Sunset lodes, this survey, respectively.

1020.70 To Cor. No. I, Sunset lode, this survey, and intersect line 1-2, Banner lode, this survey, at S. 17° 59' W. 54.35 ft. from Cor. No. I.

Mineral Survey No. 3888

feet

Roving Dick lode, continued

1269.68

To Cor. No. I, the place of beginning.

Variation, ^{at} all corners, 15° 30' E.

No. bearing objects available.

Midnight lode

Beginning ^{at} Cor. No. I.

A redwood post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 12 ins. in the ground, in a mound of earth and stone, scribed M-1-3888.

Identical with the location and on line 2-3, Roving Dick lode, this survey, at S. 67° 47' 30" E. 408.71 ft. from Cor. No. 2

The 1/4 corner between sections 7 and 12 bears S. 35° 41' W. 1252.84 ft.

Thence ^N 6° 10' E.

295.44

To the west end center post of the location.

509.34

To Cor. No. 2.

A redwood post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 12 ins. in the ground, in a mound of earth and stone, scribed M-2-3888.

Identical with the location.

Thence S. 68° 35' 30" E.

1112.97

Intersect line 4-I, Sheep Trail lode, Sur. No. 1368 at N. 5° 38' E. 498.12 ft. and S. 5° 38' W. 101.88 ft. from Cor. No. 4 and I, respectively.

1491.84

To Cor. No. 3.

A redwood post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 12 ins. in the ground, in a mound of earth and stone, scribed M-3-3888.

Mineral Survey No. 3888

feet

Midnight lode, continued,

Identical with the location.

Thence S. 6° 10' W.

244.49 To the east end center post of the location.

397.23 Intersect lines 4-3 and I-2, Sheep Trail and Red Hill lodes, Survey No. 1368, At S. 84° 22' E. 361.50 and 51.50 ft. and N. 84° 22' W. 1106.75 ft. from Cors. No. 4 and I and No. 3 and 2, respectively.

539.93 To Cor. No. 4.

A redwood post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 12 ins. in the ground, in a mound of earth and stone, scribed M-4-3888.

Identical with the location.

Cor. No. I, Red Hill lode, Sur. No. 1368 bears N. 13° 44' W. 151.26 ft.

Thence N. 67° 47' 30" W.

52.35 Intersect line 4-I, Red Hill lode, Sur. No. 1368 at N. 5° 38' E. 472.24 ft. and S. 5° 38' W. 127.76 ft. from Cors. No. 4 and I, respectively.

639.03 To Cor. No. 3, Roving Dick lode, this survey.

1500.00 To Cor. No. I, the place of beginning.

Variation, ^{at} all corners, 15° 30' E.

No bearing objects available.

* * * * *

Location

This group of lode claims is located in sections 7 and 12, T. 21 N. Rgs. 20 and 21 W. G. & S. R. B. & M. in the San Francisco Mining District, Mohave County, Arizona.

Mineral Survey No. 3888

Lode Lines

As near as can be determined from present developments, the veins in the various claims of this survey extend as follows:-

Sunnyside lode;- S. 16° 13' W. 1113.37 ft. and N. 16° 13' E. 273 ft. from the discovery shaft.

Sunset lode;- S. 17° 59' W. 900 ft. and N. 17° 59' E. 482.56 ft. from the discovery shaft.

Banner lode;- S. 17° 59' W. 726 ft. and N. 17° 59' E. 774.00 ft. from the discovery cut.

Golden Eagle lode;- S. 87° 01' W. 1213.68 ft. and N. 87° 01' E. 154 ft. from the discovery cut.

Roving Dick lode;- N. 67° 47' 30" W. 445 ft. and S. 67° 47' 30" E. 824.68 ft. from the discovery shaft.

Midnight lode;- N. 67° 47' 30" W. 703.50 ft. and S. 67° 47' 30" E. 796.50 ft. from the discovery cut.

Areas

Claim	Acres
Sunnyside lode-----	14.217 ✓
Sunset lode-----	18.769 ✓
Banner lode-----	20.661 ✓
Area In conflict with; Center Star lode, unsurveyed -----	5.903
Contract "A"---	3.109 Acres
Contract "B"---	2.768 "
Contract "C"---	0.027 "
Golden Eagle lode -----	12.251 ✓

71.801

Mineral Survey No. 3888

Areas, continued

Claim	Area
Area In conflict with; Le Roi lode, unsurveyed -----	3.680 Ac.
In conflict with Center Star lode, Unsurveyed -----	0.061
In conflict with Center Star lode exclusive of Banner lode, ^{this survey} -----	0.059
In conflict with Banner lode; This survey -----	0.356
<u>Roving Dick LODE</u> -----	17.489 Ac
Area In conflict with; Banner lode, this survey -----	0.305
<u>Midnight lode</u> -----	17.363 Ac.
Area In conflict with; Sheep Trail lode, Sur. No. 1368 -----	3.736
In conflict with Red Hill lode, Sur. No., 1368 -----	0.158

Descriptions of Tracts in Banner lode.

Tract "A"

Beginning at a point on line 3-4, Banner lode,
at S. 17° 59' W. 76.48 ft. from Cor. No. 4. Thence S. 50°
24' E. 538.40 ft. Thence S. 49° 06' W. 363.91 ft. Thence
N. 29° 09' E. 89.64 ft. Thence N. 58° 58' W. 338.55 ft.
Thence N. 17° 59' E. 345.51 ft. to the place of beginning.

Tract "B"

Beginning at a point on line 3-4, Banner lode, at
S. 17° 59' W. 421.99 ft. from Cor. No. 4, Thence S. 58°

Mineral Survey No. 3888

Tract Descriptions, continued

58' E. 338.55 ft. Thence S. 29° 09' W. 89.64 ft. Thence S. 49° 06' W. 536.85 ft. Thence N. 58° 58' W. 35.94 ft. Thence N. 17° 59' E. 615.90 ft. to the place of beginning.

Tract "C"

Beginning at a point on line 3-4, Banner lode, at S. 17° 59' W. 1037.89 ft. from Cor. No. 4. Thence S. 58° 58' E. 35.94 ft. Thence S. 49° 06' W. 67.76 ft. Thence N. 17° 59' E. 66.13 ft. to the place of beginning.

* * * * *

Five Hundred Dollar Improvement

I certify that the value of labor and improvements made upon and for the benefit of this group of lode claims, by the claimant or his grantors, is not less than five hundred dollars for each claim and consists of the following;-

Roving Dick lode;-

No. 1- The discovery shaft, 4 by 6 ft. by 12 ft. deep. On the lode line at 445' ft. from the west end center.

Value -----\$50.00

No. 2- The Main working shaft, 5 by 9 ft. 425 ft. deep on a 30° incline, S, 15° 30' W. From the 400 ft. level a drift running N. 70° W. 368 ft. with four cross-cuts, totaling 163 ft. long. The center of shaft at

Mineral Survey No. 3888

Improvements, continued,

collar bears S. 36° 40' E. 525 ft. from Cor. No. 2.

Total value \$23,046.00

1/6 of total value to this claim \$3841.00

No. 3- An open cut, 4 ft. wide, 6 ft. deep, extending N. 68° W. 8 ft. to its mouth. The face is on the lode line at 375 ft. from the west end center.

Value ----- \$20.00

No. 4- A trench, 4 by 20 ft. by 6 ft. deep. N. 68° W. The west end is on the lode line at 355 ft. from the west end center.

Value ----- \$75.00

No. 5 - A shaft, 6 by 6 ft. dipping 60° Southwest 40 ft. deep. The center of the shaft is on the lode line at 335 ft. from the west end center.

Value ----- \$600.00

Midnight lode-

No. I- The discovery cut, 5 ft. wide, 11 ft. ^{face} ~~deep~~ extending N. 55° W. 15 ft. to its mouth. On the lode line at 703.50 ft. from the west end center.

Value ----- \$50.00

1/6 interest in No. 2, Roving Dick lode \$3841.00

Golden Eagle lode-

No. I - The discovery cut, 5 ft. wide, 10 ft. face

Mineral Survey No. 3888

Improvements continued,

extending N. 40° E. 12 ft. to its mouth. The face is on the lode line at 154 ft. from the east end center.

Value ----- \$50.00

No. 2 -A cut, 4 ft. wide, 10 ft. face, extending N. 52° E. 8 ft. to its mouth, with a tunnel, 4 by 6 ft. running S. 52° W. 9 ft. Center of face bears N. 29° 30' W. 21 W. 214 ft. from Cor. No. I.

Value ----- \$100.00

1/6 interest in No. 2, Roving Dick lode--- \$3841.00

Banner lode-

No. I An open cut, 5 ft. wide, 11 ft. face, extending S. 85° W. 15 ft. This is the discovery cut, on the lode line at 726 ft. from the south end center,

value ----- \$50.00

1/6 interest in improvement No 2,
Roving Dick lode ----- \$3841.00

Mineral Survey No. 3888

Improvements, continued

Sunset lode;-

discovery

No. 1- A/shaft, 4 by 6 ft. by 54 ft. deep, with a drift, 33 ft. long running S. 3° W. from the 25 ft. level. A crosscut, 20 ft. long running west from the 33 ft. level, a drift, 16 ft. long, running south 16 ft. from the 54 ft. level. Center of shaft is on the lode line at 482.56 ft. from the north end center.

Value ----- \$1770.00

No. 2- An open cut, 5 ft. wide, 10 ft. face, extending S. 73° W. 15 ft. From the face a tunnel, 4 by 6 ft. extends N. 73° E. 173 ft. The center of face bears S. 2° 30' W. 467 ft. from Cor. No. 1.

Value ----- \$1730.00

No. 3- An open cut, 5 ft. wide, 12 ft. face, extending N. 73° E. 23 ft. From the face a tunnel, 4 by 6 ft. runs S. 73° W. 55 ft. Center of the face bears S. 39° 15' W. 472 ft. from Cor. No. 2.

Value ----- \$550.00

No. 4- An open cut, 5 ft. wide, 10 ft. face, extending S. 48° E. 17 ft. with a tunnel running N. 48° W. 27 ft. from the face. Center of face bears S. 71° 10' W. 399 ft. from Cor. No. 2.

Value ----- \$270.00

No. 5- An open cut, 5 ft. wide, 6 ft. deep, extending S. 25° E. 8 ft. The face bears S. 64° 10' W. 419 ft. from Cor. No. 2.

Value ----- \$20.00

1/6 interest in No. 2, Roving Dick lode \$3841.00

Sunnyside lode;-

No. 1- The discovery shaft, 4 by 6 ft. by 20 ft. deep. On the lode line at 273 ft. from the north end center.

Value ----- \$175.00

Mineral Survey No. 3888.

Improvements, continued,

No. 2- An open cut, 5 ft. wide, 8 ft. face, extending S. 60° W. 17 ft. Center of face bears S. 57° 30' W. 320 ft. from Cor. No. 2.

Value ----- \$45.00

No. 3- An open cut, 5 ft. wide, 6 ft. face, extending N. 35° W. 7 ft. The face bears S. 58° 30' W. 370 ft. from Cor. No. 2.

Value ----- \$15.00

No. 4- An open cut, 4 ft. wide, 9 ft. face, extending S. 22° E. 10 ft. The face bears S. 4° 30' E. 309 ft. from Cor. No. I.

Value ----- \$35.00

1/6 interest in No.2, Roving Dick lode ---\$3841.00

* * * * *

Other Improvements

Roving Dick lode;-

No. I- Engine house, 27 by 19 ft. Course of long side N. 15° E. The N.W. corner bears S. 40° 10' E. 478 ft. from Cor. No. 2.

No. II- Blacksmith shop, 12 by 18 ft. Course of long side, N. 15° E. The N.W. corner bears S. 38° 45' E. 455 ft. from Cor. No. 2.

Sunset lode;-

No. I- Office building, 12 by 14 ft. Course of long side N. 80° E. The northwest corner bears S. 29° 20' W. 126 ft. from Cor. No. 2.

Sunnyside lode;-

No. I- Cook House, 12 by 23 ft. Course of long side S. 60° E. The N.W. corner bears S. 45° 25' E. 272 ft. from Cor. No. I.

No. II- Dwelling house, 14 by 18 ft. Course of long side, N. 45° E. The N.W. corner bears S. 13° 20' E. 174 ft. from Cor. No. I.

Mineral Survey No. 3888

Other improvements, cont.,

No. III- A dwelling house, 12 by 23 ft. Course of long side, N. 45° E. The northeast corner bears S. 42° 45' E. 200 ft. from Cor. No. I.

No. IV- Assay office, 12 by 14 ft. Course of long side, N. 45° E. The northwest corner bears S. 28° 45' E. 281 ft. from Cor. No. I.

* * * * *

REPORT

All side and end lines and all other lines were run direct on the ground.

The 1/4 section corner tied to in this survey, is an iron pipe, properly set and marked.

Corners of the Sheep Trail and Red Hill lodes, Sur. No. 1368, tied to in this survey, are redwood posts, properly marked and set.

The main working shaft, Improvement No. 2, Roving Dick lode, is a 5 by 9 ft. shaft, inclined 30° in a S. 15° 30' W. direction, 425 ft. in depth. Beginning at bottom of shaft, Thence N. 71° 17' W. a 4 by 6 ft. drift runs 70 ft. to a crosscut running S. 26° W. 22 ft. 158 ft. to a crosscut running S. 31° 30' W. 35 ft. 218 ft. to crosscut running S. 46° W. 42 ft. and N. 16° 45' W. 89 ft.

Thence from point 218 ft. in drift

N. 72. 50' W. 77 ft, thence S. 84° 45' W. 38 ft. thence N. 69° 10' W. 35 ft. to face of drift.

This shaft is located on the junction of the Golden Eagle and Roving Dick vein with the vein thru the Sunset lode, at a depth below the other claims of the group and by drifting and crosscutting it is possible to open the veins of the group.

As a common improvement, valued at \$23046.00, I divide the value by six and allow each claim the sum of \$3841.00

Mineral Survey No. 3888

Instrument and Meridian.

This Survey was made with a Berger & Son's Mining transit and with a 500 and 100 ft. steel tape.

Meridian was determined by direct observation on the sun.

Adjoining and conflicting claims.

This group is joined by and conflicts with the Sheep Trail and Red Hill lodes, Sur. No. 1368, on the northeast and on the southwest by the Center Star and Le Roi lodes, unsurveyed, Claimant T. J. Grady, Ellinwood, Kansas.

All other sides are joined by public domain.

L. H. Foster
U. S. Mineral Surveyor.

P. O. Box #589
Kingman, Arizona.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by L. H. FOSTER

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of _____

WILLIAM F. HOLT

known as the GOLDEN EAGLE, SUNNYSIDE, MIDNIGHT, SUNSET, BANNER and ROVING DICK lodes. and showing the respective capacities in which they acted.

D. C. GILBERT, Chainman.

XXXXXXXXXXXXXXXXXXXX, Chainman.

XXXXXXXXXXXXXXXXXXXX, Axman.

XXXXXXXXXXXXXXXXXXXX, Flagman.

FINAL OATHS OF ASSISTANTS.

~~XXX~~ I, D. C. GILBERT

and ~~XXXX~~ I do solemnly swear that ~~XXXX~~ I assisted _____

L. H. FOSTER, United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of WILLIAM F. HOLT

known as the GOLDEN EAGLE, SUNNYSIDE, MIDNIGHT, SUNSET, BANNER and ROVING DICK lodes

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for ARIZONA

D. C. Gilbert, Chainman.

Chainman.

Axman.

Flagman

Subscribed and sworn to by the above-named persons before me this 5th

day of June, 1923.

Mary E. Lawrence

Galaxy P. ...

My Commission Expires Nov 24/23.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, L. H. FOSTER, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for ARIZONA, dated MARCH 2nd 1923, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of WILLIAM F. HOLT

known as the GOLDEN EAGLE, SUNNYSIDE, SUNSET, MIDNIGHT, BANNER and ROVING DICK lodes situate in SAN FRANCISCO Mining District, MOHAVE County, ARIZONA, in Sections 7 & 12, Township No. 21 N., Range No. 20 & 21 W. G. & S. R. B. & M. and designated as Survey No. 3888, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

[Signature of L. H. Foster]
U. S. Mineral Surveyor.

Subscribed and sworn to by the said L. H. FOSTER
U. S. Mineral Surveyor, before me
Notary Public this 5th
day of June, 1923.

[Signature of Notary Public]

[Signature of Commissioner]
6-1044
Expires Nov 20/23.

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

January 10, 1924.

I, U. S. Surveyor General for District of Arizona, do hereby certify that the foregoing transcript of the Field Notes, return and approval of the Survey of the mining claim of

William F. Holt

, known as the GOLDEN EAGLE, MIDNIGHT, SUNNYSIDE, SUNSET,

BANNER, and HOVING DICK Lode^s situate in San Francisco

Mining District, Mohave County,

Arizona, in Sections 7 & 12, Township No. 21 N,

Range No. 20 & 21 W., and designated as Survey

No. 3888, has been correctly copied from the originals on

file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claims by claimant or his grantors, and that said improvements consist of 5 shafts, 12 cuts, 4 tunnels, 1 trench, 3 drifts and 5 crosscuts, total value \$28,561.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott

United States Surveyor General for Arizona

4-687

**SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES
AND SURVEY OF MINING CLAIM**

**DEPARTMENT OF THE INTERIOR
OFFICE OF U. S. SURVEYOR GENERAL**

.....Phoenix, Arizona,.....

.....January 10....., 1924.

I, U. S. Surveyor General forDistrict of Arizona.....

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of

.....William F. Holt.....

....., known as the

GOLDEN EAGLE, MIDNIGHT, SUNNYSIDE, SUNSET, BANNER, and ROVING DICK
lodes

situate inSan Francisco..... mining district,

.....Mohave..... County,Arizona.....

in Sections 7 and 12....., Township No. 21 N......, Range No. 20 & 21 W.

....., designated as Survey No. 3888.....

executed byL. H. Foster....., U. S. Mineral

Surveyor, March 10 - May 10....., 1923, under my instructions dated


March 2....., 1923, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.



U. S. Surveyor General forArizona.....