

JUL 25 1923

4-683

1

MINERAL SURVEY No. 3896

Arizona Land District

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Green Monster Mining Company

KNOWN AS THE

Wild Rose lode

Verde

Mining District,

Yavapai

County,

Arizona

Section 36, Township 16 N., Range 2 E.G. & S.R. B&M.

Surveyed under instructions dated May 7-1923

by Alfred B. Colwell

U. S. Mineral Surveyor

Claim located See location notice, 19

Survey commenced May 15-1923

Survey completed July 13-1923

Address of claimants Atty's Anderson, Gale & Nilsson Prescott, Ariz.

DATES OF AMENDED LOCATIONS.

6-822

see letter 8-24-23

Feet	Wild Rose lode.
	Beginning at Cor.No.1 A porphyry stone 8 x 14 x 21 ins.set 14 ins.in the ground, chiseled + at exact corner point and W.R.1-3896 with mound of rock alongside. Whence The S.W.Cor. Sec.36 T.15 N.R. 2 E.G.& S.R.B.& M. bears S.40°29'W.-806.60 ft. Cor.No.5 Sur.No.1378 Porrus Iron lode,claimant unknown, bears N.27°03'E- 251.20 ft.
	Thence North
651.06	Intersect line 5-6 Sur.No.1378 Porrus Iron lode at N.14°58'W.-442.34 ft.from Cor.No.5 and S.14°58'E.-278.39 ft. from Cor.No.6
758.08	Intersect line <del>2-3</del> <sup>3-4</sup> Sur.No.1361 Lion lode,claimant unknown at N.74°01'W.-82.72 ft.from Cor.No.3 and S.74°01'E.-1348.98 ft.from Cor.No. <del>8</del> <sup>4</sup>
1145.92	Intersect line <del>4-1</del> <sup>1-2</sup> Sur.No.1361 Lion lode at N.76°40'W.-46.99 ft.from Cor.No. <del>4</del> <sup>2</sup> and S.76°40'E.- 1362.01 ft.from Cor.No.1
1150.00	To Cor.No.2 On line 1-2 Sur.No.1361 Columbus lode at S.77°40'E. 246.95 ft.from Cor.No.1 A porphyry stone 6 x 10 x 22 ins.set 16 ins.in the ground, chiseled + at exact corner point and W.R.2-3896 Whence Cor.No. <del>2</del> <sup>2</sup> Sur.No.1361 Lion lode bears S.71°56'E.-48.09 ft. Said corner being N.4°50'W.-401.21 ft.from Cor.No.3 of said survey. Thence S.77°40'E.
307.00	North End Center, A monument of rock on line 1-2 Sur.No. 1361 Columbus lode.
495.75	Cor.No.1 Sur.No.1466 Fraction lode, <del>claimant unknown.</del>
614.00	To Cor.No.3 On line <del>1-2</del> <sup>1-2</sup> Sur.No.1361 Columbus lode and line 9-1 Fraction lode Sur.No.1466 at N.77°40'W.-188.05 ft.from Cor.No.2 Columbus which is identical with Cor.No.9 Sur.No.1466 Fraction lode.



Feet

A porphyry stone 12 x 18 x 20 ins.set 12 ins.in the ground, chiseled + at exact corner point and W.R.3-3896 with mound of rock alongside. Whence

No bearings are available.

Thence South

215.67 Cor.No.2 Sur.No.1466 Fraction lode, which bears S.25°37'E 267.19 ft.from Cor.No.1 (and ~~S.33°58'W.-216.50 ft.from Cor.No.3 of said lode.~~)

220.00 Intersect line 7-1 Sur.No.1466 Oversight lode at N.87°30'E.-377.83 ft.from Cor.No.1 and S.87°30'W.-216.67 ft.from Cor.No.7

1150.00 To Cor.No.4

A quartz stone 12 x 17 x 20 ins. set 14 ins.in the ground, chiseled + at exact corner point and W.R.4-3896 with mound of rock alongside. Whence

A ledge of rock 2 x 3 ft.chiseled B+R.W.R.4-3896 bears N.49°14'E. 10.8 ft.

Thence N.77°40'W.

303.24 Intersect line 4-5 Sur.No.1378 Porrus Iron<sup>lode</sup> and line 2-3 Sur.No.1466 Oversight lode at S.33°08'E.-346.42 ft.from Cor.No.5 Porrus Iron and 49.64 ft.from Cor.No.2 Oversight lodes and N.33°08'W.-405.58 Ft.from the common corner

No.4 Porrus Iron and No.3 Oversight lodes. Cor.No.2 said Oversight lode brs.S.3°50'E. 809 ft. from Cor No.1 thereof.

307.00 South End Center, A monument of rock.

614.00 To Cor.No.1, The place of beginning.

Variation at all corners 14°30'E.

Lode lines.

The presumed lode line runs North 290 ft. and South 860 ft.from the discovery point.

Area

Total area ..... 15.836Acres

Area in conflict with

Sur.No.1361 Lion lode .560 Acres

Sur.No.1378 Porrus Iron lode 1.720 "



Mineral Survey No.3896

Sur.No.1466 Fraction lode .286 Acres

Sur.No.1466 Oversight lode 7.082 "

The survey of this claim is identical with the amended location.

Location

This claim is situated in the S.W. 1/4 Sec.36 T.16 N.R.2 E. Gila and Salt River Base and Meridian and within the Prescott National Forest.

Adjoining Claims.

On the North

Sur.No.1361 Columbus lode.

On the East

Sur.No.1466 Fraction lode and Oversight lode.

On the South.

Sur.No.1466 Oversight and Sur.No.1378 Porrus Iron lodes.

On the West

Sur.No.1378 Porrus Iron and Sur.No.1361 Lion lodes.

Expenditure of Five Hundred Dollars.

I certify that the value of the labor and improvements on this claim, placed thereon by the claimant or its grantors is not less than five hundred dollars and that said improvements consist of

No.1 The discovery cut and tunnel. The mouth of cut being on the lode line at South 270 ft. from the North End Center, Running thence South 30 ft. to face of cut and mouth of tunnel which runs South 15 ft. to face. Dis. point is in the cut 20ft. from its mouth.

Value of Cut and Tunnel \$200

No.2 An open cut, the mouth of which bears from Cor.No.2 S.57°E.-75 ft. running thence North 16 ft. to 4 x 8ft. face

Value \$75.

No.3 A cut and Tunnel, the mouth of cut bears from Cor.No.2 S.22°20'E.-412 ft. running thence S.30°W.-19 ft. to face of cut and mouth of tunnel, which runs in same course 22ft. to face 5 x 7 ft.

Value of Cut and Tunnel \$295



1/46 of the common benefit improvements hereinafter described	Value	\$2338.35
---	-------	-----------

The three tunnels hereinafter described were planned by the claimant for the development of all that portion of its holdings which could be reached by horizontal development work, or used as means of access to shafts or winzes which would develop the ground at reasonable depth below the level of the tunnels. Inasmuch as the crest of the Black<sup>Hills</sup> Range lies to the West, the ground rises rapidly in that direction and as the tunnels gain depth below the surface they are a logical means of developing as well as an economical method for the extraction of ore. The claims, hereinafter enumerated, belonging to the claimant all lie above the level of the lowest of the three tunnels (Revenue Tunnel) and are all susceptible of development through one or the other of the tunnels.

That portion of the claimant's holdings lying above the level of the Revenue Tunnel, and which is herein claimed as benefited by the system of tunnels, consists of 30 patented claims and 16 unpatented locations, enumerated as follows-

Patented Claims- Sur.No.1466 Grand Bounce, Prince, Oregon, East ~~Extension~~ Grand Bounce, Fraction, Protector, Missouri, Oversight and Silver Tip lodes. Sur.No.1468 Union Jack, Blue Bell, Cliff, John & Jonathan and Cherry lodes. Sur.No.1469 Badger, Ground Hog, Loan Pine, Black Horse, Amazon. Ninety Eight, Galveston, El Paso, Little Joe, Limbo, Golden Eagle, Copper Plate, Cloverdale, and Revenue lodes. Sur.No.1414 Green Monster and Green Monster ~~Extension~~ lodes ( In the last two, claimant only owns one half interest but the element of contiguity is not thereby disturbed)

Unpatented Locations- The following twelve are embraced in recent Surs. as follows. Sur.No.3896 Wild Rose  
 Sur.No.3897 Layman Fraction and Elusive, Sur.No.3899  
 Sur.No.3897 Layman Fraction and Elusive



Morgan, Humbert, Bailey, Valley View, Silver Cup, Wedge and Closure lodes. Sur.No.3900 Manzanita lode, Sur.No. 3901 Slim Fraction lode.

Also the following unsurveyed locations, towit. Layman, Brad, Iron Cap and Independence.

Description of the tunnels is as follows.

Badger Tunnel. The mouth of which is situated on Sur. No.1469 Badger lode, claimant herein Whence Cor.No.3 Sur.No.3896 Wild Rose lode bears S.53°30'W.- 1748 ft.

Thence N.87°30'W.-120 ft.to Pt.1  
Thence S.75°W.-410 ft.to Pt.2  
Thence S.86°W.-140 ft.to Pt.3  
Thence S.71°W.-330 ft.to Pt.4  
Thence S.73°30'W.-262 ft.to Pt.5  
Thence S.80°40'W.-190 ft.to Pt.6  
Thence N.10°W.-65 ft.to Face of drift.  
From Pt.6 S.80°40'W.-67 ft.to Pt.7  
Thence S.80°40'W.-17 ft.to Face, From Pt.7 N.18°W. 15 ft. to Pt.8  
Thence N.18°W.-70 ft.to Face of drift,  
and from Pt.8 N.40°W.-18 ft.to Face of drift,  
All openings not less than 4 x 6½ ft.  
Total of 1704 ft. Value \$25564

Gorge Tunnel.The mouth of which is situated on Sur.No. 1468 Blue Bell lode, claimant herein. Whence

Cor.No.4 Sur.No.3896 Wild Rose lode bears N.46°20'W. 2160 ft.  
Thence S.66°30'W.-50 ft.to Pt.1  
Thence N.81°30'W.- 386 ft.to Pt.2  
Thence N.24°W.- 94 ft.to Face  
From Pt.2 S.79°30'W.- 100 ft.to Pt.3  
Thence N.39°W.- 173 ft.to Face  
From Pt.3 S.79°30'W.- 47 ft.to Pt.4  
Thence N.55°W.-79 ft.to Pt.4½  
Thence West 100 ft.to Face.  
From Pt.4 S.26°30'W.- 217 ft.to Pt.5  
Thence S.55°E.- 110 ft.to Face.  
From Pt.5 S.26°30'W.- 243 ft.to Pt.6  
Thence S.54°E.-40ft.to Pt.6¼  
Thence S.80°E.-38 ft.to Face  
From Pt.6¼ West 25 ft. to Pt.6½  
Thence S.30°W.30 ft.to Face  
From Pt.6½ N.70°W.16 ft.to Face  
From Pt.6 S.26°30'W.- 235 ft.to Pt.7  
Thence S.87°E.- 120 ft.to Pt.8  
Thence N.40°E.- 50 ft.to Face.  
From Pt.8 S.87°E.- 90 ft.to Pt.9  
Thence S.30°E.-25 ft.to Pt.9½  
Thence East 70 ft.to Face  
From Pt.9 N.75°E.- 50 ft.to Pt.10  
Thence N.40°E.- 230 ft.to Pt.11  
Thence N.10°E.30ft.to Face  
From Pt.7 West 15 ft.to Shaft, extending 100 ft.vertically down and 184 ft.vertically up to surface.  
From Shaft N.80°W.- 115 ft.to Pt.12  
Thence N.58°W.104 ft.to Face  
From Pt.12 S.58°W.- 100 ft.to Pt.13  
Thence S.5°W.-45 ft.to Face.  
All openings not less than 4 x 6½ ft.



## Mineral Survey No. 3896

Value of Tunnel	\$43900
Value of Shaft	8100
Total	<u>\$52000</u>

Revenue Tunnel The mouth of which is on the Brada Iron Cap

Lodes unsurveyed, claimant herein Whence

Cor.No.3 Sur.No.1469 Revenue lode bears S.12°W.-450 ft.  
 Cor.No.4 Sur.No.3896 Wild Rose lode bears N.78°30'W.  
 5298 ft.  
 Thence S.12°W.-32 ft.to Pt.1  
 Thence S.51°W.- 190 ft.to Pt.2  
 Thence N.38°15'W.- 83 ft.to Pt.3  
 Thence N.38°15'W.- 32 ft.to Face  
 From Pt.3 S.73°W.- 60 ft.to Pt.4  
 Thence S.7°W.32 ft.to Pt.5  
 Thence S.26°E.- 55 ft.to face  
 From Pt.2 S.51°W.- 21 ft.to Pt.6  
 Thence S.51°W.-93 ft.to Face.  
 From Pt.6 S.19°40'E.- 21 ft.to Pt.7  
 Thence S.46°10'E.- 35 ft.to Pt.8  
 Thence East 16 ft.to Pt.9  
 Thence East 34 ft.to Winze of unknown depth.  
 Thence East 76 ft.to Face  
 From pt.9 S.21°E.- 50 ft.to Pt.10  
 Thence S.41°10'E.- 35 ft.to Pt.11, Thence S.69°20'E. 18 ft.to Pt.12,  
 Thence S.69°20'E.- 38 ft.to Face  
 From Pt.12 S.12°W.- 106 ft.to Pt.13  
 Thence S.12°W.- 32 ft.to Face  
 From Pt.13 N.88°W.-44 ft.to Pt.14  
 Thence N.63°W.- 87 ft.to Face  
 All workings not less than 4 x 6½ ft. Value \$18000

Also the following improvements made by the claimant for the common benefit of the lodes hereinbefore mentioned.

An Incline Shaft- situated on Sur.No.1466 Silver Tip lode.

Cor.No.4 Sur.No.3896 Wild Rose lode bears S.86°30'W.580ft.  
 Said shaft inclines on a dip of 20° in a direction N.30°W. to a depth of 190 ft. 5 x 8ft.in size, partly timbered.

Value \$5000

The following section of road constructed at the expense of claimant for the operation and maintenance of the property. Used specifically for the purpose of hauling machinery to the incline shaft previously described and for access to workings of the Gorge Tunnel.

Beginning where it leaves the public road at a point S.26°W.-460 ft.from Cor.No.1 Sur.No.3899 Closure lode. Thence following a reasonable grade in a Northerly direction as shown on plat and field notes of Sur.No.3899, a distance of 3950 ft.to where it crosses line 3-4 Sur.No.3899 Morgan lode at N.65°19'E.- 100 ft.from Cor.No.3

No claim is made as an improvement beyond this point. Also the following described portion of road. Beginning where it leaves the previously described road at S.77°30'E.-130 ft.from Cor.No.1 Sur.No.3899 Closure lode. Thence in a Northwesterly direction as shown on plat of said survey, a distance of 700 ft.to the mouth of the Gorge Tunnel

Total Value of Road \$7000



Value of Badger Tunnel	\$25564
Value of Gorge Tunnel & shaft	52000
Value of Revenue Tunnel	18000
Value of Incline Shaft	5000
Value of Road	7000
	<hr/>
Total	\$107564

1/46 part of Value ..... \$2338.35

Other Improvements

None

Instrument

This survey was made with a transit of standard make. The courses were deflected from the true meridian as determined by direct solar observations. Distances were measured with steel tapes.

Report.

The lines of this survey and connections to Sec. Cor. and existing corners of conflicting claims were run upon the ground and found to be as herein given.

The S.W. Cor. Sec. 36 T. 16 N. R. 2 E. is an iron pipe with bronze cap, properly marked.

Sur. No. 1361  
Columbus lode - Cors. Nos. 1 and 2 were found properly set and marked.

Lion lode:- Cors. Nos. 3 and <sup>2</sup>/<sub>4</sub> were found properly set and marked. Cors. Nos. 1 and <sup>4</sup>/<sub>8</sub> were not found, lines <sup>1-2</sup>/<sub>4-1</sub> and <sup>3-4</sup>/<sub>2-3</sub> being taken as approved.

Sur. No. 1378 Porry Iron lode, Cors. Nos. 5 and 6 were stones found properly set and marked. Cor. No. 4 Identical with Cor. No. 2 Oversight lode has been washed out, its position was determined by the approved course and distance to bearing rock which was found in place.

Sur. No. 1466 Oversight lode -  
Cors. Nos. 1 and 7 were found to be stones properly set and marked, Cor. No. 2 has been destroyed. Its position was determined as on line 4-5 Sur. No. 1378 Porry Iron lode at a distance from Cor. No. 4 bearing the proportionate distance from Cor. No. 4 that the measured length of line 4-5 has to the approved length.



## Mineral Survey No.3896

Sur.No.1466 Fraction lode

Cors.Nos.1,2,3 and 9 were found to be stones properly set and marked.

## Note

Disagreements between these notes and the amended location notice in lengths of side lines is due to erroneous lengths being given in said amended notice.



# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by Alfred B. Colwell  
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and  
 boundaries described in the foregoing field notes of the survey of the mining claim of \_\_\_\_\_  
Green Monster Mining Company  
 known as the Wild Rose lode  
 and showing the respective capacities in which they acted.

- \_\_\_\_\_ Tony Banke \_\_\_\_\_, *Chainman.*
- \_\_\_\_\_ \_\_\_\_\_, *Chainman.*
- \_\_\_\_\_ \_\_\_\_\_, *Aceman.*
- \_\_\_\_\_ \_\_\_\_\_, *Flagman.*

## FINAL OATHS OF ASSISTANTS.

~~We~~, I ..... Tony Banke .....  
 and \_\_\_\_\_, do solemnly swear that we assisted \_\_\_\_\_  
Alfred B. Colwell \_\_\_\_\_, United States Mineral Surveyor, in marking the corners and surveying  
 the boundaries of the mining claim of Green Monster Mining Company  
 known as the Wild Rose lode  
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his  
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully  
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-  
 tions furnished by the United States Surveyor-General for Arizona

- \_\_\_\_\_ Tony Banke \_\_\_\_\_, *Chainman.*
- \_\_\_\_\_ \_\_\_\_\_, *Chainman.*
- \_\_\_\_\_ \_\_\_\_\_, *Aceman.*
- \_\_\_\_\_ \_\_\_\_\_, *Flagman*

Subscribed and sworn to by the above-named persons before me this 13th

day of July, 1923

\_\_\_\_\_ A. F. Mykoff \_\_\_\_\_  
 \_\_\_\_\_ Notary Public \_\_\_\_\_



## FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Alfred B. Colwell, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated May 7-1923, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Green Monster Mining Company, known as the Wild Rose lode, situate in Verde Mining District, Yavapai County, Arizona, in Section 36, Township No. 16 N., Range No. 2 E.G. & S.R.B. & M., and designated as Survey No. 3896, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

*Alfred B. Colwell*  
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Alfred B. Colwell  
U. S. Mineral Surveyor, before me A. Notary Public  
this 24<sup>th</sup>  
day of July, 1923

*Robert Porter*  
Notary Public



U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON  
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,  
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

October 1, 1923.

I, U. S. Surveyor General for District of Arizona,  
do hereby certify that the foregoing transcript of the Field Notes, return and approval  
of the Survey of the mining claim of

Green Monster Mining Company

, known as the WILD ROSE lode

, situate in Verde

Mining District, Yavapai County,

Arizona, in Section 36, Township No. 16 N.,

Range No. 2 E., G. & S. P. B. & M., and designated as Survey

No. 3896, has been correctly copied from the originals on  
file in this office; that said Field Notes furnish such an accurate description of said  
mining claim as will, if incorporated into a patent, serve fully to identify the premises,  
and that such reference is made therein to natural objects or permanent monuments as  
will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended  
or for  
or improvements made upon said mining claim by claimant or its grantors, and  
that said improvements consist of 3 cuts, 2 tunnels, and 1/46 of the  
common improvement system, total value \$2908.35

and that no portion of said labor or improvements has been included in the estimate of  
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,  
Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott

United States Surveyor General for Arizona



**SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES  
AND SURVEY OF MINING CLAIM**

**DEPARTMENT OF THE INTERIOR  
OFFICE OF U. S. SURVEYOR GENERAL**

Phoenix, Arizona

October 1, 1923

I, U. S. Surveyor General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Green Monster Mining Company

known as the

WILD ROSE lode

situate in Verde mining district,

Yavapai County, Arizona

in Section 36, Township No. 16 N., Range No. 2 E.

designated as Survey No. 3896

executed by Alfred B. Colwell, U. S. Mineral

Surveyor, May 15 - July 13, 1923, under my instructions dated


May 7, 1923, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.



U. S. Surveyor General for Arizona