

JUL 20. 1923

MINERAL SURVEY No. 3897

1

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Green Monster Mining Company

KNOWN AS THE

Layman Fraction and Elusive lodes

Verde Mining District,

Yavapai County, Arizona

Section 36, Township 16 N., Range 2 E.G. & S.R.B. & M.

Surveyed under instructions dated May 7-1923, 19

by Alfred B. Colwell U. S. Mineral Surveyor.

Claim located (see location notices), 19

Survey commenced May 15-1923, 19

Survey completed July 7- 1923, 19

Address of claimants Attys. Anderson, Gale & Nilsson Prescott, Arizona

DATES OF AMENDED LOCATIONS.

Feet	Layman Fraction lode
	Beginning at Cor.No.1 A diorite stone 6 x 10 x 20 ins.set 14ins.in ground, chiseled + at exact corner point and L.F.1-3897 with mound of rock alongside. Whence The W. $\frac{1}{4}$ Cor.Sec.36 T.16 N.R.2 E.G.& S.R.B.& M.bears N.85°20'W.-653.67 ft. Cor.No.2 Elusive lode of this survey bears N.41°26'W.- 526.40 ft. Thence N.10°20'W.
300.00	Southwest End Center-A monument of rock.
307.88	Intersect line 2-3 Elusive lode of this survey at S.72° 37'E.-307.14 ft.from Cor.No.2 and N.72°37'W.-785.18 ft. from Cor.No.3
503.87	Intersect line 1-5 Sur.No.1613 Blizzard lode, claimant un- known at S.74°02'W.-827.92 ft.from Cor.No.5 and N.74°02'E 257.38 ft.from Cor.No.1.
522.89	Intersect line 2-3 Sur.No.1466 Grand Bounce lode, claimant unknown, at S.79°46'E.-149.48 ft.from Cor.No.2 and N.79° 46'W.-1315.00 ft.from Cor.No.3 and at N.79°46'W.- ^{42.87} 43.14 ft. from the intersection of Line 1-5 Blizzard lode with line 2-3 Grand Bounce lode.
600.00	To Cor.No.2 A diorite stone 6 x 16 x 30 ins.set 16 ins.in the ground chiseled + at exact corner point and L.F.2-3897 with mound of rock alongside. Whence Cor.No.5 Sur.No.1613 Blizzard and Side Issue lodes bears N.80°42'E.-824.06 ft. A ledge of rock in place chiseled B.+ R.L.F.2-3897 bears N.42°32'W.-12.5 ft. Thence N.79°40'E.
822.81	Intersect line 4-5 Sur.No.1613 Blizzard lode at N.14°38'W 14.90 ft.from Cor.No.5 and S.14°38'E.312.43 ft.from Cor. No.4 and line 1-2 Side Issue lode at N.14°38'W.-14.90 ft. from Cor.No.1 and S.14°38'E.-340.73 ft.from Cor.No.2 .
1371.90	Intersect line 3-4 Sur.No.1613 Side Issue lode at N.14°37'

Mineral Survey No.3897

Feet	W.-13.45 ft.from Cor.No.4 and S.14°37'E.-374.31 ft.from Cor.No.3. Cor.No.1 said Side Issue brs. S. 79° 31' W. 548.98 ft. from Cor. No. 4 thereof.
1431.64	Intersect line 1-4 Sur.No.1466 Prince lode, at S.24°42'E 308.61 ft.from Cor.No.4 and N.24°42'W.-291.39 ft.from Cor.No.1
1500.00	To Cor.No.3 A cross(+)and L.F.3-3897 chiseled on top of solid ledge of rock in place showing 1 ft.above surface,mound of rock alongside Whence The assumed position of Cor.No.1 Sur.No.1466 Prince lode bears S.11°08'E.-282.31 ft. A cross (+) and B.R.L.F.3-3897 chiseled on ledge of rock 3 x 4 ft.bears S.40°W.-2.2 ft. Thence S.10°20'E.
140.00	Steep rocky gulch,10 ft.wide course Northeasterly
266.90	Intersect line 1-4 Sur.No.1466 Prince lode at N.24°42'W. 15.88 ft.from Cor.No.1
283.29	Intersect line 4-5 Sur.No.1466 Oregon lode at N.65°18'E 280.91 ft.from Cor.No.5 and S.65°18'W.-1193.03 ft.from Cor.No.4 and S.65°18'W.-1477.99 ft.from Cor.No.2 Prince and Cor.No.2 Missouri lodes Sur.No.1466
300.00	Northeast End Center, A monument of rock.
600.00	To Cor.No.4 A porphyry stone 7 x 12 x 24 ins.set 14 ins.in the ground chiseled + at exact corner point and L.F.4-3897 with mound of rock alongside. Whence Cor.No.3 Sur.No.1466 Grand Bounce and Cor.No.4 East Extension Grand Bounce lodes bears N.87°33'W.-275.62 ft. No other bearings available. Thence S.79°40'W.
177.11	Intersect line 3-4 Sur.No.1466 East Extension Grand Bounce lode at S.66°42'E.-110.11 ft.from Cor.No.4 and N.66°42'W 929.74 ft.from Cor.No.3, and line 1-2 Sur.No.1466 Oregon lode at S.66°42'E.-45.96 ft.from Cor.No.1 and N.66°42'W 349.18 ft.from Cor.No.2 Cor.No.1 said Oregon lode brs. S 24° 42'E. 228.70 ft. from Cor. No. 5 thereof
307.87	Intersect the common line 3-4 Sur.No.1466 Grand Bounce and 4-1 East Extension Grand Bounce lodes at S.22°20'W.

Feet	
	72.38 ft.from Cor.Nos.3 and 4 and N.22°20'E.-498.82 ft.from Cor.Nos.4 and 1 of said lodes respectively.
913.98	Intersect line 2-3 Elusive lode of this survey at S.72° 37'E.-969.12 ft.from Cor.No.2 and N.72°37'W.-123.20 ft. from Cor.No.3
1500.00	To Cor.No.1, The place of beginning.
	<p style="text-align: center;">Elusive lode.</p> Beginning at Cor. No.1, Identical with Cor.No.4 Sur.No.1361 May Queen lode, claimant unknown.
	A schist stone showing 6 x 10 ins.12 ins.above surface chiseled + at exact corner point and M.Q.4-1361 E.1-3897 with mound of rock alongside.
	<p style="text-align: right;">Whence</p> The W.¼ Cor.Sec.36 T.16 N.R.2 E. G.& S.R.B.& M. bears N.25°22'W.-249.50 ft.
	Cor.No.3 Lost Mine and Cor.No.4 Columbus lodes Sur.No.1361 bears S.85°55'E.-161.12 ft.
	Cor.No.1 Sur.No.1466 Grand Bounce lode bears N.22°06'E. 182.93 ft.
	<p style="text-align: center;">Thence N.19°06'E.-</p>
6.39	Intersect line 3-4 Sur.No.1361 Lost Mine lode at N.83°42' W.-159.58 ft.from Cor.No.3 and S.83°42'E.-1279.42 ft.from Cor.No.4
300.00	West End Center, A monument of rock.
600.00	To Cor.No.2
	On line 3-4 Sur.No.1361 May Queen lode at S.19°06'W. 32.00 ft. from Cor.No.3
	A porphyry stone 8 x 10 x 22 ins. set 12 ins.in the ground, chiseled + at exact corner point and E.2-3897 mound of rock alongside.
	<p style="text-align: right;">Whence</p> No bearings are available.
	<p style="text-align: center;">Thence S.72°37'E.</p>
40.77	Intersect line 1-2 Sur.No.1466 Grand Bounce lode at N.23° 22'E.-419.71 ft.from Cor.No.1 and S.23°22'W.-172.82 ft. from Cor.No.2
307.14	Intersect line 1-2 Layman Fraction lode of this survey at N.10°20'W.-307.88 ft.from Cor.No.1 and S.10°20'E.

Feet	292.12 ft.from Cor.No.2
969.12	Intersect line 4-1 Layman Fraction lode of this survey at N.79°40'E.-586.02 ft.from Cor.No.1 and S.79°40'W.-913.98 ft.from Cor.No.4
1092.32	To Cor.No.3 A porphyry stone 6 x 12 x 24 ins.set 14 ins.in the ground chiseled + at exact corner point and E,3-3897, Mound of rock alongside Whence The N.E.Cor.of the Am. Location bears S.73°E.-300 ft. Thence S.19°06'W.
267.32	Intersect line 1-4 Grand Bounce and 2-3 Protector lodes both of Sur.No.1466 at S.80°29'E.-1097.59 ft.from Cor.No.1 Grand Bounce and 44.23 ft.from Cor.No.2 Protector lodes and N.80°29'W.- 381.89 ft.from Cor.No.4 Grand Bounce and Cor.No.3 Protector lode. 296.38 ft. from Cor. No. 1 thereof. East End Center, a mound of stones.
300.00	
517.83	Intersect the common line 3-4 Sur.No.1361 Columbus lode and 7-1 Sur.No.1466 Protector lode at S.75°22'E.-939.07 ft from Cor.No.4 Columbus and 190.14 ft.from Cor.No.1 Protector lodes and N.75°22'W.-122.43 ft.from Cor.No.3 Columbus and Cor.No.7 Protector lodes.
600.00	To Cor.No.4 A diorite stone 12 x 16 x 30 ins. set 18 ins.in the ground, chiseled + at exact corner point and E,4-3897 with mound of rock alongside. Whence The S.E.Cor.of the Am. location bears S.72°E.-300 ft. The U.V.Extn.smelter stack bears N.80°50'E. Thence N.72°37'W.
922.35	Intersect the common line 2-3 Lost Mine and 4-1 Columbus lodes both of Sur.No.1361 at S.2°11'E.-39.35 ft.from Cor. Nos.4 Columbus and 3 Lost Mine lodes and N.2°11'W.-549.00 ft.from Cor.No.1 Columbus and No.2 Lost Mine lodes.
1092.32	To Cor.No.1, The place of beginning Variation at all corners 14°30'E. Lode lines. Layman Fraction- The lode line runs N.79°40'E.-300 ft.

and S.79°40'W.-1200 ft.from the point of discovery.
 Elusive lode- The lode line runs S.72°37'E.-116 ft. and
 N.72°37'W.-976.32 ft.from the discovery point.

Area

Total area Layman Fraction lode 20.661 Acres

Area in conflict with

Sur.No.1466 Grand Bounce lode 8.223 A

Sur.No.1466 East Ext~~r~~.Grand Bounce lode .091

Sur.No.1466 Oregon lode 1.572

Sur.No.1466 Prince lode .209

Sur.No.1613 Blizzard lode. 1.050

Sur.No.1613 Blizzard lode

Exclusive of its conflict with
 Sur.No.1466 Grand Bounce lode. 1.041

Sur.No.1613 Side Issue lode .179

Total area Elusive lode 15.039 "

Area in conflict with

Layman Fraction lode of this survey 2.071 A

Sur.No.1361 Columbus lode 1.275

Sur.No.1361 Lost Mine lode. .084

Sur.No.1466 Grand Bounce lode 8.359

Sur.No.1466 Grand Bounce lode

Exclusive of its conflict with
 Layman Fraction lode this survey. 6.288

Sur.No.1466 Protector lode .662

The survey of the Layman Fraction lode is identical
 with the ~~amended~~ location

The survey of the Elusive lode is identical with the
~~Amended~~ location, except as to Cors.Nos.3 and 4 whence
 bearings are given to the corresponding corners of location.

Location

This claim is situated in the W. $\frac{1}{4}$ Sec.36 T.16 N.R.2 E.
 Gila and Salt River Base and Meridian and in the Prescott
 National Forest

Adjoining Claims

On the North-Sur.No.1613 Blizzard and Side Issue lodes

On the East- Sur.No.1466 Prince, Oregon, ^{East Ext.} Grand Bounce, ^{Grand Bounce} and Protector lodes.

On the South- Sur.No.1361 Columbus and Lost Mine lodes.

On the West- Sur.No.1361 May Queen lode.

Expenditure of Five Hundred Dollars.

I certify that the value of the labor and improvements upon or for the benefit of this claim, placed thereon by the claimant and its grantors is not less than five hundred dollars and that said improvements consist of

On the Layman Fraction lode.

No.1 The discovery cut, the face of which is on the lode line at 300 ft. from the Northeast end center. Running thence N.10°E.- 20 ft. to mouth. face of cut 5 ft. wide, 10 ft. high in rock.

Value \$100

No.2 An open cut the mouth of which bears from Cor.No.3 S.50°W.-360 ft. Running thence S.30°W.-20 ft. to 8 ft. face 4 ft. wide.

Value \$75

No.3 An open cut and tunnel, the mouth of cut bears from Cor. No.3 S.75°50'W.-718 ft. Running thence S.45°W.-18 ft. to face of cut and mouth of tunnel, Thence S.80°W.-22 ft. to face of tunnel, all in rock.

Value of Cut and Tunnel \$430

1/46 of the value of the common benefit improvements hereinafter described \$2338.35

On the Elusive lode.

No.1 The discovery cut, the middle point of which is on the lode line at 116 ft. from the East End Center, running from said middle point N.10°E. 10 ft. to mouth of cut and S.10°W. 10 ft. to face of cut, 10 ft. high 5 ft. wide.

Value \$100

No.2 An open cut, the mouth of which bears from Cor.No.1 N.79°E.-250 ft. running thence S.50°W.-20 ft. to face 9 ft. high 5 ft. wide.

Value \$75

1/46 of the value of the common benefit improvements hereinafter described. \$2338.35

The three tunnels herein described were planned by the claimant for the development of all that portion of its holdings which could be reached by horizontal development work, or ^{used} as means of access to shafts or winzes which would develop the ground at reasonable depths below the level of the tunnels. Inasmuch as the crest of the Black Hills range lies to the West, the ground rises rapidly in that direction and as the tunnels gain depth below the surface they are a logical means of developing and also form an economical outlet for the extraction of ore. The claims hereinafter enumerated belonging to the claimant all lie above the level of the lowest of the three tunnels (Revenue Tunnel) and are all susceptible of development through one or the other of the tunnels.

That portion of the claimants holdings lying above the level of the Revenue Tunnel, and which is herein claimed as benefited by the system of tunnels, consists of 30 patented claims and 16 unpatented locations, enumerated as follows:-

Patented Claims-Sur.No.1466 Grand Bounce, Prince, Oregon, ~~East Extension~~ Grand Bounce, Fraction, Protector, Missouri, Oversight and Silver Tip lodes. Sur.No.1468 Union Jack, Blue Bell, Cliff, John & Jonathan and Cherry lodes. Sur.No.1469 Badger, Ground Hog, Loan Pine, Black Horse, Amazon, Ninety Eight, Galveston, El Paso, Little Joe, Limbo, Golden Eagle, Copper Plate, Cloverdale and Revenue lodes. Sur.No.1414 Green Monster and Green Monster ~~Extension~~ lodes (In the last two, claimant owns only one half interest but the element of contiguity is not thereby disturbed)

Unpatented Locations- The following twelve are embraced in recent surveys as follows, Sur.No.3896 Wild Rose, Sur.No.3897 Layman Fraction and Elusive. Sur.No.3899 Morgan, Humbert, Bailey, Valley View, Silver Cup, Wedge and Closure lodes, Sur.No.3900 Manzanita lode, Sur.No.3901 Slim Fraction lode.

Also the following unsurveyed locations, to wit: Layman, Brad, Iron Cap and Independence lodes.

Description of the Tunnels is as follows.

- Badger Tunnel-The mouth of which is situated on the Badger lode, Sur.No.1469 claimant herein. Whence Cor.No.4 Sur.No.3897 Layman Fraction ~~bears~~ lode bears N.65°50'W.-450 ft.
- Thence N.87°30'W.- 120 ft.to Pt.1
- Thence S.75°W.-410 ft.to Pt.2
- Thence S.86°W.- 140 ft.to Pt.3
- Thence S.71°W.-330 ft.to Pt.4
- Thence S.73°30'W.-262 ft.to Pt.5

Thence S.80°40'W.-190 ft.to Pt.6
 Thence N.10°W.-65 ft.to Face of drift.
 From Pt.6 S.80°40'W.- 67 ft.to Pt.7
 Thence S.80°40'W.- 17 ft.to Face.
 From Pt.7 N.18°W.- 15 ft.to Pt.8
 Thence N.18°W.-70 ft.to Face of drift.
 and from Pt.8 N.40°W.- 18 ft.to face of drift.
 All openings not less than 4 x 6½ ft.
 Total of 1704 ft. Value \$25564

Gorge Tunnel- The mouth of which is situated on Sur.No.

1468 Blue Bell lode, claimant herein. Whence
 Cor.No.3 Sur.No.3897 Elusive lode bears N.26°18'W.-3470 ft.
 Thence S.66°30'W.-50 ft.to Pt.1
 Thence N.81°30'W.-386 ft.to Pt.2
 Thence N.24°W.-94 ft.to Face
 From Pt.2 S.79°30'W.- 100ft.to Pt.3
 Thence N.39°W.- 173 ft.to Face.
 From Pt.3 S.79°30'W.- 47 ft.to Pt.4
 Thence N.55°W.- 79ft.to Pt.4½
 Thence West 100 ft.to Face.
 From Pt.4 S.26°30'W.-217 ft.to Pt.5
 Thence S.55°E.-110 ft.to Face
 From Pt.5 S.26°30'W.- 243 ft.to Pt.6
 Thence S.54°E.-40 ft.to Pt.6¼
 Thence S.80°E.-38 ft.to Face.
 From Pt.6¼ West 25 ft.to Pt.6½
 Thence S.30°W.-30 ft.to Face.
 From Pt.6½ N.70°W.-16 ft. to Face.
 From Pt.6 S.26°30'W.- 235 ft.to Pt.7
 Thence S.87°E.- 120 ft.to Pt.8
 Thence N.40°E. 50 ft.to Face.
 From Pt.8 S.87°E.- 90 ft.to Pt.9
 Thence S.30°E.-25 ft.to Pt.9½
 Thence East 70 ft.to Face
 From Pt.9 N.75°E.- 50 ft.to Pt.10
 Thence N.40°E.- 230 ft.to Pt.11
 Thence N.10°E.- 30 ft.to Face.
 From Pt.7 West 15 ft.to Shaft extending 100 ft.vertically
 down and 184 ft.vertically up to surface.
 From Shaft N.80°W.- 115 ft.to Pt.12
 From Pt.12 N.58°W.-104 ft.to Face.
 From Pt.12 S.58°W.-100 ft.to Pt.13
 Thence S.5°W.- 45ft.to Face.
 All drifts and crosscuts not less than 4 x 6½ ft.

Value Of Tunnel	\$43900
Value of 284 ft.Shaft	8100
Total	<u>\$52000</u>

Revenue Tunnel: The mouth of which is situated on the Brad
 and Iron Cap lodes, unsurveyed, claimant herein. Whence

Cor.No.4 Sur.No.3897 Elusive lode bears N.62°50'W.5855 ft
 Thence S.12°W.-32 ft.to Pt.1
 Thence S.51°W.- 190 ft.to Pt.2
 Thence N.38°15'W.- 83 ft.to Pt.3
 Thence N.38°15'W.- 32 ft.to Face
 From Pt.3 S.73°W.- 60 ft.to Pt.4
 Thence S.7°W.- 32 ft.to Pt.5
 Thence S.26°E.- 55 ft.to Face.
 From Pt.2 S.51°W.- 21 ft.to Pt.6
 Thence S.51°W.- 93 ft.to Face.
 From Pt.6 S.19°40'E.- 21 ft.to Pt.7
 Thence S.46°10'E.- 35 ft.to Pt.8
 Thence East 16 ft.to Pt.9
 Thence East 34 ft.to Winze of unknown depth.
 Thence East 76 ft.to Face of drift.
 From Pt.9 S.21°E.- 50 ft.to Pt.10
 Thence S.41°10'E.- 35 ft.to Pt.11
 Thence S.69°20'E.- 18 ft.to Pt.12
 Thence S.69°20'E.- 38 ft.to Face.
 From Pt.12 S.12°W.- 106 ft.to Pt.13

Thence S.12°W.- 32 ft.to Face.
 From Pt.13 N.88°W.- 44 ft.to Pt.14
 Thence N.63°W.- 87 ft.to Face.
 All workings not less than 4 x 6½ ft.

Value of Tunnel \$18000

Also the following improvements made by the claimant for the common benefit of the lodes hereinbefore enumerated. An Incline Shaft, situated on Sur.No.1466 Silver Tip lode.

Whence Cor.No.4 Elusive lode Sur.No.3897 bears N.19°20'W.-1680ft

Said shaft runs from the top on a dip of 20° in a direction N.30°W.- a depth of 190 ft. 5 x 8 ft.partly timbered

Value \$5000

Also the following sections of road constructed at the expense of claimant for the operation and maintenance of the property. Used specifically for the purpose of hauling machinery to the incline shaft just described and for access to workings of Gorge Tunnel.

Beginning where it leaves the main public road at a point S.26°W.- 460 ft. from Cor.No.4 Sur.No.3899 Closure lode, claimant herein. Thence following a reasonable grade in a Northerly direction as shown on plat of said SurNo. 3899 a distance of 3950 ft. to where it crosses line 3-4 Morgan lode Sur.No.3899. No claim to any improvement beyond this point.

Also the following described portion of road, Beginning where it leaves the previously described road at S.77°30' E.-130 ft.from Cor.No.1 Closure lode Sur.No.3899. Thence in a Northerly direction as shown on plat of said Sur. a distance of 700 ft. to the mouth of the Gorge Tunnel. Both sections of this road are 7 to 9 ft.wide with rock cuts on the upper side from 3 to 10 ft.in height.

Value of both sections of Road \$7000

Value of Badger Tunnel	\$25564
Value of Gorge Tunnel and shaft	52000
Value of Revenue Tunnel	18000
Value of Incline Shaft	5000
Value of Road	7000

Total \$107564

1/46 part of total Value \$2338.35

Of the above total expenditure, more than \$500 for each lode benefited has been expended since the date of location of the Layman Fraction and Elusive lodes of this survey.

Other Improvements.

Ols Shaft and mine workings, known as the Brookshire shaft which bears from Cor.No.3 Elusive lode, N.89°W. 225 ft. Depth of shaft unknown. Claimant herein.

Instrument

This survey was made with a C.L.Berger & Sons transit. The courses were deflected from the true meridian as determined by direct solar observations. Distances were measured with steel tapes.

Report.

The lines of this survey and connections to Sec. Cor. and conflicting claims were run upon the ground except as hereinbefore stated.

The W. $\frac{1}{4}$ Cor. Sec. 36 T. 16 N. R. 2 E. G. & S. R. B. & M. is a 1 1/2 in. iron pipe set in ground with bronze cap properly marked.

Sur. No. 1361

May Queen lode - Cors. Nos. 3 and 4 are stones found properly set and marked. Lost Mine lode: - The Easterly corners Nos. 2 and 3 common with Cors. Nos. 1 and 4 Columbus lode are stones found properly set and marked. Cors. Nos. 1 and 4 were not found in place, their positions being assumed from the official records. Columbus lode: - Cors. Nos. 2 and 3 are stones properly set and marked.

Sur. No. 1466

Grand Bounce lode: All corners found properly set and marked. East Extension Grand Bounce lode: - Cors. Nos. 1, 3 and 4 are stones found properly set and marked. Oregon lode: - No corners found in place. Cors. Nos. 2 and 1 were relocated on line 3-4 East Extension Grand Bounce lode at the proper proportionate distances thereon. Cor. No. 5 was relocated on the record course and proportionate distance from Cor. No. ² Prince lode, said corner being found in place and tied to in this survey. Prince lode: Cors. Nos. 1 and ⁴ 2 were not found. Cor. No. ¹ 2 was relocated on line from Cor. No. ² Prince to Cor. No. 5 Oregon lode at its proper proportionate distance from said corners. Cor. No. ⁴ 1 was relocated at the proper record distance from Cor. No. ¹ 2. Protector lode: - Cors. Nos. 1, 2, 3 and 7 were found properly marked.

Sur. No. 1613 Blizzard lode: Cor. No. ⁵ 1 a + on ledge of rock properly marked. Cor. No. ¹ 2 Identical with Cor. No. 3 May Queen lode a stone set in ground properly marked. Cor. No. 4 a stone properly set and marked. Side Issue lode: Cor. No. 1 Identical with Cor. No. 1 Blizzard lode. Cors. Nos. 2, 3 and 4 were stones set in ground, properly marked.

Note

The discrepancy between these field notes and the amended location certificate of the Elusive lode in the lengths of side lines is due to inaccurate monumenting of said claim.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Alfred B. Colwell
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of _____
 _____ Green Monster Mining Company _____
 known as the _____ Layman Fraction and Elusive lodes _____
 and showing the respective capacities in which they acted.

_____ Tony Banke _____, *Chainman.*
 _____, *Chainman.*
 _____, *Asman.*
 _____, *Flagman.*

FINAL OATHS OF ASSISTANTS.

~~We~~, I Tony Banke
 and _____, do solemnly swear that ~~we~~ assisted _____
Alfred B. Colwell _____, United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of _____ Green Monster Mining Company _____

 known as the _____ Layman Fraction and Elusive lodes _____
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-
 tions furnished by the United States Surveyor-General for _____ Arizona _____

_____ Tony Banke _____, *Chainman.*
 _____, *Chainman.*
 _____, *Asman.*
 _____, *Flagman.*

Subscribed and sworn to by the above-named persons before me this 7th

day of July _____, 1923

My Commission Expires June 1, 1924

_____ R. Warren _____
 _____ Notary Public _____



FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Alfred B. Colwell, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated May 7-1923, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Green Monster Mining Company, known as the Layman Fraction and Elusive lodes, situate in Verde Mining District, Yavapai County, Arizona, in Section 36, Township No. 16 N., Range No. 2 E.G. & S.R.B. & M., and designated as Survey No. 3897, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Alfred B. Colwell
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Alfred B. Colwell
U. S. Mineral Surveyor, before me a Notary Public
this 18th
day of July, 1923

My Commission Expires June 1, 1925

Notary Public

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

September 27, 1923.

I, U. S. Surveyor General for District of Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of
Green Monster Mining Company
, known as the LAYMAN FRACTION and ELUSIVE Lodes
, situate in Verde
Mining District, Yavapai County,
Arizona, in Section 36, Township No. 16 N.
Range No. 2 E., G. & S. R. B. & M., and designated as Survey
No. 3897, has been correctly copied from the originals on
file in this office; that said Field Notes furnish such an accurate description of said
mining claim as will, if incorporated into a patent, serve fully to identify the premises,
and that such reference is made therein to natural objects or permanent monuments as
will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended
or improvements made upon said mining claim^{or for each of} by claimant or its grantors, and
that said improvements consist of 5 cuts and 1 tunnel, value \$780, and
2/46 of the value of the common improvement system, making
a total of \$5456.70.

and that no portion of said labor or improvements has been included in the estimate of
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,
Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott

United States Surveyor General for Arizona.

**SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES
AND SURVEY OF MINING CLAIM**

**DEPARTMENT OF THE INTERIOR
OFFICE OF U. S. SURVEYOR GENERAL**

Phoenix, Arizona.

September 27, 1923

I, U. S. Surveyor General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Green Monster Mining Company

, known as the

LAYMAN FRACTION and ELUSIVE Lodes

situate in Verde mining district,

Yavapai County, Arizona

in Section 36, Township No. 16 N., Range No. 2 E.

, designated as Survey No. 3897

executed by Alfred B. Colwell, U. S. Mineral

Surveyor, May 15 - July 7, 1923, under my instructions dated

May 7, 1923, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.

U. S. Surveyor General for Arizona.