

AUG-5 1923

4-683

MINERAL SURVEY No. 3908

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

IVANHOE COPPER COMPANY

KNOWN AS THE

RAZLE DAZLE, RAZLE DAZLE NO. 2, BUCKEYE and MOUNT DIABLO LODES

Warren Mining District,

Cochise County, Arizona

Sections 25 and 36, Township 23 S, Range 24 E. G&SRB&M

Surveyed under instructions dated July 23, 1923

by Ralph L. Motz

U. S. Mineral Surveyor.

Claim located see location notices, 19

Survey commenced July 25, 1923

Survey completed July 30, 1923

Address of claimant Ivanhoe Copper Co., Bisbee, Arizona.

DATES OF AMENDED LOCATIONS.

Razle Dazle Lode.

Feet.	
	<p>Beginning at Cor. No. 1, the N. E. Cor., identical with location, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 1-3908 RD, whence a limestone rock in place 16 x 20 x 3 inches high above ground chiseled BR x 1-3908 bears N. 85° E. 28.4 feet, and a second limestone rock in place 14 x 17 x 3 inches high above ground with like chiseling bears N. 15° 18' E. 23.5 feet., and the</p> <p>Cor. of Secs. 25 and 36, T. 23 S., R. 24 E., and Secs. 30 and 31, T. 23 S., R. 25 E., G & S R B & M bears N. 73° 11' E. 663.6 feet.</p> <p>thence S. 37° 37' W.</p>
1500.0	<p>to Cor. No. 2, the S. E. Cor., identical with location, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 2-3908 RD. No bearings available.</p> <p>thence N. 58° 52' W.</p>
300.0	<p>to original location for south end center, being a mound of stones 3 feet high with a 3 foot base,</p>
600.0	<p>to Cor. No. 3, the S. W. Cor., identical with location, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones of stones and scribed 3-3908 RD. No bearings available.</p> <p>thence N. 37° 37' E.</p>
16.8	<p>intersect line 4-1 Sur. No. 1753 Strumm lode at S. 47° 17' W. 217.3 feet from Cor. No. 1 thereof,</p>
212.8	<p>intersect line 1-2 Sur. No. 1753 Strumm lode at N. 78° 57' W. 40.8 feet from Cor. No. 1 thereof, also intersect line 3-4 Mount Diablo lode this survey at N. 78° 57' W. 31.0 feet from Cor. No. 3 thereof,</p>
300.0	<p>to Cors. No. 2 and 3 of Mount Diablo and Buckeye lodes, both of this survey, respectively,</p>
900.0	<p>along line 3-2 of Buckeye lode this survey to Cors. No. 2 and 4 of Buckeye and Razle Dazle No. 2 lodes, both of this survey, respectively,</p>
1500.0	<p>along line 4-3 Razle Dazle No. 2 lode this survey to Cor</p>

Feet. No. 4, the N. W. Cor., identical with location and with
 Cors. No. 3,2,2, and 3 of Razle Dazle No. 2 lode this
 survey, Sur. No. 1958 Remember the Main, Sur. No. 3278
 Don Miguel No. 6, and Sur. No. 1958 Piedmont lode, re-
 spectively, a pine post 4 feet long 30 inches above ground
 in a monument of stones and scribed 4-3908 RD, whence a
 limestone rock in place 17 x 14 x 5 inches high above
 ground chiseled BR x 4-3908 bears N. 26° 55' W. 32.3 feet
 and a second limestone rock in place 9 x 23 x 8 inches
 high above ground with like chiseling bears N. 84° 21' W.
 30.5 feet.

thence S. 58° 52' E.

300.0 along line 3-2 Sur. No. 1958 Piedmont lode to original
 location for north end center being a mound of stones
 3 feet high with a 3 foot base

386.4 to Cor. No. 2 Sur. No. 1958 Piedmont lode,

600.0 to Cor. No. 1, the place of the beginning.

 Razle Dazle No. 2 Lode.

Beginning at Cor. No. 1. the S. W. Cor., identical
 with location and with Cor. No. 1 of the Buckeve lode of
 this survey, a pine post 4 feet long 4 inches square set
 18 inches in the ground in a mound of stones and scribed
 1-3908 RD2, whence the

1/4 Cor. between Secs. 25 and 36, T. 23 S., R. 24 E.,
 G & S R B & M bears S. 25° 50' E. 472.7 feet.

thence N. 37° 37' E.

300.0 to original location for west end center, being a mound
 of stones 3 feet high with a 3 foot base

600.0 to Cor. No. 2, the N. W. Cor., identical with location
 and with Cors. No. 3 and 3 of Sur. No. 1958 Remember the
 Main lode and Sur. No. 3278 Don Miguel No. 6 lode, re-
 spectively, and situated on line 1-2 of Sur. No. 2019
 Ocatea lode at N. 51° 17' E. 201.4 feet from Cor. No. 2
 thereof, a pine post 4 inches square 30 inches above
 ground in a mound of stones and scribed 2-3908 RD2, whence
 a walnut tree 14 inches in diameter by 21 feet high and

- Feet. blazed and scribed BT x 2-3908 bears N. 13° 11' W. 31.1 feet and a second walnut tree of like dimensions and with like scribing bears N. 34° 09' E. 66.5 feet.
thence S. 58° 56' E.
- 1500.0 along lines 3-2 of Sur. No. 1958 Remember the Main and Sur. No. 3278 Don Miguel No. 6 lodes, respectively, to Cor. No. 3, the N. E. Cor., identical with location and with Cor. No. 4 of the Razle Dazle lode this survey, heretofore described to which I add 3-3908 RD 2 for this claim.
thence S. 37° 37' W.
- 300.0 along line 4-3 of the Razle Dazle lode, this survey, to original location for east end center, being a mound of stones 3 feet high with a 3 foot base,
- 600.0 to Cor. No. 4. the S. E. Cor., identical with location and with Cor. No. 2 of the Buckeye lode of this survey and situated on line 3-4 Razle Dazle lode this survey, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 4-3908 RD 2. No bearings available.
thence N. 58° 56' W.
- 1500.0 along line 2-1 Buckeye lode this survey to Cor. No. 1, place of beginning.

Buckeye Lode.
Beginning at Cor. No. 1, the N. W. Cor., identical with location and with Cor. No. 1 Razle Dazle No. 2 lode of this survey, heretofore described to which I add 1-3908 B for this claim.
The 1/4 Cor. between Secs. 25 and 36, T. 23 S., R. 24 E. G & S R B & M bears S. 25° 50' E. 472.7 feet.
thence S. 58° 56' E.
- 1500.0 along line 1-4 of the Razle Dazle No. 2^{Lode} of this survey to Cor. No. 2, the N. E. Cor., identical with location and with Cor. No. 4 of the Razle Dazle No. 2 lode of this survey heretofore described to which I add 2-3908 B for this claim.

Feet.

thence S. 37° 37' W.

300.0 along line 4-3 of the Razle Dazle lode of this survey to original location for east end center, being a mound of stones 3 feet high with a 3 foot base,
 600.0 to Cor. No. 3, the S. E. Cor., identical with location and with Cor. No. 2 Mount Diablo lode this survey and situated on line 3-4 Razle Dazle lode this survey, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 3-3908 B. No bearings available.

thence N. 58° 56' W.

1068.0 along line 2-1 Mount Diablo lode this survey, cross Gold Gulch, course southerly,

1385.3 to Cor. No. 1 Mount Diablo lode this survey, also intersect line 1-2 Sur. No. 2172 Good Luck lode at S. 16° 53' E. 342.3 feet from Cor. No. 1 thereof,

1500.0 to Cor. No. 4, the S. W. Cor., identical with location, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 4-3908 B. No bearings available.

thence N. 37° 37' E.

300.0 to original location for west end center, being a mound of stones 3 feet high with a 3 foot base,

314.1 intersect line 1-2 Sur. No. 2172 Good Luck lode at S. 16° 53' E. 20.4 feet from Cor. No. 1 thereof,

355.0 cross Gold Gulch, course southeasterly,

600.0 to Cor. No. 1, place of the beginning.

 Mount Diablo Lode.

Beginning at Cor. No. 1, the N. W. Cor., identical with location and situated on lines 1-2 and 3-4 of Sur. No. 2172 Good Luck lode and Buckeye lode this survey, respectively, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 1-3908 MD, whence the

1/4 Cor. between Secs. 25 and 36, T. 23 S., R. 24 E. G & SR B & M bears N. 77° 02' 30" E. 486.3 feet.

thence S. 58° 56' E.

317.3 along line 4-3 Buckeye lode this survey. cross Gold Gulch course southerly,

1385.3 to Cor. No. 2, the N. E. Cor., identical with location and with Cor. No. 3 Buckeye lode this survey heretofore described to which I add 2-3908 M D for this claim.

thence S. 16° 53' W.

39.2 to original location for east end center, being a mound of stones 3 feet high with a 3 foot base,

78.4 to Cor. No. 3, the S. W. Cor., identical with location and situated on line 1-2 Sur. No. 1753 Strumm lode at N. 78° 57' W. 9.8 feet from Cor. No. 1 thereof, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 3-3908 M D. No bearings available.

thence N. 78° 57' W.

31.0 along line 1-2 Sur. No. 1753 Strumm lode, intersect line 3-4 Razle Dazle lode this survey at N. 37° 37' E. 212.8 ft. from Cor. No. 3 thereof,

1035.0 cross Gold Gulch, course southerly,

1244.5 to Cor. No. 4, the S. W. Cor., identical with Cor. No. 2 Sur. No. 3906 Little Chief lode and situated on line 1-2 Sur. No. 1753 Strumm lode at S. 78° 57' E. 244.4 feet from Cor. No. 2 thereof, an iron pipe 3 inches in diameter 30 inches above ground with copper tag on side marked 4-3908 M D, whence the original location for the southwest corner, being a mound of stones 3 feet high with a 3 foot base, bears N. 78° 57' W. 105.5 feet,

thence N. 3° 14' W.

305.2 along line 2-1 Sur. No. 3906 Little Chief lode, to west end center, identical with location and with Cors. No. 1 and 2 of Sur. No. 3906 Little Chief and Sur. No. 2172 Good Luck lode, respectively, also Cor. No. 5, an iron pipe 3 inches in diameter 30 inches above ground with copper tag on side marked W E Ct 3908 MD and 5-3908 MD, whence original location for southwest corner, being a

mound of stones 3 feet high with a 3 foot base, bears S. 16° 53' W. 297.3 feet.

thence N. 16° 53' E.

257.7 along line 2-1 Sur. No. 2172 Good Luck lode to Cor. No. 1 place of the beginning.

LODE LINES.

Razle Dazle. Presumed course of the vein is from the north end center S. 37° 37' W. 1500.0 feet.

Razle Dazle No.2. Presumed course of the vein is from the east end center N. 58° 56' W. 1500.0 feet.

Buckeye. Presumed course of the vein is from the east end center N. 58° 56' W. 1500.0 feet.

Mount Diablo. Presumed course of the vein is from the east end center N. 67° 58' W. 1348.5 feet.

AREAS.

Razle Dazle. Total area - - - - - 20.529 A.

Area in conflict with Sur.

No.1753 Strumm lode - - - - - 0.082 A.

Razle Dazle No.2 Total area - - - - - 20.526 A.

Buckeye. Total area - - - - - 20.526 A.

Area in conflict with Sur.

No.2172 Good Luck lode - - - - - 0.411 A.

Mount Diablo. Total area - - - - - 9.406 A.

Area in conflict with Razle

Dazle lode this survey - - - - - 0.028 A.

LOCATION.

This survey is situated in Secs. 25 and 36, T. 23 S., R. 24 E. G & S R B & M, in the Warren Mining District, Cochise County, Arizona.

IMPROVEMENTS.

I hereby certify that the value of the labor and improvements placed upon or for the benefit of each claim of this survey by the claimants or its grantors is not less than five hundred dollars and that said improvements consist of:-

Razle Dazle No.2.

No.1. Discovery shaft 4 x 6 x 10 feet deep brs from east end center on lode line 100 feet. Value \$ 50.00

No.2. Shaft 4 x 6 x 65 feet deep, brs from Cor. No. 4N. 53° 35' W. 635.0 feet. This shaft has been started as a main working

for this group of claims. Each foot gained in depth in this shaft tends to reach a point where drifts may be run to develop each claim in this group. For this reason it is considered as a common improvement, and 1/4 the value of this improvement has been allotted to each claim of this survey.

Total value of improvement \$1,300.00

a 1/4 interest allotted to this claim \$ 325.00

No.3. Open cut 4 x 7 x 22 feet long with tunnel at face 4 x 6 x 39 feet long both bearing S. 3° E., the mouth of which bears from Cor. No. 2, S. 3° 15' E. 100.0 feet. Value \$ 366.00

Total value \$ 741.00

Razle Dazle.

No.1. Discovery shaft 4 x 6 x 10 feet deep brs from north end center on lode line 10 feet. Value \$ 50.00

No.2. Open cut 4 x 8 x 16 feet long with tunnel at face 4 x 6 x 11 feet long both bearing S. 15° W., the mouth of open cut bears from Cor. No. 4, S. 21° 10' E. 180.0 feet. Value \$ 162.00

No.3. Open cut 4 x 10 x 21 feet long with tunnel at face 4 x 6 x 28 feet long, both bearing S. 30° E., the mouth of open cut bears from Cor. No. 4 S. 3° 55' E. 185.0 feet. Value \$ 294.00

No.4. Shaft 4 x 6 x 5 feet brs from Cor. No. 4 S. 4° 30' E. 210.0 feet. Value \$ 25.00

No.5. Open cut 4 x 10 x 12 feet long brg S. 30° E. the mouth of which brs from Cor. No. 4 S. 20° W. 230.0 feet. Value \$ 60.00

No.6. Shaft 4 x 6 x 10 feet deep brs from Cor. No. 4 S. 13° 11' W. 282.0 feet. Value \$ 50.00

No.7. Shaft 4 x 6 x 10 feet deep brs from Cor. No. 4 S. 6° 05' W. 293.0 feet. Value \$ 50.00

No.8. Shaft 4 x 6 x 10 feet deep brs from Cor. No. 4 S. 26° 30' W. 345.0 feet. Value \$ 50.00

No.9. Shaft 4 x 6 x 10 feet deep brs from point on line 3-4 N. 37° 37' E. 617.0 feet from Cor. No. 3 S. 45° 30' E. 300.0 feet. Value \$ 50.00

No.10. Shaft 4 x 6 x 10 feet deep brs from same point S. 9° 45' W. 320.0 feet. Value \$ 50.00

No.11. Open cut 4 x 10 x 14 feet long brg N. 45° W., the mouth of which brs from Cor. No. 4 S. 31° 30' W. 215.0 feet. Value \$ 75.00

1/4 interest in Improvement No. 2 Razle Dazle No. 2 lode allotted to this claim \$ 325.00

Total value \$1241.00

Buckeye.

No.1. Discovery shaft 4 x 6 x 10 feet deep brs from west end center on lode line 300 feet. Value \$ 50.00

No.2.	Shaft 4 x 6 x 20 feet deep brs. from west end center S. 85° 05' E. 250.0 feet.	Value \$150.00
No.3.	Shaft 4 x 14 x 10 feet deep brs. from Cor. No. 4, S. 66° 55' E. 795.0 feet.	Value \$125.00
No.4.	Open cut 8 x 10 x 22 feet long brg. N. 30° W., the mouth of which brs. from W.E.C. S. 74° 25' E. 635.0 feet.	Value \$200.00
No.5.	Open cut 4 x 8 x 14 feet long brg. N. 30° W., the mouth of which brs. from W.E.C. S. 79° 15' E. 720.0 feet.	Value \$ 50.00
No.6.	Open cut 4 x 8 x 10 feet long brg. N. 30° W., the mouth of which brs. from W.E.C. S. 80° 50' E. 745.0 feet.	Value \$ 40.00
No.7.	Open cut 4 x 8 x 14 feet long brg. N. 20° E., the mouth of which brs. from West end center S. 64° 45' E. 390.0 feet.	Value \$ 50.00
	1/4 interest in improvement No.2 Razle Dazle No. 2 lode allotted to this survey	<u>\$325.00</u>
	Total value	\$ 990.00

MOUNT DIABLO.

No.1.	Discovery shaft 4 x 6 x 10 feet deep brs. from west end center on lode line 310 feet.	Value \$ 50.00
No.2.	Open cut 10 x 10 x 24 feet long brg S.66° E., the mouth of which brs from the west end center S 77° 30' E 450.0 ft.	Value - - - - - 250.00
No. 3	Open cut 10 x 10 x 21 feet long brg S 66° E mouth of which brs. from west end center S 81° 05' E 455 feet	Value 225.00
No. 4	Open cut 5 x 8 x 12 ft. long brg S 66° E mouth of which brs from west end center S 84° 35' E 450 ft.	Value 50.00
	a 1/4 interest in Improvement No. 2 Razle Dazle No. 2 lode allotted to this claim	<u>325.00</u>
	Total Value	\$ 900.00
	Total Improvements on group	\$ 3872.00

INSTRUMENT.

This survey was made with a Gurley Light Mountain Transit. The courses were deflected from the true meridian as determined in Surveys 3278 and 3906. Distances were measured with 100 and 300 foot steel tapes. Magnetic Variation 12° 30' East at all corners.

ADJOINING CLAIMS

North Survey No. 1958 Remember The Main and Piedmont lodes
 Survey No. 3278 Don Miguel No. 6 lode
 East Ivanco lode, unsurveyed, owned by applicant herein.

Mineral Survey No. 3908 (Con't)

South Survey No. 1753 Strumm lode
 West Survey No. 2019 Ocatea lode
 Survey No. 2172 Good Luck lode
 Survey No. 3906 Little Chief lode
 White Horse lode, unsurveyed, owned by B. Caretto

Report

Cor. of Secs. 25 and 36, T 23 S, R 24 E and Secs. 30 and 31, T 23 S, R 25 E G & S R B & M is an iron pipe with copper cap

1/4 Cor. between Secs. 25 and 36 is an iron pipe with copper cap.

Survey No. 1958 Remember The Main lode. Cors 2 and 3 are pine posts properly set and scribed

Piedmont lode. Cors. 2 and 3 are pine posts properly set and scribed.

Survey No. 2019 Ocatea lode. Cors 1 and 2 are monuments of stones, posts missing.

Survey No. 2172 Good Luck lode. Cor 1 is a monument of rocks post missing. Cor. No. 2 is an iron pipe set in concrete.

Survey No. 1753 Strumm lode. Cors 1, 2 and 4 are monuments of rocks posts missing.

Survey No. 3906 Little Chief lode. Cors 1 and 2 are iron posts set in concrete.

Ralph L. Motz
 U. S. Mineral Surveyor.

Dated at Bisbee, Arizona.

August 4th, 1923.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Ralph L. Motz

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of _____

Ivanhoe Copper Company

known as the Razle Dazle, Razle Dazle No. 2, Buckeye and Mount Diablo lodes and showing the respective capacities in which they acted.

B. Gmeble, Chainman.

_____, Chainman.

_____, Axman.

_____, Flagman.

FINAL OATHS OF ASSISTANTS.

~~We~~ I, B. Gmeble

~~and~~ _____, do solemnly swear that ~~we~~^I assisted _____

Ralph L. Motz, United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of Ivanhoe Copper Company

known as the Razle Dazle, Razle Dazle No. 2, Buckeye and Mount Diablo lodes represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona.

B. Gmeble, Chainman.

_____, Chainman.

_____, Axman.

_____, Flagman.

Subscribed and sworn to by the above-named persons before me this 4th

day of August, 19 23

Margaret Irving
Notary Public, in and for the County of
Cochise, State of Arizona.

My commission expires May 10, 1924



4-686.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Ralph L. Motz, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated July 23, 1923, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Ivanhoe Copper Company, known as the Razle Dazle, Razle Dazle No. 2, Buckeye and Mount Diablo lodes, situate in Warren Mining District, Cochise County, Arizona, in Sections 25 & 36, Township No. 23 S., Range No. 24 E., G. & S. R. B. & M., and designated as Survey No. 3908, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Ralph L. Motz
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Ralph L. Motz
U. S. Mineral Surveyor, before me Margaret Irving, Notary Public
this 4th
day of August, 1923

Margaret Irving
Notary Public, in and for the County of
Cochise, State of Arizona.

My commission expires May 10, 1924



U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

September 20, 1923.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Ivanhoe Copper Company

known as the RAZLE DAZLE, RAZLE DAZLE NO.2, BUCKEYE, and MOUNT DIABLO Lodes situate in Warren

Mining District, Cochise County, Arizona

in Section 25 & 36, Township No. 23 S., Range No. 24 E.,

designated as Survey No. 3908, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 13 shafts, 12 cuts and 3 tunnels, total value \$3872.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott

United States Surveyor-General for Arizona

4-687

**SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES
AND SURVEY OF MINING CLAIM**

**DEPARTMENT OF THE INTERIOR
OFFICE OF U. S. SURVEYOR GENERAL**

Phoenix, Arizona

September 30, 1923

I, U. S. Surveyor General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Irishan Copper Company

known as the

DIXIE DIXIE, DIXIE DIXIE NO. 2, BUCKEYE, and MOUNT DIABLO Lodes

situate in Warren mining district,

Cochise

County,

Arizona

in Sections 25 and 36, Township No. 23 S., Range No. 24 E.

designated as Survey No. 3908

executed by Ralph L. Lotz, U. S. Mineral

Surveyor, July 25 - 30, 1923, under my instructions dated

July 23

, 1923, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.



U. S. Surveyor General for Arizona