rizona	Land	District

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

	Phelps Dodge Corporation
	KNOWN AS THE
	SONORA and MAUD S. Lodes
	Copper Countain Mining District
	Greenlee County, Arizona
Section	21 , Township 4.5. , Range 29 E.
Surve	eyed under instructions dated September 5 , 1923
	mot. N. Doerres
	U. S. Mineral Surveyor
	Claim located See location notices , 19
	Survey commenced September 14 , 19 23
	Survey completed September 16 , 19 23
	Address of claimant Jos. P. Hodgson, Agent and Atty in fact for Claimant, Morenci, Arizona.
	DATES OF AMENDED LOCATIONS.

6—825

Feet

MINERAL SURVEY NO. 3913

SONORA lode.

Beginning at Cor. No. 1, identical with Loc. Mon.

A pine post 4 ins. sq by 4 ft. high set firmly in the ground and surrounded with md of stone 3 1/2 ft. base by 3 ft. high, scribed 1-S- 3913, whence the S. 1/4 Cor. Sec. 21, T. 4 S., R. 29 E. brs. S. 65° 50' E., 1364.16 ft.

No other bearings are available.

Thence N. 48° 48' W. Ya: 13° 30' E.

300.0 To S. end center.

A pine post 4 ins sq. by 4 ft. high set firmly in the ground and surrounded with md of stone 3 1/2 ft. base by 3 ft. high, scribed S. Cr. S.

600.0 To Cor. No.2, identical with Loc. Mon.

A pine post 4 ins. sq by 4 ft. high, set firmly in the ground and surrounded with md. of stone 3 1/2 ft. base by 3 ft. high, scribed 2 S- 3913.

No bearings are available.

Thence N. 41°12' E. Va. 13° 30' E.

353.0 To Cor. No. 3 Sur. No. 5316 Keystone lode, claimant herein.

750.0 To W. side center Mon.

1500.0 To Cor. No.3, identical with Loc. Mon., on line 2-3 Sur. No.3316

Keystone lode.

A pine post 4 ins. sq by 4 ft. high set firmly in the ground and surrounded with md. of stone 3 1/2 ft. base by 3 ft. high, scribed 3 S- 3913.

No bearings are available.

Thence S. 48° 48'E. Va. 13° 30' E.

300.0 To M. end center.

A pine post 4 ins. sq by 4 ft. high, set firmly in the ground and surrounded with md. of stone 3 1/2 ft. base by 3 ft. high, scribed N. Cr. S.

425.93 Intersect line 2-3 Maud S lode of this Sur. at N.28°08'E.,769.94 ft. from Cor. No. 2.

-1-

Feet.

MINERAL SURVEY NO. 3913

SONORA lode.

600.0 To Cor. No.4, identical with Loc. Mon.

A pine post 4 ins. sq by 4 ft. high, set firmly in the ground and surrounded with md. of stone 3 1/2 ft. base by 3 ft. high, scribed 4 S- 3913.

No bearings are available.

Thence S. 41°12' W. Va. 13° 30' E.

750.0 To E. side center Mon. and Cor. No. 2 Maud S lode of this Sur. hereinafter described.

1500.00 To Cor. No.1, the place of beginning.

MAUD S. Lode.

Beginning at Cor. No.1, identical with Loc. Mon.

A pine post 4 ins. sq by 4 ft. high, set firmly in the ground and surrounded with md of stone 3 1/2 ft. base by 3 ft. high, scribed 1 MS-3913, whence the S. 1/4 Cor. Sec. 21 T. 4 S. R. 29 E. brs. S. 14° 46' E., 868.67 ft.

No other bearings are available.

Thence N. 61°52' W. Va. 13° 30'E.

500.00 To S. end center.

A pine post 4 ins. sq by 4 ft. high set firmly in the ground and surrounded with md of stone 3 1/2 ft. base by 3 ft. high, scribed S. Cr. M S.

600.00 To Cor. No. 2, on line 4-1 Sonora lode of this Sur.

A pine post 4 ins. sq by 4 ft. high set firmly in the ground and surrounded with md of stone 3 1/2 ft. base by 3 ft. high, scribed 2 MS-3913.

No bearings are available.

Thence N. 28° 08' E. Va. 13° 30' E.

750.0 To W. side center Mon.

769.94 Intersect line 3-4 Sonora lode of this Sur, at N.48°48'W.,174.07 ft. from Cor. No. 4.

900.00 Gulch brs. southeasterly.

feet

MINERAL SURVEY NO. 3913

MAUD S Lode.

1500.00

To Co. No.3, identical with Loc. Mon.

A pine post 4 ins. Sq by 4 ft high set firmly in the ground and surrounded with md. of stone 3 1/2 ft. base by 3 ft. high.

Scribed 3 MS- 3913.

No bearings are available.

Thences. 61° 52' E. Va. 13° 30' E.

300.0

To N. end center.

A pine post 4 ins. sq. by 4 ft. high, set firmly in the ground and surrounded with md. of stone 3 1/2 ft. base by 3 ft. high, scribed N. Cr. MS.

600.00

To Cor. No. 4, identical with Loc. Mon.

A pine post 4 ins sq. by 4 ft. high set firmly in the ground and surrounded with md of stone 3 1/2 ft. base by 3 ft. high scribed 4 MS-3913.

No bearings are available

Thence S. 28° 08'W. Va. 13° 30'E.

750.00

To E. side center Mon.

960.00

Gulch brs southeasterly.

1500.00

To Cor. No.1, the place of beginning.

----000-----

LODE LINES.

As near as can be determined from the present developments, the veins of the several locations embraced in this claim, extend as follows from their respective discovery points:-

Sonora lode, 750. ft. S. 41°12°W., and 750 ft. N. 41°12° E. Maud S. lode, 750 ft. S. 28°08° W., and 750 ft. N. 28° 08° E.

AREA.

Area in conflict with:

Sonora lode, of this Sur. --- 1.499

MINERAL SURVEY NO. 3913

The survey of each lode of this location is identical with the respective locations as staked upon the ground.

LOCATION.

This survey is located in the S. 1/2 Sec. 21, T 4 S. R. 29 E.

G. & S. R. M., in Copper Mountain Mining District, Greenlee County, Arizona.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon or for the benefit of each of the locations embraced in said mining claim, by the claimant or its grantors, is not less than five hundred dollars, and that said improvements consist of:

SONORA LODE.

No.1 The discovery shaft on the center line, 750 ft. from the center of line 1-2, 4 x 6 ft. 10 ft. deep.

Value \$100.00

No.2 A shaft, the center of which brs from Cor. No.2, N. 54° 45'E., 770 ft. 4×6 ft. 40 ft. deep.

Value \$400.00

No.3 A cut, the mouth of which brs. from Cor. No.2 N. 51°45' E., 710 ft. 4 1/2 ft. wide, 8 ft. face, running N. 50°E., 15 ft. to face.

Value \$100.00

No. 4 A cut, the mouth of which brs from Cor. No. 2 N. 50° E., 720. ft. 4 1/2 ft. wide, 8 ft. face, running N. 50° E. 15 ft. to face.

Value \$100.00

No.5 A tunnel, the mouth of which brs. from Cor. No. 4, S. 65° W., 300. ft. 4 x 6 ft. rumning S. 55° W., 20 ft. to Sta 1, from Sta.1 a tunnel 4 x 6 ft. running N. 18° W., 10 ft. to face, from Sta. 1 a tunnel 4 x 6 ft. running S. 18° E., 40 ft. to face, from Sta. 1 a tunnel 4 x 6 ft. running S. 55° W., 50 ft. to Sta. 2, thence S. 40° W. 100 ft. to face.

Value \$2200.00

MAUD S Lode.

No.1, the discovery tunnel, the mouth of which is on the center line 750 ft. from the center of line 1-2, 4 x 6 ft running N.27° E.

MINERAL SURVEY NO. 3913

EXPENDITURE OF FIVE HUNDRED DOLLARS.

MAUD S Lode. Cont'd.

75 ft., thence N. 20° E., 150 ft. to face.

Value \$ 2250.00

No. 2, a tunnel, the mouth of which brs from Cor. No.1, N. 8° E., 510 ft., 4 x 6 ft. running S. 10° W., 50 ft., thence S. 25° E., 100. ft., thence S. 30° W., 310 ft. to face.

Value \$ 4600.00

No.3, a tunnel, the mouth of which brs. from Cor. No. 3, S. 23°45°W. 590 ft. 4 x 6 ft. running N. 62° E., 50 ft.to face.

Value \$500.0

No.4, a tunnel, the mouth of which brs. from Cor. No.3 S. 22° 15' W., 540 ft. 4x 6 ft. running N. 62° E., 30 ft. to face.

Value \$300.0

No. 5, a cut, the mouth of which brs/ from Cor. No. 3, S. 26° 30' E. 400 ft. 4 1/2 ft. wide, 8 ft. face, running S. 28° W., 15 ft. to face.

Value \$ 100.0

INSTRUMENT.

This survey was made with a Gurley mountain transit, the courses were deflected from the true meridian as determined by direct solar observations, the distances were measured with a 500 ft. steel tape.

REPORT.

The lode line of each location of this claim was run directly upon the ground, and the corners were established by running around the claims.

The S. 1/4 Cor. Sec. 21 T. 4 S. R.29 E. consists of an iron pipe with brass cap on top stamped 1/4 S. 21-S 28.

Sur. No. 3316 Keystone lode. Cor. No.3 consists of a pine 4 x 6 ins. 4 ft. above ground, properly set and scribed 3 K-3316. Cor. No. 2 consists of a md. of stone, the post has been destroyed.

MINERAL SURVEY NO.3913

ADJOINING CLAIMS.

On the East by the Cragg No.3 lode, unsurveyed, claimant unknown. On the West by Sur. No. 3316 Keystone lode.

. SOLAR OBSERVATION. do not include

Direct solar observation taken Sat. Sept. 15, 1923.

At 8:17 A M solar time- Sun bisected,-Lat 33°03', Lon. 109°21' Difference in time 3h 45m

Apparent declination 3° 19' 43.5 " Dec'1--- 3° 16' 0'

P= 90°- Decl = 86° 44' V

L= 33°03' H= 29°32' P= 86°44' 2)149°19

Sin 1/2 A = $\sqrt{\sin(S-L)}$ (S-H) Cos L Cos H.

S= 74°39'30" /.

S=L - 41°36'30" 9.8221910 S=H - 45 07 130" V

9.8504304 0.0766550 0.0604463

2) 19.8097227

9.9048613- 53°26'30" - 1/2 A / 106°53' - A.

180-106 °53'-373 °07'E.- Course of Sun. 11°15' Ang. to left from Sun. S.61°52'E. Course of line.

Set up at Cor. No.2 Maud S. lode T.S to Cor. No.1

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed byT. N. Stevens	
United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corn	ners, and
boundaries described in the foregoing field notes of the survey of the mining claim of	
Phelps Dodge Corporation	
known as the SONORA and MAUD S. Lodes	
and showing the respective capacities in which they acted.	
John H. Dexter , Chainn	nan.
, Chainm	nan.
, Axman	l.
, Flagma	ın.
FINAL OATHS OF ASSISTANTS.	
We, I, John H. Dexter	
and, do solemnly swear that we assisted	
T. N. Stevens , United States Mineral Surveyor, in marking the corners and su	
- BANK HER STATE (1987) - 1987 - 1987 - 1988 - 1988 - 1988 - 1988 - 1988 - 1988 - 1988 - 1988 - 1988 - 1988 - 1	
the boundaries of the mining claim of Phelps Dodge Corporation	
known as the SONORA and MAUD S. Lodes	
represented in the foregoing field notes as having been surveyed by said mineral surveyor and un	nder his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, fai	ithfully
and correctly executed, and the corner and boundary monuments established according to law and the	instruc-
tions furnished by the United States Surveyor-General for <u>Arizona</u> .	
John H. Dester, Chainme	
, Chainma	an.
, Axman.	
, Flagman	ı
Subscribed and sworn to by the above-named persons before me this	
day of Aplember, 1923	
My Commission Expires June 4, 1924 Sales M. Lacede	
Takana Paka.	
and the state of t	

FINAL OATH OF U.S. MINERAL SURVEYOR.

I,T. N. Stevens , U. S. Mineral Surveyor,			
do solemnly swear that, in pursuance of instructions received from the United States			
Surveyor General for Arizona , dated			
September 5 1923, , I have, in strict conformity to the laws of the			
United States, the official regulations and instructions thereunder, and the instructions			
of said Surveyor General, faithfully and correctly executed the survey of the Mining			
Claim ofPhelps Dodge Corporation			
, known as the			
SONORA and MAUD S. Lodes ,			
situate in Copper Mountain Mining District,			
Greenlee County, Arizona , in Section			
21 , Township No. 4 S. , Range No. 29 E. G & S. R. M.			
and designated as Survey No. 3913 , as represented			
in the foregoing field notes, which accurately show the boundaries of said mining claim			
as distinctly marked by monuments on the ground, and described in the attached copy			
of the location certificate, which was received by me from the Surveyor General with			
said instructions, and that all the corners of said survey have been established and per-			
petuated in strict accordance with the law, official regulations and instructions there-			
under; and I do further solemnly swear that the foregoing are the true and original			
field notes of said survey and my report therein, and that the labor expended and			
improvements made upon said mining claim by claimant oritsgrantors			
are as therein fully stated, and that the character, extent, location, and itemized value			
thereof are specified therein with particularity and full detail, and that no portion of			
said labor or improvements so credited to this claim has been included in the estimate			
of expenditures upon any other claim.			
4700			
O. N. Decrus			
U. S. Mineral Surveyor.			
σ			
Subscribed and sworn to by the said			
U. S. Mineral Surveyor, before me Sahe M. haudew a			
Matary Lufte this 6th			
day of Julien, 1923			
The Constitute Time & 1994			
My Commission Expires June 4, 1924			
Maray Tulli			

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Ar	izons,
	February 24 , 1924.
I, U. S. Surveyor General forDistrict of	Arizona,
do hereby certify that the foregoing transcript of the	
of the Survey of the mining claim of	4
Phelps Dodge Corpore	ation
, known as the SOWARA	
, situate in	
Mining District, Gre	
Arizona, in Section	71 Township No. 4 S.,
Range No. 29 E.	
file in this office; that said Field Notes furnish such mining claim as will, if incorporated into a patent, ser and that such reference is made therein to natural objective will perpetuate and fix the locus thereof. And I further certify that five hundred dollars' we each of or improvements made upon said mining claims by claims that said improvements consist of 2 shafts, 3 convalue \$10.650.	ve fully to identify the premises, ects or permanent monuments as forth of labor has been expended timant or its grantors, and uts and 5 tunnels, total
and that no portion of said labor or improvements has expenditures upon any other claim. I further certify that the plat thereof, filed in the U Arizona is correct and in conformity wit	been included in the estimate of
	Charles II. Donahoe.
United States Surneyor General for	Arizona.

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR

OFFICE OF U. S. SURVEYOR GENERAL

		Phoenix, Arizona,		
	-	F	abruary 25	, 192 4
I, U. S. Surveyor Gener	al forDista	cict of Aria	zona	
do hereby certify that the fo	regoing and hereto attached	Field Notes and	Return of the S	Survey of the
Mining Claim of				
	Phelps Dodge Co	rporation		
			, l	known as the
	SONORA and MAUI) S. lodes		
situate in	Copper Mo	untain	mi	ning district,
Greenlee	County,		Arizona	
in Section2l	, Township No	4.3.	, Range No	29 E.
, designa	ted as Survey No	3913		
executed by	T. N. Stevens		, τ	J. S. Mineral
Surveyor,Sept	ember 14 - 16	, 1923 ,	under my instru	ctions dated
September 5	, 192 3, have	been critically	examined and t	he necessary
corrections and explanations 1	nade, and the said Field Not	tes and Return, a	nd the survey th	ney describe,
are hereby approved. The co	ertified copy of the location	certificate filed by	y the applicant	for survey is
on file in this office and a tru	ne copy of said certified copy	y of said location	n certificate is	included and
made a part of the transcript	of the field notes.			
	Qu	ules Ul.	Donor	loe.

U. S. Surveyor General for __Arizona.