MINERAL SURVEY No. 3939

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

KNOWN AS THE				
-G.& M.Lodo				
Ajo		Mining Distric		
	County, Arizona			
Section ⁸ 23 and 24 , Tot				
Surveyed under instruct	ions dated March 14	, 19 24		
	by F.C.Kinderr	nan U. S. Mineral Surveyo		
Claim located	January 1	, 19 15		
	7 Mariah 00			
Survey commenced	aarch_20	, 1924		
Survey completed	March 21			
Survey completed				
Survey completed Address of claima	March 21	, 19 ²⁴		

Beginning at Corner No. 1:

A quartzite, 6x8x24 inches, set 16 inches in the ground, with mound of stone alongside, chiselledx1-G & M-3939; whence

The #corner between Sections 23 and 24, T.12 S., R. 6 W., bears N. 40°53'W. 266.26 feet;

Corner: Nos. 4-1 Quartzite Lode, survey 3488, and C.& A. No.1 lode survey 3938, respectively, bears S.2°40' W. 149.27 feet;

Feet. Thence N, 84°45'W.

Intersect line 3-4 Quartzite lode, survey 3488, New Cor-79.1 nelia Copper Company, claimant, at S.24°39'E., 428 feet from Corner No. 3;

To Corner No. 2: 1500

> On line 1-2, C.& A.No.2 lode, Segregation Conoral Land Office Survey, Sam Clark, claimant;

A porphyry 8x9x30 inches, set 15 inches in the ground, chiselledx2-G.& M.-3939; whence

Corner No. 1, C.& A.No.2 lode bears S. 13°21'W. 299.6 feet;

Corner No. 2 Quartzite lode, survey 3488, bears N.81°33'W. 210 feet;

Thence N. 13°21' E.;

67.95 Intersect line 2-3 Quartzite lode, survey 3488 at S.81°02'W. 1235.63 feet from Corner No. 3, and N.81°02' East, 226.17 feet from Corner No. 2;

298.3 West end center:

> A quartzite, 10x10x24 inches, set 14 inches in the ground, chiselled WEC-3939:

To Corner No. 3; on line 1-2 C&A No.2 Lode Segregation Identical with the SW comer of Howard #2 lode, unsurveyed:

A quartzite, 10x12x30 inches, set 18 inches in the ground, chiselled X3-G. & M.-3939;

598.4

Feet.

Thence S.84°45'E.

.0520 .on Time

1083.6 Center line Ajo-Tucson highway, bears S.80°46'E.

To Gorner No. 4,

Identical with the SE corner Howard #2 lode, unsurveyed;

A quartzite 7x11x26 inches, set 16 inches in the ground, chiselled 4-G&M-3939, whence:

A cross (X) on the east wing wall of a concrete culvert, chiselled BO-4-3939 bears S.11°23'E.,17.62 feet;

A cross (X) on the west wing wall of a concrete culvert, chiselled BO-4-3939 bears S.38°08'W.18.62 feet;

Thence S. 13°21' W.;

Genter line Ajo-Tucson highway, 29

East end center; 300.1

> A quartzite 9x10x24 inches, set 16 inches in the ground, chiselled EEC-3939;

598.4 To Corner No. 1, the place of beginning.

Variation, all corners 14°30' E.

LODE LINE: MAN : MAN - ...

As near as can be determined from present developments the vein of this location extends 28 feet S.84°45'E., and 1472 feet N.84°45'W. from discovery point. AREA:

Total Area G. & M. lode - - - - - 20.401 acres

Area in conflict with Quartzite lode, survey 3488 - 6.942

The survey of this location is identical with the amended location as staked upon the ground.

LOCATION:

quer atte, 10x10x24 inches, 5 This survey is located in the NET of Sec. 23, and the HW4 of Sec. 24, T.12 S., R.6 W. EXPENDITURE OF FIVE HUNDRED DOLLARS:

I CERTIFY that the value of the labor and improvements made upon, or for the benefit of, each of the locations embraced in said

mining claim by the claimant or his grantor is not less than Five Hundred Dollars, and that said improvements consist of:

No. 1: The discovery shaft, on the lode line, 28 feet from the east end center, 4x5 feet, 72 feet deep;

Value- - - \$720.00

No. 2: A shaft, which bears from the west end center S.71°10'E.,400 feet, 5x6 feet, 193 feet deep; value - - - - - - - - - - - - - - - - 4825.00

No. 3: A shaft, which bears from the west end center N.72°13'E.,43 feet, 4x5 feet, 7 feet deep; value - - - - - - - - - - - - - - 35 00 OTHER IMPROVEMENTS:

A house, the SW corner of which bears from the west end center N.53°55'E.,65 feet, 12x22 feet; course of long sides S.79°E.

A house, the NW corner of which bears from the west end center N.78°50'E., 275 feet, 14x30 feet; course of long sides S.11°W.

A house, the SW corner of which bears from the west end center N.89°53'E., 500 feet, 20x24 feet; course of long sides N.11°E.

A house, the NW corner of which bears from the west end center S.42°44'E. 96 feet, 14x26 feet; course of long sides S.79°E.

A house, the NW corner of which bears from the west end center S.60°48'E. 116 feet, 12x34 feet; course of long sides S.11°W.

A corrugated iron garage, the SW corner of which bears from Corner No.3, S.63°15'E.,87 feet, 30x60 feet; course of long sides N.9°E.

A house, the NW corner of which bears from a point on line 3-4, 211 feet from Corner No.3,S.51°39'E.,36 feet; course of long sides S.81°E.

REPORT:

The lode line of this location was run directly upon the ground, and the several corners established by means of offset from the lode line. The tie lines were run directly upon the ground.

The 4corner between Sections 23 and 24, T.12 S., R.6 W., G.& S.R.M., is a 1-inch iron pipe, brass-capped, properly set and marked.

Corners 1 and 2, C. & A. No. 2 lode, are 1-inch iron pipes, brass-capped, properly set and marked.

Survey 3488, Quartzite lode;

All corners are 4-inch iron pipes, showing 50 inches above the ground, copper-capped, properly set and stamped with the number of the corner and survey. The discrepancy between this survey and survey 3488 as to the length of line 2-3 Quartzite lode is due to error in the latter. I find the course of line 2-3, and the course and distance of line 3-4 correct as approved.

This survey is bounded on the north by the Howard No.2 lode, unsurveyed, Sam Clark et al claimant; on the east by Ford No.1 lode, unsurveyed, belonging to claimant herein; on the south by the Quartzite lode, Survey 3488, New Cornelia Copper Co., claimant; on the west by the C.& A.No.2 lode, G.L.O. survey, owned by claimant herein.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individ	luals employed byE_CKinderman					
	ssist in running, measuring, and marking the lines, corners, and					
boundaries described in the foregoing field notes of the survey of the mining claim of						
					and showing the respective capacities is	
	A.K. Tones, Chainman.					
	Q.H. Martin , Chainman.					
	, Axman.					
	Flagman.					
FINAL OA	ATHS OF ASSISTANTS.					
We, A.K. Jones						
and G.H. Martin	, do solemnly swear that we assisted					
	d States Mineral Surveyor, in marking the corners and surveying					
the boundaries of the mining claim of	Sam Clark and A. D. Clark					
known as the G. & M. Lode						
represented in the foregoing field notes a	as having been surveyed by said mineral surveyor and under his					
	in all respects, to the best of our knowledge and belief, faithfully					
	boundary monuments established according to law and the instruc-					
tions furnished by the United States Surve	eyor-General for Arizona					
	W. J. Melle, Chainman.					
	Afrartia, Chainman.					
	Awman.					
	Flagman					
Subscribed and sworn	to by the above-named persons before me this 3/					
day of	May 1924					
	1 1/91 notary Public					
my com qu	of "19/2" moray while					

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, F.C.Kinderman	, U. S. Mineral Surveyor,				
do solemnly swear that, in pursuance of	instructions received from the United States				
Surveyor General for Arizona	, dated				
March 14,1924,	, I have, in strict conformity to the laws of the				
United States, the official regulations and instructions thereunder, and the instruction					
	correctly executed the survey of the Mining				
Claim of Sam Clark and A.D.Cle	ark (
	, known as the				
	······,				
situate in Ajo	Mining District				
Pima	County, Arizona , in Sections				
	ange No. 6 W.				
	as represented				
as distinctly marked by monuments on the of the location certificate, which was received said instructions, and that all the corners of petuated in strict accordance with the launder; and I do further solemnly swear field notes of said survey and my report improvements made upon said mining claimare as therein fully stated, and that the othereof are specified therein with particular	ely show the boundaries of said mining claim e ground, and described in the attached copy ived by me from the Surveyor General with of said survey have been established and perw, official regulations and instructions therethat the foregoing are the true and original therein, and that the labor expended and m by claimant or their grantors character, extent, location, and itemized value arity and full detail, and that no portion of this claim has been included in the estimate				
	Echinderna. U. S. Mineral Surveyor.				
Subscribed and sworn to by the said	E.C.Kinderman				
	R.Grover Langmade				
	this 8th				
day of April , 1924					
	Phory Cangmad				
6—10 <u>44</u>	mitary Pubar				
My commission expires No	v.9,1925				

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,

	Phoenix, Arizona,	
	Maj	y 26 , 1 924.
I, U. S. Surveyor General for	District of Aria	zona
do hereby certify that the foregoing	ing transcript of the Field Notes, 1	return and approval
	m of	
	Clark and A. D. Clark	
	G. & N. lode	
	, situate in Ajo	
	et, Pima	
	, in Section s 23 & 24 , To	
Range No. 6 W.	, and de	esignated as Survey
and that such reference is made the will perpetuate and fix the <i>locus</i> the And I further certify that fivor improvements made upon said	ted into a patent, serve fully to identerein to natural objects or permanereof. The hundred dollars' worth of labor mining claim by claimant sor the same of the same same same same same same same sam	has been expended heir grantors, and 5580.
and that no portion of said labor of said la	or improvements has been included	in the estimate of e at Phoenix, g Field Notes.
United Sta	ates Surveyor General for. Arizona	. 0
The state of the s		

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR

OFFICE OF U. S. SURVEYOR GENERAL

	Phoenix, Arizona,		
		May 26 , 1924	
I, U. S. Surveyor General for	District o	f Arizona	
do hereby certify that the foregoing	and hereto attached Field N	Notes and Return of the Survey of the	
Mining Claim of			
S	am Clark and A. D.	Clark	
		, known as the	
	G. & M. lode		
situate in	Ajo	mining district,	
Pima	County,	Arizona	
in Sections23_and_24,	Township No12_S	S, Range No6_W.	
, designated as S	Survey No	3939	
executed byE	C. Kinderman	, U. S. Mineral	
Surveyor, March 20 - 21	L	, 1924, under my instructions dated	
March 14	, 1924, have been c	ritically examined and the necessary	
corrections and explanations made, and the said Field Notes and Return, and the survey they describe,			
are hereby approved. The certified c	copy of the location certificat	te filed by the applicant for survey is	
on file in this office and a true copy	of said certified copy of said	d location certificate is included and	
made a part of the transcript of the fi	eld notes.		
	Garles W	M. Donolese.	

U. S. Surveyor General for Arizona.

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT ARIZONA STATE OFFICE

9605 (952) M.S. 3939

NOTICE OF CANCELLATION OF MINERAL SURVEY

The G. & M. lode, Mineral Survey No. 3939, located in sections 23 and 24, Township 12 South, Range 6 West, Gila and Salt River Meridian, Arizona, is hereby canceled.

This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"G. & M. lode, M.S. 3939 was canceled December 11, 1998, by memo 9605 (952) M.S. 3939, which is now a part of the original field notes."

December 11, 1998
Date

Chief Cadastral Surveyor of Arizona