

4-683

MINERAL SURVEY No. 3940

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Sam Clark

KNOWN AS THE

Valley No.1 and Valley #2 lodes

Ajo Mining District,

Pima County, Arizona

Section 2 (approx), Township 13 S., Range 7 W. (unsurveyed)

Surveyed under instructions dated March 14, 1924

by E. C. Linderman U. S. Mineral Surveyor.

Claim located November 21, 1917

Survey commenced March 22, 1924

Survey completed March 24, 1924

Address of claimant's Atty, John W. Mayes, Ajo, Arizona

DATES OF AMENDED LOCATIONS.

MINERAL SURVEY No. 3940

Feet	<u>VALLEY No. 1 LODE:</u>
	Beginning at Corner No. 1, identical with Corner No. 4, Valley #. 2 Lode of this survey:
	A granite 8 x 10 x 26 inches, set 12 inches in the ground, with mound of stone alongside, chiselled X-I-V-I/4-V-2/3940; whence
	The corner to Sections 1,6,7,12, Township 13 South, Ranges 6 and 7 West, bears South 71°44'30" East 6990.5 feet;
	Thence South 25°16' West:
300	East end center, identical with west end center Valley #.2 lode of this survey:
	A pine post 4 inches square, 48 inches long, set 20 inches in the ground, scribed E E C - V - I/WEC-V-2
600	To Corner No. 2, identical with Corner No. 3, Valley #. 2 Lode of this survey.
	A granite 6 x 8 x 26 inches set 14 inches in the ground, chiselled X-2-V-I/3-V-2-3940. A pine post 4 inches square, 48 inches long, set 20 inches in the ground alongside:
	Thence North 64°44' West:
1500	To Corner No. 3, an andesite, 4 x 7 x 24 inches, set 16 inches in the ground, ^{chiseled X-3-V-I-3940} with A pine post 4 inches square, 48 inches long, set 18 inches in the ground alongside, chiselled X-3-V-I-3940.
	Thence North 25°16' East:
300	West End center: a pine post, 4 inches square, 48 inches long, set 18 inches in the ground, scribed WEC-V-I:
600	To Corner No. 4, a quartzite, 6 x 9 x 24 inches, set 12 inches in the ground, with mound of stone and earth alongside, chiselled X-4-V-I-3940:
	Thence South 64°44' East
1500	to Corner No. 1, the place of beginning.

SURVEY No. 3940 - cont.

Feet VALLEY #. 2 LODE:

Beginning at Corner No. 1, a quartzite, 8x10x24 inches, set 12 inches in the ground with mound of stone alongside, chiselled*1-V-2-3940: whence

The corner to Sections 1,6,7,12, Township 13 South, Ranges 6 and 7 West, bears South 73°39' East, 5504.7 feet:

Thence South 25°16' West:

300 East End center: a pine post 4 inches square, 48 inches long set 20 inches in the ground, scribed EEC-V-2:

600 To Corner No. 2, a granite, 5x9x36 inches, set 18 inches in the ground, with mound of stone and earth alongside, chiselled*2-V-2-3940:

Thence North 64°44' West:

1500 To Corner No. 3, identical with Corner No. 2, Valley No. 1 Lode of this survey, hereinbefore described:

Thence North 25°16' East:

300 West End center: identical with east end center, Valley No. 1 Lode of this survey: hereinbefore described.

600 To Corner No. 4, identical with Corner No. 1, Valley No. 1 Lode of this survey, hereinbefore described:

Thence South 64°44' East:

1500 To Corner No. 1, the place of beginning.

Variation at all corners 14°30' East.

LODE LINES:

As near as can be determined from present developments the veins of the several locations embraced in this claim extend as follows from their respective discovery points:

Valley No. 1 Lode: 742 feet, South 64°44' East, and 758 feet, North 64°44' West.

Valley #. 2 Lode: 1030 feet, South 64°44' East, and 470 feet North 64°44' West.

ADJOINING CLAIMS

This survey is joined on the north by the Valley Nos. 5 and 6 lodes, on the east by the Valley No. 13, on the south by the Valley Nos. 3 and 4, on the west by the Valley Nos. 11 and 12 lodes; all belong to the claimant herein.

Survey No. 3940 - cont.

AREA:

Total area VALLEY No. 1 LODE - 20.661 acres

Total area VALLEY #. 2 LODE - 20.661 acres.

LOCATION:

This survey is located ~~approximately~~ in the ~~Southeast Quarter (SE¹/₄)~~ of Section 2, Township 13 South, Range 7 West, unsurveyed.

EXPENDITURE OF FIVE HUNDRED DOLLARS:

I CERTIFY that the value of the labor and improvements made upon, or for the benefit of, each of the locations embraced in said mining claim by the claimant or his grantors, is not less than Five Hundred Dollars, and that said improvements consist of:

Valley No. 1 Lode:

No. 1: The discovery shaft, on the lode line 742 feet from the east end center monument, 5x6 feet, 9 feet deep; value - - - - - \$ 75 00

No. 2: A trench, the west end of which bears from a point on the lode line 734.4 feet from the east end center ~~S~~24° East 35 feet, 8 feet wide, 3 feet deep, running South 35° East 60 feet; value- - - - - \$175 00

No. 3: A shaft which bears from a point on the lode line 734.4 feet from the east end center North 17° East 90 feet, 5x6 feet, 27 feet deep; value- - - - - \$540 00

No. 4: An open cut, the mouth of which bears from a point on the lode line 734.4 feet from the east end center North 29° East 103 feet, 4 feet wide, 5 feet face, running North 9 feet; value- - - - - \$ 30 00

VALLEY #. 2 Lode:

No. 1: The discovery shaft, on the lode line 470 feet from the west end center, 4x6 feet, 10 feet deep; value- - - - - \$ 75 00

SURVEY No. 3940 - cont.

No. 2: A shaft which bears from a point on the lode line 683 feet from the west end center South 25° West, 9 feet, 4x6 feet, 8 feet deep; value - - - - - \$ 50 00

No. 3: A shaft which bears from a point on the lode line 386.9 feet from the west end center South 54°05' West 73 feet, 4x6 feet, 5 feet deep; value - - - \$ 25 00

No. 4: A shaft, which bears from the tie point for improvement No. 3, 5.56°15' West 149 feet, 3x8 feet, 4 feet deep; value - - - - - \$ 25 00

No. 5: A shaft, which bears from the tie point for improvement No. 3, 575°45' West, 132 feet, 5x5 feet, 24 feet deep. From the bottom is a tunnel, 4x6 feet, running south 10 feet.

Total Value - - - - - \$460 00

INSTRUMENT:

The survey was made with a C. L. Berger mountain transit No. 13427. The courses were deflected from the true meridian as determined by observation of polaris at western elongation. The distances were measured with a 500 foot steel tape.

REPORT:

The lode line of each location of this claim was run directly upon the ground, and the several corners established by means of offsets from the lode lines. The tie lines were run by traverse as submitted in a separate report herewith.

The corner to Sections 1,6,7[&],12, on the west boundary of Township 13 South, Range 6 West, is a 2-inch iron pipe, brass capped, stamped T.13 S.-R.7 W.-S1-S12/R6W S6-S7.

Suitable bearing objects are not available for the corners of the locations.

All corners of this survey are identical with the respective location corners.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by E.C. Kinderman

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and

boundaries described in the foregoing field notes of the survey of the mining claim of _____

Sam Clark

known as the Valley No. 1 and Valley #2 lodes

and showing the respective capacities in which they acted.

A.K. Jones, Chainman.

Q.F. Martin, Chainman.

_____, Axman.

_____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, A.K. Jones and Q.F. Martin

and _____, do solemnly swear that we assisted E.C. Kinderman

_____, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of Sam Clark

known as the Valley No. 1 and Valley #2 lodes

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully

and correctly executed, and the corner and boundary monuments established according to law and the instruc-

tions furnished by the United States Surveyor-General for Arizona

A.K. Jones, Chainman.

Q.F. Martin, Chainman.

_____, Axman.

_____, Flagman.

Subscribed and sworn to by the above-named persons before me this 31st

day of March, 1924

Richard L. ...

my com exp 11/9/25

Notary Public

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, E. G. Kinderman, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated March 14, 1924, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Sam Clark, known as the Valley No 1 and Valley #2 lodes, situate in Alto Mining District, Pima County, Arizona, in Section 2 (Approx), Township No. 12 S., Range No. 7 W. Unsurveyed, and designated as Survey No. 2940, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

E. G. Kinderman
U. S. Mineral Surveyor.

Subscribed and sworn to by the said E. G. Kinderman
U. S. Mineral Surveyor, before me a notary public
in and for Maricopa Co. Ariz this 31
day of March, 1924

Rhodes Langford
notary public

my com exp "19/25"
6-1044

(4-688.)

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona.

May 26, 1924.

I, U. S. Surveyor General for District of Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of

Sam Clark

, known as the VALLEY NO. 1, and VALLEY #2 lodes

, situate in Ajo

Mining District, Pima County,

Arizona, in Section 2, Township No. 13 S.,

Range No. 7 W., Unsur., and designated as Survey

No. 3940, has been correctly copied from the originals on
file in this office; that said Field Notes furnish such an accurate description of said
mining claim as will, if incorporated into a patent, serve fully to identify the premises,
and that such reference is made therein to natural objects or permanent monuments as
will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended
or improvements made upon ^{each of} said mining claims by claimant or his grantors, and
that said improvements consist of 7 shafts, 1 cut, 1 trench, and 1
tunnel, total value \$1455.

and that no portion of said labor or improvements has been included in the estimate of
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,
Arizona, is correct and in conformity with the foregoing Field Notes.

Charles M. Donohoe

United States Surveyor General for Arizona.

4-687

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona.

May 26, 1924.

I, U. S. Surveyor General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Sam Clark

, known as the

VALLEY NO. 1, and VALLEY #2 lodes

situate in Ajo mining district,

Pima County, Arizona

in Section 2, Township No. 13 S., Range No. 7 W., Unsur.

, designated as Survey No. 3940

executed by E. C. Kinderman, U. S. Mineral

Surveyor, March 22 - 24, 1924, under my instructions dated

March 14, 1924, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.

Charles W. Donohoe.

U. S. Surveyor General for Arizona.