## MINERAL SURVEY No. 4004

	Arizona		Land Di	strict.
	FIE	LD NOT	ES	
	OF THE SURVE	Y OF THE MINING	CLAIM OF	
	James R Hubbs	rd		
		NOWN AS THE		
	DEMOCRAT and SHERMAN	lodes		
	Bragoon			. Mining District,
	Cochise	County,	Arizona	
Section <b>s</b>	17.19.20. UNApp Towns	hip 17 S.,	, Range	e 25 E.
	veyed under instructions			
		by 1/./		euris.
			<i>U</i> .	S. Mineral Surveyor.
	Claim locatedS	ee Location notic	ces.	., 19
	Survey commenced Ma	r. 19	~~~~	, 19 26
	Survey completed	April 25.		, 19 26
	Address of claimant	E.T. Cusick,	Atty. Tu	oson, Ariz.
	DATES OF	AMENDED LOCA	TIONS.	
	***************************************			

. does

Feet.

MINERAL SURVEY NO. 4004

DEMOCRAT Lode.

Beginning at Cor. No.1, identical with Loc. Mon. and Cor. No.2

Sherman lode of this Sur.

An iron pipe 1 in. diam. with cap on top, 18 ins. above ground, set 18 ins. in the ground, stamped 1 D, 2 S.-4004, with md of stone alongside, whence the Cor. to Secs. 13 and 24 T. 17 S., R. 22 E., brs. N.85°06'W., 2989.41 ft.

The Cor. to Secs. 17,18, 19 and 20, T.17S.,R.23 E. (unapproved) brs. N.6°21'W., 182.22 ft.

No other bearings are available.

310.00 To W. end center, identical with Loc. Mon.

An oak post 4 ins. diam. by 4 ft. high, set firmly in the ground and surrounded with md of stone 3 d/2 ft. base by 3 ft. high, scribed W. Cr. D.

620.0 To Cor. No.2, identical with Loc. Mon.

An iron pipe 1 in. diam. with cap on top, 18 ins. above ground, set

seribed. W. Cr. S.

618.0

0.023

1110.0

.wiredaswidton tord doing

No bearings are available.

Thence S.66°57'E. Va. 13°30'E.

1499.0 Gulch brs. southwesterly.

1500.0 To Cor. No.5, identical with Loc. Mon.

An iron pipe 1 in. dism. with cap on top, 18 ins. above ground, set 18 ins. in the ground, stamped, 3 D-4004

No bearings are available.

ebol faranced 4.on . 100 bus Thence S. 38 03 W. Thence S. 38 03 W. Thence S. 38 03 W.

Ampane post 4 ins. sq. by 4 ft. high, set firmly in the ground,

and surrounded with md. of stone 3 1/2 ft. base by 3 ft. high, scribed B. Cr. D.

620.0 To Cor. No.4, identical with Loc. Mon. and Cor. No.3 Sherman lode of this Sur.

MINERAL SURVEY NO. 4004. Feet. DEMOCRAT Lode - Cont'd. An iron pipe 1 in. diam. with cap on top, 18 ins. above ground set 18 ins. in the ground, Stamped 4 D. 3 S - 4004, with md of stone An iron pipe I in. dien. with cap on top, is inc. ebisgnole ound. erota to be atiw . And . . No bearings are available. mi .emi 31 des .. Thence N. 66.57.W. enr comenue, editorials. Va. 13.30 E. bra. W. 66 "06'W., 2989.41 ft. Gulch brs southwesterly. 390.0 To Cor. No.1, the place of beginning. 1500.0 SHERMAN Lode. th 38.381 .. W.1378.E .. Beginning at Cor' No.1, identical with Loc. Mon. An iron pipe 1 in. diam. with cap on top, 18 ins. above ground, set 18 ins.in the ground, stamped, 1 S - 4004, with md of stone alongside whence, the Cor. to Secs. 15 and 24 T. 17S.R.22 E., brs. N.74°01'W., and surrounded with md of stone 3 d/2 fo. base by . 17.7. 2000. No other bearings are available. Thence N. 38°03'E. robi .S.ol . 100 of 0.083 Va. 13.30'E. An iroz pipe 1 in. diam. with cap on top, got on in A 310.0 An oak post 4 ins. diam. by 4 ft. high, set firmly in the ground and surrounded with md of stone 3 1/2 ft. base by 3 ft. high, Thence 2.65°57'E. scribed. W. Cr. S. Gulch brs. northwesterly. 1499.0 Galoh bre continuesterly. 615-0 To Cor. No.2, identical with Loc. Mon. and Cor. No.1 Democrat lode 620.0 baser of this Spr., heretofore described. At I egis nout as Thence S.66°57'E. nurra ent ni .eni 81 fee Gulch brs. southwesterly. 1110.0 To Cor. No. 5, identical with Loc. Mon. and Cor. No.4 Democrat lode 1500.0 of this Sur, heretofore described news, resues bas . 2 0.013 , haden out at ylentif for .Thence S. 38.03 W. and A foot make the 250.0 Gulch brs. westerly. To E. end center, identical with Loc. Mon. 510.0 To Cot. No.4, identical with Loc. Mon. and Cot. Ro. Sherwn lode 0.088 of this Sur.

MINERAL SURVEY No. 4004. Feet. SHERMAN Lode - Cont'd. HINTH AVIT TO SHUTTIMESTE moon sham An oak post 4 ins. diam. by 4 ft. high, set firmly in the ground and surrounded with md of atone 3 1/2 ft. base by 3 ft. high, berhand scribed. E. Cr. JS. st arotners sid to themisis end to misis Gulch brs. northwesterly convergmi bias sunt bus . stallob 360.0 To Cor. No.4, identical with Loc. Mon. 620.0 An iron pipe l in. diam. with cap on top, 18 ins. above ground, set 18 ins. in the ground, stamped, 4 S - 4004 No bearings are available . .W'SI'S .M 4.0M .TOO morThence N. 66°57'W. Jaco ent . Trade A S.OM To Cor. No.1; the place of beginning. 1500.0 No. 3 A shaft, the center of which bra. from Cor. No.4 N. 72 W. O.COIS suisv As near as can be determined from the present developments, the veins of the several locations, embraced in this survey, extend as follows from their respective discovery points. Democrat Lode, 600 ft. S.66°57'E. and 900 ft. N.66°57'W. Sherman lode, 350.0 ft.S.66.57'E., and 1150.ft. N.66.57'W., of A cut, the mouth of which is enter line 700 it. Total area Sherman lode. - 20.622

The survey of each lode of this location is identical with the respective locations as staked upon the ground.

trom the center of line 5-6, d x 6 ft. running H.20° E.,47 ft.

This Survey is located in the N.E. 1/4 Sec. 19/ the N.W. 1/4

Sec. 20 and the S.W. 1/4 Sec. 17, T.17 S. R.25 E., (unapproved)

in the Coronado National Forest.

No.7 A twinnel, the mouth of which bre from Cor. No.2 S.25 15 2.

780 ft. 4 x 6 ft. ramning B.36°E., 95 ft.

Mo. S shaft, the center of which bro. from Cor. Wo. 2, 5.25 15 M.

620.0 ft. 4 x 6 ft. 26 ft. deep.

Value : 250.0

#### MINERAL SURVEY NO. 4004.

## EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon or for the benefit of each of the locations embraced in said mining claim by the claimant or his grantors is not less than five hundred dollars, and that said improvements consist of:

## DEMOCRAT Lode. facionali . 2.04 .200 of 0.080

No.1, the discovery point, on the center line (on cropping) 600 ft. from the center of line 3-4, A md of stone:

. oldelisva ere agriteno value.

No.2 A shaft, the center of which brs. from Cor. No.4 N.35°15'W., 620.0 ft. 4 x 6 ft. 10 ft. deep.

No.3 A shaft, the center of which brs. from Cor. No.4 N.32 W.,

590.0 ft. 4 x 6 ft. 10 ft. deep.

Value \$100.0

from the center of line 3-4, 4 1/2 ft. wide, 10 ft. face, running
N.20° E., 15 ft. to face. From face is a tunnel 4 x 6 ft. running
S:66° E., 50 ft. to face:

Value Cut and Tunnel \$700.0

No.5 A cut, the mouth of which is on the center line 700 ft.

from the center of line 3-4, 4 1/2 ft wide 10 ft. face running

N.20° E., 18 ft. to face. From face is a winze 4 x 6 ft. 15 ft.

deep.

Value Cut and winze \$250.0

No.6 A tunnel, the mouth of which is on the center line 725 ft.

from the center of line 3-4, \$ x 6 ft. running N.20° E.,47 ft.

to Shael .From Sta. 1 is a dwiftl4 x 6 ft. running S 66° E., 25 ft.

to face. From Sta. 1, another drift 4 x 6 ft. running N.66° W.,25 ft.

to Face.

Total value \$ 970.0

No.7 A tannel, the mouth of which brs from Cor. No.2 S.28°15'E.,
780 ft. 4 x 6 ft. running N.36°E., 95 ft.
Value \$950.0

No.8 S shaft, the center of which brs. from Cor. No. 2, S.25°15°E., 620.0 ft. 4 x 6 ft. 25 ft. deep.

Value \$250.0

New y

#### MINERAL SURVEY NO. 4004

### EXPENDITURE OF FIVE HUNDRED DOLLARS - Cont'd.

#### DEMOCRAT Lode, Cont'd.

The lode line of each location of this olaim was run directly No.9 A cut, the mouth of which brs. from Cor. No. 4 N.48°15'W., 480 ft., 4 1/2 ft. wide, 8 ft. face. running N.38° E., 15 ft. to ant 2 or face. it as at 2 St. R. 2 Vf. T AS Das di value \$100 off

No.10 A cut, the mouth of which brs. from Cor. No. 4'N.43°20'W., 570 ft., 4 1/2 ft. wide, 8 ft. face, running N 10° EL, 15 ft. to face.

(bevorgganu) .a 68 .a .a vi.r os bas er at. vr. Value \$100.0 add

5.20 T.17 S. R. 25 E.

# consists of an iron pipe with break can Stamped S 17, 2.18, S 19 and.

No.1 The discovery out, the face of which being the discovery point, on the center line 350 ft. from the center of line 3-4, 4 1/2 ft. wide 8 ft. face running N.35° E., 15 ft. to mouth. Value \$100.0 'Adjoining Claims.

No. 2 A cut, the mouth of which brs. from Cor. No. 4 N.38°30°W., 550 ft. 4 1/2 ft. wide 8 ft. face, running S.28° W., 15 ft. to face. .MOI TAVITUEED HATOR Value \$100.0

2-M- 40 016 '47"

No. 3 A, cut, the mouth of which brs. from Cor. No.4 N.1.45'E., 420 ft. 4 1/2 ft. wide, 10 ft. face, running N. 37° E., 20 ft. to face From face is a tunnel 4 x 6 ft. running N.70°E., 25 ft. to face. Value Cut and tunnel \$ 400.0

No.4 A shaft, the center of which brs. from Cor. No. 2 S.38° E., 76 ft. 4 x 6 ft. 6 ft. deep.

9.8861221

9.8105819

Value \$60.0, 200.08

#### INSTRUMENT.

H aco I sec

This survey was made with a Curley Mountain transit, the courses w were deflected from the true meridian as determined by direct solar observations. The distances were measured with a 500 ft. steel Set up at W. end center, Democrat lode, F S along lode, time.

#### MINERAL SURVEY NO. 4004

EX EMPTIONS OF FIVE SUPERED DOLLARS - CORT. 6. REPORT.

The lode line of each location of this claim was run directly upon the ground, and the corners were established by running around the claims. I patemer . seat . of 8 . obiw . or 2 / 2 . . of 985

The Cor. to Secs. 13 and 24 T.17 S. R. 22 E is an iron pipe 3 ins. diam. showing 24 ins. above ground, capped with brass and stamped S.13, S 24, T 17 S. R.22 E. on W side and T.17S R. 25 E., S 18 on E side.

The Cor. to Secs. 17,18 19 and 20 T.17 S. R. 23 E. (Unapproved) consists of an iron pipe with brass cap Stamped S 17, S.18, S 19 and S.20 T.17 S. R. 23 E.

We I The discovery out, the face of which being the discovery point, on the center line 350 ft. from the center of line 3-4.

A 1/2 ft. wide 8 ft. face reming 1.35 ft., 18 ft. to mouth. 0.0019 oulsv

Adjoining Claims.

There are no adjoining or conflicting claims known.

esst of . 17 de .. 38 do in the entire transcript. SOLAR OBSERVATION.

0.0013 onisv Direct Solar observation, taken March 19, 1926 at 2:40 PM Solar time, Sun bisected. - Lat. 51°57°. - Lon. 110° 01°

Apparent declination- 0° 44° 21.9 " -Dif.in time 10 Hrs.

'9' 58

0° 34' 28.9" H ... ogming N. 70°E. . 25 ft. to face. 0.004 \$ feams bas tal entay = P

L = 31°57' .H = 41°57°56" (Appt Alta-41°59°) 19300 odd , flads A 2.0%

P = 90 -34 29"

164 029 '25" 82°14'45'25'34 onisy Sin 1/2 A = \(\(\sin S-L\) (S-H)

S-L= 50°17'43" S-H= 40°16'47" 9.8861221 9.8105819 0.0713429

2) 19.8967385 9.9483693 = 62°36'45" = 1/2 A 125°13'26" = A

dounts it transit, the courses 189 125 13 26" S54 46 34"W Bearing of Sun.

124 43 50" Ang. to left from sun. Leads . 12 000 a notice of the second of line. and developed

Set up at W. end center, Democrat lode, F S along lode line.

# FINAL OATHS FOR SURVEYS.

#### LIST OF NAMES.

A list of the na	mes of the individuals employed by
	ral Surveyor, to assist in running, measuring, and marking the lines, corners, and
	d in the foregoing field notes of the survey of the mining claim of
	James R. Hubbard
	DEMOCRAT and SHERMAN lodes
and showing the res	pective capacities in which they acted.
	Hilario Talavera , Chainman.
	, Chainman.
	, Axman.
	, Flagman.
	FINAL OATHS OF ASSISTANTS.
We. I Hila	rio Talavera
	, do solemnly swear that we assisted
	, United States Mineral Surveyor, in marking the corners and surveying
the boundaries of th	e mining claim of James R. Hubbard
known as the	DEMOCRAT AND SHEEMAN lodes
represented in the fo	regoing field notes as having been surveyed by said mineral surveyor and under his
	aid survey has been in all respects, to the best of our knowledge and belief, faithfully
	d, and the corner and boundary monuments established according to law and the instruc-
and correctly chocate.	Office Cadastral Engineer  United States Surveyor-General for Phoenix, Ariz.
tions furnished by the	United States Surveyor-General for Phoenix, Aris.
	Hilario Talanera chainman.
in the	, Chainman.
	, Axman.
	, Flagman.
- + 1 g	용기 교육 가장 이 사람들이 가장 살아 있는 것이 없는 것이 없는 것이 없는 것이 없는 것이 없는 것이 없다.
stall of an	sound sworn to by the above-named persons before me this 23 4
County of coes	usday of Elpril , 1976
	a Heake
	notary Publi
	my com Expers Jans 1930

## FINAL OATH OF U. S. MINERAL SURVEYOR.

I, T.N. Stev	ens	, U. S. M	lineral Surveyor,
do solemnly swear that, in pursuance of	instructions received for	rom the Office Cad	lastral Engineer,
nt Phoenix, Ariz.	dated Mar. 9	April 20	1926
have, in strict conformity to the laws of	of the United States, tl	ne official regulation	ons and instruc-
ions thereunder, and the instructions of	said Office Cadastral	Engineer, faithful	ly and correctly
xecuted the survey of the Mining Claim			
			, known as the
DEMOCRAT and SHERMAN			
ituate in Dragoon			Mining District,
Coohise	County,	Ariz.	, in Section
20 (unapprovéňownship No. 17. S.,			
nd designated as Survey No4004			
the foregoing field notes, which accurat			
narked by monuments on the ground, as			
ate, which was received by me from the			
hat all corners of said survey have been		The Samuel Control	
he law, official regulations and instruction			
oregoing are the true and original field i			
abor expended and improvements made			
rantors are as therein fully stated, and			
hereof are specified therein with partice			
r improvements so credited to this claim	has been included in	the estimate of ex	penditures upon
ny other claim.			
	/16	120	
		T. S. M	Tineral Surveyor.
		0.0.02	one at Surveyor.
	14 8	A 1	
Subscribed and sworn to by the said		erens	4
U. S. Mineral Surveyor, before me	Machelle 1	des a 7	ralary
Sublic in and for		this26	0
day of, 19		,	
OTAGE	M	ebelle Le	11/
my cam expuse	, ru	, C	00.
my Com. expires Feb. 6, 1928.	77	story Si	ublic
	GOVERNMENT PRINTING OFFICE		
		V	

# U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

# Department of the Interior, PUBLIC SURVEY OFFICE. OFFICE OF U. S. SURVEYOR GENERAL.

	Phoen:	ix, Arizona,		
		<u>N</u>	ay 18	, 1926
I, <del>U. S. Surveyor (</del>	General for Office Cade	estral Engine	er at Pho	enik. Ariz
	the foregoing transcript of the			
	James R.			
	DEMOCRAT and			
	Drago			
Mining District,	Cochise	County	Ar1z	ona
n Section 8 17,19,	Unapproved 20, Township No. 17 S	, Range No	23 E.	, and
	o4004, has be			
	eld Notes furnish such an acc			
	nt, serve fully to identify the p			
	manent monuments as will pe			made merent
onsist of 7 cuts,	mining claimSby claimant. or. 4 tunnels, 4 shaft	s, l winze,	and 2 dri	fts, total
				***************************************
	aid labor or improvements has	s been included in t	he estimate of	expenditures
I further certify that	t the plat thereof, filed in the	U.S. Land Office at	Phoenia	
	is correct and in confor			
			Adams	
	Office United States Surveyor	Cadastral Er	gineer, F	hoenix, Ari

# CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

#### DEPARTMENT OF THE INTERIOR

PUBLIC SURVEY OFFICE

		At Phoenix, Arizona,			
				May	18, 1926
I, Office Cadastral	Engineer at	Phoenix,	Arizona,		
do hereby certify that	the foregoing and	hereto attached I	Field Notes and	d Return of th	e Survey of the
Mining Claim of					
	Jan	es R. Hubba	rd		
					, known as the
	DEMOCRAT	and SHERMA	N.lodes		
situate in		Dragoon		***************************************	mining district,
Co	chise	County,		Arizona	***************************************
in Section s 17,19,					
, (	lesignated as Surv	ey No		4004	
executed by	T. N.	Stevens			, U. S. Mineral
Surveyor,	March 19 -	April 23	, 1926	, under my in	structions dated
March 3, March	9 and April	20, 192 6, hav	e been critical	ly examined a	nd the necessary
corrections and explana	ations made, and t	the said Field Not	ses and Return	, and the Surv	ey they describe,
are hereby approved.	The certified copy	y of the location o	ertificate filed	by the applic	ant for survey is
on file in this office a	ad a true copy of	said certified cop	y of said locat	tion certificate	is included and
made a part of the trai	ascript of the field	notes.		Lu DU	Haus .
			///		

Office Cadastral Engineer, Phoenix, Arizona

COVERNMENT PRINTING OFFICE