A

A	rizona	Land Dist	rict.
	FIELD N	OTES	
ог тн	E SURVEY OF THE	MINING CLAIM OF	
Verde C	entral Mines,I	nc	<u>'</u>
	KNOWN AS	тне	
Sans Gene	No.1 and Sans	Gene No.2 lodes	
		Л	
		Arizona	
ction 27 Unsurveyed,	Township 16 N.		P.C.& C.P.P.
Surveyed under instru			
	by	Alfred B.Colwell	
			Mineral Surveyor.
Claim located	See location	notices, 1	9
Survey commen	ced April 2		926
Survey completes	dApril 10	, 18	926
Address of clain	nant Box M.	Jerome, Arizona	, 2
DATE	S OF AMENDED I	OCATIONS.	

6-822

Sans Gene No.1 lode.

Beginning at Cor. No.1

On line 3-4 Sans Gene No.2 lode of this survey at S.20° 21'W. - 509.59 ft.from Cor.No.4

A porphyry rock 4 x 12 x 20 ins. set 12 ins.in the ground chiseled + at exact corner point and S.G.1,1-4008 with mound of rock alongside whence

The S.W.Cor.Sec.23 T.16 N.R.2 E.G.& S.R.B.& M. bears

N.71°22'40"E.- 4291.44 ft.

No other bearings available.

Thence S.20°21'W.

371.95 Intersect line 293 Sur.No.1351 Lucky Boy South Extension lode, claimants unknown, at N.0°01'W.- 57.44 ft.from Cor. No.3 and S.0°01'E.- 62.02 ft.from the calculated position of Cor.No.5 Sur.No.2463 Tiger No.2 lode, claimant unknown.

448.58 Intersect line 2-3 Sur.No.2463 Tiger No.3 lode at N.61° 36'45"E.- 830.97 ft.from Cor.No.3 and N.61°36'45"E.-27.19 ft.from Cor.No.4 Tiger No.2 lode of said survey.

863.00 Jerome Prescott Highway, 20 ft.wide, course East and West. 990.41 To Cor.No.2

Identical with Cor. No. 3 Sans Gene No. 2 lode of this survey, and on line 4-1 Sur. No. 1615 Gold Hill lode, claimant herein.

A + at exact corner point and 2-S.G.1,3-S.G.2-4008 chiseled on vertical face of ledge of rock in place, with mound of rock alogside.

Whence Cor.No.3 Sur.No.1351 Lucky Boy South Extension lode and Cor.No.2 Sur.No.2463 Tiger No.3 lode, bears N.22°22'40"E. 564.97 ft.

Thence N.81°05'W

306.07 S.W. End Center, a monument of rock.

386.00 Middle of Walnut Creek, 20 ft. wide, course South-easterly

533.65Cor.No.4 Sur.No.2463 Tiger No.3 lode Whence Cor.No.3 of said lode, which is identical with Cor.No.3 Tiger No.2 lode of said survey, bears N.27°02'W.- 33.93 ft.

535.01 Cor.No.1 Sur.No.1271 Red Jacket lode, United Verde Copper Company claimant and Cor.No.1 Sur.No.3075 Jumbo lode claimant unknown, also Cor.No.4 Sur.No.1615.Cold Will lode

601.89 Intersect line 2-3 Sur. No. 593 Wade Hampton and Sleeping Beauty M.S. United Verde Copper Company claimant, at N.179 35'E .- 18.89 ft.from Cor. No. 3 and S.17°35'W.-81.69 ft. from its intersection with line 1-2 Sur. No. 1271 Red Jacket lode.

612.14 To Cor. No. 3

A diorite rock 6 x 12 x 36 ins.set 16 ins.in the ground chiseled + at exact corner point and S.G.1,3-4008 with mound of rock alongside. Whence Cor. No. 3 Sur. No. 593 Wade Hampton and Sleeping Beauty M.S. bears S.12°43'E. - 20.09 ft.

A + and B.R.S.G.1,3-4008 chiseled on 4 x 6ft.ledge of rock in place bears S.89°36'W.- 33.5 ft.

Thence N.20°21'E.

- 89.62 Intersect line 1-2 Sur. No. 1271 Red Jacket lode at N. 25° 08'W.-106.02 ft.from Cor.No.1 and 8.56 ft.from its intersection with line 2-3 Sur. No. 593 Wade Hampton and Sleeping Beauty M.S.
- 160.00 Middle of Walnut Creek, 20 ft. wide, course South-easterly.
- 209.99 Intersect line 2-3 Sur. No. 593 Wade Hampton and Sleeping Beauty M.S.at N.17°35'E. - 227.10 ft.from Cor. No. 3
- 250.00 Middle Jerome-Prescott highway, 18 ft.wide, course North west and Southeast.
- 254.04 Intersect line 4-5 Sur. No. 2463 Tiger lode, at N. 56°W. 48.53 ft.from the calculated position of Cor.No.5 which
- is identical with Cor.No.2 Tiger No.2 lode of said survey.

 Cor.No.3 said Tiger No.2 lode brs.S.19°W.204.12 ft.from

 Gor. No. 2 thereof.

A limestone rock 5 x 13 x 20 ins.set 11 ins.in the ground chiseled + at exact corner point and S.G.1,4-4008, Whence B+R.S.G.1,4-4008 chiseled on flat lime ledge hears S.47° 06 W. - 25.4 ft.

Thence S.81°05'E.

- 306.07 N.E. End Center, a monument of rock.
- 481.10 Cor. No. 6 Tiger lode and Cor. No. 1 Tiger No. 2 lode Sur. No. 2463 whence Cor. No. 5 Tiger lode, identical with Cor. No. 2 Tiger No.2 lode bears S.47°04'W.-943.97 ft.

atsd intersect line 2-3 Sur No. 1351 Lucky Boy South

Extension lode at N.0°01'W.-426.50 ft.from Cor.No.3

Line 5- Lsaid Tiger No.2 lode is 5.0° iE-307.04 ft. and line 5-4 thereof is
612.14 To Cor.No.1, The place of beginning.

Sans Gene Mo.2 lode.

Beginning at Cor. No.1

A porphyry rock 4 x 14 x 32 ins. set 16 ins.in the ground, chiseled + at exact corner point and S.G.2,1-4008 with mound of rock alongside.

Whence

The S.W.Cor. Sec.23 T.16 N.R.2 E. G.& S.R.B.& M.bears
No.73°16'110"E. -03430.00 uft. an lode hears W.15°28'W.316.60

Cor.No.1 Sur.No.1615 Sulivan lode bears N.15°28'W.316.60ft Cor.No.2 Sur.No.3474 Sunset lode, claimant unknown, bears

N.84°36'W.- 229.45 ft. A ledge of rock 3 x 4 ft.chiseled B.+ R., S. G.2,1-4008 bears N.76°35 W.-17.00 ft.

Thence S.20°21'W.

- 45.81 Intersect line 3-4 Walnut Creek and line 1-2 Sulivan lode
 Sur.No.1615, at S.11°08'F.- 189.26 ft. from Cor.No.4
 Walnut Creek and 354.76 ft.from Cor.No.1 Sulivan lodes.
- 892.96 Cor.No.1 Last Change and Cor.No.4 Sulivan lodes Sur.No.

 1615 whence Cor.No.5 Last Change lode bears N.81°05'W.

 313.88 ft.
- 20 Center Jerome -Prescott Highway, 20 ft.wide, coursewesterly and North-easterly.
- 1240 Middle of Walnut Creek, 20 ft.wide, course South easterly.
- 1500.00 To Cor.No.2 Mass Idel. of and 9-1 acti assessed

Identical with Cor. No. 3 Last Change, Cor. No. 1 Black and Cor. No. 4 Blue Bird lodes, Sur. No. 1615

A + and S.G.2,2-4008 chiseled on large buried boulder, showing 2 x3x4 ft.above ground, with mound of rock alongside.

Cor.No.4 Sur.No.1615 Last Change lode bears N.27°04'W.
693.36ft.
Cor.No.6 Sur.No.2463 Tiger No.3 lode bears N.27°04'W.
100.80 ft.

Thence N.81°05'W.

- 230 Walnut Creek 16 ft.wide, course Mortheast.
- 291.28 Cor.No.5 Sur.No.2463 Tiger No.3 lode and North center end Sur.No.1615 Black lode, whence Cor.No.6 Tiger No.3 lode bears N.79°33'E.- 245.97 ft.

306

5

- 306.07 S.W. End Center, A monument of rock.
- 591.45 Cor.No.4 Black and Cor.No.1 Gold Hill lodes, Sur.No.1615
- 612.14 To Cor.No.3

Identical with Cor. No. 2 Sans Gene No. 1 lode of this survey previously described.

Thence N.20°21'E.

- 127.41 Jerome-Prescott Highway, 20 ft. wide, course East and West.
- 541.83 Intersect line 2-3 Sur.No.2463 Tiger No.3 lode at S.61°

 36' 45"W.- 30.31 ft.from Cor.No.2, which is identical with Cor.No.3 Sur.No.1351 Lucky Boy South Extension lode and whence line 3-4 said Lucky Boy South Extension lode runs N.89°54'E.-601.08 ft. to Cor.No.4. From Cor.No.3

 Lucky Boy South Extension lode Cor.No.1 Sur.No.2463 Tiger No.3 lode, identical with Cor.No.4 Sur.No.1615 Last Change lode bears N.89°54'E.-74.15 ft. and point for Cor.No.5 said Last Change lode bears N.89°54'E.- 290.67 ft.
- 618.46 Intersect line 2-3 Sur.No.1351 Lucky Boy South Extension lode at N.0°01'W.- 57.44 ft. from Cor.No.3
- 990.41 Cor. No.1 Sans Gene No.1 lode of this survey.
- 1500.00 To Cor.No.4

A limestone rock 4 x 10 x 24 ins.set 12 ins.in the ground with mound of rock alongsid chiseled + at exact corner point and S.G.2,4-4008 whence

Thence S.81°05'E.

- 299.86 Intersect line 1-4 Sur. No. 1351 Lucky Poy South Extension lode at N.0°07'E. 836.45 ft.from Cor. No. 4
- 303.67 Intersect line 4-5 Sur. No.1615 Sulivan lode at N.0°22'

 30"E.- 885.07 ft.from Cor. No.4 and 835.88 ft.from Cor. No.4

 Sur. No.1351 Lucky Boy South Extension lode, which is on said line 4-5 Sulivan.
- 306.07 North east End Center, A monument of rock.
- 370.39 Intersect line 2-3 Sur. No. 3474 Sunset lode at N. 33°13'
 20"W.- 18.98 ft.from Cor. No. 2
- 398.13 Intersect line 1-2 Sur.No.3474 Sunset lode at N.55°45'E.

 20.57 ft.from Cor.No.2
- 586.67 Intersect line 3-4 Walnut Creek and line 1-2 Sulivan lode,
 Sur.No.1615 at S.11°08'E.- 141.46 ft.from Cor.No.4 Walnut
 Creek lode and 306.96 ft.from Cor.No.1 Sulivan lode.

612.14 To Cor. No.1, The place of beginning.

Variation at all corners 14°30'E.

Lode lines.

As near as can be determined from present developments the veins of the several locations embraced in this claim extend as follows from their respective discovery points:

Sans Gene No.1 lode, -S.20°21'W.-100 ft.and N.20°21'E.890.41 ft.
Sans Gene No.2 lode, -S.20°21'W.-145 ft.and N.20°21'E.1355 ft.

--Area --

Total area Sans Gene No.1 lode 13.642 Acres Area in conflict with

Total area Sans Gene Mo.2 lode, 20.661

Area in conflict with
Sur.No.1351 Lucky Boy South
Extension lode, ... 9.142 Acres
Sur.No.1615 Sulivan lode ... 3.086
Sur.No.1615 Walnut Creek lode ... 013
Sur.No.1615 Last Change lode ... 3.679
Sur.No.2463 Tiger No.3 lode ... 4.238
Sur.No.3474 Sunset lode ... 004
Sur.No.3474 Sunset lode

Exclusive of its conflict with Sur.No.1615 Sulivan lode000 "

The survey of this claim is identical with the respective amended locations.

Location

This claim is situated in Sec.27 Unsur. T.16 N.R.2 F. Gila and Salt River Base and Meridian, and within the Prescott National Forest.

Adjoining Claims.

On the North-Sur.No.2463 Tiger, Sur.No.1351 Lucky Boy South Extension, Sur.No.1615 Sulivan and Sur.No.3474

7

Sunset, lodes.

On the East- Sur. No. 1615 Sulivan, Wanut Creek and Last Change lodes.

On the South: - Sur. No. 1615 Gold Hill and Black lodes.

On the West: -Sur. No. 593 Wade Hampton and Sleeping Beauty

M.S. and Sur. No. 2463 Tiger lode, also Sur. No. 1271 Red Jacket lode.

The Tiger No. 2 and Tiger No. 3 lodes, Sur. No. 2463 are entirely in conflict with this survey.

Expenditure of Five Hundred Dollars.

I certify that the value of the improvements upon this made thereon claim,/by the claimant and its grantors is not less than five hundred dollars, and that said improvements consist of the following:

Sans Gene Mo.1 lode.

No.1 The discovery shaft on the lode line at 100 ft.from the Southerly end center, 4 x 9ft. 20 ft.deep, from the bottom a 4 x 62ft.drift runs S.80°W.- 56 ft. Thence

North 14 ft.to face and from the shaft a drift 4 x 62ft.

runs Ne80°E.- 20 ft. all in hard greenstone.

Value of Shaft and Drifts. \$1750

No.2 A tunnel, the mouth of which bears from Cor. No.2 N.13° 45 W.- 382 ft. Running thence N.4°F.- 55 ft. Thence N.50°E.- 26 ft.to Pt.a Thence N.70°E.- 15 ft.to face. and from Pt.a a drift runs North 34 ft.to face, All 4 x 62 ft.in rock.

Value of last 34ft.of drift \$428

Balance of tunnel run and abandoned by former owners unknown.

Sans Gene No.2

- No.1 The discovery shaft, on the lode line at 145 ft.from the Southerly end center, 4 x 6ft. 10 ft.deep in greenstone.

 Value \$100
- No.2 A shaft which bears from Cor.No.2 N.56°W.-340 ft. 4 x 7ft.

 20 ft.deep. At the bottom a drift runs S.85°W.- 10 ft. $4 \times 6\frac{1}{2}$ ft.

Value of Shaft and Drift. \$550

No.3 A cut and tunnel, the mouth of cut bears from Cor.No.2

N.59°50'W.- 340 ft. Running thence N.65°W.- 24ft.to 12

ft.face, whence tunnel runs N.70°W.- 16.5 ft. to 4 x6½ft.
face. Value of cut and Tunnel \$265.00

Other Improvements.

Sans Gene No.1 lode.

An open cut, the mouth of which bears from Cor.No.2

Sans Gene No.1 lode N.70°35'W.- 320 ft. Running thence

North 32 ft. to 10 ft.face., Claimant unknown.

An open cut the mouth of which bears from Cor.No.3 Sans

Gene No.2 lode, N.23°10'E.- 480 ft. Running thence West

16 ft. to 4 x 10ft.face. Claimant unknown.

Instrument

This survey was made with a C.L.Berger & Sons.transit.

The courses were deflected from the true meridian as determined by direct solar observations. Distances were measured with steel tapes.

Report.

The lines of this survey and ties to conflicting claims were run upon the ground. The connection with the S.W. Cor.Sec.23 T.16 N.R.2 E. as given herein was calculated through Sur.No.4007 Wite Hope lode as shown on accompanying traverse. The said Sec.Cor.is a l in.pipe with bronze cap, properly lettered.

Sir.No.593 Wade Hampton and Sleeping Beauty M.S.- The corners of this survey were re-established and marked with concrete monuments several years ago by the engineers of the United Verde Copper Co.

Evidence on the ground corroborates their re-establishment of Cors.Nos.1, 3 and 4 I am unable to find any corroborative evidence of the present position of Cor. No.2 and do not know how it was determined, but am assuming it is correct as I can find no evidence to the

contrary.
Sur. No. 1271 Red Jacket lode, - Corners have been replaced
by concrete monuments, apparently in their original position. The same is true on Sur. No. 1351 Lucky Boy South
Extension lode.

Sur.No.1615-Cor.No.1 Gold Hill lode identical with Cor.No.4 Black lode. is the original stone corner, properly marked. Cor.No.4 Gold Hill, identical with Cor.No.1 Sur.No.1271

Red Jacket and Cor.No.1 Sur.No.3075 Jumbo lodes-is replaced by a concrete monument.

Cor.No.1 Black, identical with Cor.No.4 Blue Bird and Cor. No.3 Last Change lodes- The original stone has been destroyed, but approximate position indicated by remains of rock base. It was replaced as indicated in these notes. Cors.Nos.1,2 and 4 Last Change lode are original stones in place properly marked. Cor.No.5 Last Change lode has been destroyed, Its position was assumed as on line2-3 Sur.No.1351 Lucky Boy South Extension lode, at N.81°05'W. from Cor.No.1 said Last Change lode.

Sulivan lode- All corners are original stones in place properly marked.

Sur. No. 2463

Tiger lode- Cors.Nos.l and 6 are the original stones in and Cor.No.5

place. Cor.No.4/have been destroyed by road excavation,.

of Cor.No.5

for the purpose of this survey I have assumed the position.

at N.19°E. from Cor.No.3 and S.47°04'W.-from Cor.No.1

Tiger No.2 lode, both of said corners being the original marked stones in place and the courses of lines of said

Sur.No.2463 being generally more accurate than the recorded lengths.

The original notes of said Sur.No.2463 state that Cor.No. 2 Tiger No.2 lode was by calculation made identical with Cor.No.2 Sur.No.593 Wade Hampton and Sleeping Beauty M.S. said calculation must have been in error as from present evidence there could have been no actual identity of said corners. Cor.No.4 Tiger No.2 lode is the original marked stone in place. Cor.No.5 said lode has been destroyed, its position was assumed as on line 2-3 Sur.No.1351 Lucky Boy South Extension lode and at N.19°E.- from Cor.No.4 Tiger No.2

lode.
Tiger No.3 lode, All corners not heretofore described are original marked stones in place.

Sur.No.3474 Sunset lode, - All corners are concrete monuments, 12 in.above ground, iron pipe in center. The stone set for Cor.No.4 Sans Gene No.1 lcde was the largest which could be found that was suitable for marking.

Note

Discrepancies between these field notes and the amended location notices are due to errors in the latter.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals emp	ployed byAlfred B.Colwell
United States Mineral Surveyor, to assist in	running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field not	es of the survey of the mining claim of
Verde Centre	al Mines Inc.
	L and Sans Gene No.2 lodes
and showing the respective capacities in which	they acted.
	W.H.Harden , Chainman.
	, Chainman.
	, Axman.
	Flagman.
FINAL OATH	S OF ASSISTANTS.
XXe, I	.en
	, do solemnly swear that we assisted
	Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of	Verde Central Mines Inc.
known as the Sans Gene No.1 and	d Sans Gene No.2 lodes
represented in the foregoing field notes as havi	ng been surveyed by said mineral surveyor and under his
direction; and that said survey has been in all re	espects, to the best of our knowledge and belief, faithfully
and correctly executed, and the corner and bounda	ary monuments established according to law and the instruc-
office Cadastral tions furnished by the United States Surveyor-Ge	Engineer, at Phoenix,
	Motordanden, Chainman.
	, Chainman.
	, Awman,
	, Flagman.
Subscribed and sworn to by t	the above-named persons before me this /2/4/
day of apri	e, 19 %
	Roward Bracie
· my commission	- norton Bracio.
experies Frb. 9.19 7	Q 6—1043

FINAL OATH OF U. S. MINERAL SURVEYOR.

1,	Alfred B.Colw	ell	, U. S. Mineral Surv	evor.	
do solemnly swe	ar that, in pursuance of ins	structions received	from the Office Cadastral Engi	neer	
at Phoen	ix, Arizona	, datedN	farch 30-1926	,	
I have, in strict conformity to the laws of the United States, the official regulations and instruc-					
tions thereunder,	and the instructions of sa	id Office Cadastra	al Engineer, faithfully and corre	ectly	
executed the surv	vey of the Mining Claim of	Verde C	entral Wines Inc	19.2	
			, known as	tha	
	Sans Gene No.1 ar	nd Sans Gene	No.2 lodes	, 0110	
situate in	Verde		Mining Dist	rict.	
Yava]	pai	County,	Arizona , in Sec	tion.	
27 unsur, T	ownship No. 16 N., I	Range No. 2 E.	G.& S.R.B.& M.	01011	
and designated as	Survey No	4008	, as represen	nted	
in the foregoing fi	eld notes, which accurately	show the boundar	ries of said mining claim as distinc	ctly	
marked by monur	nents on the ground, and	described in the a	ttached copy of the location cer	tifi-	
cate, which was r	eceived by me from the Of	ffice Cadastral En	ngineer with said instructions,	and	
that all corners of	said survey have been es	tablished and per	rpetuated in strict accordance w	rith	
the law, official reg	gulations and instructions	thereunder; and I	do further solemnly swear that	the	
foregoing are the t	rue and original field note	s of said survey a	nd my report therein, and that	the	
labor expended an	d improvements made upo	n said mining clai	m by claimant or _its		
grantors are as the	erein fully stated, and that	t the character, ex	xtent, location, and itemized val	lue	
thereof are specifie	ed therein with particulari	ty and full detail,	, and that no portion of said lak	bor	
or improvements s	o credited to this claim has	s been included in	the estimate of expenditures up	on	
any other alaims					
		Clefma	1 Boliver	1	
			U. S. Mineral Surveye	or.	
Cubanibal					
	sworn to by the said				
U. S. Millera	l Surveyor, before me		X		
down of OL	200 100		this		
day of	bril , , 1926	1			
		ben	an Bloom		
mus Cours	missien	n	con Beace		
experes	2/9/28		rang tuble		

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

PUBLIC SURVEY OFFICE

	***********	THOSHIX,	<u>Arizona</u>
			June 12 , 19 26
I, U. S. Surveyor	General for Office	Cadastral Engi	neer,
do hereby certify that	the foregoing transcript o	f the Field Notes, retu	rn and approval of the survey
			·
			A-9
			NE NO. 2 lodes
			Arizona
			2 E. , and
			ed from the originals on file in
			of said mining claim as will, if
			such reference is made therein
	ermanent monuments as w		
each (7.7		as been expended or improve- and that said improvements
			ts, total value
			the estimate of expenditures
I further certify th	at the plat thereof, filed in	the U.S. Land Office;	Phoenix.
	is correct and in c		
		John D. Ade	am e
	Offi Haited State S	ce Cadastral	Engineer.

6-2934

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR

PUBLIC SURVEY OFFICE

	At Phoenix, Arizona,
	June 12 , 1926
I, Office Cadastral Engineer at]	Phoenix, Arizona
do hereby certify that the foregoing and	hereto attached Field Notes and Return of the Survey of the
	entral Mines, Inc.
	, known as the
	and SANS GENE NO. 2 lodes
	Verde mining district,
Yavapai Yavapai	County,Arizona
in Section 27 Unsur, Townshi	p No. 16 N., Range No. 2 E.
, designated as Surve	y No4008
executed byAlfre	d. B. Colwell , U. S. Mineral
	, 192 6, under my instructions dated
	, 1926, have been critically examined and the necessary
	e said Field Notes and Return, and the Survey they describe,
	of the location certificate filed by the applicant for survey is
	aid certified copy of said location certificate is included and
nade a part of the transcript of the field n	to hu Delleuro
BOYERKMENT PRINTING OFFICE	Office Cadastral Engineer, Phoenix, Arizona