

June 7, 1927.
June 22, 1927

1

4-683

MINERAL SURVEY No. 4035

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

E. P. Moorhead

KNOWN AS THE

1916 Lode

Walker Mining District,

Yavapai County, Arizona

Section a 20-21, Township 12 1/2 N., Range 1 W. Unsur.

Surveyed under instructions dated December 9, 19 26

by W. G. Baldwin
U. S. Mineral Surveyor.

Claim located November 25, 19 16

Survey commenced December 10, 19 26

Survey completed December 11, 19 26

Address of claimant J. Andrew West, Prescott, Arizona

DATES OF AMENDED LOCATIONS.

November 29, 1926

Feet

Mineral Survey No. 4035

-1-

1916 Lode.

Beginning at Cor. No. 1.

Identical with Cors. 2 and 3, Snow Flower and Golden Belt lodes, respectively, Sur. No. 1474, claimant, unknown, a porphyry stone, 4 x 6 ins., 12 ins. above ground, with mound of stone alongside, with additional chiseling, 1916-1-4035, whence

The Std. Cor. of Secs ^{a 33} 32, T. 13 N., R. 1 W., Gila and Salt River Meridian, bears N. 14° 07' W., 1913.2 ft.

Thence S. 05° 48' E.

180 East End Center, a porphyry stone, 5 x 6 x 24 ins., set 12 ins. in a mound of stone, 3 ft. high.

463.80 To Cor. No. 2.

A porphyry stone, 9 x 15 x 24 ins., set 12 ins. in the ground, chiseled (x) at exact point and 1916-2-4035, with mound of stone alongside, whence

Location corner, identical with Cor. No. 1, Homestead lode, Sur. No. 3970, The Bashford Burmister Company, claimants, and with the N.E. Cor. of the Sunday lode, unsurveyed, E.P. Moorhead, claimant, bears N. 54° 12' E., 302.6 ft.

No other bearings available.

Thence S. 54° 12' W.

948.00 To Cor. No. 3.

Identical with Cors. 1 and 2, Oro and Keystone lodes, respectively, Sur. No. 3959, T.G. Norris, claimant, a granite stone, 4 x 6 ins., 8 ins. above ground, with mound of stone alongside, with additional chiseling 1916-3-4035, and ^{identical also} with the N.W. Cor. of the Sunday lode unsurveyed.

Thence N. 05° 48' W.

274.7 West End Center, a porphyry stone, 4 x 6 x 20 ins., set 14 ins. in a mound of stone, 3 ft. high.

454.70 To Cor. No. 4.

2 Feet

1 9 1 6 Lode, Cont'd.

-2-

At intersection of line 1-2, Keystone lode, Sur.No.3959, and line 2-3, Snow Flower lode, Sur.No.1474.

A diorite, 6 x 12 x 26 ins., set 14 ins. in the ground, with mound of stone alongside, chiseled (x) at exact point and 1916-4-4035, whence

An oak, 16 ins. diam., scribed BT (x)-1916-4-4035, bears N.58°E., 16.2 ft.

Cor.No.1, Keystone lode, Sur.No.3959, bears N.05°48'W., 255.3 ft.

Position for Cor.No.3, Snow Flower lode, Sur.No.1474, bears S.53° 44'W., 408.5 ft.

Thence N. 53° 44' E.

420 Center of dry gulch, general course North ~~and South~~.

650 Center of dry gulch, general course North ~~and South~~.

952.60 To Cor.No.1, the place of beginning.

Variation at all corners, 14° 30' E.

LODE LINE.

As nearly as can be determined from present developments the vein of this location extends as follows from the discovery point:

1916 lode, S.53°44'W., 110.0 ft. and N.53°44'E., 842.6 ft.

A R E A.

Total area, 1916 lode... Acres
8.656

The survey of this claim is identical with the amended location as staked upon the ground, except as noted.

LOCATION

This survey is located in Secs.20-21,T.12 1/2 N.,R. 1 W.,Gila and Salt River Meridian,unsurveyed,in the Walker Mining District,Yavapai Co.,Ariz.,and within the Prescott Nat'l Forest.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon,or for the benefit of,the location embraced in said mining claim by the claimant or his grantors is not less than five hundred dollars,and that said improvements consist of:

No.1. The discovery shaft,the center of which is on the lode line 110.0 ft. from W.E.C., 8 x 8 ft.,6 ft.deep.

Value..... \$100.00

No.2.An open-cut,the center of mouth of which is on the lode line 130.0 ft.fromW.E.C., 12 x 6 ft.,4 ft.deep. Course N.53°44'E. to face.

Value..... 50.00

No.3. A shaft,the center of which is on the lode line 165.0 ft. from W.E.C.,8 x 8 ft., 10 ft.deep.

Value..... 100.00

No.4. A shaft,the N.W.Cor.of which is on the lode line 290.0 ft. from W.E.C., 4 x 8 ft.,12 ft.deep,timbered with 2 in. planking.

Value..... 350.00

No.5. An open-cut,the center of mouth of which is on the lode line 480.0 ft. from W.E.C.,8 x 8 ft.,6 ft.deep.Course N.53° 44'E. to face.

Value 50.00
~~600.00~~

EXPENDITURE OF FIVE HUNDRED DOLLARS, Cont'd.

-4-

	Value brgt forw'd....	600.00
No. 5.	Value.....	50.00
No. 6. A shaft, the N.W. Cor. of which is on the lode line 650.0 ft. from W.E.C., 6 x 6 ft., 12 ft. deep.	Value.....	100.00
	Total Expenditure.....	\$ 750.00

OTHER IMPROVEMENTS.

There are no other improvements.

INSTRUMENT.

This survey was made with a Keuffel and Esser mountain transit No. 27089. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with a 300-ft steel tape.

REPORT.

The lode line was run directly upon the ground, and the several corners established by means of offsets from the lode line.

The Std. Cor. of Secs. 32^{& 33} T. 13 N., R. 1 W., Gila and Salt River Meridian, is a granite stone, 36 x 20 x 12 ins., chiseled (x) and S.C. This is the nearest corner of the public survey that can be found and identified.

The disagreements between these field notes and the amended location certificate are due to errors in the certificate.

Sur. No. 3959, Keystone lode:

Cors. 1 and 2 are stones properly set and chiseled with

REPORT, Cont'd.

-5-

the number of the corner and survey. I find line 1-2 to be correct as approved.

Sur.No.1474, Snow Flower lode:

Cor.2 is a porphyry stone properly set and scribed with the number of the corner and survey. I find that the stone for Cor.No.3 had rolled from its original position. I find a stake driven where the stone was originally set. I find the course of the line from this stake to Cor.No.2 to agree with the course given in the approved plat of Sur.No.3959 but find the length of this line to be 1361.1 ft. instead of 1359.6 ft. as given on the approved plat of Sur.No.1474.

Sur.No.3970, Homestead lode:

Cor.No.1 is a (x) at exact point and H-1-3970 chiseled on native granite, 6 x 8 x 12 ft. exposed.



FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Asa C. Baldwin
United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of _____

_____ E. P. Moorhead
known as the _____ 1916 lode _____

and showing the respective capacities in which they acted.

_____ Oscar Anderson _____, *Chainman.*

_____ David Harris _____, *Chainman.*

_____ _____, *Axman.*

_____ S. W. Howard _____, *Flagman.*

FINAL OATHS OF ASSISTANTS.

We, _____ Oscar Anderson, David Harris _____
and _____ S. W. Howard _____, do solemnly swear that we assisted _____

Asa C. Baldwin, United States Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of E. P. Moorhead _____

known as the _____ 1916 lode _____

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
and correctly executed, and the corner and boundary monuments established according to law and the instruc-
tions furnished by the Office Cadastral Engineer, at Phoenix, Arizona.

_____ Oscar Anderson _____, *Chainman.*

_____ David Harris _____, *Chainman.*

_____ _____, *Axman.*

_____ S. W. Howard _____, *Flagman.*

Subscribed and sworn to by the above-named persons before me this _____ 11th

day of _____ December _____, 19 26

*my commission expires
Jan. 31, 1927*

J. Andrew West
Notary Public


FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Asa C. Baldwin, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the Office Cadastral Engineer, at Phoenix, Arizona, dated December 9, 1926, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Office Cadastral Engineer, faithfully and correctly executed the survey of the Mining Claim of E. P. Moorhead, known as the 1916 lode, situate in Walker Mining District, Yavapai County, Arizona, in Section 20-21, Township No. 12 1/2N, Range No. 1 W., unsurveyed, and designated as Survey No. 4035, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Office Cadastral Engineer with said instructions, and that all corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Asa C. Baldwin
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Asa C. Baldwin
U. S. Mineral Surveyor, before me H. L. Carr
this 4th
day of June, 1927

H. L. Carr
Notary Public



U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

PUBLIC SURVEY OFFICE
OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

August 26, 1926.

I, ~~U. S. Surveyor-General for~~ OFFICE CADASTRAL ENGINEER, Phoenix, Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

E. P. Moorhead

known as the 1916 lode

situate in Walker

Mining District, Yavapai County, Arizona

in Sections 20 - 21, Township No. 12 1/2 N., Range No. 1 W., Unsur., and

designated as Survey No. 4035, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or his grantors, and that said improvements consist of 4 shafts and 2 cuts, total value \$750.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

John D. Adams

~~United States Surveyor-General for~~ OFFICE CADASTRAL ENGINEER

~~SURVEYOR GENERAL'S~~ CERTIFICATE OF APPROVAL OF FIELD NOTES
AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR
~~OFFICE OF U. S. SURVEYOR GENERAL~~
PUBLIC SURVEY OFFICE

Phoenix, Arizona,

August 26, 1926

I, ~~U. S. Surveyor General for~~ OFFICE CADASTRAL ENGINEER, at Phoenix, Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of

E. P. Moorhead

, known as the

1916 lode

situate in Walker mining district,

Yavapai County, Arizona

in Section s 20 - 21, Township No. 12 $\frac{1}{2}$ N., Range No. 1 W., Unsur.

, designated as Survey No. 4035

executed by Asa C. Baldwin, U. S. Mineral

Surveyor, December 10 - 11, 1926, under my instructions dated

December 9, 1926, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.


U. S. Surveyor General for OFFICE CADASTRAL ENGINEER