

MINERAL SURVEY No. 4042

ARIZONA Land District.

FIELD NOTES

exterior boundaries of the OF THE SURVEY OF THE MINING CLAIM OF

Pollard Pearson and Wylomene K. Pearson

Made under Regulations under the Act of June 30, 1919,

KNOWN AS THE

Wylomene Nos. 1,2,3,4,5,6,7,8,9 and 10 and Elk Hill Nos. 1,2,3,

4,5 and 6 San Carlos Reservation Mining District,

Gila County, Arizona, approximately in

Unsur., Section s 4, 8 and 9, Township 3 S., Range 17 E.

Surveyed under instructions dated March 21, 19 27.

by Edwin T. Stewart U. S. Mineral Surveyor.

Claim located See location notices, 19

Survey commenced April 20, 19 27.

Survey completed April 30, 19 27.

Address of claimants, Pollard Pearson and Wylomene K. Pearson, Box 9, Globe, Arizona.

DATES OF AMENDED LOCATIONS.

See location notices.

MINERAL SURVEY NO. 4042.

Feet

Beginning at Cor. No. 1, identical with S.E. Cor. monument of the location.

A cross on the southeast face of limestone out crop, about which is chiseled 1-4042, with mound of stone alongside, whence

The closing corner for sections 16 and 17, T.3 S., R.17 E., G. & S.R.M. on the amended south boundary of the White Mountain Indian Reservation bears S.17°-36'-30"W. 5230.7 ft.

A cross on limestone out crop, about which is chiseled B.R. 4042, bears S.55°-24'E. 8.52 ft.

No other bearings available.

Thence N.55°-24'W.

Along lines of the location.

2400.00 To Cor. No. 2, identical with S.W. Cor. monument of the location.

A cross on top of limestone out crop, about which is chiseled 2-4042, with mound of stone alongside, whence

A cross on top of limestone out crop, about which is chiseled B.R.4042, bears N.55°-24'W. 6.87 ft.

No other bearings available.

Thence N.34°-36'E.

Along line of the location.

1498.50 To Cor. No. 3, identical with monument of the location.

A limestone, 5 x 8 x 26 ins., chiseled cross at the exact corner and 3-4042, set 12 ins. in the ground, with post set alongside, whence

A pinon tree, 10 ins. in diameter, blazed and scribed cross B.T. 4042, bears N.26°-43'E. 31.65 ft.

U.S.M.M. 3716 bears S.85°-04'-10"E. 1264.55 ft.

Cor. No. 1, Copper King #1 lode, Sur. 3716, bears N.68° 00'-40"E. 1439.6 ft.

No other bearings available.

Thence N.55°-24'W.

Along line of the location.

600.00 To Cor. No. 4, identical with monument of the location.  
 A limestone, 8 x 8 x 24 ins., chiseled cross at the exact corner and 4-4042, set 12 ins. in the ground, with mound of stone alongside, whence  
 A pinon tree, 17 ins. in diameter, blazed and scribed cross B.T.4042, bears S.10°-02'W. 16.68 ft.  
 A cross on southeast face of limestone out crop, about which is chiseled B.R. 4042, bears N.17°-17'W. 23.88 ft.  
 No other bearings available.

Thence N.34°-36'E.

Along lines of the location.

2996.70 To Cor. No. 5, identical with N.W.Cor. monument of the location.  
 A quartzite boulder showing 1 x 1.2 x 2.5 ft. out of the ground, chiseled cross and 5-4042 on top, with mound of stone alongside.  
 No bearings available.

Thence S.55°-24'E.

Along lines of the location.

3600.00 To Cor. No. 6, identical with N.E.Cor. monument of the location.  
 A quartzite stone, 4 x 8 x 25 ins., chiseled cross at the exact corner and 6-4042, set 12 ins. in the ground, with mound of stone alongside, whence  
 A quartzite stone, 6 x 15 ins., flush with the ground, chiseled cross B.R. 4042, bears N.55°-24'W. 3.83 ft.  
 No other bearings available.

Thence S.34°-36'W.

Along lines of the location.

1127.00 Bed of gulch, draining southeasterly.

2996.70 To Cor. No. 7, identical with monument of the location.  
 A quartzite stone, 6 x 9 x 25 ins., chiseled cross at the exact corner and 7-4042, set 12 ins. in the ground, with mound of stone alongside, whence

A cross about which is chiseled B.R. 4042, on top of quartzite out crop, bears S.55°-24'E. 15.59 ft.

No other bearings available.

Thence N.55°-24'W.

Along line of the location.

600.00 To Cor. No. 8, identical with monument of the location.

A cross on top of quartzite out crop, about which is chiseled 8-4042, with mound of stone alongside, whence

A cross on south face of quartzite out crop, about which is chiseled B.R. 4042, bears N.34°-36'E. 9.83 ft.

No other bearings available.

Thence S.34°-36'W.

Along line of the location.

1498.50 To Cor. No. 1, the place of beginning.

Mean magnetic variation at all corners, 14°-25'E.

.....

AREA.

Total area of group,	Acres. 330.223
Area in conflict with Copper King #1 lode, Sur. 3716, hereinafter described,	20.147

Conflict of Copper King #1 lode, Sur. 3716, with group:

Beginning at Cor. No. 1 of said Copper King #1 lode, from which Cor. No. 3 of this survey bears S.68°-00'-40"W. 1439.6 ft.; thence S.06°-24'W. 1463.6 ft. to Cor. No. 2; thence N.85°-05'E. 611.5 ft. to Cor. No. 3; thence N.06°-22'E. 1465.4 ft. to Cor. No. 4; thence S.84°-54'W. 611.1 ft. to Cor. No. 1, the place of beginning.

.....

LOCATION.

This survey is located ~~approximately~~ in sections 4, 8 and 9<sup>Unsur.</sup> of T. 3 S., R. 17 E., G. & S.R.M., ~~unsurveyed~~, on the San Carlos Indian Reservation, Gila County, Arizona.

.....

ADJOINING AND CONFLICTING CLAIMS.

This survey is bounded on the northwest by the Wylo-

mene No. 12 lode, unsurveyed, owned by the claimant, and unappropriated Indian Reservation; on the northeast by unappropriated Indian Reservation; on the southeast by unappropriated Indian Reservation and the Wylomene No.11 lode, unsurveyed, owned by the claimant; and on the southwest by unappropriated Indian Reservation. The Copper King #1.lode, Sur. 3716, J.C.Gibson, et al., claimants, conflicts in its entirety with this survey.

oooooooooooooooooooo

INSTRUMENT AND DETERMINATION OF MERIDIAN.

This survey was made with a 6 $\frac{1}{4}$  inch Berger transit. The courses are referred to the true meridian as determined by direct solar observations. The distances were measured with a 660 ft. steel tape.

oooooooooooooooooooo

REPORT.

The closing corner for sections 16 and 17, T. 3 S., R. 17 E., to which tie is given from Cor. No. 1, is an iron post set in the ground, with brass cap stamped W.M. I.R. A.S.B. in the north half, S. 17 in the southwest quadrant, S.16 in the southeast quadrant and C.C. T.3S. R. 17 E. 1924 in the south half. Tie to this corner was computed from a traverse extending from Cor. No. 1 of the survey N.55°-24'W. 155.6 ft.; thence S.15°-29'-30"W. 5162.4 ft.; thence S.37°-14'W. 124.5 ft. to said closing corner.

U.S.M.M. 3716 is a diabase stone showing 1.1 x 1.2 x 1.5 ft. out of the ground, chiseled cross and U.S.M.M. 3716, with mound of stone alongside. Tie to this monument from Cor. No. 3 of this survey was computed through a traverse run from said U.S.M.M. 3716 N.22°-11'W. 36.0 ft.; thence N.22°-54'E. 870.5 ft.; thence N.55°-24'W. 1492.1 ft.; thence S.34°-36'W. 1498.1 ft.; thence S.55°-24'E. 600.0 ft. to said Cor. No. 3 of the survey.

Sur. 3716, Copper King #1 lode:

All of the corners of this survey are stones with mounds of stone alongside. I find that the corners of this claim are not numbered as they are designated in the approved field notes and on the plat of the survey, the stone at the northwest corner being chiseled 4-3716 C.K.No.1, the stone at the southwest corner being chiseled 1-3716 C.K.No.1, the stone at the southeast corner being chiseled 2-3716 C.K.No.1 and the stone at the northeast corner being chiseled 3-3716 C.K.No.1. Tie to Cor. No. 1 of said Copper King #1 lode from Cor. No. 3 of the survey was computed from a traverse run from said corner No.1 Copper King #1 lode N.84°-54'E. 611.1 ft.; thence S.06°-22'W. 1465.4 ft.; thence S.62°-01'W. 339.0 ft.; thence N.55°-24'W. 1800.0 ft. to said Cor. No. 3 of this survey. The disagreement between these notes and lines 1-2, 2-3, 3-4 and 4-1 of said Copper King #1 lode as approved is due to errors in Sur. 3716. And the disagreement between the tie from Cor No.1 of said Copper King #1 lode to U.S.M.M. 3716 as approved and this tie as computed through the lines of this survey is due to error in Sur. 3716.

*Edwin P. Stewart*  
United States Mineral Surveyor

Globe, Arizona,  
May 13, 1927.

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by Edwin T. Stewart

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of \_\_\_\_\_

Pollard Pearson and Wylomene K. Pearson,

known as the Wylomene Nos. 1,2,3,4,5,6,7,8,9, 10 and Elk Hill Nos.1,2,3, 4, 5 and 6

and showing the respective capacities in which they acted.

C. A. Pennington, *Chainman.*

\_\_\_\_\_, *Chainman.*

\_\_\_\_\_, *Axman.*

\_\_\_\_\_, *Flagman.*

## FINAL OATHS OF ASSISTANTS.

We, \_\_\_\_\_

~~and~~ I, C. A. Pennington, do solemnly swear that ~~we~~ <sup>I</sup> assisted \_\_\_\_\_

Edwin T. Stewart, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of Pollard Pearson and Wylomene K. Pearson

known as the Wylomene Nos. 1,2,3,4,5,6,7,8,9,10 and Elk Hill Nos. 1,2,3, 4,5 and 6 lodes

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully

and correctly executed, and the ~~corner and~~ <sup>exterior</sup> boundary monuments established according to law and the instruc-

tions furnished by the ~~United States Surveyor General for~~ <sup>OFFICE CADASTRAL ENGINEER, at</sup> Phoenix, Arizona.

C. A. Pennington, *Chainman.*

\_\_\_\_\_, *Chainman.*

\_\_\_\_\_, *Axman.*

\_\_\_\_\_, *Flagman.*

Subscribed and sworn to by the above-named persons before me this 13th

day of May, 19 27.

My commission expires Nov. 11, 1928.

M. L. Harrison

Notary Public, Gila County  
Arizona.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Edwin T. Stewart, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the Office Cadastral Engineer, at Phoenix, Arizona, dated March 21, 1927, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Office Cadastral Engineer, faithfully and correctly executed the survey of the Mining Claim of Pollard Pearson and Wylomene K. Pearson known as the Wylomene Nos. 1,2,3,4,5,6,7,8,9 and 10 and Elk Hill Nos. 1,2,3,4,5, and 6, situate in San Carlos Indian Reservation, Mining District, Gila County, Arizona, approximately in Section 4,8 and 9 Unsur, Township No. 3 S., Range No. 17 E., G.& S.R.M. and designated as Survey No. 4042 exterior, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Office Cadastral Engineer with said instructions, and that all corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Edwin T. Stewart
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Edwin T. Stewart
U. S. Mineral Surveyor, before me M. L. Harrison, a notary public,
this 13th
day of May, 1927.

My commission expires
November 11, 1928.

M. L. Harrison
Notary Public, Gila County,
Arizona.



U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior, PUBLIC SURVEY OFFICE OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

May 28, 1927.

I, U. S. Surveyor General for OFFICE CADASTRAL ENGINEER

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of of the exterior boundaries of the mining claim of

Pollard Pearson and Wylomene K. Pearson known as the WYLOMENE NOS. 1, 2, 3, 4, 5, 6, 7, 8, 9, and 10, and ELK HILL NOS. 1, 2, 3, 4, 5, 6, lodes

situate in San Carlos Indian Reservation

Mining District, Gila County, Arizona,

in Section 4, 8 & 9, Unsur., Township No. 3 S., Range No. 17 E., and

designated as Survey No. 4042, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or grantors, and that said improvements consist of

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

John D. Adams

United States Surveyor General for OFFICE CADASTRAL ENGINEER

Phoenix, Arizona,

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF  
MINING CLAIM

DEPARTMENT OF THE INTERIOR  
PUBLIC SURVEY OFFICE

At Phoenix, Arizona,

May 28, 1927

I, Office Cadastral Engineer at Phoenix, Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the

~~Mining Claim of~~ exterior boundaries of the mining claim of

Pollard Pearson and Wylomene K. Pearson

, known as the

WYLOMENE NOS. 1, 2, 3, 4, 5, 6, 7, 8, 9, and 10, and

ELK HILL NOS. 1, 2, 3, 4, 5, and 6 lodes  
situate in San Carlos Indian Reservation ~~mining district,~~

Gila County, Arizona

in Sections 4, 8 and 9, <sup>Unsur.</sup> Township No. 3 S., Range No. 17 E.

, designated as Survey No. 4042

executed by Edwin T. Stewart, U. S. Mineral

Surveyor, April 20 - 30, 1927, under my instructions dated


March 21, 1927, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.

  
Office Cadastral Engineer, Phoenix, Arizona.

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (942)  
BUREAU OF LAND MANAGEMENT M.S. 4042  
ARIZONA STATE OFFICE

---

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Wylomene Nos. 1, 2, 3, 4, 5, 6, 7, 8, 9 and 10 and Elk Hill Nos. 1, 2, 3, 4, 5 and 6 lodes, Mineral Survey No. 4042, located in Township 3 South, Range 17 East, Gila and Salt River Meridian, Arizona, are hereby canceled.

These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Wylomene Nos. 1, 2, 3, 4, 5, 6, 7, 8, 9 and 10 and Elk Hill Nos. 1, 2, 3, 4, 5 and 6 lodes, M.S. 4042 were canceled April 15, 1993, by memo 9605 (942) M.S. 4042, which is now a part of the original field notes."

April 15, 1993  
Date

*Anthony A. Tallot*  
Acting Chief Cadastral Surveyor of Arizona