1

MINERAL SURVEY No. 4053

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

			THE PHINING	CLAIM OF		
	Nosci	t Hining Com	pa.ny		*	
		MNOWN	AS THE			
Dimple	Hos. 1, 2,	3, 4, 5, 6,	7.8,9.a	nd 10 P	odes	
		Helvetia			Mining	District
		Con				
		, Township				
				G &	SRB.	& M
Surve	eyeu unuer ins	tructions dated	J.11.17. 21	, 19	27	
		by	Ralph I	. Motz		
					Mineral	
	Claim locate	d see loc	etion noti	ces ,	19	
	Survey comm	nenced July	21	, .	19 27	
	Survey comp	leted Jul	y 29	·	1927	
	Address of ci	laimant is Att	orneys El	Jinwood &	Ross	
				Bisbee. A		
	D	ATES OF AMEN	DED LOCATI	IONS.		

				A		
6—822						
					GOVERNMENT PRINTE	NO OFFICE

DIMPLE NO. 9 lode

Beginning at Cor. No. 1, the N. W. Cor., identical with location, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 1-4053 D 9, whence Cor. No. 3 of Survey No. 3873 Copper Cut lode brs S 49° 38' W 641.6 ft. and the 1/4 Cor. between Secs. 21 and 28, T 17 S, R 16 E, G & S R B & M brs N 38° 25' W 1462-4 ft.

thence S 56° 20' 3 . .

- 300.0 to original location for the north end center being a mound of stones 3 feet high with 3 foot base
- 600.0 to Cor. No. 2, the N. E. Cor., identical with location and with Cor. No. 4 of the Dimple No. 1 lode of this survey, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 2-4053 D 9

thence S 33° 40' W

1500.0 along line 4-3 of the Dimple No. 1 lode of this survey to Cor. No. 3, the S. E. Cor., identical with location and with Cor. No. 3 of the Dimple No. 1 lode of this survey, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 3-4053 D 9

thence II 56° 20' W

- 300.0 to original location for the south end center being a mound of stones 3 feet high with 3 foot base
- 600.0 to Cor. No. 4, the S. W. Cor., identical with location a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 4-4053 D

thence N 33° 40' E

1500.0 to Cor. No. 1, the place of the beginning.

DIMPLE NO. 1 lode.

Beginning at Cor. No. 1, the H. Cor., identical with

location and with Cor. No. 4 of the Dimple No. 2 lode of this survey, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 1-4053 D 1, whence the 1/4 Cor. Between Secs. 27 and 28, T 17 S, R 16 E, G & S R B & II brs S-44° 56: E 1096.7 ft.

1500.0

thence S 33° 40' W along line 4-3 of the Dimple No. 2 of this survey, to Cor. No. 2, the S. E. Cor., identical with location and with Cor. No. 3 of the Dimple No. 2 lode of this survey, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 2-4053 D 1 ..

thence N 56° 20' W

300.0 to original location for the south end center being a mound of stones 3 feet high with 3 foot base

600.0 to Cor. No. 3, the S. W. Cor., identical with location and with cor. No. 3 of the Dimple Ho. 9 lode of this survey here tofore described to which I add 3-4053 D 1 for this claim

thence B 33° 40' E

1500.0 along line 3-2 of the Dimple No. 9 lode of this survey to Cor. No. 4, the N. W. Cor., identical with-location and with Cor. No. 2 of the Dimple No. 9 lode of this survey, heretofore described to which I add 4-4053.D 1 for this claim

thence S 56° 201 E . . .

300.0 to original location for the north end center being a mound of stones 3 feet high with 3 foot base 600.0 to Cor. No. 1, the place of the beginning.

DEIPLE NO. 2 lode

Beginning at Cor. No. 1, the M. E. Cor., identical with location and with Cor. No. 4 of the Dimple No. 3 lode of this survey, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 1-4053 D 2, whence the 1/4 Cor. between Secs. 27 and 28, T 17 S, R 16 E, G & S R B & M brs S 31° 48' E 522.2 ft.

thence S 33° 40' W

1500.0 along line 4-3 of the Dimple No. 3 lode of this survey to Cor. No. 2, the S. E. Cor., identical with location and with Cor. No. 3 of the Dimple No. 3 lode of this survey and with the north end center of the Dimple No. 11 lode unsurveyed, a pine post. 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 2-4053 D 2

thence N 56° 20' W

- 300.0 to the south end center, identical with location and with the N. W. Cor., of the Dimple No. 11 lode insurveyed, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed S E Ct D 2- 4053
- 600.0 to Cor. No. 3, the S. W. Cor., identical with location and with Cor. No. 2 of the Dimple No. 1 lode of this survey, heretofore described to which I add 3-4053 D 2 for this claim

thence N 33° 40' E .

1500.0 along line 2-1 of the Dimple No. 1 lode of this survey to Cor. No. 4, the N. W. Cor., identical with location and with Cor. No. 1 of the Dimple No. 1 lode of this survey, heretofore described to which I add 4-4053 D 2 for this claim

thence S 56° 20' E

- 300.0 to original location for the north end center being a mound of stones 3 feet, with 3 foot base
- 600.0 to cor. No. 1, the place of the beginning.

DIMPLE NO. 3 lode

Beginning at Cor. No. 1, the N. E. Cor., identical with

location and with Cor. No. I of the Dimple No. 5 lode of this survey, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 1-4053 D 3, whence the 1/4 Cor. between Secs. 27 and 28, T 17'S, R 16 E, G & S R B & M brs S 63° 37' W 250.2 ft.

thence S 33.º 40' W.

1500.0 along line 1-4 of the Dimple No. 5 lode of this survey to Cor. No. 2, the S. E. Cor., identical with location and with Cor. No. 4 of the Dimple No. 5 lode of this survey and situated on line 3-4 of the Dimple No. 4 lode of this survey, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 2-4053 D 3

thence N 56°, 20' W

- 300.0 along line 4-3 of the Dimple No. 4 lode of this survey to the south end center, identical with location and with Cor. No. 3 of the Dimple No. 4 lode of this survey and the N. E. Cor. of the Dimple No. 41 lode tinsurveyed, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones, and scribed S E Ct D 3 4053
- 600.0 to Cor. No. 3, the S. W. Cor., identical with location and with Cor. No. 2 of the Dimple No. 2 lode of this survey, heretofore described to which I add 3-4053 D 3 for this claim

thence N 33° 40' E

1500.0 along line 2-1 of the Dimple No. 2 lode of this survey to Cor. No. 4, the N. W. Cor., identical with location and with Cor. No. 1 of the Dimple No. 2 lode of this survey, heretofore described to which I add 4-4053 D 3 for this claim

thence's 56° 201 E

300.0 to original location for the north end center being a mound of stones 3 feet high with 3 foot base

- 4 -

600.0

to Cor. No. 1, the place of the beginning.

DIMPLE 110. 5 lode.

Beginning at Cor. No. 1, the N. W. Cor., identical with location and with Cor. No. 1 of the Dimple No. 3 lode of this survey, heretofore described to which I add 1-4053 D 5 for this claim. The 1/4 Cor. between Secs. 27 and 28, T 1\$ S, R 16 E, G & S R B & M brs S 63° 37' W 250.2 ft.

thence S.56° 20' E

300.0 to original location for the north end center being a

mound of stones 3 feet high with 3 foot base 600.0 to Cor. No. 2, the N. E. Cor., identical with location and with Cor. No. 1 of the Dimple, No. 6 lode of this survey, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 2-4053 D 5

thence S 33° 40' W

1500.0 along line 1-4 of the Dimple No. 6 lode of this survey to Cor. No. 3, the S. E. Cor., identical with location and with Cor. No. 4 of the Dimple No. 6 lode of this survey and situated on line 3-4 of the Dimple No. 4 lode of this survey, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 3-4053 D 5

thence II 56° 20' W

300.0 along line 4-3 of the Dimple No. 4 lode of this survey to original location for the south end center being a mound of stones 3 feet high with 3 foot base 600.0

to Cor. No. 4, the S. W. Cor., identical with location and with Cor. No. 2 of the Dimple No. 3 lode of this survey, heretofore described to which I,add 4-4053 D 5 for this claim

thence N 33° 40' E

1500.0 along line 2-1. of the Dimple No. 3 lode of this survey

to Cor. No. 1, the place of the beginning.

DIMPLE NO. 7 lode

Beginning at Cor. No. 1, the S. W. Cor., identical with location and with Cor. No. 3 of the Dimple No. 6 lode of this survey, heretofore described to which I add 1-4053 for this claim. The Cor. of Secs. 27, 28, 33 and 34, T 17 S, R 16 E, G & S R B & M brs S 21º 17' w 891.4 ft.

thence II 33° 40' E

along line 3-2 of the Dimple No. 6 lode of this survey 1500.0 to Cor. No. 2, the N. W. Cor., identical with location and with Cor. No. 2 of the Dimple No. 6 lode of this survey, heretofore described to which I add 2-4053 D 7 for this claim

thence S 56° 20 B

to original location for the north end center, being a mound of stones 3 feet high with 3 foot base.

to Cor. No. 3, the N. E. Cor., identical with location and with Cor. No. 2 of the Dimple No. 10 lode of this survey, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 3-4053 D 7

thence S 33° 40' W

along line 2-1 of the Dimple No. 10 lode of this survey 1500.0 to Cor. No. 4, the S. E. Cor., identical with location and with Cor. No. 1 of the Dimple No. 10 lode of this survey, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 4-4053 D 7

thence N 56° 201 W

to original location for the south end center being a 300.0 mound of stones 3 feet high with 3 foot base

600.0 to Cor. Mo. 1, the place of the beginning.

300.0

600.0

DIMPLE NO. 10 lode

Beginning at Cor. No. 1, the S. W. Cor., identical with location and with Cor. No. 4 of the Dimple No. 7 lode of this survey, heretofore described to which I add 1-4053 D 10 for this claim. The Cor. of Secs. 27, 28, 33 and 34, T 17 S, R 16 E, G & S R B & M brs S 58° 49' W 962.0 ft.

thence N 33° 40' E

1500.0 along line 4-3 of the Dimple No. 7 lode of this survey to Cor. No. 2, the N. W. Cor., identical with location and with Cor. No.3 of the Dimple No. 7 lode of this survey, heretofore described to which I add 2-4053 D 10 for this claim

thence S 56° 20' E

- 300.0 to original location for the north end center being a mound of stones 3 feet high with 3 foot base
- 600.0 to Cor. No. 3, the N. L. Cor., identical with location a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 3-4053

thence S 33° 40' W

1500.0 to Cor. No. 4, the S. E. Cor., identical with location a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 4-4053

thence II 56° 20' W

- 300.0 to original location for the south and center being a mound of stones 3 feet high with 3 foot base

 600.0 to Cor. No. 1, the place of the beginning.

DIMPLE NO. 4 lode

Beginning at Cor. No. 1, the S. E. Cor., identical with location and with Cor. No. 1 of the Dimple No. 8 lode of this survey, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and

scribed 1-4053 D 4, whence the Cor. of Secs. 27, 28, 33 and 34, T 17 S, R 16 E, G & S R B & M brs S 1° 33' E 331.4 ft.

thence II 56° 20' W

1500.0 along line 1-4 of the Dimple No. 8 lode of this survey to Cor. No. 2, the S. W. Cor., identical with location and with Cor. No. 4 of the Dimple No. 8 lode of this survey, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 2-4053 D 4

thence I 33° 40' E

- 300.0 to original location for the west end center being a mound of stones 3 feet high with 3 foot base
- 600.0 to Cor. No. 3, the N. W. Cor., identical with location and with the south end center of the Dimple No. 3 lode of this survey, heretofore described to which I add 3-4053 D 4 for this claim

thence S 56° 20' E

- 300.0 along line 3-2 of the Dimple No. 3 lode of this survey to Cors. 2 and 4 of the Dimple No. 3 and the Dimple No. 5 lodes, both of this survey, respectively
- 600.0 along line 4-3 of the Dimple No. 5 lode of this survey to the south end center of the Dimple No. 5 lode of this survey
- 900.0 to Cors. 3 and 4 of the Dimple No. 5 and Dimple No. 6

 lodes of this survey, respectively
- 1200.0 along line 4-3 of the Dimple No. 6 lode of this survey

 to the south end center of the Dimple No. 6 lode of this
 survey
- 1500.0 to Cor. No. 4, the N. E. Cor., identical with location and with Cor. No. 3 of the Dimple No. 6 lode of this survey, heretofore described, to which i add 4-4053 D 4 for this claim

thence S 33° 40' W

300.0 to original location for the east end center being a

600.0

mound of stones 3 feet high with 3 foot base to Cor. No. 1, the place of the beginning.

DIMPLE NO. 8 lode.

Deginning at Cor. No. 1, the N. E. Cor., identical with location and with Cor. No. 1 of the Dimple No. 4 lode of this survey, heretofore described to which I add 1-4053 D 8 for this claim. The Cor. of Secs. 27, 28, 33 and 34, T 17 S, R 16 E, G & S R B & M brs S 1° 33' E 331.4 ft.

thence S 33° 40' W

300.0

to original location for the east end center being a mound of stones 3 feet high with 3 foot base.

600.0

to Cor. No. 2, the S. E. Cor., identical with location and with the N E Cor of the Dimple No. 12 lode, unsurveyed, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 2-4053 D 8

thence N 56° 20' W

1500.0

to Cor. No. 3, the S. W. Cor., identical with location and with the N W Cor., of the Dimple No. 12 lode unsurveyed, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 3-4053 D 8

thence N 33° 40' E

300.0

to original location for the west end center being a mound of stones 3 feet highwith 3 foot base

600.0

to cor. No. 4, the N. W. Cor., identical with location and with Cor. No. 2 of the Dimple No. 4 lode of this survey, heretofore described to which I add 4-4053 D 8 for this claim

thence S 56° 20' E

1500.0

along line 2-1 of the Dimple No. 4 lode of this survey to Cor. No. 1, the place of the beginning.

LODE LINES

Dimple No. 9 - the presumed course of the vein on this claim is from the north end, center S, 33° 40' W 1500.0 ft. Dimple No. 1 - the presumed course of the vein on this claim is from the north and center S 33° 40' W 1500.0 ft Dimple No. 2 - the presumed course of the vein on this claim is from the north end center S 33° 40' W 1500.0 ft Dimple No. 3 p the presumed course of the vein on this claim is from the north end center S 33° 40' W 1500.0 ft Dimple No. 5 - the presumed course of the vein on this claim is from the north end center S 33° 40' W 1500.0 ft Dimple No. 6 - the presumed course of the vein on this claim is from the north end center S 33° 40' W 1500.0 ft Dimple No. 7 - the presumed course of the vein on this claim is from the north end center S 33° 40' W 1500.0 ft Dimple No. 10 - the presumed course of the vein on this claim is from the north end center S 33° 40' W 1500.0 ft Dimple No. 4 - the presumed course of the vein on this claim is from the west end center S 56° 20' E 1500.0 ft. Dimple No. 8 - the presumed course of the vein on this claim is from the west end center S 56° 20' E 1500.0 ft.

AREAS

Dimple No. 1 - total and not area - - - 20.661 A.

Dimple No. 2 - total and not area - - - 20.661 A.

Dimple No. 3 - total and not area - - - 20.661 A

Dimple No. 5 - total and not area - - - 20.661 A

Dimple No. 6 - total and not area - - - 20.661 A

Dimple No. 7 - total and not area - - - 20.661 A

Dimple No. 10 - total and not area - - - 20.661 A

Dimple No. 10 - total and not area - - - 20.661 A

Dimple No. 10 - total and not area - - - 20.661 A

Dimple No. 8 - total and not area - - - 20.661 A

LOCATION

This survey is situated in the Helvetic Mining District, Pima County, Arizone, in Secs. 27, 28 and 33, T 17 S, R 16 E, G & S R B & M. The small portion of Dimple No. 8 situated in Sec. 33, T 17 S, R 16 E is also situated in the Coronago Forest Reserve.

IMPROVIMINIS

I hereby certify that the value of the labor and improvements placed upon, or made for the benefit of, each of the claims of this survey by the claimant or its grantors is not less than five hundred dollars and that said improvements consist of:-

r	DIMPLE NO. 9			
No. 1	Shark Discovery shaft 4 x 6 x 8 ft. deep			
a	brs from south end center on lode line			
	20 ft Value 40.00			
No. 2-	Shaft 5 x 7 x 4 feet feep brs from Cor.			
	No. 2 S 76° 30' W 372.0 ft. Value 30.00			
No. 3.	Shaft 9 x 11 x 4 feet deep brs from Cor.			
	No. 2 S 76° 30; W 344 ft. Value 80.00			
No. 4	Shaft 5 x 8 x 6 feet deep brs from Cor.			
	·No. 2 S 71° 05' W 368 ft. Value 50.00			
No. 5	Shaft 5.5 x 7.5 feet x 42 feet deep timbered			
•	brs from Cor. No. 2 S 44° 36' W 449.0 ft.			
	At bottom of shaft is drift 5 x 7 feet			
	Shaft S 8 ° w 10.0 ft. to Sta. 1			
National Control	Sta. 1 S 28° E 17.0 ft. to Sta. 2			
	Sta. 2 S 769 E 78.0 ft. to Sta 3			
	Sta. 3 S 35° E 12.0 ft. to Sta. 4			
	Sta. 4 S 15° E 55.0 ft. to Sta. 5			
	Sta. 5 N 58° E 24.0 ft. to face			
	Sta. 5 S 58° W 12.0 ft. to face			

Sta. 5 S 15° E 32.0 ft. to Sta. 6
Sta. 6 S 50° E 32.0 ft. to Sta. 7
Sta. 7 N 86° E 104.0 ft. to face

total length of level - - - - - - - 376 ft.

Value of shaft - - - - - - - - - - - 5640.00

Total Value - - - - - - - - - - 7320.00

This shaft and the drifts therefrom have been made as a common improvement for this group of claims by the Noscut Mining Company. The shaft is located so that a good road can be built to it easily and with good grades. It is also situated so that supplies can be easily brought to it, and at this shaft now are a hoist and air compressor. From the bottom of this shaft drifts and cross cuts can be run to all the claims of this group and the possible orebodies explored and opened up more economically than by sinking expensive shafts on each claim of the group. The two claims Dimple No. 11 and the Dimple No. 12, owned by this company, have no share at present in the work mentioned above as they were located subsequent to the completion of the work mentioned above. a 1/10 interest allotted to this claim - - - \$ 732.00 a 1/10 interest in Improvement No. 7 Dimple No. 1 lode allotted to this claim - - 260.00 Total Value - - - - \$ 1192.00

DIMPLE NO. 1

No. 1 Shaft 4 x 6 x 8 ft. deep brs from south end center on lode line 200 ft. Value - - - - \$ 40.00

No. 2 Shaft 3 x 4 x 58 ft deep brs from south end center N 15° 00' E 215.0 ft. Value - - - - 580.00

No. 3 Shaft 4 x 6 x 8 ft. deep brs from Cor. No. 4

S 7° 50' E 322 ft. Value - - - - - 40.00

No. 4 Shaft 4 x 6 x 8 ft. deep brs from Cor. No. 4

S 6° 10' W 500.0 ft. Value - - - - - - 40.00

	No. 5	Shaft 4 x 6 x 8 ft. deep brs from Cor. No. 1
		s 64° 15' W 512.0 ft. Value \$ 40.00
	No. 6	Shaft 6 x 6 x 17 ft. deep brs from Cor. No. 4
		S 4° 45' W 556.0 ft. Value 255.00
4	No. 7	Shaft 6 x 6 x 65 feet deep timber ed brs from Cor.
		No. 4 S 7° 10' W 538.0 ft. Value - \$2600.00
		This shaft is to be considered as a part of
		Improvement No. 5 of the Dimple No. 9 lode as it
		will eventually connect with the drift from the
		Main shaft to form an air shaft for the main work-
		ings, so a 1/10 interest has been allotted to
	* 50	each claim of this survey Yalue_ /10_ # 260.00
	No. 8	Open cut 4 x 10 x 40 feet long brg S 75° 40' E
		with tunnel at face 5 x 7 x 38 feet long brg.
		S 75° 40' E thence tunnel 5 x 7 x 50 ft. long
		brg S 60° E, mouth of open cut brs from Cor.
		No. 4 S 16 ° 05 ' W 520.0 ft. Value 1720.00
		a 1/10 interest in Improvement No. 5 Dimple No.
		9 lode allotted to this claim 732.00
		Total Value \$ 3707.00
	17 - 7	DIMPLE NO. 2
	No. 7	Discovery Shaft 4 x 6 x 8 ft. deep brs from south end center on lode line 75 ft. Value - \$ 40.00
		a 1/lo interest in Improvement No. 5 Dimple
		No. 9 lode allotted to this claim 732.00
	a	a 1/10 interest in Improvement No. 7 Dimple
		No. 1 lode allotted to this claim 260.00
		Total Value \$ 1032.00
		DIMPLE 110. 3
	No. 1	Discovery open cut and tunnel, open cut 5 x 10
		x 10 feet long, tunnel at face 4.5 x 6.5 x 8
		feet long both brg S 60° W, mouth of open cut
		brs from south end center on lode line 200 ft.
		Value
		a 1/lo interest in improvement no. 5 Dimple
		No. 3 lode - 14 -

	No. 9 lode allotted to this claim \$ 732.00
	a 1/10 interest in Improvement No. 7 Dimple ,
	No. 1 lode allotted to this claim 260.00
	. Total Value \$ 1092.00
	DIMPLE NO. 5
No. 1	Discovery shaft 4 x 6 x 8 feet deep brs. from
·	north end center on lode line 20 ft. Value \$ 40.00
No. 2	Shaft 5 x 5 x 6 feet deep brs from Cor. No.
	3 N 32° 05' E 563.0 ft. Value 30.00
No. 3	Shaft 4 x 7 x 9 ft. deep brs from Cor. No. 3
	N 21° 10' W 28.0 ft. Value 50.00
	a 1/10 interest in Improvement No. 5 Dimple
	No. 9 lode allotted to this claim 732.00
	a 1/10 interest in Improvement No. 7 Dimple
	No. 1 lode allotted to this claim 260.00
	Total Value \$1112.00
-	DIMPLE HO. 6
No. 1	Discovery sheft 5 x 7 x 15 feet deep brs from
	north end center on lode line 440 ft Value \$ 150.00
No. 2	Open Cut 4 x 5 x 12 ft. long brg S 33° V
	mouth of which brs from Cor. No. 3 N 13° 30'
	E 718.0 ft. Value 25.00
No3	Open cut 5 x 9 x 20 ft. long brg S 50° E,
	tunnel at face 4 x 6 x 44 ft. long brg S 50° E
1	with trosscut at its face 4 x 6x 6 ft. long brg
	S 40° W, mouth of open cut brs from Cor. No.
	4 H 49° 20' E-711.0 ft. Value 950.00
No. 4	Open cut 5 x 10 x 21 ft. long brg S 23° E,
	tunnel at face 4 x 6 x 54 ft. long brg S 23° E
	with arosscut at its face 4 x 6 x 6 ft. long
	brg S 67° W, mouth of open cut brs from Cor.
	No. 4 N 52° 30' E 657.0 ft. Value 1110.00
No. 5	Open cut 5 x 13 x 31 ft. long brg S 30° W
	with tunnel at face 6 x 10 x 28 ft. long
	brg S 48° 30' W, mouth of open cut brs from
	- 15 -

	,	Cor. No. 3 N 9° 45' E 652.0 ft. Value \$ 1010.00
	No. 6	Shaft 4 x 6 x 8 ft. deep brs from Cor. No.
		3 N 8° 40' E 593.0 ft. Value 40.00
		a 1/10 interest in Improvement No. 5 Dimple
ŀ		No. 9 lode a llotted to this claim 732.00
		a 1/10 interest in Improvement No. 7 Dimple
		No. 1 lode allotted to this claim 260.00
		Total Value \$ 4277.00
		Dimmle IIo 7
ı	7	Dimple No. 7. Discovery shaft 5 x 7 x 12 ft. deep brs from
ŀ		north end center on lode line 500 ft. Value \$ 100.00
		shaft 5 x 6 x13 ft. deep brs from Cor. No. 3
		S 59° 30' W 528.0 ft. Walue 100.00
	•	a 1/10 interest in Improvement No. 5 Dimple
		No. 9 lode allotted to this claim 732.00
	-	a 1/10 interest in Improvement No. 7 Dimple
		No. 1 lode a llotted to this claim 260.00
		Total Value \$ 1192.00
	r	DIMPLE NO. 10
	No. 1	Discovery shaft 4 x 6 x 8 ft. deep brs. from
		north end center on lode line 50 ft. Value \$ 40.00
	No. 2	Shaft 4 x 6 x 8 ft. deep brs. from south end
		center on lode line 440 ft. Value 40.00
		a 1/10 interst in Improvement No. 5 Dimple
		No. 9 lode allotted to this claim 732.00
		a 1/10 interest in Improvement No. 7 Dimple
	. 9	No. 1 lode allotted to this claim 260.00
		Total Value \$1072.00
		DILPLE NO. 4
	No. 1	Discovery shaft 4 x 6 x 8 ft. deep brs from
		east end center on lode line 45 ft. Value \$ 40.00
	No. 2	Shaft 5 x 7 x 25 ft. deep brs from point on
		line 3-4 S 56° 20' E 900 ft. from Cor. No. 3
		N 68° 40' W 75 ft. Velue 500.00
		- 16 -

	* No. 3	Shaft 5 x 7 x 50 ft. deep brs from same point
	•	N 68° 40° W 108.0 ft. Value 1000.00
		a 1/10 interest in Improvement No. 5 Dimple
		No. 9 lode allotted to this claim 732.00
		a 1/10 interest in Improvement No. 7 Dimple
		No. 1 lode allotted to this claim 260.00
		Total Value \$ 2532.00
		DIMPLE NO. 8
	No 7	Discovery sheft 4 x 6 x 8 ft. deep brs from
	710 • 7	east end center on lode line 21/5.0 ft. Value - \$ 40.00
	No. 2	
	2100	S 61° 40' E 310. ft. Value 1050.00
	No. 3	Shaft 5 x 7 x 7 ft. deep brs from Cor. No. 1
		S 47° 35° W 138.0 ft. Value 50.00
		a 1/10 interest in Improvement No. 5 Dimple
		No. 9 lode allotted to this claim 732.00
1		a 1/10 interest in Improvement No. 7 Dimple
		No. 1 lode allotted to this claim 260.00
		Total Value \$2132.00
		Total Value of Improvements on Survey \$ 19340.00
		ADJOINING CLAIMS
İ	South	Dimple No. 11 and Dimple No. 12 unsurveyed owned by
		applicants herein
	West	Dimple No. 11 lode unsurveyed
		INSTRUMENT
l		This survey was made with a C. L. Berger & Sons No. 1
l		c transit. The distances were measured with 150 and 300
		foot steel tapes. The courses were deflected from the
		true meridian as determined by a direct solar observat-
		ion, checking with meridian used in Survey No. 3873.
		Magnetic Variation 13° 30' Rast at all corners.
	The Park	ten for the land for the first out of the first that the first past and the first the first past and the fir

REPORT.

1/4 Cor. between Secs. 21 and 28; 1/4 Cor. between Secs. 27 and 28; and the corner of Secs. 27, 28, 33 and 34; all of T 17 S, R 16 E, G & S R B & M are all iron pipes with brass caps, properly marked.

Survey No. 3873 Copper Cut lode Cors. 2 and 3 are rocks properly set and marked with x on top; and monuments of rock alongside.

Ralph L. Mos
U. S. Mineral Surveyor.

Dated at Bisbee, Arizona.

July 30, 1927.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

TT 1. T 2	s employed by <u>Ralph L. Notz</u>
United States Mineral Surveyor, to assist	t in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field	d notes of the survey of the mining claim of
	3, 4, 5, 6, 7, 8, 9, and 10 Podes
and showing the respective capacities in w	rhich they acted.
	L. T. Mc Elvenny , Chainman.
	, Chainman.
	, Graniman.
	, Flagman.
FINAL OAT	THS OF ASSISTANTS.
	, do solemnly swear that we assisted
Rolph I. Notz, United St	tates Mineral Surveyor, in marking the corners and surveying
he boundaries of the mining claim of $\mathbb H$	osbut Hining Company
nown as the <u>Dimple Nos. 1. 2.</u>	3, 4, 5, 6, 7, 8, 9 and 10 lodes
	having been surveyed by said mineral surveyor and under his
rection; and that said survey has been in	
nd correctly executed, and the corner and bo	oundary monuments established according to law and the instruc-
ed correctly executed, and the corner and bo	oundary monuments established according to law and the instruc-
ed correctly executed, and the corner and bo	oundary monuments established according to law and the instruc-
ed correctly executed, and the corner and bo	oundary monuments established according to law and the instruc-
nd correctly executed, and the corner and bo	oundary monuments established according to law and the instruc-
nd correctly executed, and the corner and bo	rundary monuments established according to law and the instruc- or General for OFFICE CADASTRAL ENGINEER for Arizona. Chainman.
nd correctly executed, and the corner and boons furnished by the United States Surveyo	rundary monuments established according to law and the instructor General for Office CADASTRAL ENGINEER for Arizona. Chainman. , Chainman. , Flagman.
nd correctly executed, and the corner and bo ons furnished by the United States Surveye Subscribed and sworn to	
nd correctly executed, and the corner and bo ons furnished by the United States Surveyo	The General for Office CADASTRAL ENGINEER for Arizona. Chainman. Chainman. Axman. Delve the above-named persons before me this 30th
nd correctly executed, and the corner and bo ons furnished by the United States Surveye Subscribed and sworn to	Control for Office CADASTRAL ENGINEER for Arizona. Chainman. Chainman. Chainman. Dely the above-named persons before me this 30th Chailland C
nd correctly executed, and the corner and bo ons furnished by the United States Surveye Subscribed and sworn to	The General for Office CADASTRAL ENGINEER for Arizona. Chainman. Chainman. Axman. Delve the above-named persons before me this 30th

FINAL OATH OF U. S. MINERAL SURVEYOR

I, Ralph L. Motz	, U. S. Mineral Surveyor,
	ions received from the Office Cadastral Engineer,
	dated July 20, 1927.
I have, in strict conformity to the laws of the U	United States, the official regulations and instruc-
tions thereunder, and the instructions of said O	ffice Cadastral Engineer, faithfully and correctly
executed the survey of the Mining Claim of	Noscut Hining Company
	, known as the
Dimple Nos. 1, 2, 3, 4, 5, 6	, 7, 8, 9 and 10 lodes ,
situate in Hel ve t	ia Mining District,
	unty, Arizona , in Section S
27, 28, 33 , Township No. 17 S	, Range No.16 E. G & SRB&M
and designated as Survey No	, as represented
in the foregoing field notes, which accurately show	v the boundaries of said mining claim as distinctly
marked by monuments on the ground, and descri	ribed in the attached copy of the location certifi-
cate, which was received by me from the Office	e Cadastral Engineer with said instructions, and
that all corners of said survey have been estab	lished and perpetuated in strict accordance with
the law, official regulations and instructions there	eunder; and I do further solemnly swear that the
foregoing are the true and original field notes of	said survey and my report therein, and that the
abor expended and improvements made upon sa	id mining claim by claimant or 1ts
grantors are as therein fully stated, and that th	e character, extent, location, and itemized value
thereof are specified therein with particularity a	nd full detail, and that no portion of said labor
or improvements so credited to this claim has be	en included in the estimate of expenditures upon
any other claim.	
	······································
	Noeffh L. Mineral Surveyor.
Subscribed and sworn to by the said	Ralph L. Motz
	es R. Woods, Notary Public
	this 30th
day of, 192 7	
	harlasklosods
	Larlas Rlwoods ery Public, in and for the County
	of-Cochise, State of Arizona.
	of-Cochise, State of Arizona

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

	-	Phoenix, Arizo	ma,
		Septe	ember 28 , 19.27
I, U. S. Surveyor- G	eneral for OFFICE CAD.	ASTRAL ENGINEER . at Phoe	nix, Arizona,
			urn and approval of the survey
			and approval of the survey
			9, and 10 lodes
			Arizona
			16 E. , and
			ed from the originals on file in
			of said mining claim as will, if
			t such reference is made therein
to natural objects or peri	nanent monuments a	as will perpetuate and fix	the locus thereof.
ments made upon, said r	of nining claimSby clair	mant or 118 grantors	nas been expended or improve- s, and that said improvements secuts, and 376 ft.
of drifting, to	tal value \$19	9,340.	
		•	
	4-		
and that no portion of sa	id labor or improve	ments has been included in	n the estimate of expenditures
upon any other claim.			
I further certify that	the plat thereof, file	ed in the U.S. Land Office	at Phoenix,
Arizona,	is correct and	in conformity with the fo	regoing Field Notes.
		John D.	Adams
	Thital St.	See Survey Community Office	E CADASTRAL ENGINEER
	C.Jooda Male	de legor - de lier de jor	

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR

OFFICE OF U. S. SURVEYOR GENERAL PUBLIC SURVEY OFFICE

	Phoenix, Arizona,
一种 经工作 多种 医性肌	September 28 , 192 7
I, U.S. Surveyor General for OFFICE CADASTRAL ENGINEER,	at Phoenix, Arizona,
do hereby certify that the foregoing and hereto attack	hed Field Notes and Return of the Survey of the
Mining Claim of	
Noscut Mini	
DIMPLE NOS. 1, 2, 3, 4, 5, 6,	7, 8, 9, and 10 lodes
situate in Helveti	a mining district,
Pima County,	Arizona
in Sections 27, 28, 33 , Township No	
, designated as Survey No	
executed by Ralph L. Motz	
Surveyor, July 21 - 29	, 192 7, under my instructions dated
July 20 , 1927 , 1	have been critically examined and the necessary
corrections and explanations made, and the said Field	Notes and Return, and the survey they describe,
are hereby approved. The certified copy of the location	on certificate filed by the applicant for survey is
on file in this office and a true copy of said certified co	opy of said location certificate is included and
made a part of the transcript of the field notes.	
	John Aldam
77	S Shares Com and for OFFICE CADASTRAL ENGINEER