may 17. 1

MINERAL SURVEY No. 4064

	ARIZONA	Land Dis	trict.
Iva.1	FIELD NO	VING CLAIM OF	
	KNOWN AS TH		
	IVANCO 16de		
	Warren		
	County,		
Section s 25 and 3	6, Township23. S.	, Range	e 24 E. G&SRB&M
Surveyed under	instructions dated Apri	1 23,, 1	1928
	by Ral	lph L. Motz v.	S. Mineral Surveyor.
Claim loc	eated June 24		, 19 23
Survey co	mmenced May 7.		, 19 28
	mpleted May 8		
Address	of claimant is Attorne		1 & Ross, Bisbee, Arizona.
	DATES OF AMENDED I		DISUCE, ATTACIE.
6822			COVERNMENT PRINTING OFFICE

IVANCO lode

Beginning at Cor. No. 1, the N. E. Cor., identical with location, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 1-4064 I, whence a limestone rock in place 10 x 18 x 8 inches high above ground chiseled B R X 1-4064 brs S 73° 58' E 18.9 ft. and a second limestone rock in place 11 x 20 x 4 inches high above ground with like chiseling bears N 2º 46: W 9:1 ft, and the Cor. of Secs. 25 and 36, T 23 S, R 24 E and Secs. 30 and 31, T 23 S, R 25 E, G & S-R B & M brs S 44° 19' E 95.4 ft.

thence S 38° 15' W

to the N. W. Cor. of the Grand Extension lode unsurveyed 290.3 also intersect line 1-2 of Survey No. 2177 Bisbee Queen lode at S 51° 45' E 292.0 ft. and N 51° 45' W 1200:0 ft.

from Cors. 1 and 2 thereof

Cross power line; course northwesterly and southeasterly 1115.0 1500.0 to Cor. No. 2, the S. E. Cor., identical with location, a pine post 4 inches square set 18 inches in the ground in a mound of stones and scribed 2-4064 I, no bearings av ailable

thence N 51° 45' W

to original location for the south end center, being a 250.0 mound of stones 3 feet high with 3 foot base

intersect line 1-2 of Survey No. 3908 Razle Dazle lode 275.0 at N 37° 37' E 556.3 ft. from Cor. No. 2 and S 37° 37' W 943.7 ft. from cor. No. 1 thereof

> to Cor. No. 3, the S. W. Cor., identical with location -a-pine post-4-feet long-4 inches square set 18 inches in the ground in a mound of stones and scribed 3-4064 I, whence a limestone rock in place 8 x 14 x 3 inches high above ground chiseled B R X 3-4064 bears N 3° 05' E 48.2 feet and a second limestone rock in place 11 x 28 x 2 inches high above ground with like chiseling brs S 25° 24' W 58.7 ft.

497-3

thence N 38° 15' E

- 258.0
- cross power line, course northwesterly and southeasterly 917.1 to Cor. No. 2 of Survey No. 1958 Piedmont lode, also intersect line 4-1 of Survey No. 3908 Razle Dazle lode at N 58° 52' W 213.6 ft. from Cor. No. 1 and S 58° 52' E 386.4 ft. from Cor. No. 4 thereof. Cor. No. 1 of Survey No. 1958 Piedmont lode bears N 51° 17' E 598.3 ft. from this point.
- 1500.0
- to Cor. No. 4, the N. W. Cor, identical with location, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 4-4064 I, whence a limestone ledge with 36 x 58 x 36 inches high exposure chiseled B R X 4-4064 brs \$ 51° 45' E 138.4 ft.

thence S 51° 45' E

- 135.0
- to Cors. 1, 2 and 2 of Survey No. 1958 Piedmont lode, Survey No. 1958 Puzzle lode and Survey No. 3279 Don Miguel No. 7 lode respectively, also intersect line. 4-1 of Survey No. 2177 Bisbee Queen lode at N. 24° 37' E. 298.8 ft. from Cor. No. 1 and S 24° 37' W 264.7 ft. from Cor. No. 4 thereof.
- 247.3 Ito original location for the north end center being a mound of stones, 3 feet high with 3 foot base
- 497.3 to Cor. No. 1, the place of the beginning.

LODE LINE

The presumed course of the vein on this claim is from the north end center S 38° i5' W 1500.0 ft.

Total area Ivanco lode - - - - - - -_Area in conflict with

Survey No. 1958 Piedmont lode - - - 0.903 A Survey No. 2177 Bisbee Queen lode - - 2.181 A Survey No. 3908 Razle Dazle lode - - 4.639 A

LOCATION

This claim is situated in Secs. 25 and 36, T 23 S, R 24 B,

G & S R B & M, in the Warren Mining District, Cochise County, Arizona.

Short thombail leve . of warren

IMPROVEMENTS

I he reby certify that the value of the labor and improvements placed upon this claim by the claimant or its grantors is not less than five hundred dollars and that said improvements consist of:-

No. 1 Discovery sheft 6 x 9 x 12 feet deep brs from north end center on lode line 550 ft.

Value - - - - - - \$ 200.00

No. 2 Open cut 4 x 10 x 25 feet long brg N 55° W mouth of which brs from Cor. No. 2 N 16°

55' E 432.0 ft. Value - - - - - 150.00

No. 3 Shaft 4 x 6 x 10 feet deep brs from Cor. No. 2

N 7° 30' W 250.0 ft. Value - - - - - 60.00

No. 4 Shaft 4 x 6 x 10 feet deep brs from Cor. No. 2

N 11° 45' W 250.0 ft. Value - - - - - 60.00

No. 5 Shaft 4 x 6 x 10 feet deep brs from Cor. No. 2

N 10° 30' W 231.0 ft. Value - - - - 60.00

No. 6 Shaft 4 x 6 x 10 feet deep brs from Cor. No. 2

N 13° 15' W 235.0 ft. Value - - - - - 60.00

Total Value of Improvements - - - \$ 590.00

INS TRUMENT

This survey was made with a C. L. Berger & Sons No. 1 c transit. The courses were deflected from the true meridian as determined by me for Survey Nos. 3279 and 3908. Distances were measured with 150 and 300 foot steel tapes. Magnetic Variation 12° 30' East at all corners.

ADJOINING CLAIMS

North Survey No. 1958 Piedmont lode

Survey No. 2177 Bisbee Queen lode

East Survey No. 2177 Bisbee Queen lode

Grand Extension lode, unsurveyed, P. J. Meenan et al

owners

South West

Survey No. 3908 Razle Dazle lode

Survey No. 3908 Razle Dazle lode

Survey No. 1958 Piedmont lode

REPORT

(1400) WOLL OF YOU

The Cor. of Secs. 25 and 36, T 23 S, R 24 E, and Secs. 30 and 31, T 23 S, R 25 E, G & S R B & M is an iron pipe with brass cap properly marked.

The corners of all adjoining surveys are pine posts properly set and scribed.

U. S. Mineral Surveyor.

C. 51 10.025 1 105 FF. W.

Dated at Bisbee, Arizona.

May 11, 1928.

of the grown towns . I to be the come give of a com-

intonico com segunos es .diger:

erous a line a the Mar all mottable with mother.

Boots of Surveys 1.6 Things are deep 1 1000

server wo. 2177 Misbos traces local

obol mound should Till of your

description lots, unanavored.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Ralph L. Motz	
United States Mineral Surveyor, to assist in running, measuring, and marking the lines, co	corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of	
Ivanhoe Copper Company	
known as theIVANCO Yode	
and showing the respective capacities in which they acted.	
Bert Gmehle , Cha	inman
, Chai	
, Awm	
Flag	gman.
EINAL OATHO OF AGGGTANT	
FINAL OATHS OF ASSISTANTS.	
Wex I, Bert Gmehle	
and, do solemnly swear that we assisted Ralph L	. Motz
, United States Mineral Surveyor, in marking the corners and	surveying
the boundaries of the mining claim of Ivanhoe Copper Company	
known as theIVANCO Iode	
represented in the foregoing field notes as having been surveyed by said mineral surveyor and	l under his
lirection; and that said survey has been in all respects, to the best of our knowledge and belief,	
and correctly executed, and the corner and boundary monuments established according to law and the	
ions furnished by the United States Surveyor-General for OFFICE CADASTRAL ENGINEER, at Phoenix	, Arizona.
Julklechain	inman.
, Chair	nman.
, Axma	an.
, Flagn	man.
Subscribed and sworn to by the above-named persons before me this 11 th	h
day of <u>May</u> , 1928	
El a la plumal	
Notary Public, in and for the Cour	nty of
Notary Public, in and for the Coun Cochise, State of Arizona. My commission expires Way 9 24	6—1043

FINAL OATH OF U. S. MINERAL SURVEYOR

I, Ralph L. M.	otz	, U. S. Mineral Surveyor,
do solemnly swear that, in pursu	nance of instructions received fr	om the Office Cadastral Engineer,
at Phoenix, Arizona	, dated Ap	ril 23, 1928.
I have, in strict conformity to the	he laws of the United States, th	ne official regulations and instruc-
tions thereunder, and the instru	actions of said Office Cadastral	Engineer, faithfully and correctly
executed the survey of the Mini	ng Claim of Ivanhoe Cop	per Company
		known as the
LAVI	NCO lode	,
situate in	Warren	Mining District,
Cochis e	County, Ariz	in Section 8
25 and 36 , Townsh	ip No, R	ange No. 24 E, G &SRB & M
and designated as Survey No	4064	, as represented
in the foregoing field notes, whic	h accurately show the boundaries	s of said mining claim as distinctly
marked by monuments on the g	round, and described in the atta	ached copy of the location certifi-
cate, which was received by me	e from the Office Cadastral En	gineer with said instructions, and
that all corners of said survey	have been established and perp	petuated in strict accordance with
the law, official regulations and	instructions thereunder; and I d	o further solemnly swear that the
foregoing are the true and origin	nal field notes of said survey and	d my report therein, and that the
labor expended and improvemen	ts made upon said mining claim	by claimant or its
grantors are as therein fully sta	ted, and that the character, ext	ent, location, and itemized value
thereof are specified therein wit	h particularity and full detail, a	and that no portion of said labor
or improvements so credited to	this claim has been included in t	the estimate of expenditures upon
any other claim.		
	Rad	U. S. Mineral Surveyor.
Subscribed and sworn to by	the said Ralph L. Mot	Z
U. S. Mineral Surveyor, b		Woods, Notary Public,
day of Nay	102 8	UIIIS 44 VAI
tay or	Charles	Rlvovda
		and for the County of
	Commission expir	

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior, PUBLIC SURVEY OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,
May 21 , 19 2
I, U.S. Surveyor General for DELICE CADASTRAL ENGINEER & T Phoenix, Arizona
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the surve
of the mining claim of
Ivanhoe Copper Company
known as the IVANCO lode
situate in Warren
Mining District, Cochi se County, Arizona
in Section 8 25 & 36 , Township No. 23 S. , Range No. 24 E. , an
designated as Survey No. 4064 , has been correctly copied from the originals on file i
this office; that said Field Notes furnish such an accurate description of said mining claim as will,
incorporated into a patent, serve fully to identify the premises, and that such reference is made therei
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.
And I further certify that five hundred dollars' worth of labor has been expended or improve
ments made upon said mining claim by claimant or 1t8 grantors, and that said improvement
consist of 5 shafts, total value \$590.
and that no portion of said labor or improvements has been included in the estimate of expenditure
ipon any other claim.
I further certify that the plat thereof, filed in the U.S. Land Office at Phoenix,
Arizona, is correct and in conformity with the foregoing Field Notes.
John D. Adams
United States Surveyor-General for. OFFICE CADASTRAL ENGINEER

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR

OFFICE OF U. S. SURVEYOR GENERAL

PUBLIC SURVEY OFFICE

	Phoenix, A	rizona,		
		<u>May 21 , 192</u> 8		
I, U. S. Surveyor General for OFFICE CADA	RAL ENGINEER , at Phoeni	x, Arizona,		
do hereby certify that the foregoing and her	to attached Field Notes an	d Return of the Survey of the		
Mining Claim of				
Ivani				
	NCO lode			
situate in	arren	mining district,		
Cochise	County,A	rizona		
in Section 8 25 and 36 , Townsh	No. 23 S.	, Range No24_E.		
, designated as Surve	No	4064		
executed by Ralph L.	otz	, U. S. Mineral		
Surveyor, May 7 - 8				
April 23	192 8, have been critically	examined and the necessary		
corrections and explanations made, and the said Field Notes and Return, and the survey they describe,				
are hereby approved. The certified copy of	ne location certificate filed	by the applicant for survey is		
on file in this office and a true copy of said	rtified copy of said locatio	n certificate is included and		
made a part of the transcript of the field not				
		John & Claus		
SOVERNMENT PRIVIDE OFFICE	U. S. Surveyor Genera	l for _OFFICE_CADASTRAL_ENGINEE		