

Aug. 20, 1928  
Sept. 17, 1928  
Oct. 13, 1928  
I

4-683

MINERAL SURVEY No. 4068

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

H.D. AITKEN

KNOWN AS THE

GROWLER lode

TIGER Mining District,

YAVAPAI County, ARIZONA.

Section 26-35 unsur., Township 10 N., Range 1 W. unsur.

Surveyed under instructions dated June 20, 1928, 19

by J. WILLIAM WAARA  
U. S. Mineral Surveyor.

Claim located Aug. 15, 1904, 19

Survey commenced July 9, 19 28

Survey completed July 11, 19 28

Address of claimant Prescott Arizona.

DATES OF AMENDED LOCATIONS.

May 22, 1928

Feet

MINERAL SURVEY NO. 4068

GROWLER LODE.

Beginning at Cor. No.1, a granite boulder 12x14x8 inches exposed, with a substantial mound of stone alongside; chiseled G 1 4068 with cross on top for exact corner point, whence;

The North 1/4 corner Sec. 26 T. 10 N.R.1 W Gila and Salt River Base and Meridian brs. N.21°-40'E. 4867.8 ft.

Thence S.6°-41'W.

- 32.2 Intersect line 1-2 Pilgrim lode Sur.No.2414 N.40°-15'E. 609.7 ft. from Cor. No.2
- 98.6 Cor.No.4 Gulch lode Sur.No.1827,whence Cor. No.2 brs. S.6°-41'W. 1406.0 ft.
- 595.0 Intersect line 2-3 Pilgrim lode Sur.No. 2414, identical with line 2-3 of the 2nd North Extension Grey Eagle lode lot No.47, S. 74°-09'E. 341.5 ft. from Cor.No.2 and 170.3 ft. from Cors No.3 respectively.
- 704.3 Intersect line 1-2 of the 2nd North Extension Grey Eagle lode Lot No. 47 N.21°-05'E. 836.3 ft. from Cor. No.1.
- 1500.9 TO POINT FOR COR.NO.2, situated on line 3-4 ~~XXXXXXXXXX~~ Gulch lode Sur.No.1827, N.16°-41'E. 3.7 ft from Cor. No. 3, where it was impracticable to set a stone for corner due to point falling in creek bed, flows westerly, so I established a witness corner N.87°-56'W. 29.3 ft., a granite rock in place 6x8x8 ft exposed and chiseled W C G 2 4068 with cross on top for exact corner point. From the true point for corner, A granite boulder 4x6x6 ft exposed and chiseled BxR C 1 1722 brs. S.81°-11'W. 17.6 ft.  
Thence N.87°-56'W.(from true Cor.Pt.)
- 10.7 Point for Cor.No.1 Cleveland Lode Sur.No. 1722,whence pt. identical withpt.for cor. No.5 Wire Goldlode for Cor.No.3 Gulch lode/Sur.No.1827, brs.S.68°-32'E.11.0 ft.
- 29.3 Witness Cor. to Cor.No.2, heretofore described.
- 114.5 SOUTH CENTER END, a mound of stone.
- 308:7 North Center End, Cleveland lode Sur. No. 1722.
- 414.5 TO COR.NO.3, situate on line 4-5 Lookout lode Sur.No.2707 S.26°-36'W.1003.9 ft.from Cor.No.5 and 37.4 ft. from its intersection with line 1-4 Second North Extension Grey Eagle

Lode Lot No. 47, also on line 1-4 Cleveland lode Sur.No. 1722, N.87°-56'W. 403.8 feet from Cor.No.1, a granite stone 6x12x24 inches long set twelve inches in the ground with a substantial mound of stone alongside; chiseled G 3 4068 with cross on top for exact corner point,whence,

A granite rock in place 3x2x2 feet exposed and chiseled BxR G 3 4068, brs N.77°-18'W. 7.6 ft.

Cor.No.1 2nd North Extension Grey Eagle lode lot No.47 brs. S.88°-52'E. 205.8 ft.

Thence N.21°-27'E.

36.64 Intersect line 1-4 2nd North Extension Grey Eagle lode Lot No.47, N.78°-47'W. 196.1 ft. from Cor.No.1 and 3.4 ft.

994.15 Intersect line 5-1 Lookout lode Sur.No.2707, N.72°-02'W. 90.0 ft. from Cor.No.5.

994.2 TO POINT FOR COR.NO.4 where it was impracticable to set a stone for corner due to steep slope and bed rock, so I established a witness corner N.72°-00'W. 10.0 ft.identical with Cor.No.1 Royal lode Sur.No. 1830, and Cor.No.5 of this survey, a shist stone 12x12x10 inches exposed with a substantial mound of stone alongside; chiseled W C G 4, G 5 4068 R 1 1830 with cross on top for exact corner point.

Thence N.72°-00'W.(from true cor.pt.)

9.8 Intersect line 3-4 2nd North Extension Grey Eagle lode lot No.47, S.21°-06'W. 3.2 ft from Cor.No.3.

10.0 TO COR.NO.5 identical with Cor.No.1 Royal lode Sur.No.1830 and Witness Cor. to Cor.No.4 this survey, previously described, whence,

Cor.No.3 2nd North Extension Grey Eagle lode Lot No.47 brs. N.24°-28'E. 3.2 ft.

A shist rock in place 15x6x6 ft exposed and chiseled BxR R 1 1830 brs. N.15°-36'W. 13.9 ft.

Thence N.72°-04'W.

80.6 Intersect line 1-2 Arizona Mascot No.2 lode Sur.No.2863 N.9°-05'E. 3.66 ft. from Cor.No.2 and S.9°-05'W. 0.26 ft. from its intersection with line 2-3 Pilgrim lode Sur.No. 2414

87.75 Intersect line 2-3 Pilgrim lode Sur.No. 2414 S.74°-09'E. 83.05 ft from Cor. No.2, and N.74°-09'W. 7.11 ft from its intersection with line 1-2 Arizona Mascot No.2 lode Sur. No. 2863.

99.7 TO COR. NO.6 identical with Cor. No. 1 Lookout lode Sur. No. 2707, a shist stone 8x12x12 inches exposed with a substantial mound of stone alongside; chiseled G 6 4068, L 1 2863 with cross on top for exact corner point, whence, Cor. No. 2 Pilgrim lode Sur.No.2414 brs. N.74°-30'W. 71.1 ft.

Cor.No. 2 Arizona Mascot No.2 lode Sur.No. 2863 brs. S. 61°-38'E. 20.0 ft.

A granite boulder 16x8x14 inches exposed and chiseled BxR G 6 4068 brs. N.65°-45'W. 6.9 ft.

Thence N.9°-03'E.

124.6 Intersect line 1-2 Pilgrim lode Sur.No.2414 N.40°-15'E. 136.4 ft. from Cor. No.2 and S.40°-15'W. 36.6 ft from its intersection with line 1-2 Arizona Mascot No.2 lode Sur. No. 2863.

532.1 TO COR. NO. 7, a granite outcrop 6x6x6 ft exposed with a substantial mound of stone alongside; chiseled G 7 4068 with cross on top for exact corner point.

No bearings available.

Thence S.87°-56'E.

19.3 Intersect line 1-2 Arizona Mascot No.2 lode Sur. No. 2863, N.9 -05'E. 541.06ft from Cor. No.2 and 378.46ft from its intersection with line 1-2 Pilgrim lode Sur. No. 2414.

117.1 NORTH CENTER END, a mound of stone.

245.9 TO THE PLACE OF BEGINNING. All corners except Cors.No. 4-5-6 are identical with their respective locations. Variation at all corner 14°-00'E.

LODE LINES

As near as can be determined from the present developments, the vein on this lode extends as follows from the discovery;

S.6°-09'W. 85.0 ft. and N.6°-09'E. 1414.8-ft.

AREAS

GROWLER Lode

	Acres	Acres
Total area - - - - -		9.449
Area in conflict with		
2nd North Extension of Grey		
Eagle lode Lot No.47. - - - - -	4.123	
Pilgrim lode Sur.No. 2414	2.075	
Arizona Mascot No.2 lode Sur.		
No. 2863 Lookout lode Sur.No.2707 - - -	0.833	(1.025)
Pilgrim lode Sur.No. 2414 exclu-		
sive of its conflict with Arizona Mascot		
No.2 lode Sur. No. 2863 - - - - -	2.014	
Lookout lode Sur.No.2707 exclu-		
sive of its conflict with 2nd North Ext.		
Grey Eagle lode 1st No.47	0.001	

LOCATION unsur.

This survey is located in 26 and 35/ T.10 N.R.1 W

~~xxxxxx~~ Gila and Salt River Base and Meridian, Tiger Mining District, Prescott National Forest, Yavapai County State of Arizona.

EXPENDITURE OF FIVE HUNDRED DOLLARS

I hereby certify that the value of the labor and improvements made upon or for the benefit of this location by the claimant or his grantors is not less than five hundred dollars, and that said improvements consists of;

No.1 Discovery cut and tunnel, the mouth of cut hrs. N.6°-09'E. 85.0 ft from the south center end, cut 4x20x14 foot face, hrs north thence tunnel, 4x6x40 ft, caved hrs east.

Value \$500.00

No.2 a cut the mouth of which hrs. N.9°-30'E.270 ft. from south center end, 4x15x10 foot face caved, hrs north.

Value \$100.00

OTHER IMPROVEMENTS

None.

ADJOINING CLAIMS.

This survey is bounded on the west by the Lookout lode Sur.No. 2707 and 2nd North Extension Grey Eagle lode Lot No. 47, H.D.Aitken Trustee, and Barrod Mining Company, claimants; Royal lode Sur.No. 1830, C.R.Lott, White Davidson and Chas. Woodward, claimants; Arizona

Mascot No.2 lode, Sur.No.2863, Lake Superior and Nevada Mining Company claimant; on the north by U.S.Land; on the east by the Pilgrim lode Sur.No.2414, Barrod Mining Company claimant and Gulch lode Sur. No. 1827 C.R.Lott, White Davidson and Chas.Woodward claimants; and on the south by the Cleveland lode Sur. No. 1722, Barrod Mining Company, claimants.

#### INSTRUMENT.

This survey was made with a Lietz Light Mountain transit No.9503. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with a 500 foot steel tape.

#### REPORT.

The north 1/4 cor sec. 26 T.10 N.R.1 W. is a monument of stone three feet high, from which a pine tree 24 inches in diameter and properly scribed brs westerly 19.4 ft and a white oak tree 12 inches in diameter properly scribed brs. easterly 28.9 ft.

#### Survey No. 1722

All corners adjoining this survey except Cor. No.1, are stones properly set and chiseled with the number of the corner and Survey. Cor. No.1 was missing but I was able to determine the locus of the point for corner from the calls in the official record. I do not agree with the course and distance of line 1-4 of this survey.

#### Survey No. 1827

All corners adjoining this survey except cor.No.3 are stones properly set and chiseled with the number of the corner and survey. Cor.No.3 was missing but I was able to determine the locus of the point for corner from the calls in the official record. I do not agree with the course and distance of line 3-4 of this survey.

#### Survey No. 1830

All corners adjoining this survey are stones properly set and chiseled with the number of the corner and survey.

Survey No. 2414

All corners adjoining this survey are stones properly set and chiseled with the number of the corner and survey.

I do not agree with the course of line 2-3 of this lode.

Survey No. 2707

All corners adjoining this survey are stones properly set and chiseled with the number of the corner and survey.

I do not agree with the course and distance of lines 1-5 and 4-5 of this survey.

Survey No. 2863

All corners adjoining this survey are stones properly set and chiseled with the number of the corner and survey.

End. North Extension of the Grey Eagle lode, Lot No. 47.

All corners adjoining this survey are stones properly set and chiseled with the number of the corner and survey, except Cor. No. 4 which was missing. I was able to establish the locus of the point for corner from the call in the official record. I do not agree with the course and distance of lines 1-2, 2-3, 3-4 of this survey.

The discrepancies found existing between the claim as marked by the location monuments and as described in the location notices are due to errors in the location notices.

The discrepancies between the lines of this survey and prior approved surveys are due to errors in the latter.

*William W. W. W.*  
U.S. Mineral Surveyor

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by J. WILLIAM WAARA

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

H.D. AITKEN

known as the GROWLER lode

and showing the respective capacities in which they acted.

Temp Gamel, Chainman.

....., Chainman.

....., Axman.

....., Flagman.

## FINAL OATHS OF ASSISTANTS.

We, Temp Gamel

and ..... do solemnly swear that we assisted J. William

Waara, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of H.D. Aitken

known as the GROWLER lode

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully

and correctly executed, and the corner and boundary monuments established according to law and the instruc-

tions furnished by the United States Surveyor General for Office Cadastral Engineer  
at Phoenix, Arizona

Temp Gamel, Chainman.

....., Chainman.

....., Axman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me this 1st

day of Aug., 19 28

Mary A. Brown

Notary Public

My commission expires

July 17, 1930.



FINAL OATH OF U. S. MINERAL SURVEYOR.

I, J. William Waara, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the Office Cadastral Engineer, at Phoenix Arizona, dated June 20, 1928, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Office Cadastral Engineer, faithfully and correctly executed the survey of the Mining Claim of H.D. Aitken, known as the GROWLER lode, situate in 26-25 TIGER Mining District, YAVAPAI County, ARIZONA, in Section 26-25/unspr., Township No. 10N., Range No. 1 W. ~~10W.~~, and designated as Survey No. 4068, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Office Cadastral Engineer with said instructions, and that all corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

J. William Waara
U. S. Mineral Surveyor.

Subscribed and sworn to by the said J. William Waara
U. S. Mineral Surveyor, before me a Notary Public
this 2nd day of Aug., 1928

Mary A. Brown.

My commission expires July 17, 1930

Notary Public

OFFICE CADASTRAL ENGINEER'S FINAL CERTIFICATE ON FIELD NOTES

Department of the Interior

PUBLIC SURVEY OFFICE

Phoenix, Arizona,

November 8, 1928

I, Office Cadastral Engineer, at Phoenix, Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

H. D. Aitken

known as the CROWLER lode

situate in Tiger

Mining District Yavapai County Arizona

in Sections 26-35, Unsur., Township No. 10 N., Range No. 1 W., and

designated as Survey No. 4068, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

I further certify that Five Hundred Dollars worth of labor has been expended or improvements made upon, or for the benefit of, each location embraced in said mining claim by claimant

or his grantors,

and that said improvements consist of 2 cuts and 1 tunnel, total value \$600.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

John D. Adams

Office Cadastral Engineer.

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR PUBLIC SURVEY OFFICE

At Phoenix, Arizona,

November 8, 1928

I, Office Cadastral Engineer at Phoenix, Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

H. D. Aitken

, known as the

GROWLER lode

situate in Tiger mining district,

Yavapai County, Arizona

in Sections 26 - 35 Unsur., Township No. 10 N., Range No. 1 W.

, designated as Survey No. 4068

executed by J. William Waara, U. S. Mineral

Surveyor, July 9 - 11, 1928, under my instructions dated

June 20, 1928, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.

Handwritten signature of John B. Adams, Office Cadastral Engineer.

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956)  
BUREAU OF LAND MANAGEMENT M.S. 4068  
ARIZONA STATE OFFICE

---

NOTICE OF CANCELLATION OF MINERAL SURVEY

The GROWLER lode, Mineral Survey No. 4068, located in sections 26 and 35, Township 10 North, Range 1 West, Gila and Salt River Meridian, Arizona, is hereby canceled.


This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"GROWLER lode, M.S. 4068, was canceled May 20, 2002, by memo 9605 (956) M.S. 4068, which is now a part of the original field notes."

May 20, 2002  
Date

  
\_\_\_\_\_  
Chief Cadastral Surveyor of Arizona