MINERAL SURVEY No. 4069

ARIZONA Land District. FIELD NOTES OF THE SURVEY OF THE MINING CLAIM OF H.D.AITKEN KNOWN AS THE NEW YEAR lode TIGER Mining District, County, Arizona. Yavapai Section 26-27-34unsur.Township 10 N., Range 1 W. Surveyed under instructions dated June 20 , 19 28 by J. WILLIAM WAARA U. S. Mineral Surveyor. Claim located Jan. 1 , 19 14 Survey commenced July 9 , 19 28 Survey completed July 11 , 19 28 Address of claimant Prescott Arizona. DATES OF AMENDED LOCATIONS. May 22, 1928

6-822

Feet

MINERAL SURVEY NO. 4069

NEW YEAR LODE.

Beginning at Cor. No.1, a shist stone 6x14x

26 inches long set twelve inches in the ground with a

substantial mound of stone alongside; chiseled N Y 1 4069

with cross on top for exact corner point, whence,

A shist reef 6x15x8 ft exposed and chiseled BxR N Y 1 4069 brs. S.21°-11'E, 40.4 ft.

The North 1/4 cor sec. 26 T.10 N.R.1 W/of the Gila and Salt River Base and Meridian brs. N. 26°-11'E. 5238.6 feet.

Cor. No.3 Arizona Mascot No.2, lode Sur.No. 2863 brs. S.56°-54'W. 464.0 ft.

Thence S.44°-21'W.

- lode,
 314.7 Cor. No.4 Royal/identical with Cor. No.1 North Oro Bonito
 lode, both Sur.No.1830, whence Cor. No. 4 North Oro Bonito
 lode Sur.No.1830 brs. N.72°-00'W. 600.0 ft.and the interNorth
 section of line 1-4 said/Oro Bonito lode with line 3-4
 Arizona Mascot No.2 lode Sur. No. 2863 brs. N.72°-00'W.
 164,1 ft.
- 381.6 Intersect line 2-3 Arizona Mascot No.2 lode Sur. No. 2863 \$.80°-55'E. 123.5 ft from Cor. No.3.
- 1373.1 TO COR. NO. 2 identical with Cor. No. 1 West Extension
 Oro Bonito lode Sur.No.1830, Cor.No.2 North Oro Bonito
 lode Sur.No.1830, Cor.No.3 Royal lode Sur. No. 1830,
 and Cor. No.1 Oro Bonito lode Lot No. 49, a shist stone
 19x10x12 inches exposed with a substantial mound of stone
 alongside; chiseled N Y 2 4069, R 3 1830, N O B 2 1830
 W EX O B 1 1830, O B No.1 with cross on top for exact corner point.

No bearings available.

Thence N. 71°-57'W.

298.0 North Center end, West Extension Oro Bonito lode identical with South center end North Oro Bonito lode both Sur. No. 1830.

313.0 SOUTH CENTER END, a mound of stone.

597.5 Cor. No. 3 North Oro Bonito lode identical with Cor.No.4
West Extension Oro Bonito lode both Sur.No.1830, whence
Cor. No. 4 North Oro Bonito lode Sur.No.1830 brs. N.44°15'E. 1056.2 ft.

647.3 TO COR. NO. 3, a shist stone 6x10x24 inches long set twelve inches in the ground with a substantial mound of stone alongside; chiseled N Y 3 4069 with cross on top for exact corner point, whence,

A shist rock in place 6x8x3 feet exposed and chiseled BxR N Y·3 4069 brs. N.70°-29'E.32.5 ft.

Thence N. 44°-18'E.

1315.0 Intersect.Line 2-3 Arizona Mascot No. 5 lode Sur. No. 2863

N.80°-55'W. 330.0 ft from Cor.No.2.

1372.4 TO COR.NO.4, a shist rock in place 6x2xl foot exposed with a substantial mound of stone alongside; chiseled N Y 4 4069 with cross on top for exact corner point.

No bearings available.

Thence S.71°-57'E.

300.6 Cor.No.2 Arizona Mascot No.5 lode Sur.No.2863 situated on line 3-4 Arizona Mascot No.2 lode Sur.No.2863, N.9°-05'E.

365.9 ft from Cor. No.3 and 285.9 feet from its intersection with line 1-4 North Oro Bonito lode Sur. No.1830

334.4 NORTH CENTER END; a mound of stone.

648.7 TO THE PLACE OF BEGINNING. All corners are identical with their respective locations. Variation at all corners 14°-00°E.

LODE LINES.

As near as can be determined from the present developments, the vein on this lode extends as follows from the discovery;

S.44°-18'W. 15.0 feet and N.44 -18'E. 1357.4 ft.

AREAS

NEW YEAR Lode

Acres Acres 18.311

Area in conflict with

North Oro Bonito lode Sur.No.

1830 -----13.028

(2)

Total area - - - - -

No.2 area area
Arizona Mascot No.5 lode Sur.
No.2863
Arizona Mascot No.2 lode Sur.
No.2863
Arizona Mascot No.2 lode Sur.
No.2863 exclusive of its conflict with
North Oro Bonito lode Sur.No. 1830
1.659

LOCATION

This survey is located in Sections 26-27-34
Unsurveyed T.10 N.R.1 W, Gila and Salt River Base and
Forest, Yavapai County, State of Arizona.

EXPENDITURE OF FIVE HUNDRED DOLLARS

I hereby certify that the value of the labor and improvements made upon or for the benefit of this location by the claimant or his grantors is not less that five hundred dollars, and that said improvements consist of;

No.1 Discovery cut, the face of which brs. N.44°-18'B.

15.0 ft from the south center end, 4x15x10 foot face
caved, brs. northeast. Value \$100.00

No.2 A tunnel, entering this claim at a point directly under the south center end, running thence northeasterly

35 feet, tunnel caved and inaccessible, size 4x6 ft. (21 ft of tunnel and 5 ft. of cut extends southwesterly.)

Value 35 ft. \$350.00

No.3 a tunnel entering this claim at a point N.71°57'W. 65 feet from the south center end, running thence
northerly 40 feet, size 4x6 ft. (8 ft of tunnel and 13 ft.
of cut extends southerly)

Value 40 ft. \$400.00

OTHER IMPROVEMENTS

None.

ADJOINING CLAIMS

This survey is bounded on the northwest by U.S.Land,
Arizona
on the northeast by the Mascot No 5 and Arizona Mascot No.
2 lodes, Sur.No.2863, Lake Superior and Nevada Mining
Company, claimant, on the southeast, south and southwest
by the Royal, lode Sur.No.1830, Ore Benito lode Lot No.49

and West Extension Oro Bonito lode Sur.No.1830 respectively, Barrod Mining Company, claimant.

INSTRUMENT

This survey was made with a Lietz Light Mountain transit No.9503. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with a 500 foot steel tape.

REPORT

The north 1/4 cor.Sec. 26 T.10 N.R.1 W is a monument of stone three feet high, from which a pine tree 24 inches in diameter and properly scribed brs. westerly 19.4 ft. and a white oak tree 12 inches in diameter properly scribed brs. easterly 28.9 ft.

Lot.49

All corners adjoining this survey are stones properly set and chiseled with the number of the corner and survey.

Sur. No. 1830

All corners adjoining this survey are stones properly set and chiseled with the number of the corner and survey. I do not agree with the course and distance of lines 1-2, 2-3,3-4, North Oro Bonito lode of this survey.

Sur. No. 2863

teavitios has almost te estros and no plust

Bux Me. 1830, -Org. Bonice 1 ols to

All corners adjoining this survey are stones properly set and chiseled with the number of the corner and survey.

The discrepancies found existing between the claim as marked by the location monuments and as described in the location notices are due to errors in the location notices.

The discrepancies between the lines of this survey and prior approved surveys are due to errors in the latter.

William Waara J.S. Mineral Surveyor

Month take Superior

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the na	ames of the individuals em	aployed byJ.William Waara	
United States Min	eral Surveyor, to assist in	running, measuring, and marking the	e lines, corners, and
boundaries describe	ed in the foregoing field no	tes of the survey of the mining claim	of
	H.D.Ai	tken	
known as the	New Ye	ar lode	
and showing the re	spective capacities in which	h they acted.	
		Temp Gamel	, Chainman.
	FINAL OATE	IS OF ASSISTANTS.	
Wo	Memn Gamel		
		, do solemnly swear that we assisted	
		es Mineral Surveyor, in marking the co	
the boundaries of t	the mining claim of	H.D.A1tken	
known as the	New Yea	r Lode	
represented in the	foregoing field notes as ha	ving been surveyed by said mineral sur	veyor and under his
direction; and that	t said survey has been in all	respects, to the best of our knowledge a	and belief, faithfully
and correctly execu	ted, and the corner and boun	dary monuments established according to	law and the instruc-
tions furnished by t	he United States Surveyor (General for Office Cadastr at Pho	al Engineer enix Arizona.
		General for Office Cadastr at Pho	, Chainman.
			, Axman.
			, Flagman.
	Subscribed and sworn to b	y the above-named persons before me the	nis st
		K, 19 28	
		Mary a	. Prown
		Mary a	lic
			61048

My commission expires.

July 17-1930

FINAL OATH OF U. S. MINERAL SURVEYOR

I, J.William Waar	28, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of	of instructions received from the Office Cadastral Engineer,
at PHOENIX ARIZONA	, datedJune_20,_1928,
I have, in strict conformity to the laws	s of the United States, the official regulations and instruc-
tions thereunder, and the instructions	of said Office Cadastral Engineer, faithfully and correctly
executed the survey of the Mining Cla	im of H.D.Aitken
	, known as the
	EW YEAR Tode ,
situate inT	IGER Mining District,
YAVAPAI	County, ARIZONA, in Section
26-27-34- unsur, Township No.	10 N., Range No. 1 W
and designated as Survey No406	9, as represented
in the foregoing field notes, which accur	rately show the boundaries of said mining claim as distinctly
marked by monuments on the ground,	and described in the attached copy of the location certifi-
cate, which was received by me from	the Office Cadastral Engineer with said instructions, and
that all corners of said survey have l	been established and perpetuated in strict accordance with
the law, official regulations and instruc	tions thereunder; and I do further solemnly swear that the
foregoing are the true and original fiel	d notes of said survey and my report therein, and that the
labor expended and improvements made	le upon said mining claim by claimant orhis
grantors are as therein fully stated, ar	nd that the character, extent, location, and itemized value
thereof are specified therein with part	icularity and full detail, and that no portion of said labor
or improvements so credited to this cla	aim has been included in the estimate of expenditures upon
any other claim.	
	01. 22 /
	U. S. Mineral Surveyor.
	O. S. Mineral Surveyor.
0.1. 1.1.1.	
	a Notary Public
U. S. Mineral Surveyor, before	
	this 2 nd.
day of Aug.	
	Mary a. Brown Notary Public
	Notary Public
My commission expires	GOVERNMENT PRENTING OFFICE
July 17 1020	

OFFICE CADASTRAL ENGINEER'S FINAL CERTIFICATE ON FIELD NOTES

Department of the Interior

PUBLIC SURVEY OFFICE

	Phoenix, Arizona
	October 27 ,19 28
I, Office Cadastral Engineerat	t Phoenix, Arizona,
	anscript of the Field Notes, return and approval of the survey
	H. D. Aitken
	NEW YEAR lode
situate in	Tiger
Mining District Yavanai	County Arizona
in Sections 26,27,34Township No.	o. 10 N, Range No. 1 W., and
	, has been correctly copied from the originals on file in
	sh such an accurate description of said mining claim as will, if
ncorporated into a patent, serve fully to	identify the premises, and that such reference is made therein
to natural objects or permanent monum	ments as will perpetuate and fix the locus thereof.
I further certify that Five Hundred	l Dollars worth of labor has been expended or improvements
made upon, or for the benefit of, eac	ch location embraced in said mining claim by claimant
	or his grantors,
and that said improvements consist of	f 1 cut and 2 tunnels, total value
\$850.	
	ovements has been included in the estimate of expenditures
upon any other claim.	overence has been moraded in the estimate of expenditures
	eof, filed in the U.S. Land Office at Phoenix,
18 COTTect	et and in conformity with the foregoing Field Notes.
	John D. Adams
	Office Cadastral Engineer.

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR

OFFICE OF U. S. SURVEYOR GENERAL PUBLIC SURVEY OFFICE

	Phoenix, Arizona,				
		Octo	ber 27	, 192 8	
I, U. S. Surveyor General for	OFFICE CADASTRAL ENGINEER	, at Phoenix,	Arizona		
do hereby certify that the foregoing	ng and hereto attached	Field Notes and Re	eturn of the S	urvey of the	
Mining Claim of					
	H. D. Aitker	1			
			, k	nown as the	
	NEW YEAR lode	2			
situate in	Tiger		min	ing district,	
Yavapai	County,	<u>A</u> :	rizona '		
in Section s. 26, 27,34, IIns	ur Township No.	10 N., F	Range No	1 W.	
, designate	ed as Survey No	4069			
executed by	lliam Waara		, U	. S. Mineral	
Surveyor, July 9 -	11	, 192 8, und	er my instruc	etions dated	
June 20	, 192 ⁸ , have	e been critically exa	mined and th	e necessary	
corrections and explanations made	, and the said Field Not	es and Return, and	the survey the	ey describe,	
are hereby approved. The certific	ed copy of the location of	certificate filed by the	he applicant f	or survey is	
on file in this office and a true cop	y of said certified copy	of said location co	ertificate is in	cluded and	
made a part of the transcript of th	ne field notes.				
			Part (Odan	
	77. 0	Samuelan Con and for	OFFICE CADASTRA	I FNGINEER	

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956) BUREAU OF LAND MANAGEMENT M.S. 4069 ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The NEW YEAR lode, Mineral Survey No. 4069, located in sections 26, 27 and 34, Township 10 North, Range 1 West, Gila and Salt River Meridian, Arizona, is hereby canceled.

This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"NEW YEAR lode, M.S. 4069, was canceled May 20, 2002, by memo 9605 (956) M.S. 4069, which is now a part of the original field notes."

May 20, 2002 Date

Chief Cadastral Surveyor of Arizona