MINERAL SURVEY No. 4096

279

LUTGON		
ARIZONA	Land	District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

	THEODORE B. JONES,
	KNOWN AS THE
	CATHERINE Lode
	CAVE CREEK Mining District,
***************************************	MARICOPA County, ARIZONA
Section	4 , Township 6 North , Range 4 Fast
Surve	yed under instructions dated March 4th., 1929.
	by Harry E. Jones, U. S. Mineral Surveyor.
	Claim located See Location Notice , 19
	Survey commenced March 8th. , 1929.
	Survey completed Harch 9th. , 1929.
	Address of claimant W. E. SoRelle, Att'y. 504 N. Central Ave. Phoenix, Arizona. DATES OF AMENDED LOCATIONS.

Feet

MINERAL SURVEY NO. 4096

Catherine Lode

Beginning at Cor. No. 1, a 3½ft. ¾in. pipe with a 2 in. brass cap marked U.S.MINERAL SURVEY NO.4096-C-1; set 20 ins. in ground and surrounded with a substantial mound of earth and rock, whence the loc. mon. identical with Cor. 2 Columbian Mine lode Sur. No. 2685, and Cor.4, West Side lode, Sur. No. 2727A, bears S.53°55'W. 102.46 ft. Cor.1 Phoenix Mill Site, Sur. No. 753 bears S.76°48'W. 119.30 ft.

The d corner common to Sections 4 and 9, T. 6 N. R. 4 E. G&SRB&M. bears S.26°08'W. 522.76 ft.

U.S.M.M. No.1 bears S.35°39'E. 1532.08 ft.

No other suitable bearings avaisable.

Thence N. 39° 50' W.

968.00 Enter Cave Creek channel, course Northerly and Southerly,

1280.00 Leave Cave Creek channel, course Northeasterly and SWly.

1359.28 To Cor. No. 2, a 32ft. in. pipe with a 2in. brass cap marked U.S.MINERAL SURVEY NO.4096-6-2; set 20ins. in ground and surrounded with a substantial mound of earth and rock, identical with the loc. mon.

No suitable bearings available.

Thence N. 53° 55' E.

300.00 To Northwest End Center, a substantial mound of earth and rock, whence the loc. mon. bears N.18°32'W. 21 ft.

386.00 Enter Cave Creek channel, course NEly. and SWly.

600.00 To point for Cor. No. 13 which falls in the main channel of Cave Creek where it is impossible to establish a permanent corner.

A porphyry rock in place in the creek channel 3x2x2 ft. exposed, marked BxR-C-3-4096, bears N.17°18'W. 76.32 ft. A porphyry rock in place in the creek channel 3x5x2 ft. exposed, marked BxR-C-3-4096, bears North 96.20 ft. The loc. mon. bears N.31°15'W. 124 ft.

The Witness Cor to cor. No. 3, a 3 ft. 3 in. pipe with a 2in. brass cap marked U.S.MINERAL SURVEY NO. 4096-WC-3-C; set 18 ins.

in ground and surrounded with a substantial mound of earth and rock bears S. 39°50'E. 346.10 ft. No other suitable bearings available.

> Thence 'S: 39° 50'E. from true Cor. Pt.

180.00 Leave Cottonwood Wash channel at its confluence with Cave Creek, course NEly. and SWly.

346.10 Intersect Witness Cor. No.3 previously described.

1359.28 To Cor. No. 4, a 32ft. in. pipe with a 2in. brass cap marked U.S.MINERAL SURVEY NO. 4096-C-4; set 18 ins. in ground and surrounded with a substantial mound of earth and rock whence the loc. mon. bears N.70°15'E. 69 ft. On line 2-3 Columbian Mine lode Sur. No. 2685, whence Cor. 2 bears S.53°55'W. 702.46 ft.

- Thence S. 53° 55' W.

Along line 3-2 Columbian Mine Lode, Sur. No. 2685, 300.00 To Southeast End Center, a substantial mound of earth and rock, whence the Loc. mon. bears S.19°45'W. 36 ft. 600:00 To Cor. No. 1 the place of beginning.

The mean magnetic variation at all corners is 14°35' E.

and refer to Louis and the Louis age.

· Lode Line

and the color of the color of the colors of the colors.

As near as can be determined from the present development the vein of the location embraced in this claim extends as follows from its discovery point: S.39°50'E. 60 ft. and N.39°50'W. 1299.28 ft.

edg. 20 Co point for Cor. No. 3 wie Lands Lands Levis

days these where it is a real and a serial and a serial se

Total area Catherine lode,

18.683 Ac.

. Location

Somet formany death and selected at the property of

. This survey is located in the E2SW1 and W2SE of Section . 4. T. 6 N., R. 4 E. Gila and Salt River Base and Meridian, Cave Creek Mining District, Maricopa County, Arizona.

The Witness Top to cor Feet

· Expenditure of Five Hundred Dollars

I certify that the value of the labor and improvements made upon or for the benefit of the location embraced in said mining claim by the claimant or his grantors, is not less than Five Hundred Dollars, and that said improvements consist of:

No.1 Disc. cut 6x8x6 ft./facing SWly. the mouth of which bears N.39°50'W. 60 ft. from the SE. end center.

Value \$ 100.00

No.2 shaft 6x6.5x27 ft. deep the center of which bears
N.22° 15' 30" E. 265.62 ft. from the Southeast End center.

Value \$ 540.00

No.3 shaft 5x6.5x5 ft. deep, caved, the center of which bears N.6°30'E. 261 ft. from the 817.77 ft. point on line 1-2,

Value \$ 100.00

No.4 shaft 4.5x6x8 ft. deep caved, the center of which bears N.4°20'E. 463 ft. from the 817.77 ft. point on line 1-2,

Value \$ 100.00

Other Improvement

The Sw. corner of a frame house 17x21 ft. bears N.30°05'L. 487 ft. from the 817.77 ft. point on line 1-2.

Adjoining Claims

This claim is bounded on the SE. by the Columbian Mine lode, Sur. No. 2685, and on the SW. NW. and NE. sides by public domain.

Instrument

This survey was made with a light mountain W. & LE. Gurley transit.

The courses were deflected from a true meridian as determined by direct solar observations.

The distances were measured with a 660 ft. steel tape.

Report

The public land corner to which this survey is tied is a stone properly set and marked.

The corners of the Columbian Mine Sur. No. 2685. to which this survey is tied are 4x4 pine posts properly set and marked marked to the second of the second

The corner of the Phoenix Mill Site Sur. No. 753 to which this survey is tied is a stone properly set and marked. U. S. M. No. 1 to which this survey is tied is a lead plug in a rock in place, as described in the official records.

respect the southeast End easter.

o and the contract of the contract of the contract of

bearing the artists and area at the artists of the area

OCT TO THE

0.001 (00 = 01) Modern to the deep cover the family of the

only no during are twilled and cours of the point on the

e.cons

COOL CONTROL CONTROL CONTROL OF THE STATE OF

of it. from the 817.77 ft. point on line 1-2.

walk principality and the san in the solution with the same

look, blacket and or the out. Mr. and like all to be

THE PROPERTY OF THE PARTY OF TH

plan at a literate that a fair in a contract the . A ESCHETT

-term on manifere what I must be teal to be a supplied to

.Enolde reado selos reconto a diserio

. Sold to let the Condity At In Designation of the Main State

Contact the configuration of the

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals e	employed by Harry E. Jones.
United States Mineral Surveyor, to assist	in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field	notes of the survey of the mining claim of
Theodore B.	Jones,
known as theCather	rine Lode
and showing the respective capacities in whi	
	Louis J. Spear, , Chainman.
	Jas. Shine, , Chainman.
	, Awman.
	, Flagman.
FINAL OAT	HS OF ASSISTANTS.
We, Louis J. Spear,	
	, do solemnly swear that we assisted
	tes Mineral Surveyor, in marking the corners and surveying
	Jones,
known as the <u>Catherin</u>	
represented in the foregoing field notes as ha	aving been surveyed by said mineral surveyor and under his
	l respects, to the best of our knowledge and belief, faithfully
	ndary monuments established according to law and the instruc-
ions furnished by the Office Cadastral Engine	
	Louis J. Spear, Chainman.
	Jas Hine, Chainman.
	Axman.
	, Flagman.
Subscribed and sworn to h	by the above-named persons before me this 13th.
	19 29
	Karph a Phillip
	Notery Public
	GOYEN MUST INNERSO OTHER

FINAL OATH OF U.S. MINERAL SURVEYOR

I, Harry E. Jones , U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the Office Cadastral
Engineer, at Phoenix, Arizona , dated March 4th. 1929 ,
I have, in strict conformity to the laws of the United States, the efficial regula-
tions and instructions thereunder, and the instructions of said Office Cadastral
Engineer, faithfully and correctly executed the survey of the Mining Claim of
Theodore B. Jones. , known as the
Catherine Lode,
situate in Cave Creek Mining District,
Maricopa County, Arizona , in Section
4 , Township No. 6 North , Range No. 4 East
and designated as Survey No. 4096 , as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Office Cadastral Engi-
neer with said instructions, and that all corners of said survey have been established
and perpetuated in strict accordance with the law, official regulations and instruc-
tions thereunder; and I do further solemnly swear that the foregoing are the true and
orginal field notes of said survey and my report therein, and that the labor expended
and improvements made upon said mining claim by claimant or his same and
grantors are as therein fully stated, and that the character, extent, location, and
itemized value thereof are specified therein with particularity and full detail, and
that no portion of said labor or improvements so credited to this claim has been in-
cluded in the estimate of expenditures upon any other claim.
. 4/ 00
Hough Jours y. S. Mineral Surveyor.
9. 5. Mixeral Surveyor.
Subscribed and sworn to by the said Harry E. Jones
U. S. Mineral Surveyor, before me a Notary Public in and for the State
of Arizona, County of Maricopa this 13th.
day of March, 1929.
Talps Q Philip
Hotary Public.

OFFICE CADASTRAL ENGINEER'S FINAL CERTIFICATE ON FIELD NOTES

Department of the Interior

PUBLIC SURVEY OFFICE

	Phoenix, Arizona,
	March 23 ,19 29
I, Office Cadasta	l Engineer, at Phoenix, Arizona,
do hereby certify tha	the foregoing transcript of the Field Notes, return and approval of the survey
	The od ore B. Jones
	CATHERINE lode
	Cave Creek
Mining District	Maricopa County Arizona
	., Township No. 6 North , Range No. 4 East , and
designated as Survey	No. 4096, has been correctly copied from the originals on file in
	ield Notes furnish such an accurate description of said mining claim as will, if
ncorporated into a pa	ent, serve fully to identify the premises, and that such reference is made therein
to natural objects or	ermanent monuments as will perpetuate and fix the locus thereof.
I further certify t	at Five Hundred Dollars worth of labor has been expended or improvements
made upon, or for t	e benefit of, each location embraced in said mining claim by claimant
	or his grantors,
and that said improv	ments consist of 3 shafts and 1 cut, total value \$840
	1
and that no portion of	aid labor or improvements has been included in the estimate of expenditures
upon any other claim	
I further certify t	at the plat thereof, filed in the U.S. Land Office at Phoenix,
Arizona	is correct and in conformity with the foregoing Field Notes.
	Tohn D Adoma
	John D. Adams Office Cadastral Engineer.

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR PUBLIC SURVEY OFFICE

At Phoenix, Arizona,
March 23 , 1929.
I, Office Cadastral Engineer at Phoenix, Arizona,
do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of
Theodore B. Jones
, known as the
CATHERINE lode
situate in mining district,
Maricopa County, Arizona
in Section 4 , Township No. 6 North , Range No. 4 East
, designated as Survey No. 4096
executed by, U. S. Mineral
Surveyor,
March 4, 1929, have been critically examined and the necessary
corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,
are hereby approved. The certified copy of the location certificate filed by the applicant for survey is
on file in this office and a true copy of said certified copy of said location certificate is included and
nade a part of the transcript of the field notes.
Office Cadastral Engineer.