Aug-1, 1929

MINERAL SURVEY No. 4112

ARIZONA Land	District.					
FIELD NOTES OF THE SURVEY OF THE MINING CLAIM OF						
W. I. Lively						
KNOWN AS THE						
SANTA ROSA lode						
Winifred	Mining District,					
Maricopa County, Ariz	cona					
Sections 21 and 22 , Township 3 North , R	ange 3 East					
Surveyed under instructions dated July 20th.	, 1929 .					
by HARRY E.	JONES,					
	U. S. Mineral Surveyor.					
Claim located See location notice	, 19					
Survey commenced July 24th.	, 19 29,					
Survey completed July 24th.	, 19 20,					
Address of claimant 322 Luhrs Bldg.	Phoenix, Arizona,					
DATES OF AMENDED LOCATIONS.						
See location notice.						
6-822						

Feet Mineral Survey No. 4112 bus ditts of the business Leitus Santa Rosar Lode bus resudings of 08. vag Beginning at Cor. No. 1, a standard USGLO 1 inch pipe with a bronze cap marked USMS.No.4112-1-SR; set 18 ins. in ground and surrounded with a substantial mound of earth and rock, identical with the location monument. The corner common-te-Sections-21, 22, 27 and 28, T. 3 N. R. 3 E. bears S.3°35'15"E. 728.70 ft. No other suitable the mode vbearings available. Some restabled mes as year sh as Sunt o misso aid at head Thence N. 39° 23' E. nier out 76.90 Intersect the line common to Sections 21 and 22, T. 3 N. R. 3 E. at N.0°14'E. 786.72 ft. from the SE. and SE! corner respectively of said sections. 21, 22,27 & 28. 1495.10 To Cor. No. 2, a standard USGLO 1"pipe with a bronze cap marked USMS.No.4112-2-SR; set 20 ins. in ground and surrounded with a substantial mound of earth and rock, identical with the location monument. No suitable bearings available. Thence N. 70° 16' W. 300.00 To, Northeast End Center, a substantial mound of earth and rock identical with the location monument. ,561.34 To Cor. No. 3, a standard USGLO 1" pipe with a bronze cap marked USMS.No.4112-3-SR; set 12 ins. in ground and surrounded with a substantial mound of rock, identical with the location monument. No suitable bearings available. Thence S. 39° 36' W. 577.40 Intersect the line common to Sections 21 and 22, T. 3 N. R. 3 E. at N.0°18'E. 1627.50 ft. from the SE. and SW. cor ner respectively of said sections. 21, 22, 27 8c 28. .1497.12 To Cor. No. 4, a standard USGLO 1" pipe with a bronze cap marked USMS.No.4112-4-SR; set 20 ins. in ground and sur-00.008 rounded with a substantial mound of earth and rock, iden-וסיוב . לב tical with the location monument. 00.00I talog . tt . At ent

No suitable bearings available.

ti ant. . Follow. i steed g

80.00

Co. S dance distance S. of

the set it. weint on line 1-2;

Feet

Thence S. 70° 16' E.

267.30 To Southwest End Center, a substantial mound of earth and rock, identical with the location monument.

Dancer Tait astation and in a service of a page of a

The yorker Commanded the Land 11, 51, 67 and 36,

567.30 To Cor. No. 1 the place of beginning.

The mean magnetic variation at all corners is 14°50' E.

alder to wante of the CV. 887 Lode Line 3.8 eased . E. S. . R

As near as can be determined from the present development the vein of the location embraced in this claim extend as . follows from the discovery point:

N.39°23'E. 730.10 and S.39°23'W. 765 ft.

ters. In forcer, we are sent a cold with a first area are

12,32 / 20,310 / 20,22 - 20,22 - 20,22 - 20,22

- Total area Santa Rosa lode, - 18.241 Ac.

and Area in conflict with:

E2SE2 Section 21, T. 3 N. R. 3 E. 6.101

Location

This survey is located in the E2SE4 Section 21, and W2SW4 of Section 22, T. 3 N. R. 3 E. Gila and Salt River Base and Meridian, Winifred Mining District, Maricopa County, rus to Arizona. il .auf 31 toa ; 22-5-8116.09. 382U Bedten

. The Line of the state of the

i of rook, destined with Expenditure of Five Hundred Dollars

> I hereby certify that the value of the labor and improvements made upon or for the benefit of the location embraced in this claim by the claimant or his grantors, is not less than Five Hundred Dollars, and that said improvements consist of:

> No.1 Disc. shaft 4x6x46 ft. deep bears N.39°23'E. 765 ft. \$ 690.00 from the Southwest End Center. Value No. 2 shaft 3x6.5x7 ft. deep bears N.20°50'W. 307 ft. from Value the 555 ft. point on line 1-2; No.3 shaft 4x5x4 ft. deep bears N.70°15'W. 172 ft. from the 555 ft. point on line 1-2; Value

> > ______

Other Improvements

A shaft 5x6x5 ft. deep bears N.89°45'W. 389 ft. from the 555 ft. point on line 1-2;

Adjoining Claims

This claim is bounded on the West by patented homestead land, on the North by homestead land, on the East and South by public domain. It is identical with a segregation survey of the Santa Rosa lode from the War SW4 Sec. 22, T. 3 N., R. 3 E.

Instrument

This survey was made with a C.L.Berger and Sons, light mountain transit.

The courses were deflected from a true meridian as determined by direct solar observations.

The distances were measured with 50 ft. and 660 ft. steel tapes.

Report

The public land corners to which this survey is tied are properly set and marked.

I find the corners of the segregation survey, by the GLO. all in good condition properly set and marked, however I am unable to check the courses and distances as reported and the same are correctly given herein:

U. S. Mileral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals	employed by Harry E. Jones,
United States Mineral Surveyor, to assist	in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field	notes of the survey of the mining claim of
W. I. Li	vely,
known as the Sant	a Rosa, lode
and showing the respective capacities in wh	
	Homer Mitchell, Chainman.
	, Flagman.
	, I wynau.
FINAL OAT	HS OF ASSISTANTS.
	hurst
	, do solemnly swear that we assisted
Harry E. Jones, United St.	ates Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of	W. I. Lively,
known as theSai	nta Rosa lode
represented in the foregoing field notes as l	having been surveyed by said mineral surveyor and under his
direction; and that said survey has been in a	all respects, to the best of our knowledge and belief, faithfully
and correctly executed, and the corner and box	undary monuments established according to law and the instruc-
tions furnished by the Office Cadastral Engine	eer, at Phoenix, Arizona.
	R.T. ashust , Chainman.
	Homes mitchell , Chainman.
	Awman,
Curbanath dan dan dan dan	, Flagman.
	by the above-named persons before me this 25th.
day ofJuly	, 19 29
	THE CLUMN AND A SHOPE OF THE SH
ASTA SERVICE	Motary Rublic 6-10/3

FINAL OATH OF U.S. MINERAL SURVEYOR

I, Harry E. Jones, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the Office Cadastral
Engineer, at
I have, in strict conformity to the laws of the United States, the official regula-
tions and instructions thereunder, and the instructions of said Office Cadastral
Engineer, faithfully and correctly executed the survey of the Mining Claim of
W. I. Lively, known as the
Santa Rosa lode,
situate in Mining District,
Maricopa County, Arizona , in Section
21 and 22, Township No. 3 North, Range No. 3 East
and designated as Survey No. 4112 , as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Office Cadastral Engi-
neer with said instructions, and that all corners of said survey have been established
and perpetuated in strict accordance with the law, official regulations and instruc-
tions thereunder; and I do further solemnly swear that the foregoing are the true and
orginal field notes of said survey and my report therein, and that the labor expended
and improvements made upon said mining claim by claimant or his
grantors are as therein fully stated, and that the character, extent, location, and
itemized value thereof are specified therein with particularity and full detail, and
that no portion of said labor or improvements so credited to this claim has been in-
cluded in the estimate of expenditures upon any other claim.
Houge Jones U.S. Mineral Surveyor.
U.S. Mineral Surveyor.
Subscribed and sworn to by the said Harry E. Jones
U. S. Mineral Surveyor, before me a notary public in and for the County
of Maricopa, State of Arizona, this 25th.
day of July 1929.
Noupe a. Pheups
Ny commission empires Iune Sand 1071 Hotary Fublic.

OFFICE CADASTRAL ENGINEER'S FINAL CERTIFICATE ON FIELD NOTES

Department of the Interior

PUBLIC SURVEY OFFICE

	Phoenix, Arizona,				
	August 23 ,19_	29			
I, Office Cadastral Engine	er at Phoenix, Arizona,				
do hereby certify that the foreg	going transcript of the Field Notes, return and approval of the surv	vey			
of the mining claim of	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~				
	W. I. Lively				
	SANTA ROSA lode				
situate in	Winifred				
	aricopa County Arizona				
in Section \$ 21 & 22 Towns	ship No. 3 North, Range No. 3 East, a	nd			
	4112 , has been correctly copied from the originals on file				
	es furnish such an accurate description of said mining claim as will				
	fully to identify the premises, and that such reference is made there				
	t monuments as will perpetuate and fix the locus thereof.				
	Fundred Dollars worth of labor has been expended or improvemen	nts			
	of, each location embraced in said mining claim by claima				
	or his granto				
	onsist of 3 shafts, total value \$840.00				
		ř			
		19			
		1			
and that no portion of said labor	or improvements has been included in the estimate of expenditur				
upon any other claim.		CO			
	at thereof, filed in the U.S. Land Office at Phoenix.				
	s correct and in conformity with the foregoing Field Notes.				
	John D. Adams Office Cadastral Enginee				
	O HOO CHUUCH UN INITIEE	el a			

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR

PUBLIC SURVEY OFFICE

		A	Phoenix,	Arizona,
				August 23 , 1929
I, Office Cadastral	Engineer at	Phoenix	, Arizona,	
do hereby certify that t	he foregoing and	hereto attache	d Field Notes and	Return of the Survey of the
Mining Claim of				
				, known as the
				, known as the
situate in		Winifred		mining district,
*	Maricopa	County.	Arizona	
in Sections 21 and	22, Town	nship No3	North	, Range No. 3 East
, c	lesignated as Sur	vey No	4112	
executed by	Harry E	Jones		, U. S. Mineral
Surveyor, Jul	y 24		, 1929,	under my instructions dated
Jul	y 24	, 19 ² 9, h	ave been critically	examined and the necessary
corrections and explana	tions made, and	the said Field N	otes and Return,	and the Survey they describe,
				by the applicant for survey is
on file in this office and	a true copy of	said certified co	opy of said location	n certificate is included and
made a part of the trans	script of the field	notes.	·	Office Cadastral Engineer.
				- w