MINERAL SURVEY No. 4113

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Ethel T Biles
KNOWN AS THE
Midnight Wander & Stay Comboy lodes
Quartz Mountain Mining District, Yarapai County, Arizona
tion 94 16, Township 13 1/2, Range 2 W
Surveyed under instructions dated July 24, 1929.
by Richard L. Merritt U. S. Mineral Surveyor.
Claim located See Location Notices 1929
Survey commenced August 15t, 1929
Survey completed August 4th, 1929
Address of claimant Guarantee Title & Trust Co. Prescott Arizona (agen
See location Notices

MINERAL SURVEY NO. 4113 MIDNIGHT WONDER LODE

Feet	Beginning at Cor. No. 1, identical with the location
	cornera granite stone 8" X 8" X 24" set 12" in the
	ground with mound of stones chiseled X-1-MW-4113. An
	oak tree 6" in diam. blazed and scribed X-BT-1-MW-4113,
	brs. S32°47'E 36.95'. An oak tree 9" in diam. blazed
file be	and scribed X-BT-1-MW-4113, brs. S28°37'W 25.05'. The
	1 cor. between secs. 9 and 16, T 13 N, R 2 W brs.
18	S14°02'20"W 815.39 F. Location cor. a mound of stones
	3' X 3'.
	Thence S57°25'W, Va. 14°E
220.59	Intersect west line SE1 Sec. 9, T 13 N, R 2 W at
ja -	N1°01'E 672.35' from the $\frac{1}{4}$ cor. bet secs. 9 and 16
.M SI T	T 13 N, R 2 W.
301.29	Intersect line 4 - 1 Stay Cowboy Lode of this Survey
esia 1	at S6°21,30"W,722.58' from Cor. No. 4.
1071.74	Intersect line 2 - 3 Stay Cowboy Lode of this Survey
	'at N6°21'30"E 178.62' from Cor. No. 2.
1415.0	Cross Granite Creek 50' wide, course N10°W.
1500.0	To Cor. No. 2, identical with the location cor, a
old for the	granite stone 6" X 12" X 24" set 12" in the ground
wind .co	with mound of stones chiseled X-2-MW-4113. Cor. No. 4
. 21, 821	Grove Lode, Sur. No. 4099 brs. N57°32'E 125.48'. A
FA OF	granite rock in place 6' X 6' X 4' above ground chiseled
	X-BR-2-MW-4113 brs. S17.44'E 49.8', No other bearings
el I .o	available. Location cor. a mound of stones 3' X 3'.
	Thence N23°47'W, Va. 14°E
303.5	To the W.C.E. a mound of stones 3' X 3' identical with
	the location cor.
385.0	Cross Road 20' wide, brs. N13°W and S13°E.
607.0	To cor. No. 3, identical with the location and Cor. No.2
edin	Fraction Lode Sur. No. 4072, a granite stone 8" X 12" X 12"
Between	above ground chiseled X-F-2-4072, and chiseled 3 MW-4113
.meth ni	on the side facing this Lode. No. bear available.
.'44.08	Location cor.a mound of stones 3' X 3'.
no bu	Thence N57°25'E, Va. 14°E
35.0	Cross road 20' wide, brs. N2°30'W and \$13°E.
The state of the s	

_							
	Feet 140.0	Cross Granite Creek 50' wide, brs. North.					
	820.17	Intersect line 2 - 3 Stay Cowboy Lode of this Sur.					
	#A .	at N6°21'30"E, 949.85'from cor. No. 2.					
	1500.0	To cor. No. 4, identical with the location cor, a					
	laree	granite stone 4" X 6" X 24" set 12" in the ground with					
	sin .	mound of stones chiseled X-4 -MW-4113. Cor. No. 1					
		Fraction Lode Sur. No.4072 brs. N57°25'E 0.4 . No brs.					
	85.10	available. Location cor. a mound of stones 3' X 3'.					
		Thence S23°47'E. Va. 14°E					
	140.32	I offer was a second of the se					
	140,00	Intersect line 4 - 1 Stay Cowboy Lode of this Sur. at S6°21'30"W, 129.63' from Cor. No. 4.					
	168.97	the till and a state of the second and where the test of the result of the					
	108.97	Intersect West line of SE Sec. 9, T 13 N, R 2 W at					
	TOVO	N1°01'E 1192.06' from the \(\frac{1}{4}\) bet. secs. 9 and 16 T 13 N,					
		R 2 W.					
	303.5	To the E.C.E a mound of stones 3' X 3' identical with					
		the location.					
	607.0	To cor. No. 1 the place of beginning.					
	STAY COWBOY LODE						
		Beginning at Cor. No. 1 identical with the location a					
		granite stone 8" X 8" X 24" set 12" in the ground with					
		a mound of stones chiseled X-1-SC-4113. The \frac{1}{4} Cor. between					
		Secs. 9 and 16, T 13 N, R 2 W brs. S89°58'20"E 126.12ft.					
	0/196163	An oak tree 8" in diam. blazed and scribed X-BT-1-SC-4113					
	Bonio	brs. N54°57°W 6.8°, No other bearings available.					
		Location cor. a mound of stones 3' X 3'. Cor. No. 1 is					
		on line 4 - 1 Grove Lode Sur. No. 4099. Cor. No. 4					
		Grove Lode brs. N86°32'W 835.64'.					
		Thence N86°32'W, Va. 14°E.					
	300.0	To the S.C.E. a mound of stones 3' X 3' identical with					
	2.00 PG0	the location.					
	600.0	To cor. No. 2, identical with the location a granite					
	STIA-ME	stone 7" X 6" X 24" set 12" in the ground with a mound					
		of stones chiseled X-2-SC-4113. An oak tree 6" in diam.					
		blazed and scribed X-BT-2-SC-4113 brs. N50°34°W 39.54°.					
		No other bearings available. Location cor. a mound of					
		Total Carried State of the Sant Asont 10.35					

stones 3' X 3'. Cor. No. 2 is on line 4 - 1 Grove Lode

Feet				
	Sur. No. 4099, Cor. No. 4 Grove Lode Sur. No. 4099.			
	brs. N86°32'W 235.64'.			
eno.I a	Thence N6°21°30"E, Va 14°E			
178.62	Intersect line 1 - 2 Midnight Wonder Lode of this Sur.			
	at S57°25'W 1071.74' from Cor. No. 1.			
949.85	Intersect line 3 - 4 Midnight Wonder Lode of this Sur.			
водод	and line 1 - 2, Fraction Lode. Sur. No. 4072 at \$57.25 W. 679.83 ff from Cor. No. 4, Midnight Wonder Lode and \$57.25 W. 680.23 ff from Cor. No. 1 Fraction Lode, Sur. 4072.			
1332.24	Intersect South line of NE of SW Sec. 9 T 13 N, R 2 W			
	at N88°43'W 601.59' Trithe S.E. Cor. of N.E. 1 of SW1			
2 ago.	Sec. 9, T 13 N, R 2 W.			
1355.19	To Cor. No. 3, identical with the location, a granite			
	stone 8" X 10" X 24" set 12" in the ground with a mound			
	of stones chiseled X-3-SC-4113. An oak tree 6" in diam.			
188L.	blazed and scribed X-BT-3-SC-4113, brs. S87°38'W, 16.9'.			
264.	An oak tree 10" in diam. blazed and scribed X-BT-3-SC-4113			
SAF.	brs. N25°17'E, 51.1'. Location cor. a mound of stones			
3' X 3'.				
	Thonce S86°32'E, Va. 14°E			
300.0	To the N.C.E. a mound of stones 3' X 3' identical with			
	the location.			
529.33	Intersect line 5 - 1 Fraction Lode Sur. No. 4072 at			
	N 0°54'E 4.49' from Cor. No. 1.			
600.0	To Cor. No. 4, identical with the location and SE cor.			
	NE dof Swd Sec. 9, T 13 N, R 2 W, a granite stone			
	10" X 12" X 24" set 12" in the ground with a mound of			
	stones chiseled X-4-SC-4113. Cor. No. 1 Fraction Lode			
	Sur. No. 4072 brs. S89°49'20"W 70.61'. Cor. No. 4			
	Midnight Wonder Lode of this Sur. brs. S89°38'40"W 70.95'.			
	No. brs. available. Location cor. a mound of stones			
	31 X 31.			
	Thence S6°21'30"W, Va. 14°E.			
129.63	Intersect line 4 - 1 Midnight Wonder Lode of this Sur.			
Trad no	at S23°47°E, 140.32° from Cor. No. 4.			
722.58	Intersect line 1 - 2 Midnight Wonder Lode of this Sur.			
	at S57°25'W 301.29' from Cor. No. 1.			

F	eet	
1	.355.19	To cor. No. 1, the place of beginning.
b		TRACT "A"
		Beginning at a point on line 3 - 4 Midnight Wonder Lode
	. 208.8	Sur. No. 4113, 995.4# from cor. No. 3; Thence N49º23'E
		296.3#; Thence S41.40'E 42.0' to a point on line 3 - 4
	. THE B	Nidnight Wonder Lode, Thence S57°25'W 300.0' to the
		point of beginning.
٦	STOR	AREA . TO DECITE AREA Acres
	BH.	Midnight Wonder Lode
		Area in conflict with SE1 Sec. 9
		T 13 N, R 2 W 1.096
	salus	Stay Cowboy Lode
		Area in conflict with:
	.maib m	Midnight Wonder Lode of this sur 10.465
	10.95	NE d of SW Sec. 9, T 13 N, R 2 W
	200 0 8 4 5 m	Fraction Lode, Sur. No. 4072 2.489
		Tract A
		Fraction Lode, Sur. No. 4072, exclusive of its conflict with Tract A 2.346
		Fraction Lode, Sur. No. 4072, exclusive of its conflict with NE of SW
		Sec. 9, T 13 N, R 2 W 2.333
		Fraction Lode, Sur. No. 4072, exclusive of its conflict with Tract A and with
		NE of SW Sec. 9, T 13 N, R 2 W 2.190
		LODE LINES .
	. trop 1	As near as can be determined from present developments
		the veins extend from their discovery as follows:
		Midnight Wonder Lode, S57.25'W 1000.0' and N57.25'E 500.0'
	Loca	Stay Comboy Lode S6021 30" 121 01 and
		N6°21"30"E, 1234.19"
1	ie.ov w	ADJOINING CLAIMS This claim is bounded on the north by Fraction Lode,
	Pi in the second	Sur. No. 4072; on the South by Grove Lode, Sur. No.
		4099; on the East and West by U.S. land.
	Sug.	EXPENDITURE OF FIVE HUNDRED DOLLARS
		I certify that the value of the labor and
		improvements made upon this claim by the claimant or her

grantors is not less than Five Hundred Dollars for each

T

Lode and that said improvements consist of L MIDNIGHT WONDER LODE:

Total value improvements credited this lode \$1050.00 STAY COWBOY LODE:

No. 1, the dis. shaft which is on the lode line, 121' from the S.C.E. 4' X 6' X 8', value \$50.00 One half the value, \$600.00 of \$haft No. 2, Midnight Wonder Lode, a common improvement is credited this lode.

Total value improvements credited this lode . \$650.00

LCCATION.

This claim is located in the Quartz Mountain Mining District, Yavapai County, Arizona, in Secs. 9 and 16, T 13 N, R 2 W, that part in Sec. 9 being within the Prescott National Forest.

INSTRUMENT.

This Sur. was made with a Lietz Transit; the courses were deflected from the Meridian as determined by direct Solar observations. The distances were measured with a 350 ft. steel tape.

REPORT.

The Lode lines of these claims were run direct upon the ground and the several corners were established by offsets therefrom. The tie lines were run direct upon the ground. The ½ cor. bet. secs. 9 and 16, T 13 N,R 2W is a mound of stones. Cor. No. 1 Fraction Lode is a granite stone 8" X 12" X 12" above ground chiseled X-F-1-4072. Cor. No. 1 Grove lode Sur. No. 4099 is a granite stone 8" X 10" X 12" above the ground chiseled X-G-1-4099. Cor. No. 4 Grove Lode Sur. No. 4099 is a granite stone 7" X 7" X 12" above ground chiseled X-G-4-4099.

ton o strong sind dans avilani by 3 .6%

DO. THE STREET SET DOTAL TO BE AND TO THE RESET TAY

ne di la bratania apean unit at bustanis in interior

fourte to a series of the contract of the series of the contract of

After a diligent search I found only the S.E. Cor and the $S_{\frac{1}{4}}$ of Sec. 9, T 13 N, R 2 W. As these corners were not sufficient for a proper subdivision of this section, I used Mr. J. Wm. Waara's subdivision as given in Sur. No. 4072, Fraction Lode.

. com see batil an a

RICHARD L. MERRITT

U.S. MINERAL SURVEYOR.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by	ichard L. Merritt			
United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and				
boundaries described in the foregoing field notes of the surve	y of the mining claim of			
Ethel T Biles				
known as the Midnight Wander and				
and showing the respective capacities in which they acted.				
Georg	Te Merritt, Chainman.			
	, Chainman.			
	, Axman.			
	, Flagman.			
FINAL OATHS OF AS	SISTANTS.			
Ve, George Merritt				
ànd, do solemnly s				
L. Merritt, United States Mineral Surve				
the boundaries of the mining claim of				
known as the Midnight Monder 9				
represented in the foregoing field notes as having been survey	yed by said mineral surveyor and under his			
direction; and that said survey has been in all respects, to the	best of our knowledge and belief, faithfully			
and correctly executed, and the corner and boundary monuments				
tions furnished by the Office Cadastral Engineer, at	enix Arizona			
George	Merritt, Chainman.			
	, Chainman.			
	, Awman.			
	, Flagman.			
Subscribed and sworn to by the above-nam	ed persons before me this			
day of Dept	1929			
	HO Payer			
	noton Cas			
110133 COVERNMENT PRINTING OFFICE	6-1013			

FINAL OATH OF U.S. MINERAL SURVEYOR

I, Richardh Merritt, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the Office Cadastral
Engineer, at Phoenix Arizona, dated July 24 1929,
I have, in strict conformity to the laws of the United States, the official regula-
tions and instructions thereunder, and the instructions of said Office Cadastral
Engineer, faithfully and correctly executed the survey of the Mining Claim of
Ethel T. Biles known as the
Midnight-Wonder + Stay-Conboy lades
situate in Quartz Mountain Mining District,
Yarapai County, Arizona, in Sections
9+16, Township No. 13 M, Range No. 2 M
and designated as Survey No. 4113, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Office Cadastral Engi-
neer with said instructions, and that all corners of said survey have been established
and perpetuated in strict accordance with the law, official regulations and instruc-
tions thereunder; and I do further solemnly swear that the foregoing are the true and
orginal field notes of said survey and my report therein, and that the labor expended
and improvements made upon said mining claim by claimant or her
grantors are as therein fully stated, and that the character, extent, location, and
temized value thereof are specified therein with particularity and full detail, and
that no portion of said labor or improvements so credited to this claim has been in-
luded in the estimate of expenditures upon any other claim.
Richard I on VI
Richard L. Menill U. S. Mineral Surveyor.
U. S. Mineral Surveyor, before me Denced
day of Sept, 1929
- Hall
J. James
11 A 3.3 Rotary Kublic

OFFICE CADASTRAL ENGINEER'S FINAL CERTIFICATE ON FIELD NOTES

Department of the Interior

PUBLIC SURVEY OFFICE

		- Endenty	ALIZONE.		
			Septer	mber 27	, 19 29
I, Office Cadastra	l Engineer 21	Phoenix, A	rizona.		
do hereby certify that					
of the mining claim o					
known as the					
situate in					
Mining District					
in Section 8 9 & 16					
designated as Survey					
this office; that said F					
ncorporated into a pate					
to natural objects or p					
	at Five Hundred D				
made upon, or for th Ethel T. Bil					
and that said improve					
value \$1700.					
			× 11		

and that no portion of s	aid labor or improve	ments has beer	included in the	estimate of exp	penditures
upon any other claim.					
	at the plat thereof,	filed in the U.	S. Land Office a	t Phoenix	,
Arizona	is correct a	nd in conformi	y with the foreg	going Field Not	es.
			John	D. Adams	
		**********		Office Cadastral	Engineer.

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR PUBLIC SURVEY OFFICE

		AtPh	oenix, Arizon	18.
			Septer	mber 27., 192 9
I, Office Cadas	tral Engineer at Phoen	nix, Arizona		
do hereby certify th	hat the foregoing and here	to attached Field	Notes and Return	of the Survey of the
Mining Claim of				
	Ethe			
				, known as the
	MIDNIGHT WONDER a			
situate in	Quar	tz Mountain		mining district,
	Yavapai C	ounty, Ari	zona	
in Section 8 9 an	d 16 , Township	No13_1	L, Range	No2_W_
	, designated as Survey N			
executed by	Richard L.	Merritt		, U. S. Mineral
Surveyor,	August 1 - 4		, 19 29 under my	instructions dated
July	24	, 19 29, have been	a critically examined	d and the necessary
corrections and expl	anations made, and the sai	id Field Notes and	l Return, and the Su	rvey they describe,
are hereby approved	l. The certified copy of the	he location certific	ate filed by the app	olicant for survey is
on file in this office	and a true copy of said	certified copy of sa	id location certifica	te is included and
nade a part of the t	ranscript of the field notes	•	Jo tu s	Alaus idastral Engineer.
6-7181			0,000 00	And Disposeer.

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956) BUREAU OF LAND MANAGEMENT ARIZONA STATE OFFICE

M.S. 4113

NOTICE OF CANCELLATION OF MINERAL SURVEY

The MIDNIGHT WONDER and STAY COWBOY lodes, Mineral Survey No. 4113, located in sections 9 and 16, Township 13 North, Range 2 West, Gila and Salt River Meridian, Arizona, are hereby canceled.

These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"MIDNIGHT WONDER and STAY COWBOY lodes, M.S. 4113, were canceled June 30, 2008, by memo 9605 (956) M.S. 4113, which is now a part of the original field notes."

June 30, 2008 Date

Stephen K. Hannen Chief Cadastral Surveyor of Arizona